

IMPACT SOCKETS

PRIME Impact Sockets are made from Best Suitable Alloy Steel in accordance with International Quality Standards and duly heat treated to sustain Impact Associated with the Pneumatic / Electric / Hydraulic Powered tools. PRIME sockets are available right from 6MM A/F to any big sizes. PRIME Impact Sockets are available in Single Hex, Double Hex, Magnetic, Magnetic Spring Loaded for Bolt Clearance, Surface Drive, Universal Joint & Extension Type.



1/4" Square Drive


SAE SI	ZE	METRIC S	SIZE					
PART NO.	A/F	PART NO.	A/F	D1	D2	S	L	Т
PI-114	1/4"	PIM-106	6	12	17	25	50	10
PI-115	9/32"	PIM-107	7	13	17	25	50	10
PI-116	5/16"	PIM-108	8	14.5	17	25	50	10
PI-117	11/32"	PIM-109	9	16	17	25	50	10
PI-118	3/8"	PIM-110	10	16.5	17	25	50	10
PI-119	7/16"	PIM-111	11	17.5	17	25	50	10
	-	PIM-112	12	19	17	25	50	12
PI-120	1/2"	PIM-113	13	19.5	17	25	50	12
PI-121	9/16"	PIM-114	14	21	17	25	50	13

1/2" Square Drive

SAE S	IZE	METRIC S	SIZE					
PART NO.	A/F	PART NO.	A/F	D1	D2	S	L	Т
PI-316	5/16"	PIM-308	8	16	26	38	80	10
PI-318	3/8"	PIM-310	10	17.5	26	38	80	10
PI-319	7/16"	PIM-311	11	19	26	38	80	12
-	-	PIM-312	12	20	26	38	80	12
PI-320	1/2"	PIM-313	13	22	26	38	80	12
PI-321	9/16"	PIM-314	14	23	26	38	80	13
-		PIM-315	15	24.5	27	38	80	14
PI-323	5/8"	PIM-316	16	26	27	38	80	14
PI-324	11/16"	PIM-317	17	27	27	38	80	14
		PIM-318	18	29	30	40	80	14
PI-325	3/4"	PIM-319	19	30	30	40	80	16
-		PIM-320	20	32	30	40	80	16
PI-327	13/16"	PIM-321	21	33.5	30	40	80	18
PI-328	7/8"	PIM-322	22	35	30	40	80	18
		PIM-323	23	36.5	30	42	80	18
PI-329	15/16"	PIM-324	24	38	36	42	80	21
PI-330	1"			41	36	42	80	21
PI-331	1.1/16"	PIM-327	27	42	36	45	80	23
PI-332	1.1/8"	-	-	46	36	45	80	23
PI-333	1.3/16"	PIM-330	30	46	36	45	80	24
PI-334	1.1/4"	PIM-332	32	48	36	46	80	26
PI-336	1.3/8"		15	55	36	51	80	28
PI-338	1.1/2"			56	36	53	80	30

3/8" Square Drive

SAE SI	ZE	METRIC S	SIZE					
PART NO.	A/F	PART NO.	A/F	D1	D2	S	L	T
PI-214	1/4"	PIM-206	6	12	17	30	60	10
PI-215	9/32"	PIM-207	7	13	17	30	60	10
PI-216	5/16"	PIM-208	8	14	21	30	60	.10
PI-217	11/32"	PIM-209	9	16	21	30	60	10
PI-218	3/8"	PIM-210	10	16.5	21	30	60	10
PI-219	7/16"	PIM-211	11	18	21	30	60	12
-	-	PIM-212	12	19	21	30	60	12
PI-220	1/2"	PIM-213	13	20	21	30	60	12
PI-221	9/16"	PIM-214	14	22	22	30	60	13
	-	PIM-215	15	23	22	32	60	15
PI-223	5/8"	PIM-216	16	25	22	32	60	15
PI-224	11/16"	PIM-217	17	26	25	32	60	15
	-	PIM-218	18	27	25	32	60	16
PI-225	3/4"	PIM-219	19	28.5	25	32	60	16
	-	PIM-220	20	29	25	35	60	16
PI-227	13/16"	PIM-221	21	30	25	35	60	18
PI-228	7/8"	PIM-222	22	31	28	38	60	18



^{*} To order deep socket please suffix 'L' after part no.


IMPACT SOCKETS





3/4" Square Drive

SAE S	IZE	METRIC S	SIZE					
PART NO.	A/F	PART NO.	A/F	D1	D2	S	L	Т
PI-421	9/16*		-	28	44	48	90	13
PI-423	5/8"	-	-	30	44	48	90	14
PI-424	11/16"	PIM-417	17	32	44	48	90	14
PI-425	3/4"	PIM-419	19	34	44	48	90	16
PI-427	13/16"	-		36	44	50	90	16
PI-428	7/8"	PIM-422	22	38.5	44	50	90	18
PI-429	15/16"	PIM-424	24	42	44	50	90	21
PI-430	1"	-		43.5	44	50	90	21
PI-431	1.1/16*	PIM-427	27	44	44	50	90	23
PI-432	1.1/8"	-		48	44	50	90	23
PI-433	1.3/16*	PIM-430	30	48	44	50	90	24
PI-434	1.1/4"	PIM-432	32	52	44	55	90	26
PI-435	1.5/16"	-		53	44	55	90	26
PI-436	1.3/8"			55	44	55	90	28
PI-437	1.7/16*	PIM-436	36	55	44	60	90	28
PI-438	1.1/2"	PIM-438	38	59	44	60	90	30
PI-439	1.5/8"	PIM-441	41	66	44	66	90	36
PI-440	1.11/16"	-		68	44	66	100	36
PI-441	1.13/16"	PIM-446	46	72	54	66	100	36
PI-442	1.7/8"	-		74	60	68	100	36
PI-443	1.15/16"		-	76	60	70	100	39
PI-444	2"	PIM-450	50	76	60	70	100	39
PI-445	2.1/16*		-	78	60	74	110	41
PI-446	2.3/16*	PIM-455	55	84	60	74	110	41
PI-447	2.1/4"			84	70	74	120	41
PI-448	2.3/8"	PIM-460	60	88	70	78	120	45



1" Square Drive

SAE S PART NO.		METRIC S PART NO.	SIZE A/F	D1	D2	s	L	т
PI-525	3/4"	PIM-519	19	38	54	63	110	16
PI-527	13/16"	-	-	38	54	63	110	18
PI-528	7/8"	PIM-522	22	40	54	63	110	18
PI-529	15/16"	PIM-524	24	42	54	63	110	21
PI-530	1"		-	44	54	63	110	21
PI-531	1.1/16"	PIM-527	27	46	54	63	110	13
PI-532	1.1/8"	-	-	49	54	63	110	13
PI-533	1.3/16"	PIM-530	30	50	54	63	110	24
PI-534	1.1/4"	PIM-532	32	52	54	63	110	26
PI-535	1.5/16"	-	-	54	54	63	110	26
PI-536	1.3/8"		-	56	54	66	110	28
PI-537	1.7/16"	PIM-536	36	58	54	66	110	28
PI-538	1.1/2"	PIM-538	38	62	54	66	110	30
PI-538A	1.9/16"	-	-	65	54	68	110	32
PI-539	1.5/8"	PIM-541	41	67	54	68	110	36
PI-540	1.11/16"	-	-	67	54	68	110	36
PI-541	1.3/4"		-	72	54	74	110	36
PI-542	1.13/16"	PIM-546	46	74	54	74	110	36
PI-543	1.7/8"	-	-	74	54	74	110	36
PI-544	1.15/16*		-	75	70	76	110	39
PI-545	2"	PIM-550	50	77	70	76	110	39
PI-546	2.1/16"	-	-	77	70	76	120	41
PI-547	2.3/16"	PIM-555	55	86	70	78	120	41
PI-548	2.1/4"	-		86	70	78	120	41
PI-550	2.3/8"	PIM-560	60	90	70	81	120	45
PI-551	2.7/16"	-	-	90	70	81	120	45
PI-553	2.9/16"	PIM-565	65	98	80	85	120	46
PI-554	2.5/8"		-	98	80	85	120	50
PI-556	2.3/4"	PIM-570	70	104	80	90	130	50
PI-557	2.13/16*	-	-	104	80	90	130	50
PI-559	2.15/16*	PIM-575	75	112	80	94	130	57
PI-560	3"		-	112	80	94	130	57
PI-561	3.1/8"	PIM-580	80	118	80	100	140	62
PI-563	3.3/8'	PIM-585	85	125	80	104	140	62

^{*} To order deep socket please suffix 'L' after part no.





1.1/2" Square Drive

SAE S	SIZE	METRIC	SIZE					
PART NO.	A/F	PART NO.	A/F	D1	D2	S	L	Т
PI-631	1.1/16*		-	54	86	80	130	23
PI-632	1.1/8"	-	-	58	86	80	130	23
PI-636	1.3/8"		-	64	86	80	130	28
PI-637	1.7/16*	PIM-636	36	64	86	80	130	28
PI-638	1.1/2"	PIM-638	38	69	86	80	130	30
PI-638A	1.9/16"		-	69	86	80	130	32
PI-539	1.5/8"	PIM-641	41	69	86	83	130	36
PI-640	1.11/16"		-	69	86	83	130	36
PI-641	1.3/4"	-	-	69	86	83	130	36
PI-642	1.13/16"	PIM-646	46	76	86	86	130	36
PI-643	1.7/8"	-	-	76	86	86	130	36
PI-645	2"	PIM-650	50	81	86	90	130	39
PI-646	2.1/16"	-		81	86	90	140	41
PI-647	2.3/16"	PIM-655	55	88	86	95	140	41
PI-648	2.1/4"	-	-	88	86	95	140	41
PI-650	2.3/8"	PIM-660	60	96	86	98	140	45
PI-651	2.7/16"	-	-	96	86	98	140	45
PI-653	2.9/16"	PIM-665	65	102	86	102	140	46
PI-654	2.5/8"	-	-	102	86	102	140	46
PI-656	2.3/4"	PIM-670	70	108	86	102	150	50
PI-657	2.13/16"	-	-	108	86	102	150	50
PI-659	2.15/16"	PIM-675	75	116	86	108	150	57
PI-660	3"	-	-	116	86	108	150	57
PI-661	3.1/8"	PIM-680	80	120	86	110	150	62
PI-663	3.3/8"	PIM-685	85	130	86	115	170	62
PI-664	3.1/2"	PIM-690	90	135	125	118	170	65
PI-665	3.3/4"	PIM-695	95	140	125	123	170	70
PI-666	3.7/8"	PIM-6100	100	148	125	128	190	75
PI-668	4.1/8"	PIM-6105	105	155	125	133	190	80
PI-169	4.1/4"			155	125	133	190	80
	-	PIM-6110	110	161	150	138	200	85
PI-670	4.1/2"	PIM-6115	115	161	150	143	200	94
PI-671	4.5/8"	PIM-6120	120	175	150	149	200	94

3.1/2" Square Drive

SAE S	IZE	METRIC S	SIZE					
PART NO.	A/F	PART NO.	A/F	D1	D2	S	L	Т
PI-871	4.5/8*	PIM-8120	120	180	175	182	277	72
PI-873	4.7/8"	PIM-8130	130	193	175	190	280	80
PI-874	5.1/4"	PIM-8135	135	197	175	198	280	83
PI-875	5.3/8"	PIM-8145	145	231	175	214	295	86
PI-877	5.5/8"	PIM-8150	150	218	175	214	295	90
PI-878	5.3/4"	PIM-8155	155	225	175	214	297	92
PI-884	6.1/2"	PIM-8165	165	237	175	231	313	98
PI-886	6.3/4"	PIM-8170	170	243	175	231	313	100
PI-887	6.7/8"	PIM-8175	175	249	175	231	313	102
PI-888	7*	PIM-8180	180	155	175	237	320	108
PI-893	7.5/8"	PIM-8195	195	275	175	245	328	118
PI-896	8"	PIM-8200	200	280	175	250	332	120
PI-8100	8.1/2"	PIM-8215	215	298	175	263	346	125
PI-8104	9"	PIM-8230	230	317	175	279	359	132
PI-8105	9.1/8"	PIM-8135	235	325	175	279	362	136

^{*} To order deep socket please suffix 'L' after part no.



2.1/2" Square Drive

SAE S	IZE	METRIC S	SIZE					
PART NO.	A/F	PART NO.	A/F	D1	D2	S	L	Т
PI-750	2.3/8"	PIM-760	60	120	125	120	190	45
PI-753	2.9/16"	PIM-765	65	125	125	120	190	46
PI-756	2.3/4"	PIM-770	70	130	125	120	190	50
PI-759	2.15/16"	PIM-775	75	130	125	130	190	57
PI-761	3.1/8"	PIM-780	80	135	125	140	190	62
PI-763	3.3/8"	PIM-785	85	140	125	140	190	62
PI-764	3.5/8"	PIM-790	90	145	125	140	190	65
PI-765	3.3/4"	PIM-795	95	155	125	150	190	70
PI-766	3.7/8"	-	-	155	125	150	190	70
PI-767	4"	PIM-7100	100	160	125	150	200	75
PI-768	4.1/8"	PIM-7105	105	165	125	160	200	80
PI-769	4.3/8"	PIM-71105	110	174	150	160	210	85
PI-770	4.1/2"	PIM-7115	115	180	150	170	210	90
PI-771	4.5/8"	-	-	180	150	175	220	94
PI-772	4.3/4"	PIM-7120	120	185	150	175	220	94
PI-773	4.7/8"	-	-	185	150	175	220	94
PI-774	5"	-	-	195	150	175	220	98
		PIM-7130	130	205	150	175	220	98
PI-775	5.3/8"	PIM-7135	135	220	150	180	220	102
PI-778	5.3/4"	PIM-7145	145	230	150	180	230	105
		PIM-7150	150	230	180	190	250	110
PI-781	6.1/8"	PIM-7155	155	240	180	190	250	110
	-	PIM-7160	160	240	180	190	-	110
PI-784	6.1/2"	PIM-7165	165	240	180	200	-	120
PI-787	6.7/8"	PIM-7175	175	255	180	200	-	120
PI-790	7.1/4"	PIM-7185	185	270	180	210		130
PI-793	7.5/8"	PIM-7195	195	275	180	210	-	130
PI-796	8"	PIM-7200	200	290	180	225		140

