


linear classifier ✓



diagnostic

0 ✓
1 ✓

target



$$w_1 = 37.77 \quad w_2 = -28.32 \quad b = -29.76$$

$$x_1 w_1 + x_2 w_2 + b = (x_1)(37.77) + (x_2)(-28.32) - 29.76$$

$$= (1)(37.77) + (1)(-28.32) - 29.76$$





$$= 37.77 - 28.32 - 29.76$$

$$= 37.77 - 59.8$$

$$= -22.03 < 0 \quad \text{target} = 0$$

$$= 3(37.77) + 1(-28) - 28$$



$$\begin{aligned}
 &= 3(7.7) + 1(-2) - 28 \\
 &= 11.7 - 2 - 28 \\
 &= 11.7 - 26 \\
 &= -14.3 < 0 \quad \text{--- (1)}
 \end{aligned}$$



poly = decision
lin = "
RBF = "

X
 Δ Δ
 Δ Linear

SVC (kernel = 'linear')



analysis = d

$$\frac{a_1 - d_2}{\sqrt{a^2_{er}}}$$

$$\frac{d - (-d)}{\sqrt{a^2_{er}}}$$

$$= \frac{2d}{\sqrt{a^2_{er}}}$$

Linear Regression
 Logistic Regression,
 Decision tree
 & Gradient Descent
 SVC