

1. Manual Context Injection:

we manually copy and paste relevant information directly into the prompt

User prompt: "Analyse this customer feedback"

2. Custom prompt Template:

Template: "you are a {role}. Given this {data_type}.
{data}"

- Metadata: {source}

- Date: {date}

- category: {category}

please {task} while focusing on {focus-area}.

"you are a financial Analyst. Given this
Quarterly report: {Q3 earnings data}."

Metadata:

- Source: SEC Filing

- Date: 1 Dec 2025

- Category: Financial

Please identify risks while focusing on cash flow trends.

3: websearch + Manual Copy.

4. Fine tuning / Adapter training
own dataset —

5: Internal IR + RAG (vector DB + LLM)

Retrieval Augmented Generation: own KB

PDF'S → 10,000 → vector database

① what is our refund policy — embeddings



7) Agentic RAG / Tool-Augmented Agents.

— — —
"Analyze our competitors pricing strategy
and recommend changes"

1. I need competitor pricing data → call webscraper
2. I need current pricing — call internal database
3. check recent market trends — webscraper
4. let me calculate price elasticity → use python
5. validate against margins → call financial api —
6. Synthesize all the data: →
provide comprehensive recommendation.

1-3. Human does the work

4 : Model is permanently modified

5 : Automated external Search


6 : " Internal "

7 : Autonomous

[- - -] -


RAG

Relevant
→



pdf ^{PDF} ds


→ chunks →



VDB


what in the data?

Augmented →



prompt

Given →



→




30

20 | 10

10 | 20

10 | 20



langchain, spaCy / NLTK, tiktoken,

Langchain experimental