



1. Introduction

Adv. Macro: Heterogenous Agent Models

Jeppe Druedahl & Patrick Moran

2022



Introduction

- **Teachers:** Jeppe Druedahl & Patrick Moran

Introduction

- **Teachers:** Jeppe Druedahl & Patrick Moran
- **Central economic questions:**
 1. What explains the level and dynamics of heterogeneity/inequality?
 2. What role does heterogeneity play for understanding consumption-saving dynamics in partial equilibrium?
 3. What role does heterogeneity play for understanding business-cycle fluctuations in general equilibrium?

Introduction

- **Teachers:** Jeppe Druedahl & Patrick Moran
 - **Central economic questions:**
 1. What explains the level and dynamics of heterogeneity/inequality?
 2. What role does heterogeneity play for understanding consumption-saving dynamics in partial equilibrium?
 3. What role does heterogeneity play for understanding business-cycle fluctuations in general equilibrium?
 - **Central technical method:** Programming in Python
- Prerequisite:** *Intro. to Programming and Numerical Analysis*
- Complicated:** *Close to the research frontier*

Introduction

- **Teachers:** Jeppe Druedahl & Patrick Moran
- **Central economic questions:**
 1. What explains the level and dynamics of heterogeneity/inequality?
 2. What role does heterogeneity play for understanding consumption-saving dynamics in partial equilibrium?
 3. What role does heterogeneity play for understanding business-cycle fluctuations in general equilibrium?
- **Central technical method:** Programming in Python
Prerequisite: *Intro. to Programming and Numerical Analysis*
Complicated: *Close to the research frontier*
- **Plan for today:**
 1. More about the course
 2. Dynamic programming - theory
 3. Dynamic programming - practice

Macroeconomic Models with Heterogeneous Agents

- **Model components:**

1. Optimizing individual agents (households + firms)
2. Idiosyncratic and aggregate risk
3. Information flows (who knows what when \Rightarrow often everything)
4. Market clearing (Walras vs. search-and-match)

Macroeconomic Models with Heterogeneous Agents

- **Model components:**

1. Optimizing individual agents (households + firms)
2. Idiosyncratic and aggregate risk
3. Information flows (who knows what when \Rightarrow often everything)
4. Market clearing (Walras vs. search-and-match)

- **Insurance/markets:**

Complete \rightarrow idiosyncratic risk insured away \sim representative agent

Incomplete \rightarrow agents need to *self-insure*

Macroeconomic Models with Heterogeneous Agents

- **Model components:**

1. Optimizing individual agents (households + firms)
2. Idiosyncratic and aggregate risk
3. Information flows (who knows what when \Rightarrow often everything)
4. Market clearing (Walras vs. search-and-match)

- **Insurance/markets:**

Complete \rightarrow idiosyncratic risk insured away \sim representative agent

Incomplete \rightarrow agents need to *self-insure*

- **Heterogeneity:**

Ex ante in preferences, abilities etc.

Ex post after realization of idiosyncratic shocks

Macroeconomic Models with Heterogeneous Agents

- **Model components:**

1. Optimizing individual agents (households + firms)
2. Idiosyncratic and aggregate risk
3. Information flows (who knows what when \Rightarrow often everything)
4. Market clearing (Walras vs. search-and-match)

- **Insurance/markets:**

Complete \rightarrow idiosyncratic risk insured away \sim representative agent

Incomplete \rightarrow agents need to *self-insure*

- **Heterogeneity:**

Ex ante in preferences, abilities etc.

Ex post after realization of idiosyncratic shocks

- **HANC:** Heterogeneous Agent *Neo-Classical* model

Macroeconomic Models with Heterogeneous Agents

- **Model components:**

1. Optimizing individual agents (households + firms)
2. Idiosyncratic and aggregate risk
3. Information flows (who knows what when \Rightarrow often everything)
4. Market clearing (Walras vs. search-and-match)

- **Insurance/markets:**

Complete \rightarrow idiosyncratic risk insured away \sim representative agent

Incomplete \rightarrow agents need to *self-insure*

- **Heterogeneity:**

Ex ante in preferences, abilities etc.

Ex post after realization of idiosyncratic shocks

- **HANC:** Heterogeneous Agent *Neo-Classical* model

- **HANK:** Heterogeneous Agent *New Keynesian* model
(i.e. include price and wage setting frictions)

Teaching method

- **Lectures:** Thursday 10-13
2 hours of »normal« lecture
1 hour of active problem solving (no exercise classes)

Teaching method

- **Lectures:** Thursday 10-13
2 hours of »normal« lecture
1 hour of active problem solving (no exercise classes)
- **Content:**
 1. Explanation of computational methods
 2. Discussion of research papers
 3. Examples of code for central mechanisms
(you should run the notebook codes simultaneously)

Teaching method

- **Lectures:** Thursday 10-13
2 hours of »normal« lecture
1 hour of active problem solving (no exercise classes)
- **Content:**
 1. Explanation of computational methods
 2. Discussion of research papers
 3. Examples of code for central mechanisms
(you should run the notebook codes simultaneously)
- **Material:**

Web: sites.google.com/view/numeconcph-advmacrohet/
Git: github.com/numeconcopenhagen/adv-macro-het

Teaching method

- **Lectures:** Thursday 10-13
2 hours of »normal« lecture
1 hour of active problem solving (no exercise classes)
- **Content:**
 1. Explanation of computational methods
 2. Discussion of research papers
 3. Examples of code for central mechanisms
(you should run the notebook codes simultaneously)
- **Material:**

Web: sites.google.com/view/numeconcph-advmacrohet/
Git: github.com/numeconcopenhagen/adv-macro-het
- **Code:**
 1. We provide code you will build upon
 2. Based on the **GEModelTools** package

- Individual **assignments** (hand-in on Absalon)

Assignments and exam

- Individual **assignments** (hand-in on Absalon)
 1. Assignment based on a **HANC-model**
Deadline: 14th of October (*must be approved before exam*)

Assignments and exam

- Individual **assignments** (hand-in on Absalon)
 1. Assignment based on a **HANC-model**
Deadline: 14th of October (*must be approved before exam*)
 2. Assignment based on a **HANK -model**
Deadline: 25th of November (*must be approved before exam*)

Assignments and exam

- Individual **assignments** (hand-in on Absalon)
 1. Assignment based on a **HANC-model**
Deadline: 14th of October (*must be approved before exam*)
 2. Assignment based on a **HANK -model**
Deadline: 25th of November (*must be approved before exam*)
 3. **Free assignment** with essay on a relevant model extension of own choice and a simple implementation
Deadline for proposal: 9th of December
Deadline for peer feedback: 16th of December (*exam requirement*)

Assignments and exam

- Individual **assignments** (hand-in on Absalon)
 1. Assignment based on a **HANC-model**
Deadline: 14th of October (*must be approved before exam*)
 2. Assignment based on a **HANK -model**
Deadline: 25th of November (*must be approved before exam*)
 3. **Free assignment** with essay on a relevant model extension of own choice and a simple implementation
Deadline for proposal: 9th of December
Deadline for peer feedback: 16th of December (*exam requirement*)
- All **feedback** can be used to improve assignments before the exam

Assignments and exam

- Individual **assignments** (hand-in on Absalon)
 1. Assignment based on a **HANC-model**
Deadline: 14th of October (*must be approved before exam*)
 2. Assignment based on a **HANK -model**
Deadline: 25th of November (*must be approved before exam*)
 3. **Free assignment** with essay on a relevant model extension of own choice and a simple implementation
Deadline for proposal: 9th of December
Deadline for peer feedback: 16th of December (*exam requirement*)
- All **feedback** can be used to improve assignments before the exam
- **Exam**:
 1. Hand-in 3×**assignments**
 2. **48 hour take-home**: Programming of new extension
+ analysis of model + interpretation of results

1. **Assumed knowledge:** From **Introduction to Programming and Numerical Analysis** you are assumed to know the basics of
 - 1.1 Python
 - 1.2 JupyterLab
 - 1.3 VSCode
 - 1.4 git
2. **Updated Python:** Install (or re-install) newest Anaconda
3. **Packages:** `pip install quantecon, EconModel, consav`
4. **GEModel tools:**
 - 4.1 Clone the GEModelTools repository
 - 4.2 Locate repository in command prompt
 - 4.3 Run `pip install -e .`

See CoursePlan.pdf

1. Account for, formulate and interpret precautionary saving models
2. Account for stochastic and non-stochastic simulation methods
3. Account for, formulate and interpret general equilibrium models with ex ante and ex post heterogeneity, idiosyncratic and aggregate risk, and with and without pricing frictions
4. Discuss the difference between the stationary equilibrium, the transition path and the dynamic equilibrium
5. Discuss the relationship between various equilibrium concepts and their solution methods
6. Identify and account for methods for analyzing the dynamic distributional effects of long-run policy (e.g. taxation and social security) and short-run policy (e.g. monetary and fiscal policy)

1. Solve precautionary saving problems with dynamic programming and simulate behavior with stochastic and non-stochastic techniques
2. Solve general equilibrium models with ex ante and ex post heterogeneity, idiosyncratic and aggregate risk, and with and without pricing frictions (stationary equilibrium, transition path, dynamic equilibrium)
3. Analyze dynamics of income and wealth inequality
4. Analyze transitional and permanent structural changes (e.g. inequality trends and the long-run decline in the interest rate)
5. Analyze the dynamic distributional effects of long-run policy (e.g. taxation and social security) and short-run policy (e.g. monetary and fiscal policy)

Competencies

1. Independently formulate, discuss and assess research on both the causes and effects of heterogeneity and risk for both long-run and short-run outcomes
2. Discuss and assess the importance of how heterogeneity and risk is modeled for questions about both long-run and short-run dynamics

Dynamic programming

From static to dynamic consumer optimization

- **Budget constraint** for $t \in \{0, 1, \dots, T - 1\}$

$$\text{assets}_t = (1 + \text{return rate}) \times \text{assets}_{t-1} + \text{wage} \times \text{productivity}_t - \text{consumption}_t$$

$$a_t = (1 + r)a_{t-1} + wz_t - c_t$$

From static to dynamic consumer optimization

- **Budget constraint** for $t \in \{0, 1, \dots, T - 1\}$

$$\text{assets}_t = (1 + \text{return rate}) \times \text{assets}_{t-1} + \text{wage} \times \text{productivity}_t - \text{consumption}_t$$

$$a_t = (1 + r)a_{t-1} + wz_t - c_t$$

- **Borrowing constraints:** $a_t \geq b$ and $a_T \geq 0$

From static to dynamic consumer optimization

- **Budget constraint** for $t \in \{0, 1, \dots, T-1\}$

$$\text{assets}_t = (1 + \text{return rate}) \times \text{assets}_{t-1} + \text{wage} \times \text{productivity}_t - \text{consumption}_t$$

$$a_t = (1 + r)a_{t-1} + wz_t - c_t$$

- **Borrowing constraints:** $a_t \geq b$ and $a_T \geq 0$

- **Static problem:**

1. **Information:** z_t is known for all t
2. **Target:** Discounted utility, $\sum_{t=0}^{T-1} \beta^t u(c_t)$, $\beta > 0$
3. **Behavior:** Choose c_0, c_1, \dots, c_{T-1} *simultaneously*
4. **Solution:** Sequence of consumption *choices* c_0, c_1, \dots, c_{T-1}

From static to dynamic consumer optimization

- **Budget constraint** for $t \in \{0, 1, \dots, T - 1\}$

$$\text{assets}_t = (1 + \text{return rate}) \times \text{assets}_{t-1} + \text{wage} \times \text{productivity}_t - \text{consumption}_t$$

$$a_t = (1 + r)a_{t-1} + wz_t - c_t$$

- **Borrowing constraints:** $a_t \geq b$ and $a_T \geq 0$

- **Static problem:**

1. **Information:** z_t is known for all t
2. **Target:** Discounted utility, $\sum_{t=0}^{T-1} \beta^t u(c_t)$, $\beta > 0$
3. **Behavior:** Choose c_0, c_1, \dots, c_{T-1} *simultaneously*
4. **Solution:** Sequence of consumption *choices* c_0, c_1, \dots, c_{T-1}

- **Dynamic programming:**

1. **Information:** z_t is revealed period-by-period
2. **Target:** *Expected* discounted utility, $\sum_{t=0}^{T-1} \beta^t \mathbb{E}_t[u(c_t)]$, $\beta > 0$
3. **Behavior:** Choose c_t *sequentially* as information is revealed
4. **Solution:** Sequence of consumption *functions*, $c_t^*(z_t, a_{t-1})$

- **Substitution** implies *Intertemporal Budget Constraint* (IBC)

$$\begin{aligned}a_{T-1} &= (1+r)a_{T-2} + wz_{T-1} - c_{T-1} \\&= (1+r)^2 a_{T-3} + (1+r)wz_{T-2} - (1+r)c_{T-1} + wz_{T-1} - c_{T-1} \\&= (1+r)^T a_{-1} + \sum_{t=0}^{T-1} (1+r)^{T-1-t} (wz_t - c_t)\end{aligned}$$

- **Substitution** implies *Intertemporal Budget Constraint* (IBC)

$$\begin{aligned}a_{T-1} &= (1+r)a_{T-2} + wz_{T-1} - c_{T-1} \\&= (1+r)^2 a_{T-3} + (1+r)wz_{T-2} - (1+r)c_{T-1} + wz_{T-1} - c_{T-1} \\&= (1+r)^T a_{-1} + \sum_{t=0}^{T-1} (1+r)^{T-1-t} (wz_t - c_t)\end{aligned}$$

- Use **terminal condition** $a_{T-1} = 0$ (equality due utility max.)

$$(1+r)^{-(T-1)} a_{T-1} = 0 \Leftrightarrow b_0 + h_0 - \sum_{t=0}^{T-1} (1+r)^{-t} c_t = 0$$

where $b_0 = (1+r)a_{-1}$ and $h_0 \equiv \sum_{t=0}^{T-1} (1+r)^{-t} wz_t$

Static solution: FOC and consumption function

$$\mathcal{L} = \sum_{t=0}^{T-1} \beta^t \frac{c_t^{1-\rho}}{1-\rho} + \lambda \left[\sum_{t=0}^{T-1} (1+r)^{-t} c_t - b_0 - h_0 \right]$$

- **First order conditions:**

$$\forall t : 0 = \beta^t c_t^{-\rho} - \lambda(1+r)^{-t} \Leftrightarrow c_t^{-\rho} = \beta(1+r)c_{t+1}^{-\rho}$$

Static solution: FOC and consumption function

$$\mathcal{L} = \sum_{t=0}^{T-1} \beta^t \frac{c_t^{1-\rho}}{1-\rho} + \lambda \left[\sum_{t=0}^{T-1} (1+r)^{-t} c_t - b_0 - h_0 \right]$$

- **First order conditions:**

$$\forall t : 0 = \beta^t c_t^{-\rho} - \lambda(1+r)^{-t} \Leftrightarrow c_t^{-\rho} = \beta(1+r) c_{t+1}^{-\rho}$$

- Insert **Euler** into **IBC** to get consumption choice

$$\sum_{t=0}^{T-1} (1+r)^{-t} (\beta(1+r))^{t/\rho} c_0 = b_0 + h_0 \Leftrightarrow$$

$$c_0 = \frac{1 - (\beta(1+r))^{1/\rho}/(1+r)}{1 - ((\beta(1+r))^{1/\rho}/(1+r))^T} (b_0 + h_0)$$

Static solution: FOC and consumption function

$$\mathcal{L} = \sum_{t=0}^{T-1} \beta^t \frac{c_t^{1-\rho}}{1-\rho} + \lambda \left[\sum_{t=0}^{T-1} (1+r)^{-t} c_t - b_0 - h_0 \right]$$

- **First order conditions:**

$$\forall t : 0 = \beta^t c_t^{-\rho} - \lambda(1+r)^{-t} \Leftrightarrow c_t^{-\rho} = \beta(1+r) c_{t+1}^{-\rho}$$

- Insert **Euler** into **IBC** to get consumption choice

$$\sum_{t=0}^{T-1} (1+r)^{-t} (\beta(1+r))^{t/\rho} c_0 = b_0 + h_0 \Leftrightarrow$$
$$c_0 = \frac{1 - (\beta(1+r))^{1/\rho}/(1+r)}{1 - ((\beta(1+r))^{1/\rho}/(1+r))^T} (b_0 + h_0)$$

- **Question:** Is this the solution correct?

Dynamic solution: Bellman's Principle of Optimality

- **In words:** *An optimal policy has the property that whatever the initial state and initial decision are, the remaining decisions must constitute an optimal policy with regard to the state resulting from the first decision. (See Bellman, 1957, Chap. III.3.)*

Dynamic solution: Bellman's Principle of Optimality

- **In words:** *An optimal policy has the property that whatever the initial state and initial decision are, the remaining decisions must constitute an optimal policy with regard to the state resulting from the first decision. (See Bellman, 1957, Chap. III.3.)*
- **In math:**

Dynamic solution: Bellman's Principle of Optimality

- **In words:** *An optimal policy has the property that whatever the initial state and initial decision are, the remaining decisions must constitute an optimal policy with regard to the state resulting from the first decision. (See Bellman, 1957, Chap. III.3.)*
- **In math:**
 1. **Value function, v_t :** Defined recursively from

$$v_t(z_t, a_{t-1}) = \max_{c_t} u(c_t) + \beta \mathbb{E}_t[v_{t+1}(z_{t+1}, a_t)]$$
$$\text{s.t. } a_t = (1 + r)a_{t-1} + wz_t - c_t \geq b$$

with $v_T(\bullet) = 0$.

Dynamic solution: Bellman's Principle of Optimality

- **In words:** *An optimal policy has the property that whatever the initial state and initial decision are, the remaining decisions must constitute an optimal policy with regard to the state resulting from the first decision. (See Bellman, 1957, Chap. III.3.)*

- **In math:**

1. **Value function, v_t :** Defined recursively from

$$v_t(z_t, a_{t-1}) = \max_{c_t} u(c_t) + \beta \mathbb{E}_t[v_{t+1}(z_{t+1}, a_t)]$$
$$\text{s.t. } a_t = (1 + r)a_{t-1} + wz_t - c_t \geq b$$

with $v_T(\bullet) = 0$.

2. **Policy function, c_t^* :** Is the same as

$$c_t^*(z_t, a_{t-1}) = \arg \max_{c_t} u(c_t) + \beta \mathbb{E}_t[v_{t+1}(z_{t+1}, a_t)]$$
$$\text{s.t. } a_t = (1 + r)a_{t-1} + wz_t - c_t \geq b$$

$$v_t(z_t, a_{t-1}) = \max_{c_t} u(c_t) + \beta \mathbb{E}_t[v_{t+1}(z_{t+1}, a_t)]$$
$$\text{s.t. } a_t = (1 + r)a_{t-1} + wz_t - c_t \geq b$$

1. **State variables:** z_t and a_{t-1}
2. **Control variable:** c_t
3. **Continuation value:** $\beta \mathbb{E}_t[v_{t+1}(z_{t+1}, a_t)]$
4. **Parameters:** r , w , and stuff in $u(\bullet)$

Timing of shocks

- **Realization of shocks:** First in the period before choices are made

Timing of shocks

- **Realization of shocks:** First in the period before choices are made
- **Beginning-of-period value function** (before realization):

$$\underline{v}_t(z_{t-1}, a_{t-1}) = \mathbb{E}_{t-1} [v_t(z_t, a_{t-1})]$$

Timing of shocks

- **Realization of shocks:** First in the period before choices are made
- **Beginning-of-period value function** (before realization):

$$\underline{v}_t(z_{t-1}, a_{t-1}) = \mathbb{E}_{t-1} [v_t(z_t, a_{t-1})]$$

- **End-of-period value function** (after realization):

$$\begin{aligned} v_t(z_t, a_{t-1}) &= \max_{c_t} u(c_t) + \beta \underline{v}_{t+1}(z_t, a_t) \\ \text{s.t. } a_t &= (1 + r)a_{t-1} + wz_t - c_t \geq 0 \end{aligned}$$

Infinite horizon: $T \rightarrow \infty$?

$$\begin{aligned} v_t(z_t, a_{t-1}) &= \max_{c_t} u(c_t) + \beta \mathbb{E}_t[v_{t+1}(z_{t+1}, a_t)] \\ \text{s.t. } a_t &= (1+r)a_{t-1} + wz_t - c_t \geq b \end{aligned}$$

- **Contraction mapping result:** *If β is low enough (strong enough impatience) then the value and policy function converge to $v(z_t, a_{t-1})$ and $c^*(z_t, a_{t-1})$ for large enough T*
- **Maximum upper limit for β :** $\frac{1}{1+r}$
- **In practice:** Solve backwards until value and policy functions does not change anymore (given some tolerance)

The natural borrowing limit

- Minimum income: $\underline{y} = \min_{z \in \mathcal{G}_z} wz$

The natural borrowing limit

- **Minimum income:** $\underline{y} = \min_{z \in \mathcal{G}_z} w z$
- **Thought experiment:** Assumptions
 1. $a_{t-1} = -\frac{y}{r} + \Delta$
 2. $y_t = \underline{y}, \forall t$
 3. $c_t = 0, \forall t$

The natural borrowing limit

- **Minimum income:** $\underline{y} = \min_{z \in \mathcal{G}_z} wz$
- **Thought experiment:** Assumptions
 1. $a_{t-1} = -\frac{\underline{y}}{r} + \Delta$
 2. $y_t = \underline{y}, \forall t$
 3. $c_t = 0, \forall t$
- **Implication:** For $\Delta < 0$ assets will be *decreasing without bound!*

$$\begin{aligned}a_t &= (1+r) \left(-\frac{\underline{y}}{r} + \Delta \right) + \underline{y} = -\frac{\underline{y}}{r} + (1+r)\Delta \\a_{t+1} &= -\frac{\underline{y}}{r} + (1+r)^2\Delta \\&\dots \\a_{t+k} &= -\frac{\underline{y}}{r} + (1+r)^k\Delta \rightarrow -\infty\end{aligned}$$

The natural borrowing limit

- **Minimum income:** $\underline{y} = \min_{z \in \mathcal{G}_z} w z$
- **Thought experiment:** Assumptions
 1. $a_{t-1} = -\frac{\underline{y}}{r} + \Delta$
 2. $y_t = \underline{y}, \forall t$
 3. $c_t = 0, \forall t$
- **Implication:** For $\Delta < 0$ assets will be *decreasing without bound!*

$$\begin{aligned}a_t &= (1+r) \left(-\frac{\underline{y}}{r} + \Delta \right) + \underline{y} = -\frac{\underline{y}}{r} + (1+r)\Delta \\a_{t+1} &= -\frac{\underline{y}}{r} + (1+r)^2 \Delta \\&\dots \\a_{t+k} &= -\frac{\underline{y}}{r} + (1+r)^k \Delta \rightarrow -\infty\end{aligned}$$

- **Natural borrowing constraint:** $a_t > \max \left\{ b, -\frac{\underline{y}}{r} \right\}$

Numerical value function iteration - basics

- **Discretization:** All state variables belong to discrete sets \equiv *grids*,

$$z_t \in \mathcal{G}_z = \{z^0, z^1, \dots, z^{\#z-1}\}$$

$$a_t \in \mathcal{G}_a = \{a^0, a^1, \dots, a^{\#a-1}\}$$

Numerical value function iteration - basics

- **Discretization:** All state variables belong to discrete sets \equiv *grids*,

$$z_t \in \mathcal{G}_z = \{z^0, z^1, \dots, z^{\#z-1}\}$$

$$a_t \in \mathcal{G}_a = \{a^0, a^1, \dots, a^{\#a-1}\}$$

- **Transition probabilities:** $\pi_{i_{z-}, i_z} = \Pr[z_t = z^{i_z} \mid z_t = z^{i_{z-}}]$

Numerical value function iteration - basics

- **Discretization:** All state variables belong to discrete sets \equiv *grids*,

$$z_t \in \mathcal{G}_z = \{z^0, z^1, \dots, z^{\#z-1}\}$$

$$a_t \in \mathcal{G}_a = \{a^0, a^1, \dots, a^{\#a-1}\}$$

- **Transition probabilities:** $\pi_{i_{z-}, i_z} = \Pr[z_t = z^{i_z} \mid z_t = z^{i_{z-}}]$
- **Linear interpolation** (function approximation):

1. Assume \underline{v}_{t+1} is known on $\mathcal{G}_z \times \mathcal{G}_a$ (tensor product)
2. Evaluate $\underline{v}_{t+1}(z^{i_z}, a)$ for arbitrary a by

$$\check{v}_{t+1}(z^{i_z}, a) = \underline{v}_{t+1}(z^{i_z}, a^\iota) + \omega_i(a - a^\iota)$$

$$\omega_i \equiv \frac{\underline{v}_{t+1}(z^{i_z}, a^{\iota+1}) - \underline{v}_{t+1}(z^{i_z}, a^\iota)}{a^{\iota+1} - a^\iota}$$

$$\iota \equiv \text{largest } i_a \in \{0, 1, \dots, \#_a - 2\} \text{ such that } a^{i_a} \leq a$$

Deriving transition probabilities

- **Specification:** Assume

$$z_t = \tilde{z}_t \xi_t, \quad \log \xi_t \sim \mathcal{N}(\mu_\xi, \sigma_\xi)$$

$$\log z_{t+1} = \rho_z \log z_t + \psi_{t+1}, \quad \psi_{t+1} \sim \mathcal{N}(\mu_\psi, \sigma_\psi)$$

where μ_ξ and μ_ψ ensures $\mathbb{E}[\xi_t] = 1$, $\mathbb{E}[\tilde{z}_t] = 1$ and $\mathbb{E}[z_t] = 1$

- **Discretization of \tilde{z}_t :** Derive $\mathcal{G}_{\tilde{z}}$ and $\pi_{i_{\tilde{z}-}, i_{\tilde{z}}}$ given ρ_z and σ_ψ (using a method such as Tauchen (1986) or Rouwenhorst (1995))
- **Discretization of ξ_t :** Derive \mathcal{G}_ξ and $\pi_{i_{\xi-}, i_\xi}$ given σ_ξ (using Gauss-Hermite quadrature, see next slides)
- **Combined:** Derive $\mathcal{G}_z = \mathcal{G}_{\tilde{z}} \times \mathcal{G}_\xi$ and use independence of \tilde{z}_t and ξ_t to get transition probabilities π_{i_{z-}, i_z}

- **General problem:** How can we calculate

$$\mathbb{E}(f(x)) = \int f(x)g(x)dx$$

- $f : \mathbb{R} \rightarrow \mathbb{R}$ some function
- $g(x)$ is the probability distribution function (PDF) for x

- **General problem:** How can we calculate

$$\mathbb{E}(f(x)) = \int f(x)g(x)dx$$

- $f : \mathbb{R} \rightarrow \mathbb{R}$ some function
 - $g(x)$ is the probability distribution function (PDF) for x
- **General solution:** Turn it into a discrete sum

$$\mathbb{E}(f(x)) \approx \sum_{i=1}^S \omega_i f(x_i)$$

Details: Gauss-Hermite I

- **General problem:** How can we calculate

$$\mathbb{E}(f(x)) = \int f(x)g(x)dx$$

- $f : \mathbb{R} \rightarrow \mathbb{R}$ some function
 - $g(x)$ is the probability distribution function (PDF) for x
- **General solution:** Turn it into a discrete sum

$$\mathbb{E}(f(x)) \approx \sum_{i=1}^S \omega_i f(x_i)$$

- **How to choose S and the *nodes* (x_i) and *weights* (ω_i)?**

Answer: Guassian quadrature

Details: Gauss-Hermite II

- **Gauss-Hermite** quadrature uses that

$$\int_{-\infty}^{\infty} f(x)e^{-x^2} dx = \sum_{i=1}^S \omega_i f(x_i) + \frac{S! \sqrt{\pi}}{S^S (2S)!} f^{(2S)}(\epsilon)$$

for some ϵ and where the (x_i, ω_i) 's can be easily found

Details: Gauss-Hermite II

- **Gauss-Hermite** quadrature uses that

$$\int_{-\infty}^{\infty} f(x) e^{-x^2} dx = \sum_{i=1}^S \omega_i f(x_i) + \frac{S! \sqrt{\pi}}{S^S (2S)!} f^{(2S)}(\epsilon)$$

for some ϵ and where the (x_i, ω_i) 's can be easily found

- **Well behaved function:** For $S \rightarrow \infty$ we have

$$\int_{-\infty}^{\infty} f(x) e^{-x^2} dx \approx \sum_{i=1}^S \omega_i f(x_i)$$

- **Gauss-Hermite** quadrature uses that

$$\int_{-\infty}^{\infty} f(x) e^{-x^2} dx = \sum_{i=1}^S \omega_i f(x_i) + \frac{S! \sqrt{\pi}}{s^S (2S)!} f^{(2S)}(\epsilon)$$

for some ϵ and where the (x_i, ω_i) 's can be easily found

- **Well behaved function:** For $S \rightarrow \infty$ we have

$$\int_{-\infty}^{\infty} f(x) e^{-x^2} dx \approx \sum_{i=1}^S \omega_i f(x_i)$$

- **Example: Random normal variable:** $Y \sim \mathcal{N}(\mu, \sigma^2)$ so that

$$\begin{aligned} \mathbb{E}[f(Y)] &= \frac{1}{\sqrt{2\pi}\sigma} \int_{-\infty}^{\infty} f(y) e^{-\frac{(y-\mu)^2}{2\sigma^2}} dy \\ &\approx \frac{1}{\sqrt{\pi}} \sum_{i=1}^S \omega_i f(\sqrt{2}\sigma x_i + \mu) \end{aligned}$$

- Beginning-of-period value function:

$$\underline{v}_t(z^{i_z-}, a^{i_a-}) = \sum_{i_z=0}^{\#_z-1} \pi_{i_z-, i_z} v_t(z^{i_z}, a^{i_a-})$$

Numerical value function iteration - loops

- Beginning-of-period value function:

$$\underline{v}_t(z^{i_z-}, a^{i_a-}) = \sum_{i_z=0}^{\#_z-1} \pi_{i_z-, i_z} v_t(z^{i_z}, a^{i_a-})$$

- End-of-period value-of-choice:

$$v_t(z^{i_z}, a^{i_a-} | c_t) = u(c_t) + \beta \sum_{i_z+=0}^{\#_z-1} \pi_{i_z, i_z+} \check{v}_{t+1}(z^{i_z+1}, a_t)$$
$$a_t = (1 + r)a^{i_a-} + wz^{i_z} - c_t$$

Numerical value function iteration - loops

- **Beginning-of-period value function:**

$$\underline{v}_t(z^{i_z-}, a^{i_a-}) = \sum_{i_z=0}^{\#_z-1} \pi_{i_z-, i_z} v_t(z^{i_z}, a^{i_a-})$$

- **End-of-period value-of-choice:**

$$v_t(z^{i_z}, a^{i_a-} | c_t) = u(c_t) + \beta \sum_{i_{z+}=0}^{\#_z-1} \pi_{i_z, i_{z+}} \check{v}_{t+1}(z^{i_{z+1}}, a_t)$$
$$a_t = (1 + r)a^{i_a-} + wz^{i_z} - c_t$$

- **Nested loops:**

1. **Outer loop:** Backwards in time from $t = T - 1$ (note \underline{v}_T is known)
2. **Inner loop:** For each grid point in $\mathcal{G}_z \times \mathcal{G}_a$ find $c_t^*(z_t, a_{t-1})$ and therefore $v_t^*(z_t, a_{t-1})$ with a *numerical optimizer*

- **Example-notebooks:**

1. Introduces EconModel package
2. Show implementation of solution and simulation methods

Numerical Monte Carlo simulation

- **Initial distribution:** Draw $z_{i,-1}$ and $a_{i,-1}$ for $i \in \{0, 1, \dots, N-1\}$

Numerical Monte Carlo simulation

- **Initial distribution:** Draw $z_{i,-1}$ and $a_{i,-1}$ for $i \in \{0, 1, \dots, N-1\}$
- **Simulation:** Forwards in time from $t = 0$ and in each time period
 1. Draw z_{it} given transition probabilities
 2. Use linear interpolation to evaluate

$$c_{it} = \check{c}_t^*(z_{it}, a_{it-1})$$

$$a_{it} = (1 + r)a_{it-1} + w z_{it} - c_{it}$$

Numerical Monte Carlo simulation

- **Initial distribution:** Draw $z_{i,-1}$ and $a_{i,-1}$ for $i \in \{0, 1, \dots, N-1\}$
- **Simulation:** Forwards in time from $t = 0$ and in each time period
 1. Draw z_{it} given transition probabilities
 2. Use linear interpolation to evaluate

$$c_{it} = \check{c}_t^*(z_{it}, a_{it-1})$$

$$a_{it} = (1 + r)a_{it-1} + wz_{it} - c_{it}$$

- **Review:**
 - **Pro:** Simple to implement
 - **Con:** Computationally costly and introduces randomness

Numerical histogram simulation

- **Initial distribution:** Choose $\underline{D}_0(z_{-1}, a_{-1})$, which is defined on $\mathcal{G}_z \times \mathcal{G}_a$ and sum to 1 \equiv *histogram*

Numerical histogram simulation

- **Initial distribution:** Choose $\underline{D}_0(z_{-1}, a_{-1})$, which is defined on $\mathcal{G}_z \times \mathcal{G}_a$ and sum to 1 \equiv *histogram*
- **Simulation:** Forwards in time from $t = 0$ and in each time period

Numerical histogram simulation

- **Initial distribution:** Choose $\underline{D}_0(z_{-1}, a_{-1})$, which is defined on $\mathcal{G}_z \times \mathcal{G}_a$ and sum to 1 \equiv *histogram*
- **Simulation:** Forwards in time from $t = 0$ and in each time period
 1. **Distribute stochastic mass:** For each i_z and i_{a-} calculate

$$D_t(z^{i_z}, a^{i_{a-}}) = \sum_{i_{z-}=0}^{\#z-1} \pi_{i_{z-}, i_z} \underline{D}_t(z^{i_{z-}}, a^{i_{a-}})$$

Numerical histogram simulation

- **Initial distribution:** Choose $\underline{D}_0(z_{-1}, a_{-1})$, which is defined on $\mathcal{G}_z \times \mathcal{G}_a$ and sum to 1 \equiv *histogram*
- **Simulation:** Forwards in time from $t = 0$ and in each time period
 1. **Distribute stochastic mass:** For each i_z and i_a calculate
$$\underline{D}_t(z^{i_z}, a^{i_a}) = \sum_{i_{z-}=0}^{\#z-1} \pi_{i_{z-}, i_z} \underline{D}_t(z^{i_{z-}}, a^{i_a})$$
 2. **Initial zero mass:** Set $\underline{D}_{t+1}(z^{i_z}, a^{i_a}) = 0$ for all i_z and i_a

Numerical histogram simulation

- **Initial distribution:** Choose $\underline{D}_0(z_{-1}, a_{-1})$, which is defined on $\mathcal{G}_z \times \mathcal{G}_a$ and sum to 1 \equiv *histogram*
- **Simulation:** Forwards in time from $t = 0$ and in each time period
 1. **Distribute stochastic mass:** For each i_z and i_{a-} calculate
$$\underline{D}_t(z^{i_z}, a^{i_{a-}}) = \sum_{i_{z-}=0}^{\#z-1} \pi_{i_{z-}, i_z} \underline{D}_t(z^{i_{z-}}, a^{i_{a-}})$$
 2. **Initial zero mass:** Set $\underline{D}_{t+1}(z^{i_z}, a^{i_a}) = 0$ for all i_z and i_a
 3. **Distribute endogenous mass:** For each i_z and i_{a-} do

Numerical histogram simulation

- **Initial distribution:** Choose $\underline{D}_0(z_{-1}, a_{-1})$, which is defined on $\mathcal{G}_z \times \mathcal{G}_a$ and sum to 1 \equiv *histogram*
- **Simulation:** Forwards in time from $t = 0$ and in each time period
 1. **Distribute stochastic mass:** For each i_z and i_{a-} calculate
$$D_t(z^{i_z}, a^{i_{a-}}) = \sum_{i_{z-}=0}^{\#_z-1} \pi_{i_{z-}, i_z} \underline{D}_t(z^{i_{z-}}, a^{i_{a-}})$$
 2. **Initial zero mass:** Set $\underline{D}_{t+1}(z^{i_z}, a^{i_a}) = 0$ for all i_z and i_a
 3. **Distribute endogenous mass:** For each i_z and i_{a-} do
 - 3.1 Find $\iota \equiv$ largest $i_a \in \{0, 1, \dots, \#_a - 2\}$ such that $a^{i_a} \leq a_t^*(z^{i_z}, a^{i_{a-}})$

Numerical histogram simulation

- **Initial distribution:** Choose $\underline{D}_0(z_{-1}, a_{-1})$, which is defined on $\mathcal{G}_z \times \mathcal{G}_a$ and sum to 1 \equiv *histogram*
- **Simulation:** Forwards in time from $t = 0$ and in each time period
 1. **Distribute stochastic mass:** For each i_z and i_{a-} calculate
$$D_t(z^{i_z}, a^{i_{a-}}) = \sum_{i_{z-}=0}^{\#z-1} \pi_{i_{z-}, i_z} \underline{D}_t(z^{i_{z-}}, a^{i_{a-}})$$
 2. **Initial zero mass:** Set $\underline{D}_{t+1}(z^{i_z}, a^{i_a}) = 0$ for all i_z and i_a
 3. **Distribute endogenous mass:** For each i_z and i_{a-} do
 - 3.1 Find $\iota \equiv$ largest $i_a \in \{0, 1, \dots, \#_a - 2\}$ such that $a^{i_a} \leq a_t^*(z^{i_z}, a^{i_{a-}})$
 - 3.2 Calculate $\omega = \frac{a^{\iota+1} - a^*(z^{i_z}, a^{i_{a-}})}{a^{\iota+1} - a^\iota} \in [0, 1]$

Numerical histogram simulation

- **Initial distribution:** Choose $\underline{D}_0(z_{-1}, a_{-1})$, which is defined on $\mathcal{G}_z \times \mathcal{G}_a$ and sum to 1 \equiv *histogram*
- **Simulation:** Forwards in time from $t = 0$ and in each time period

1. **Distribute stochastic mass:** For each i_z and i_{a-} calculate

$$D_t(z^{i_z}, a^{i_{a-}}) = \sum_{i_{z-}=0}^{\#z-1} \pi_{i_{z-}, i_z} \underline{D}_t(z^{i_{z-}}, a^{i_{a-}})$$

2. **Initial zero mass:** Set $\underline{D}_{t+1}(z^{i_z}, a^{i_a}) = 0$ for all i_z and i_a

3. **Distribute endogenous mass:** For each i_z and i_{a-} do

3.1 Find $\iota \equiv$ largest $i_a \in \{0, 1, \dots, \#_a - 2\}$ such that $a^{i_a} \leq a_t^*(z^{i_z}, a^{i_{a-}})$

3.2 Calculate $\omega = \frac{a^{\iota+1} - a^*(z^{i_z}, a^{i_{a-}})}{a^{\iota+1} - a^{\iota}} \in [0, 1]$

3.3 Increment $\underline{D}_{t+1}(z^{i_z}, a^{\iota})$ with $\omega D_t(z^{i_z}, a^{i_{a-}})$

Numerical histogram simulation

- **Initial distribution:** Choose $\underline{D}_0(z_{-1}, a_{-1})$, which is defined on $\mathcal{G}_z \times \mathcal{G}_a$ and sum to 1 \equiv *histogram*
- **Simulation:** Forwards in time from $t = 0$ and in each time period

1. **Distribute stochastic mass:** For each i_z and i_{a-} calculate

$$D_t(z^{i_z}, a^{i_{a-}}) = \sum_{i_{z-}=0}^{\#z-1} \pi_{i_{z-}, i_z} \underline{D}_t(z^{i_{z-}}, a^{i_{a-}})$$

2. **Initial zero mass:** Set $\underline{D}_{t+1}(z^{i_z}, a^{i_a}) = 0$ for all i_z and i_a

3. **Distribute endogenous mass:** For each i_z and i_{a-} do

3.1 Find $\iota \equiv$ largest $i_a \in \{0, 1, \dots, \#_a - 2\}$ such that $a^{i_a} \leq a_t^*(z^{i_z}, a^{i_{a-}})$

3.2 Calculate $\omega = \frac{a^{\iota+1} - a^*(z^{i_z}, a^{i_{a-}})}{a^{\iota+1} - a^\iota} \in [0, 1]$

3.3 Increment $\underline{D}_{t+1}(z^{i_z}, a^\iota)$ with $\omega D_t(z^{i_z}, a^{i_{a-}})$

3.4 Increment $\underline{D}_{t+1}(z^{i_z}, a^{\iota+1})$ with $(1 - \omega) D_t(z^{i_z}, a^{i_{a-}})$

Numerical histogram simulation

- **Initial distribution:** Choose $\underline{D}_0(z_{-1}, a_{-1})$, which is defined on $\mathcal{G}_z \times \mathcal{G}_a$ and sum to 1 \equiv *histogram*
- **Simulation:** Forwards in time from $t = 0$ and in each time period
 1. **Distribute stochastic mass:** For each i_z and i_{a-} calculate
$$D_t(z^{i_z}, a^{i_{a-}}) = \sum_{i_{z-}=0}^{\#z-1} \pi_{i_{z-}, i_z} \underline{D}_t(z^{i_{z-}}, a^{i_{a-}})$$
 2. **Initial zero mass:** Set $\underline{D}_{t+1}(z^{i_z}, a^{i_a}) = 0$ for all i_z and i_a
 3. **Distribute endogenous mass:** For each i_z and i_{a-} do
 - 3.1 Find $\iota \equiv$ largest $i_a \in \{0, 1, \dots, \#_a - 2\}$ such that $a^{i_a} \leq a_t^*(z^{i_z}, a^{i_{a-}})$
 - 3.2 Calculate $\omega = \frac{a^{\iota+1} - a^*(z^{i_z}, a^{i_{a-}})}{a^{\iota+1} - a^\iota} \in [0, 1]$
 - 3.3 Increment $\underline{D}_{t+1}(z^{i_z}, a^\iota)$ with $\omega D_t(z^{i_z}, a^{i_{a-}})$
 - 3.4 Increment $\underline{D}_{t+1}(z^{i_z}, a^{\iota+1})$ with $(1 - \omega) D_t(z^{i_z}, a^{i_{a-}})$
- **Review:**
 1. **Pro:** Computationally efficient and no randomness
 2. **Con:** Introduces a non-continuous distribution

Side-note: Matrix formulation

- The histogram method can be written in **matrix form**:

$$\begin{aligned}\underline{D}_t &= \Pi'_z \underline{D}_t \\ \underline{D}_{t+1} &= \Lambda'_t \underline{D}_t\end{aligned}$$

where

\underline{D}_t is vector of length $\#_z \times \#_a$

D_t is vector of length $\#_z \times \#_a$

Π'_z is derived from the π_{i_z-, i_z} 's

Λ'_t is derived from the ι 's and ω 's

- **Note:** Example shown in notebook
- **Further details:** Young (2010), Tan (2020), Ocampo and Robinson (2022)

EGM



Euler-equation from variation argument

- **Case I:** If $c_t^{-\rho} > \beta(1+r)\mathbb{E}_t[c_{t+1}^{-\rho}]$:

Increase c_t by $\Delta > 0$, and lower c_{t+1} by $(1+r)$

1. **Feasible:** Yes, if $a_t > b$
2. **Utility change:** $(c_t^{-\rho}) + \beta(-(1+r))\mathbb{E}_t[c_{t+1}^{-\rho}] > 0$

Euler-equation from variation argument

- **Case I:** If $c_t^{-\rho} > \beta(1+r)\mathbb{E}_t[c_{t+1}^{-\rho}]$:
Increase c_t by $\Delta > 0$, and lower c_{t+1} by $(1+r)$
 1. **Feasible:** Yes, if $a_t > b$
 2. **Utility change:** $(c_t^{-\rho}) + \beta(-(1+r))\mathbb{E}_t[c_{t+1}^{-\rho}] > 0$
- **Case II:** If $c_t^{-\rho} < \beta(1+r)\mathbb{E}_t[c_{t+1}^{-\rho}]$:
Lower c_t by $\Delta > 0$, and increase c_{t+1} by $(1+r)$
 1. **Feasible:** Yes (always)
 2. **Utility change:** $(-c_t^{-\rho}) + \beta(1+r)\mathbb{E}_t[c_{t+1}^{-\rho}] > 0$

Euler-equation from variation argument

- **Case I:** If $c_t^{-\rho} > \beta(1+r)\mathbb{E}_t[c_{t+1}^{-\rho}]$:
Increase c_t by $\Delta > 0$, and lower c_{t+1} by $(1+r)$
 1. **Feasible:** Yes, if $a_t > b$
 2. **Utility change:** $(c_t^{-\rho}) + \beta(-(1+r))\mathbb{E}_t[c_{t+1}^{-\rho}] > 0$
- **Case II:** If $c_t^{-\rho} < \beta(1+r)\mathbb{E}_t[c_{t+1}^{-\rho}]$:
Lower c_t by $\Delta > 0$, and increase c_{t+1} by $(1+r)$
 1. **Feasible:** Yes (always)
 2. **Utility change:** $(-c_t^{-\rho}) + \beta(1+r)\mathbb{E}_t[c_{t+1}^{-\rho}] > 0$
- **Conclusion:** By contradiction
 1. **Constrained:** $a_t = b$ and $c_t^{-\rho} \geq \beta(1+r)\mathbb{E}_t[c_{t+1}^{-\rho}]$, or
 2. **Unconstrained:** $a_t > b$ and $c_t^{-\rho} = \beta(1+r)\mathbb{E}_t[c_{t+1}^{-\rho}]$

Endogenous grid-point method (EGM)

Alternative to value function iteration:

1. Calculate **post-decision marginal value of cash**:

$$q(z^{i_z}, a^{i_a}) = \sum_{i_{z+}=0}^{\#_z-1} \pi_{i_z, i_{z+}} c_+(z^{i_{z+}}, a^{i_a})^{-\sigma}$$

Endogenous grid-point method (EGM)

Alternative to value function iteration:

1. Calculate **post-decision marginal value of cash**:

$$q(z^{i_z}, a^{i_a}) = \sum_{i_{z+}=0}^{\#_z-1} \pi_{i_z, i_{z+}} c_+(z^{i_{z+}}, a^{i_a})^{-\sigma}$$

2. **Invert Euler-equation**:

$$c(z^{i_z}, a^{i_a}) = (\beta(1+r)q(z^{i_z}, a^{i_a}))^{-\frac{1}{\sigma}}$$

Endogenous grid-point method (EGM)

Alternative to value function iteration:

1. Calculate **post-decision marginal value of cash**:

$$q(z^{i_z}, a^{i_a}) = \sum_{i_{z+}=0}^{\#_z-1} \pi_{i_z, i_{z+}} c_+(z^{i_{z+}}, a^{i_a})^{-\sigma}$$

2. **Invert Euler-equation**:

$$c(z^{i_z}, a^{i_a}) = (\beta(1+r)q(z^{i_z}, a^{i_a}))^{-\frac{1}{\sigma}}$$

3. **Endogenous cash-on-hand**:

$$m(z^{i_z}, a^{i_a}) = a^{i_a} + c_+(z^{i_z}, a^{i_a})$$

Endogenous grid-point method (EGM)

Alternative to value function iteration:

1. Calculate **post-decision marginal value of cash**:

$$q(z^{i_z}, a^{i_a}) = \sum_{i_{z+}=0}^{\#_z-1} \pi_{i_z, i_{z+}} c_+(z^{i_{z+}}, a^{i_a})^{-\sigma}$$

2. **Invert Euler-equation**:

$$c(z^{i_z}, a^{i_a}) = (\beta(1+r)q(z^{i_z}, a^{i_a}))^{-\frac{1}{\sigma}}$$

3. **Endogenous cash-on-hand**:

$$m(z^{i_z}, a^{i_a}) = a^{i_a} + c_+(z^{i_z}, a^{i_a})$$

4. **Consumption function**: Calculate $m = (1+r)a^{i_{a-}} + wz^{i_z}$

If $m \leq m(z^{i_z}, a^0)$: $c^*(z^{i_z}, a^{i_{a-}}) = m$

Else: $c^*(z^{i_z}, a^{i_{a-}}) = \text{interpolate } m(z^{i_z}, \cdot) \text{ to } c(z^{i_z}, \cdot) \text{ at } m$

Summary

Summary and next week

- **Today:**

1. Introduction to course
2. Dynamic programming in theory
3. Dynamic programming in practice

- **Next week:** More on consumption-saving models and precautionary savings in partial equilibrium

- **Homework:**

1. **Work on:** Familiarize your self with the code
2. **Read:** Kaplan and Violante, 2014, »A Model of the Consumption Response to Fiscal Stimulus Payments«