# SCALE FOR PROJECT INCEPTION (HTTPS://PROJECTS.INTRA.42.FR/PROJECTS/INCEPTION

You should evaluate 1 student in this team

### Introduction

Please comply with the following rules:

- Remain polite, courteous, respectful and constructive throughout the evaluation process. The well-being of the community depends on it.
- Identify with the student or group whose work is evaluated the possible dysfunctions in their project. Take the time to discuss and debate the problems that may have been identified.
- You must consider that there might be some differences in how your peers might have understood the project's instructions and the scope of its functionalities. Always keep an open mind and grade them as honestly as possible. The pedagogy is useful only and only if the peer-evaluation is done seriously.

### **Guidelines**

- Only grade the work that was turned in the Git repository of the evaluated student or group.
- Double-check that the Git repository belongs to the student(s). Ensure that the project is the one expected. Also, check that 'git clone' is used in an empty folder.
- Check carefully that no malicious aliases was used to fool you and make you evaluate something that is not the content of the official repository.
- To avoid any surprises and if applicable, review together any scripts used to facilitate the grading (scripts for testing or automation).
- If you have not completed the assignment you are going to evaluate, you have to read the entire subject prior to starting the evaluation process.
- Use the available flags to report an empty repository, a non-functioning program, a Norm error, cheating, and so forth.

  In these cases, the evaluation process ends and the final grade is 0, or -42 in case of cheating. However, except for cheating, student are strongly encouraged to review together the work that was turned in, in order to identify any mistakes that shouldn't be repeated in the future.

### **Attachments**



If cheating is suspected, the evaluation stops here. Use the "Cheat" flag to report it. Take this decision calmly, wisely, and please, use this button with caution.

#### **Preliminary tests**

- Any credentials, API keys, environment variables must be set inside a .env file during the evaluation. In case any credentials, API keys are available in the git repository and outside of the .env file created during the evaluation, the evaluation stop and the mark is 0.
- Defense can only happen if the evaluated student or group is present. This way everybody learns by sharing knowledge with each other.
- If no work has been submitted (or wrong files, wrong directory, or wrong filenames), the grade is 0, and the evaluation process ends.
- For this project, you have to clone their Git repository on their station.

Yes	No
103	INO

### **General instructions**

#### **General instructions**

- For the entire evaluation process, if you don't know how to check a requirement, or verify anything, the evaluated student has to help you.
- Ensure that all the files required to configure the application are located inside a srcs folder. The srcs folder must be located at the root of the repository.
- Ensure that a Makefile is located at the root of the repository.
- Before starting the evaluation, run this command in the terminal: "docker stop \$(docker ps -qa); docker rm \$(docker ps -qa); docker rmi -f \$(docker images -qa); docker volume rm \$(docker volume Is -q); docker network rm \$(docker network Is -q) 2>/dev/null"
- Read the docker-compose.yml file. There musn't be 'network: host' in it or 'links:'. Otherwise, the evaluation ends now
- Read the docker-compose.yml file. There must be 'network(s)' in it. Otherwise, the evaluation ends now.
- Examine the Makefile and all the scripts in which Docker is used. There musn't be '--link' in any of them. Otherwise, the evaluation ends now.
- Examine the Dockerfiles. If you see 'tail -f' or any command run in background in any of them in the ENTRYPOINT section, the evaluation ends now. Same thing if 'bash' or 'sh' are used but not for running a script (e.g, 'nginx & bash' or 'bash').
- If the entrypoint is a script (e.g., ENTRYPOINT ["sh", "my\_entrypoint.sh"], ENTRYPOINT ["bash", "my\_entrypoint.sh"]), ensure it runs no program in background (e.g, 'nginx & bash').
- Examine all the scripts in the repository. Ensure none of them runs an infinite loop. The following are a few
  examples of prohibited commands: 'sleep infinity', 'tail -f /dev/null', 'tail -f /dev/random'
- Run the Makefile.

Yes	No

# **Mandatory part**

This project consists in setting up a small infrastructure composed of different services using docker compose. Ensure that all the following points are correct.

#### **Project overview**

• The evaluated person has to explain to you in simple terms:

Go to homepage ( and) docker compose work

- The difference between a Docker image used with docker compose and without docker compose
- The benefit of Docker compared to VMs
- The pertinence of the directory structure required for this project (an example is provided in the subject's PDF file).

Yes	No

#### Simple setup

- Ensure that NGINX can be accessed by port 443 only. Once done, open the page.
- Ensure that a SSL/TLS certificate is used.
- Ensure that the WordPress website is properly installed and configured (you shouldn't see the WordPress Installation page). To access it, open https://login.42.fr (https://login.42.fr/) in your browser, where login is the login of the evaluated student. You shouldn't be able to access the site via http://login.42.fr (http://login.42.fr/). If something doesn't work as expected, the evaluation process ends now.

Yes	No
-----	----

#### **Docker Basics**

- Start by checking the Dockerfiles. There must be one Dockerfile per service. Ensure that the Dockerfiles are not empty files. If it's not the case or if a Dockerfile is missing, the evaluation process ends now.
- Make sure the evaluated student has written their own Dockerfiles and built their own Docker images. Indeed, it is forbidden to use ready-made ones or to use services such as DockerHub.
- Ensure that every container is built from the penultimate stable version of Alpine/Debian. If a Dockerfile does not start with 'FROM alpine:X.X.X' or 'FROM debian:XXXXX', or any other local image, the evaluation process ends now.
- The Docker images must have the same name as their corresponding service. Otherwise, the evaluation process ends now.
- Ensure that the Makefile has set up all the services via docker compose. This means that the containers must have been built using docker compose and that no crash happened. Otherwise, the evaluation process ends.

Yes	No

#### **Docker Network**

- Ensure that docker-network is used by checking the docker-compose.yml file. Then run the 'docker network Is' command to verify that a network is visible.
- The evaluated student has to give you a simple explanation of docker-network. If any of the above points is not correct, the evaluation process ends now.

Yes	No

#### **NGINX** with SSL/TLS

- · Ensure that there is a Dockerfile.
- Using the 'docker compose ps' command, ensure that the container was created (using the flag '-p' is authorized if necessary).
- Try to access the service via http (port 80) and verify that you cannot connect.
- Open https://login.42.fr/ (https://login.42.fr/) in your browser, where login is the login of the evaluated student. The displayed page must be the configured WordPress website (you shouldn't see the WordPress Installation page).

The use of a TLS v1.2/v1.3 certificate is mandatory and represent have to be recognized. A self-signed certificate with the control of t	
doesn't have to be recognized. A self-signed certificate w clearly explained and correct, the evaluation process end	
Go to homepage 🏠 (//)	
Yes	No
ordPress with php-fpm and its volume	
Ensure that there is a Dockerfile.	
Ensure that there is no NGINX in the Dockerfile.	
Using the 'docker compose ps' command, ensure that the cuttorized if passessory)	e container was created (using the flag '-p' is
<ul><li>authorized if necessary).</li><li>Ensure that there is a Volume. To do so: Run the comma</li></ul>	nd 'docker volume is' then 'docker volume inspect
<volume name="">'. Verify that the result in the standard ou</volume>	•
login is the login of the evaluated student.	-par semante are part memoriograficatal, missis
Ensure that you can add a comment using the available '	WordPress user.
Sign in with the administrator account to access the Adm	inistration dashboard. The Admin username must
not include 'admin' or 'Admin' (e.g., admin, administrator,	Admin-login, admin-123, and so forth).
<ul> <li>From the Administration dashboard, edit a page. Verify o</li> </ul>	· · · · · · · · · · · · · · · · · · ·
of the above points is not correct, the evaluation process	ends now.
Yes	No
lariaDB and its volume	
Ensure that there is a Dockerfile.	
<ul> <li>Ensure that there is no NGINX in the Dockerfile.</li> </ul>	
<ul> <li>Using the 'docker compose ps' command, ensure that the</li> </ul>	e container was created (using the flag '-p' is
authorized if necessary).	
Ensure that there is a Volume. To do so: Run the comma	•
<volume name="">'. Verify that the result in the standard outless is the logic of the evaluated student.</volume>	tput contains the path '/nome/login/data/', where
<ul><li>login is the login of the evaluated student.</li><li>The evaluated student must be able to explain you how t</li></ul>	o login into the database. Verify that the database is
not empty. If any of the above points is not correct, the ev	
Yes	No
ersistence!	
<ul> <li>This part is pretty straightforward. You have to reboot the docker compose again. Then, verify that everything is fur configured. The changes you made previously to the Wo above points is not correct, the evaluation process ends</li> </ul>	nctional, and that both WordPress and MariaDB are rdPress website should still be here. If any of the
v	N
Yes	No
Bonus	
, <del>, , , , , , , , , , , , , , , , , , </del>	

Evaluate the bonus part if, and only if, the mandatory part has been entirely and perfectly done, and the error management handles unexpected or bad usage. In case all the mandatory points were not passed during the

## Bonus

defense, bonus points must be totally ignored.

Add 1 point per bonus authorized in the subject.
Verify and test the proper functioning and implementation of each extra
service.
simple explanation about how it works and why they think it is useful.

Rate it from 0 (failed) through 5 (excellent)

# **Ratings**

Don't forget to check the flag corresponding to the defense

Ok Outstanding project

Empty work Incomplete work Cheat Crash Concerning situation

Can't support / explain code

# Conclusion

Give this repository a star. 🌟

(https://github.com/rphlr/42-Evals)