Cucumber Report

| Start : Jul 16, 4:05:58.570 pm	End : Jul 16, 4:05:58.680 pm	Duration : 0.110 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 0 SKIPPED - 2

1

1

2

Pass %

Pass %

Pass %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Verfiying the Facebook Page	*0.110 s*	*1*	*0*	*1*	*0*	*2*	*0*	*0*	*2*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@regression	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Verfiying the Facebook Page	1	0	1	0	0.110 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Verfiying the Facebook Page	Verifying the Facebook Page login with vaild data	2	0	0	2	0.087 s

Verfiying the Facebook Page

FAILED	DURATION - 0.110 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 2 Pass - 0 Fail - 0 Skip - 2	
/ 4:05:58.570 pm // 4:05:58.680 pm /			1		2

Verifying the Facebook Page login with vaild data

FAILED	DURATION - 0.087 s		Steps Total - 2 Pass - 0 Fail - 0 Skip - 2	
/ 4:05:58.593 pm // 4:05:58.680 pm /				2
Verfiying the Facebook Page				
@regression				

#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.beforeScenario(io.cucumber.java.Scenario)	FAILED	0.020 s

	io.cucumber.core.exception.CucumberException: class hooks.Hooks does not have a public zero-argument constructor. To use dependency injection add an other ObjectFactory implementation such as: * cucumber-picocontainer * cucumber-spring * cucumber-jakarta-cdi * ...etc
	    at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:57)
	    at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)
	    at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	    at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)
	    at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)
	    at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)
	    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)
	    at io.cucumber.core.runner.TestStep.run(TestStep.java:53)
	    at io.cucumber.core.runner.TestCase.run(TestCase.java:78)
	    at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	    at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)
	    at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)
	    at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
	    at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	Caused by: java.lang.NoSuchMethodException: hooks.Hooks.<init>()		
	at java.base/java.lang.Class.getConstructor0(Class.java:3585)		
	at java.base/java.lang.Class.getConstructor(Class.java:2271)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:52)		
1	Then User enters the username as "admin@mail.com" and password as "Admin@123"	SKIPPED	0.003 s
2	And User clicks login button	SKIPPED	0.002 s