



Hotel_CompleteReservationDetails 17.1

Technical Reference

Amadeus IT Group, S.A.

485, Route du Pin Montard

BP 69

06902 Sophia-Antipolis Cedex

(Amadeus Proprietary and Confidential Information: unauthorized use and disclosure strictly forbidden - Amadeus IT Group SA | (c) Copyright 2015 - All Rights Reserved.)

Introduction

This document is the technical reference for an Amadeus functional interface. This reference is not directly bundled to Amadeus Programming Interface development or any other development flavour. It is just a generic description of the interface through all the services it publishes.

Structure hierarchy

- * A service contains an input message and an output message.
- * A query/reply structure contains a list of simple structures and a list of grouped structures.
- * A grouped structure contains a list of simple structures and a list of grouped structures.
- * A simple structure contains a list of data elements and grouped data elements.
- * A data element can be coded, therefore a code list is described in a separate table.

Document structure

- * Service overview.
- * Query and output messages for the service, with their corresponding description.
- * For each query/reply structure, a table describing its higher level entities of the query/reply structure.
- * For each grouped or simple structure, a table describing the entities they are built with.
- * For each coded entity, a table describing the possible coded values it can take.

Grouped structures introduces the 'level' concept within a structure. This level is reflected in the structure tables via indentation.

Document navigation

The document uses internal links to quickly navigate between referenced entities and its corresponding structure and substructures (if any).

Glossary of terms

Entity definition

Every entity in this document is defined by:

- * **Entity** : the entity reference name.
- * **Structure** : the entity long name plus the corresponding reference.
- * **Rep (Repetitions)** : the entity number of repetitions within its parent structure.
- * **St (Status)** : the requirement status for the entity: C (Conditional), M (Mandatory), M* (Mandatory for the implementation).
- * **Comments** : description of the usage of the entity within the service.
- * **Fmt (Format, Representation)** : for leaf entities transporting the information, this field explains the type and length of the data transported.

Repetitions and statuses

Following table explains the meaning of possible repetition/status combinations of an entity within its parent structure.

Status	Repetitions	Meaning
C	n	Represents "0 or up to n" cardinality.
M	n	Represents "1 or up to n" cardinality.

M* (Mandatory) : This indicates that the status differs from the IATA PADIS Data Dictionary. If an entity is defined as conditional in the IATA approved message but must be mandatory to complete a business function, the entity will be indicated with an M for Mandatory along with an asterix (*).

Representation

Following table explains the meaning of possible representations for a leaf entity.

Representation	Meaning
ax	The entity is conveying a fix number(x) of alphabetic elements.
nx	The entity is conveying a fix number(x) of numeric elements.
anx	The entity is conveying a fix number(x) of alphanumeric elements.
a..x	The entity is conveying a variable number(1..x) of alphabetic elements.
n..x	The entity is conveying a variable number(1..x) of numeric elements.
an..x	The entity is conveying a variable number(1..x) of alphanumeric elements.

Table of contents

Operation: Hotel_CompleteReservationDetails.....	1
Query message	2
Reply message	3
Grouped structures	4
Simple structures	9
Codesets	27

Operation: Hotel_CompleteReservationDetails .

Query message: Hotel_CompleteReservationDetails 17.1.1A

Hotel Complete Reservations Details Query. This message is used to retrieve the sales requirements on reverse access. H for Hotel C for Complete R for Reservations D for Details R for Read Q for Query.

Reply message: Hotel_CompleteReservationDetailsReply 17.1.1A

Hotel Sales Requirements Query response. This message contains all the hotel sales requirement information returned either by the provider/CRS/switch or the database. H for Hotel SLR for Sales Requirements R for Read R for Reply.

Query message reference: Hotel_CompleteReservationDetails 17.1.1A

Entity	Structure	St	Rep	Comments
retrievalKeyGroup	Group	M	1	this group regroups the rloc and the tattoo
retrievalKey	Reservation control information	M	1	This segment is used to convey the record locator of the PNR if available.
tattooID	Reference information	M	1	the tattoo ID of the sales requirements is reflected in the response.

Reply message reference: [Hotel_CompleteReservationDetailsReply 17.1.1A](#)

Entity	Structure	St	Rep	Comments
errorInformation	Group	C	1	This group is returned in case of error
retrievalKeyGroup	Group	M	1	this group regroups the rloc and the tattoo.
tattooNumber	Element management segment	M	1	This segment conveys the element tattoo : - Segment tattoo for an Hotel booking - Offer tattoo for an Hotel Offer
retrievalKey	Reservation control information	C	1	This segment is used to convey the record locator of the PNR if available.
hotelSalesRequirementsSection	Group	C	1	This group is used to convey the information returned on a normal response of the Hotel sales requirements (when no error occurred).

Grouped structures reference

Grouped structure ref: ERRORGROUPTYPE

Entity	Structure	St	Rep	Comments
messageErrorInformation	Application error information	M	1	This segment is used to convey the type of error as an amadeus Canned message code
errorDescription	Free text information	C	1	This segment is used to convey the error description

Grouped structure ref: HOTELRESERVATIONPROPERTIESTYPE

Entity	Structure	St	Rep	Comments
hotelPropertyInfo	Hotel property	M	1	This segment is used to convey the hotel property information.
bookingPeriod	Structured period information	M	1	This segment is used to convey the dates of the booking.
hotelChainInformation	Non air company information	M	1	This segment is used to convey the hotel chain information
countryStateInformation	Address	M	1	This segment is used to convey the country and state codes.
occupancyLevel	Number of units	M	1	Number of adults and children requested for a room: from 1 to 9.
marketingText	Free text information	C	2	Up to 2 lines of Marketing Text and Pricing Marketing Text.
textOptions	Miscellaneous remarks	C	2	
hotelSalesRequCategorySection	Group	M	7	This group is used to convey each category of the Hotel sales requirements. There are 7 categories for the Hotel Sales Requirements: - Rate Information (RAT) - All known taxes and Total Rate (TTX) - Rate Inclusions and Extras (INC) - Cancellation Policies (CXL) - Booking Requirements (BOO) - Room and Rate Description (DES) - Other Information (OTH)
pricingCategory	Item description	M	1	This segment is used to convey the category identifier.
infoMsgAndCancelPolicies	Free text information	C	2	- Information line when the category cannot be returned (1 line) - Cancellation policies free flow text (up to 15 lines), from sell and/or pricing

				response (in separated instances) - Other information (up to 99 lines)
totalAmountInformation	Monetary information	C	1	This segment is used to convey the estimated total amount returned by the provider.
rateAmountInformation	Tariff information	C	1	This segment is used to convey the rate amount information
convertedTotalAmount	Conversion rate	C	1	This segment is used to convey the estimated total amount returned by the provider and converted by central system.
textOptions	Miscellaneous remarks	C	2	
taxSection	Group	C	200	This group is used to convey the detail of each tax, service, surcharge belonging to: - 'rate inclusion / extra' category or - 'all known taxes' category The specifications require the possibility to convey up to 200 of them.
taxFeeInformation	Hotel taxes, service charges, fees	M	1	This segment is used to convey the tax, fee, service, surcharge or extra information.
convertedTaxAmount	Conversion rate	C	1	This segment is used to convey the tax amount converted by central system.
taxFeeValidity	Structured period information	C	1	This segment is used to convey the dates of validity of the Hotel tax, surcharge, Fee, service information.
taxFeeDescription	Free text information	C	1	This segment is used to convey the Tax, Fee or service description
otherInfoSection	Group	C	1	This group is used to convey the other information.
checkInOutTimeAndExpressInfo	Hotel check-in / check out information	M	1	This segment is used to convey structured check-in / check-out information
checkDescription	Free text information	C	5	This segment is used to convey the check-in / check-out / express check-in / express check out information (max 1 line per entity) as well as CheckInOutDescription (from sell response).
occupantAddress	Address	C	1	Occupant Address tag with place holder for occupant Nationality (coded) and country of residence

roomRateInfoSection	Group	C	1	This group is used to convey the room / rate description information
roomInformation	Hotel room	M	1	This segment is used to convey the room information. (is used as well in case of Individual Booking)
roomRateDescription	Free text information	C	3	This segment is used to convey the room description or the rate description (from pricing as well as from sell)
bookingRequirementsSection	Group	C	2	This group is used to convey the booking requirements information, which consists of: - guarantee rule - deposit rule
guaranteeDepositStatusInfo	Status details	M	1	This segment is used to convey the specific indicators such as: - Guarantee required - Deposit required - Pending Payment
paymentInformation	Payment information	C	9	This segment is used to convey the form of payment authorized for guarantee or deposit. Up to 9 are supported (cf codeset).
creditCardInformation	Form of payment	C	20	This segment is used to convey the credit card information. Up to 20 different credit card types are supported.
formOfPaymentDescription	Free text information	C	1	This segment is used to convey the Guarantee or deposit description
specialDate	Date and time information	C	1	Segment to specify a special date: - Deadline for payment
rulesSection	Group	C	5	This group is used to convey the following rules: - Minimum / maximum stay - Advance booking info - Hold time info - Max Occupancy
rulesInformation	Rule information	M	1	This segment is used to convey the rules
rulesDescription	Free text information	C	1	This segment is used to convey the rules description
additionalRulesFromSellGroup	Group	C	3	this group is used to convey additional rules coming from a sell response.
additionalSellRulesMarker	Dummy segment	M	1	just a dummy

additionalRulesFromSell	Free text information	M	1	these segments are used to convey additional rules, coming from a sell response.
rateInformationSection	Group	C	1	This group is used to convey the rate information
ratePlanInformation	Rate plan	M	1	This segment is used to convey the rate plan information
rateAmountInformation	Tariff information	M	1	This segment is used to convey the rate amount information
convertedMonetaryAmounts	Conversion rate	C	2	This segment is used to convey: - the converted monetary amount - the converted total monetary amount
rateStatusInformation	Status details	C	5	This segment is used to convey the specific indication such as: - commission applicable - More rate change available - On Request booking
ratePlanText	Free text information	C	2	Provide information on the rate plan: -HRCP: Hotel Provider Rate Code Translated from Agent Rate code - HRCT: Hotel Amadeus Rate Code Translated from Agent Rate code
commissionSection	Group	C	1	This group is used to convey the information regarding the commission
commissionInfo	Commission information	M	1	This segment is used to convey the commission information
commissionConvertedAmnt	Conversion rate	C	1	This segment is used to convey the converted commission amount
commissionDescription	Free text information	C	2	This segment is used to convey the commission description (from sell response and pricing response)
rateChangeSection	Group	C	30	This group is used to convey the rate change details Up to 30 rate changes during a stay should be supported.
rateChangeAmountInformation	Monetary information	M	1	This segment is used to convey the amount when a rate change occurs
chgOfRateConvertedAmnt	Conversion rate	C	1	This segment is used to convey the converted amount applying during a rate period
rateChangePeriodInformation	Structured period information	C	1	This segment is used to convey the period when a rate change occurs

rateChangeText	Free text information	C	1	This segment is used to convey a comment when a rate change occurs
cancellationPoliciesSection	Group	C	99	This group is used to convey the cancellation policies Up to 99 of them should be supported
cancellationDateTime	Structured date time information	M	1	This segment is used to convey the latest date/time to cancel without any cancellation fee.
cancellationFee	Monetary information	C	1	This segment is used to convey the amount of the cancellation fee.
cancelConvertedFees	Conversion rate	C	1	This segment is used to convey the converted cancellation fee.
cancellationNights	Quantity	C	1	This segment is used to indicate the number of nights that will be charged in case of late cancellation

Simple structures reference

Structure: RESERVATION CONTROL INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
reservation	Reservation control information	C	1	" "	This composite is used to convey the reservation control information
companyId	Company identification	C	1	an .. 3	This data element is used to convey the company which owns the booking: - 1A. Codeset list: 9906 IA 01.2.1754
controlNumber	Reservation control number	M*	1	an .. 16	This data element is used to convey the reservation number (record locator of a PNR, confirmation number...).
controlType	Reservation control type	M*	1	an1	This data element is used to indicate the type on reservation control number conveyed in this segment: - P for PNR record Locator - 2 for a confirmation number. Codeset list: 9958 IA 01.2.154

Structure: REFERENCE INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
referenceDetails	Referencing details	M*	1	" "	conveys the tattoo of the booking concerned by the action of the message
type	Reference qualifier	M*	1	an .. 3	type of the value : 'S' for PNR segment reference number . Codeset list: 1153 IA 02.2.985
value	Reference number	M*	1	an .. 5	Conveys the PNR tattoo corresponding to the booking.

Structure: ELEMENT MANAGEMENT SEGMENT

Entity	Structure	St	Rep	Fmt	Comments
status	Status, coded	C	1	an .. 3	Action to perform (When a PNR segment/element is transmitted) . IF for Information only (Value by default,

					Code used in a Server response). Codeset list: 4405 1A 02.2.6569
reference	Reference details	M*	1	" "	Reference details
qualifier	Reference qualifier	M*	1	an .. 10	Amadeus codes : OF for Offer element(non name, non segment) Tatoo In this message we only expect OF since this message targets Offers. Codeset list: 1153 1A 98.1.588
number	Reference number	M*	1	an .. 35	Number attributed by the Server to reference the PNR segment/element Limited to the time the PNR is worked (First retrieve - End of Transaction).
segmentName	PNR segment or element name, coded	C	1	an .. 3	PNR segment or element name. Codeset list: 110P 1A 98.1.475

Structure: RESERVATION CONTROL INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
reservation	Reservation control information	C	1	" "	This composite is used to convey the reservation control information
companyId	Company identification	C	1	an .. 3	This data element is used to convey the company which owns the booking: - 1A. Codeset list: 9906 1A 01.2.2451
controlNumber	Reservation control number	M*	1	an .. 16	This data element is used to convey the reservation number (record locator of a PNR, confirmation number...).
controlType	Reservation control type	M*	1	an1	This data element is used to indicate the type on reservation control number conveyed in this segment: - P for PNR record Locator - 2 for a confirmation number. Codeset list: 9958 1A 01.2.215

Structure: APPLICATION ERROR INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
errorDetails	Application error detail	M	1	" "	Application error details.
errorCode	Application error, coded	M	1	an .. 5	Code identifying the data validation error condition.. Codeset list: 9321 1A 02.1.535

errorCode	Code list qualifier	C	1	an .. 3	Identification of a code list.. Codeset list: 1131 IA 02.2.638
---------------------------	---------------------	---	---	---------	---

Structure: FREE TEXT INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
freeTextDetails	Free text information	M	1	" "	Free text details
textSubjectQualifier	Text subject qualifier	M	1	an .. 3	subject qualifier. Codeset list: 4451 IA 02.2.1039
informationType	Information type	C	1	an .. 4	information type. Codeset list: 9980 IA 02.2.1091
status	Status, coded	C	1	an .. 3	status. Codeset list: 4405 IA 02.2.2539
companyId	Company identification	C	1	an .. 35	company ID.. Codeset list: 9906 IA 02.2.3674
language	Language, coded	C	1	an .. 3	language. Codeset list: 3453 IA 02.2.1767
source	Source, coded	M	1	an .. 3	source. Codeset list: 9890 IA 02.2.842
encoding	Encoding	M	1	an .. 3	encoding. Codeset list: 0133 1A 03.1.675
freeText	Long Free Text	M	99	an .. 199	Free text and message sequence numbers of the remarks..

Structure: HOTEL PROPERTY

Entity	Structure	St	Rep	Fmt	Comments
hotelReference	Hotel unique id	M*	1	" "	This composite is used to convey the hotel identifier.
chainCode	Company identification	M	1	an2 .. 3	To convey the chain code in the property ID. Codeset list: 9906 IA 02.2.3485
cityCode	Place/location identification	M	1	an3	To convey the city code in the hotel Id. Codeset list: 3225 IA 02.2.2007
hotelCode	Place/location identification	M	1	an3	To convey the property code in the Hotel Id. Codeset list: 3225 IA 02.2.2007

hotelName	Hotel property name	C	1	an .. 40	This composite is used to convey the hotel name.
-----------	---------------------	---	---	----------	--

Structure: STRUCTURED PERIOD INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
businessSemantic	Date/Time/Period qualifier	M*	1	an .. 3	This data element can be used to provide the semantic of the information provided.. Codeset list: 2005 IA 02.2.575
beginDateTime	Structured date time information	M*	1	" "	Convey the begin date/time of a period.
year	Year number	M*	1	n4	Year number..
month	Month number	M*	1	n .. 2	Month number in the year (begins to 1).
day	Day number	M*	1	n .. 2	Day number in the month (begins to 1).
endDateTime	Structured date time information	M*	1	" "	Convey the end date/time of a period.
year	Year number	M*	1	n4	Year number..
month	Month number	M*	1	n .. 2	Month number in the year (begins to 1).
day	Day number	M*	1	n .. 2	Day number in the month (begins to 1).

Structure: NON AIR COMPANY INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
travelSector	Industry sector	M*	1	an .. 3	This data element is used to qualify the company code, to identify the industry business it belongs.. Codeset list: 408Z 1A 02.1.106
companyCodeContext	Code list responsible agency, coded	M*	1	an .. 3	This data element is used to convey the context in which the code applies. The hotel chain code are managed by Amadeus.. Codeset list: 3055 IA 02.2.862
companyCode	Company identification	M*	1	an2 .. 3	This data element is used to convey the company code of a non-air

					company. Codeset list: 9906 1A 02.2.3484
companyName	Company identification	M*	1	an .. 20	This data element is used to convey the company name of a non-air company. Codeset list: 9906 1A 02.2.3484
accessLevel	Access level	M*	1	an .. 3	This data element is used to convey the type of access the non-air company has with Amadeus.. Codeset list: 404Z 1A 02.1.107

Structure: ADDRESS

Entity	Structure	St	Rep	Fmt	Comments
countryCode	Country name code	M*	1	an .. 3	Country code.
regionDetails	Country sub-entity details	C	1	" "	To convey a sub-entity within a country : region, states..
code	Country sub-entity name code	M*	1	an2	State code.
qualifier	Code list identification code	M*	1	an .. 17	84 for state code. Codeset list: 1131 UN 02.A.544

Structure: NUMBER OF UNITS

Entity	Structure	St	Rep	Fmt	Comments
quantityDetails	Number of unit details	M	2	" "	Number of Unit Details
numberOfUnit	Number of units	M*	1	n .. 15	.
unitQualifier	Number of units qualifier	M*	1	an .. 3	. Codeset list: 6353 1A 10.1.3595

Structure: FREE TEXT INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
freeTextDetails	Free text information	M	1	" "	This composite is used to convey all the free text information
textSubjectQualifier	Text subject qualifier	M	1	an .. 3	Text qualifier. Codeset list: 4451 1A 02.2.984

informationType	Information type	M*	1	an .. 4	This field is used to convey the type of information that can be carried in this segment. Codeset list: 9980 IA 02.2.1034
language	Language, coded	C	1	an .. 3	This data element is used to convey the language code for the free text. Codeset list: 3453 IA 16.1.1
source	Source, coded	M	1	an .. 3	This data element is used to convey the type of source from which the free text was extracted: - M for manual typing - S for extracted from a system (Database...). Codeset list: 9890 IA 02.2.792
encoding	Encoding	M	1	an .. 3	This data element is used to convey the character set. (It should be ASCII 7 bits). Codeset list: 0133 1A 03.1.646
freeText	Long Free Text	M	99	an .. 64	Free text and message sequence numbers of the remarks..

Structure: MISCELLANEOUS REMARKS

Entity	Structure	St	Rep	Fmt	Comments
remarkDetails	Miscellaneous remark	M*	1	" "	Miscellaneous remarks
type	Remark Type, coded	M	1	an .. 10	This data element is used to convey the type of the remark. (see data mapping to view the codes). Codeset list: 069C 1A 02.1.193
freetext	Long Free Text	M*	1	an .. 256	Free text and message sequence numbers of the remarks..
businessFunction	Business function, coded	C	1	an .. 3	This data element is used to convey the business function. Codeset list: 4025 IA 02.2.635
language	Language, coded	M*	1	an .. 3	language used for the free text.. Codeset list: 3453 IA 02.2.3685
source	Source, coded	M*	1	an .. 3	Indicates if it has been manually entered by an agent or system generated.. Codeset list: 9890 IA 02.2.2356
encoding	Encoding	M*	1	an .. 3	Coded identification of the character encoding used in the interchange. Codeset list: 0133 1A 03.1.1942

Structure: ITEM DESCRIPTION

Entity	Structure	St	Rep	Fmt	Comments
itemDescriptionType	Item description type, coded	M*	1	an3	Item description type. Codeset list: 7077 1A 02.1.74
itemDescription	Item description	M*	1	" "	Description of the item
description	Item description	M*	1	an .. 40	Item description.
language	Language, coded	M*	1	an .. 3	language of the description. Codeset list: 3453 IA 02.2.10140

Structure: MONETARY INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
monetaryDetails	Monetary information	M	1	" "	This composite is used to convey the rate change amount details.
typeQualifier	Monetary amount type qualifier	M	1	an .. 3	To indicate the type of the amount conveyed. Codeset list: 5025 IA 02.2.334
amount	Allowance or charge number	M*	1	n .. 11	amount.
currency	Currency, coded	M*	1	an .. 3	ISO currency code. Codeset list: 6345 IA 02.2.930

Structure: TARIFF INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
tariffInfo	Tariff information	M*	1	" "	This composite is used to convey the tariff information
amount	Monetary amount	M*	1	n .. 11	This field is used to convey the amount that will be found in the booking after..
currency	Currency, coded	M*	1	an .. 3	This field is used to convey the currency. Codeset list: 6345 IA 02.2.932
ratePlanIndicator	Rate plan, coded	M*	1	an .. 3	This data element is used to convey the rate plan (Daily or total indicator) which applies to the monetary amount.. Codeset list: 5911 IA 02.2.90

rateChangeIndicator	Price change indicator, coded	C	1	an .. 3	This data element is used to specify the fact that a rate change occurs during the period of the stay. If there is a change the value is * ..
totalAmount	Total monetary amount	C	1	n .. 11	This field is used to convey the total amount.
chargeDetails	Associated charges information	C	99	" "	
type	Charge unit, coded	C	1	an .. 3	. Codeset list: 5901 IA 02.2.270
amount	Monetary amount	C	1	n .. 18	.
description	Item description	C	1	an .. 35	.
currency	Currency, coded	C	1	an .. 3	. Codeset list: 6345 IA 02.2.932

Structure: CONVERSION RATE

Entity	Structure	St	Rep	Fmt	Comments
conversionRateDetails	Conversion rate details	M	1	" "	This composite is used to convey the details about the conversion.
conversionType	Conversion type, coded	M*	1	an .. 3	This field is used to convey the conversion type. Codeset list: 9875 IA 02.2.34
currency	Currency, coded	M*	1	an .. 3	This composite is used to convey the currency of the converted amount. Codeset list: 6345 IA 02.2.929
convertedValueAmount	Monetary amount	M*	1	n .. 11	.

Structure: HOTEL TAXES, SERVICE CHARGES, FEES

Entity	Structure	St	Rep	Fmt	Comments
includedInAmount	Inclusion tag	M*	1	an1	This data element is used to indicate if the Tax or fee is included in the base amount. Codeset list: 422Z 1A 03.1.8
perPerson	Per Person	M*	1	an .. 3	This tag indicate if the tax or fee is per person or not. Codeset list: 423Z 1A 03.1.8
timeUnit	Rate plan, coded	C	1	an .. 3	This data element is used to know if the tax or fee applies per stay, per

					period or per night.. Codeset list: 5911 IA 02.2.89
category	Duty/tax/fee category, coded	C	1	an .. 3	This data element is used to convey the category of the tax,fee.... Codeset list: 5305 IA 02.2.122
code	Duty/Tax fee type, coded	C	1	an .. 3	Predefined name of the Tax or Fee. Codeset list: 5153 IA 02.2.112
amount	Duty/tax/fee rate	C	1	n .. 11	amount.
currencyCode	Currency, coded	C	1	an .. 3	ISO Currency code. Codeset list: 6345 IA 02.2.931
percentage	Percentage	C	1	n .. 8	percentage.
longName	Long name	C	1	an .. 30	Long name of the Tax or Fee.
longNameDetails	Free text information	C	1	" "	This composite is used to convey the information relative to the long name of the tax
textSubjectQualifier	Text subject qualifier	M	1	an .. 3	Text qualifier. Codeset list: 4451 IA 02.2.984
informationType	Information type	M*	1	an .. 4	This field is used to convey the type of information that can be carried in this segment. Codeset list: 9980 IA 02.2.1035
language	Language, coded	C	1	an .. 3	This data element is used to convey the language code for the free text. Codeset list: 3453 IA 02.2.1681
source	Source, coded	M	1	an .. 3	This data element is used to convey the type of source from which the free text was extracted: - M for manual typing - S for extracted from a system (Database...). Codeset list: 9890 IA 02.2.792
encoding	Encoding	M	1	an .. 3	This data element is used to convey the character set. (It should be ASCII 7 bits). Codeset list: 0133 1A 03.1.646

Structure: FREE TEXT INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
freeTextDetails	Free text information	M	1	" "	This composite is used to convey all the free text information

textSubjectQualifier	Text subject qualifier	M	1	an .. 3	Text qualifier. Codeset list: 4451 IA 02.2.984
informationType	Information type	M*	1	an .. 4	This field is used to convey the type of information that can be carried in this segment. Codeset list: 9980 IA 02.2.1035
language	Language, coded	C	1	an .. 3	This data element is used to convey the language code for the free text. Codeset list: 3453 IA 02.2.1681
source	Source, coded	M	1	an .. 3	This data element is used to convey the type of source from which the free text was extracted: - M for manual typing - S for extracted from a system (Database...). Codeset list: 9890 IA 02.2.792
encoding	Encoding	M	1	an .. 3	This data element is used to convey the character set. (It should be ASCII 7 bits). Codeset list: 0133 1A 03.1.646
freeText	Long Free Text	M	15	an .. 64	Free text and message sequence numbers of the remarks..

Structure: HOTEL CHECK-IN / CHECK OUT INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
expressCheckIn	Action request / notification, coded	M*	1	an .. 3	This indicator is net to Y when Express check-In is allowed. Codeset list: 1229 IA 02.2.1081
expressCheckOut	Action request / notification, coded	M*	1	an .. 3	This indicator is net to Y when Express check-out is allowed. Codeset list: 1229 IA 02.2.1081
timeMode	Date/Time/Period qualifier	C	1	an .. 3	Indicate if the time is expressed in local time mode. Codeset list: 2005 IA 02.2.575
checkInTimeLimitation	Structured date time information	C	1	" "	This composite is used to convey the earliest time to perform the check-in.
hour	Hours	M*	1	n .. 2	Hour between 0 and 23.
minutes	Minutes	M*	1	n .. 2	Minutes between 0 and 59.
checkOutTimeLimitation	Structured date time information	C	1	" "	This composite is used to convey the latest time to perform the check-out.
hour	Hours	M*	1	n .. 2	Hour between 0 and 23.

minutes	Minutes	M*	1	n .. 2	Minutes between 0 and 59.
---------	---------	----	---	--------	---------------------------

Structure: FREE TEXT INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
freeTextDetails	Free text information	M	1	" "	This composite is used to convey all the free text information
textSubjectQualifier	Text subject qualifier	M	1	an .. 3	Text qualifier. Codeset list: 4451 IA 02.2.986
informationType	Information type	M*	1	an .. 4	This field is used to convey the type of information that can be carried in this segment. Codeset list: 9980 IA 02.2.1035
language	Language, coded	C	1	an .. 3	This data element is used to convey the language code for the free text. Codeset list: 3453 IA 02.2.1684
source	Source, coded	M	1	an .. 3	This data element is used to convey the type of source from which the free text was extracted: - M for manual typing - S for extracted from a system (Database...). Codeset list: 9890 IA 02.2.795
encoding	Encoding	M	1	an .. 3	This data element is used to convey the character set. (It should be ASCII 7 bits). Codeset list: 0133 1A 03.1.648
freeText	Long Free Text	M	1	an .. 64	Free text and message sequence numbers of the remarks..

Structure: ADDRESS

Entity	Structure	St	Rep	Fmt	Comments
addressDetails	Address details	C	1	" "	will convey the adress text
format	Address format code	M	1	an .. 3	. Codeset list: 3477 UN 02.A.590
line1	Address component description	M	1	an .. 70	Address Text. Any of the following address lines may start with a tag: Street- ExternalNumber- InternalNumber- County- Neighbourhood- State-.
line2	Address component description	C	1	an .. 70	.

line3	Address component description	C	1	an .. 70	.
line4	Address component description	C	1	an .. 70	.
line5	Address component description	C	1	an .. 70	.
city	City name	C	1	an .. 35	City name..
zipCode	Postal identification code	C	1	an .. 17	postal identification code..
countryCode	Country name code	C	1	an .. 3	Country code .
nationalityCode	Nationality Code	C	1	an2 .. 3	Data element holds the traveller nationality in ISO Country Code.
regionDetails	Country sub-entity details	C	1	" "	To convey a sub-entity within a country : region, states..
name	Country sub-entity name	C	1	an .. 70	State or province name (eg. Texas)..
locationDetails	Location identification	C	1	" "	
name	Location name	C	1	an .. 256	County or region name (eg. Fairfax)..

Structure: HOTEL ROOM

Entity	Structure	St	Rep	Fmt	Comments
roomRateIdentifier	Hotel room / rate information	C	1	" "	This composite is used to convey the room rate identifier.
roomType	Product identification characteristic	C	1	an .. 3	This data element is used to convey the room type.
ratePlanCode	Rate/Tariff class	C	1	an .. 3	This data element is used to convey the hotel rate code.
rateCategoryCode	Rate/Tariff class	C	1	an .. 35	This data element is used to convey the hotel rate family code.
rateQualifiedIndic	Rate qualified indicator	C	2	an1	This data elements contains rate family indicators: first one is rate type and second indicates if rate is converted on Amadeus side . Codeset list: 410Z 1A 02.1.236
bookingCode	Product identification	C	1	an .. 10	This data element is used to convey the booking code..

Structure: STATUS DETAILS

Entity	Structure	St	Rep	Fmt	Comments
statusDetails	Status details	C	1	" "	This composite is used to convey the rate status details.
indicator	Status indicator, coded	M*	1	an .. 3	. Codeset list: 1245 1A 15.1.1546
action	Action request / notification, coded	M*	1	an .. 3	Status value. Codeset list: 1229 IA 02.2.1081

Structure: PAYMENT INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
paymentDetails	Payment details	M*	1	" "	This composite is used to convey the payment information
formOfPaymentCode	Form of payment identification	M	1	an .. 4	To convey the guarantee /deposit form. Codeset list: 5903 IA 02.2.24
paymentType	Payment type identification	M*	1	an .. 4	This data element is used to idicates if it is a guarantee or a deposit. Codeset list: 5905 IA 02.2.24
serviceToPay	Service to be paid, coded	M*	1	an .. 3	This data element is used to identify the type of service to be paid, in our case it will always be 3 for hotel. Codeset list: 5909 IA 02.2.24

Structure: FORM OF PAYMENT

Entity	Structure	St	Rep	Fmt	Comments
formOfPayment	Form of payment details	M	1	" "	form of payment: Credit card
type	Form of payment identification	M	1	an .. 10	Type of form of payment. Codeset list: 9888 IA 02.2.191
vendorCode	Company identification	M*	1	an .. 3	Credit card vendor code. Codeset list: 9906 IA 02.2.3488

Structure: DATE AND TIME INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
dateAndTimeDetails	Date and time details	C	400	" "	DATE AND TIME DETAILS
qualifier	Date/Time/Period qualifier	C	1	an .. 3	Code giving specific meaning to a date, time or period.. Codeset list: 2005 1A 10.1.1242

date	First date	C	1	an .. 35	.
time	First time	C	1	n .. 4	.

Structure: RULE INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
ruleDetails	Rule details	M*	1	" "	This composite is used to convey the rules details.
type	Special condition code	M	1	an .. 3	This data element is used to identify the type of rule (see data mapping).. Codeset list: 4183 UN 02.A.55
quantity	Units quantity	C	1	n .. 3	This data element is used to convey the rule quantity, express in the unit defined in the data element 6353.
quantityUnit	Unit type code qualifier	C	1	an .. 3	This data element is used to specify the unit used to express the quantity.. Codeset list: 6353 UN 02.A.45

Structure: DUMMY SEGMENT

Entity	Structure	St	Rep	Fmt	Comments
--------	-----------	----	-----	-----	----------

Structure: FREE TEXT INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
freeTextDetails	Free text information	M	1	" "	This composite is used to convey all the free text information
textSubjectQualifier	Text subject qualifier	M	1	an .. 3	Text qualifier. Codeset list: 4451 IA 02.2.1223
informationType	Information type	M*	1	an .. 4	This field is used to convey the type of information that can be carried in this segment. Codeset list: 9980 IA 02.2.1280
language	Language, coded	C	1	an .. 3	This data element is used to convey the language code for the free text. Codeset list: 3453 IA 02.2.2063
source	Source, coded	M	1	an .. 3	This data element is used to convey the type of source from which the free text was extracted: - M for manual typing - S for extracted from a system (Database...). Codeset list: 9890 IA 02.2.1052

encoding	Encoding	M	1	an .. 3	This data element is used to convey the character set. (It should be ASCII 7 bits). Codeset list: 0133 1A 03.1.841
freeText	Long Free Text	M	3	an .. 64	Free text and message sequence numbers of the remarks..

Structure: RATE PLAN

Entity	Structure	St	Rep	Fmt	Comments
ratePlanCode	Rate/Tariff class	C	1	an .. 3	This data element is used to convey the hotel rate code..
ratePlanId	Rate Plan Identification	C	1	an .. 64	to convey the rate plan Identification.
ratePlanIdDetails	Free text information	C	1	" "	This composite is used to convey the information relative to the rate plan Identification
textSubjectQualifier	Text subject qualifier	M	1	an .. 3	Text qualifier. Codeset list: 4451 IA 02.2.984
informationType	Information type	M*	1	an .. 4	This field is used to convey the type of information that can be carried in this segment. Codeset list: 9980 IA 02.2.1035
language	Language, coded	C	1	an .. 3	This data element is used to convey the language code for the free text. Codeset list: 3453 IA 02.2.1681
source	Source, coded	M	1	an .. 3	This data element is used to convey the type of source from which the free text was extracted: - M for manual typing - S for extracted from a system (Database...). Codeset list: 9890 IA 02.2.792
encoding	Encoding	M	1	an .. 3	This data element is used to convey the character set. (It should be ASCII 7 bits). Codeset list: 0133 1A 03.1.646

Structure: STATUS DETAILS

Entity	Structure	St	Rep	Fmt	Comments
statusDetails	Status details	M	1	" "	This composite is used to convey the rate status details.

indicator	Status indicator, coded	M*	1	an .. 3	Status qualifier. Codeset list: 1245 IA 02.2.3058
action	Action request / notification, coded	M*	1	an .. 3	Status value. Codeset list: 1229 IA 02.2.3785

Structure: FREE TEXT INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
freeTextDetails	Free text information	M	1	" "	
textSubjectQualifier	Text subject qualifier	M	1	an .. 3	. Codeset list: 4451 IA 02.2.6108
informationType	Information type	M*	1	an .. 4	. Codeset list: 9980 IA 02.2.6554
language	Language, coded	C	1	an .. 3	. Codeset list: 3453 IA 02.2.10264
source	Source, coded	M	1	an .. 3	. Codeset list: 9890 IA 02.2.7882
encoding	Encoding	M	1	an .. 3	. Codeset list: 0133 1A 03.1.6673
freeText	Long Free Text	M	1	an .. 3	Free text and message sequence numbers of the remarks..

Structure: COMMISSION INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
commissionDetails	Commission details	M	1	" "	Commission details
type	Payment conditions, coded	M	1	an .. 3	Commission type. Codeset list: 4439 1A 02.1.34
amount	Monetary amount	C	1	n .. 11	Commission amount.
currency	Currency, coded	C	1	an .. 3	ISO currency code. Codeset list: 6345 IA 02.2.933
rate	Percentage	C	1	n .. 4	Commission percentage.

Structure: MONETARY INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
monetaryDetails	Monetary information	M	1	" "	This composite is used to convey the rate change amount details.

typeQualifier	Monetary amount type qualifier	M	1	an .. 3	To indicate the type of the amount conveyed. Codeset list: 5025 IA 02.2.334
amount	Allowance or charge number	M*	1	n .. 11	amount.
currency	Currency, coded	M*	1	an .. 3	ISO currency code. Codeset list: 6345 IA 02.2.930

Structure: FREE TEXT INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
freeTextDetails	Free text information	M	1	" "	This composite is used to convey all the free text information
textSubjectQualifier	Text subject qualifier	M	1	an .. 3	Text qualifier. Codeset list: 4451 IA 02.2.985
informationType	Information type	M*	1	an .. 4	This field is used to convey the type of information that can be carried in this segment. Codeset list: 9980 IA 02.2.1036
source	Source, coded	M	1	an .. 3	This data element is used to convey the type of source from which the free text was extracted: - M for manual typing - S for extracted from a system (Database...). Codeset list: 9890 IA 02.2.793
encoding	Encoding	M	1	an .. 3	This data element is used to convey the character set. (It should be ASCII 7 bits). Codeset list: 0133 IA 03.1.647
freeText	Long Free Text	M	1	an .. 47	Free text and message sequence numbers of the remarks..

Structure: STRUCTURED DATE TIME INFORMATION

Entity	Structure	St	Rep	Fmt	Comments
businessSemantic	Date/Time/Period qualifier	M*	1	an .. 3	This data element can be used to provide the semantic of the information provided. Examples : - Impacted period - Departure date - Estimated arrival date and time. Codeset list: 2005 IA 02.2.573

timeMode	Date/Time/Period qualifier	C	1	an .. 3	Indicate if the time is expressed in UTC or in local time mode (Codes U and L). In the last case, the time zone information can be provided in the composite C89K.. Codeset list: 2005 IA 02.2.574
dateTime	Structured date time information	M*	1	" "	Convey date and/or time.
year	Year number	C	1	n4	Year number..
month	Month number	C	1	n .. 2	Month number in the year (begins to 1).
day	Day number	C	1	n .. 2	Day number in the month (begins to 1).
hour	Hours	C	1	n .. 2	Hour between 0 and 23.
minutes	Minutes	C	1	n .. 2	Minutes between 0 and 59.

Structure: QUANTITY

Entity	Structure	St	Rep	Fmt	Comments
quantityDetails	Quantity details	M	1	" "	This composite is ude to convey the quantity details
qualifier	Quantity qualifier	M	1	an .. 3	CAN for cancellation fee. Codeset list: 6063 IA 02.2.105
value	Quantity	M	1	n .. 2	Number of nights to be charged in case of cancellation.
unit	Measure unit qualifier	M*	1	an .. 3	The quantity is expressed in days.. Codeset list: 6411 IA 02.2.567

Codesets

Codeset for Access level (Ref: 404Z 1A 02.1.107)

Value	Description
CP	Complete Access Plus
DY	Dynamic Access

Codeset for Action request / notification, coded (Ref: 1229 IA 02.2.1081)

Value	Description
1	Yes
2	No
UN	Unknown

Codeset for Action request / notification, coded (Ref: 1229 IA 02.2.3785)

Value	Description
1	Yes
2	No

Codeset for Address format code (Ref: 3477 UN 02.A.590)

Value	Description
1	Street name followed by number
2	Number, road type, road name in this sequence
3	Road type, road name, number in this sequence
4	Post office box
5	Unstructured address
6	Street name followed by number, building, suite
7	Rural route number
8	Post office drawer number
9	Building name followed by suite

Codeset for Application error, coded (Ref: 9321 1A 02.1.535)

Value	Description
1	Invalid date
10	Invalid service type code
100	Invalid Place of Departure Code
101	Invalid Place of Destination Code
102	Invalid Departure Date
103	Invalid Departure Time
104	Invalid Reservation Booking Designator
105	Invalid Reservation Booking Modifier

106	Invalid Number of Inventory Adjustments
107	Invalid Airline Designator/Vendor Supplier
108	Invalid Place of Connection Code
109	Invalid Country Code
11	Invalid aircraft type coded
110	Invalid Source of Business
111	Invalid Agent's Code
112	Requestor Identification Required
113	Invalid Period of Operation
114	Invalid Flight Number
115	Invalid Arrival Date
116	Invalid Arrival Time
117	Schedule Change in Progress
118	System Unable to Process
119	Shuttle Flight Does Not Allow Reservation
12	Invalid product details qualifier coded
120	Invalid Action Code
121	Invalid Number in Party
122	Unable - Flight Beyond System Capacity
123	Unable - Flight Postponed
124	Unable - Flight Purged
125	Unable - Charter Flight
126	Unable - Codeshare Flight
127	Unable - Group Action Required for Number in Party Requested
128	Unable - Overbook Not Allowed for Group Code
129	No PNR Match Found
13	Invalid aircraft configuration/version coded
130	Invalid Origin and Destination Pair
131	Invalid Flight Cancel Pair
132	Exceeds Maximum Number of Segments
133	FLIFO Exists for this Flight
134	Advise Times Different from Booked
135	Advise Dates Different from Booked
136	Advise Class Different from Booked
137	Name Change Not Allowed
138	Name Change Not Allowed, PTA PNR
139	Name Change Not Allowed, Baggage Info Exists

14	Invalid meal service note coded
140	Name Change Not Allowed this Passenger Type Code
141	Name Change Not Allowed on group name
142	Name Change Not Allowed Passport Info Exists
143	Invalid or Ineligible Passenger Type Code
144	Invalid Requestor Identification
145	Number in Party Exceeds Maximum
146	Unequal Number of Names/Number in Party
147	Given Names/Title Unequal to Number in Party
148	Invalid Action on Name Change
149	Surname too Long
15	Invalid UTC/local time variation
150	Given Name/Title too Long
151	Surname Mandatory
152	Given Name/Title Mandatory
153	Name Mismatch
154	Message Function Invalid
155	Message Function Not Supported
156	Business Function Invalid
157	Business Function Not Supported
158	No Action Taken - Simultaneous Changes to the Same Passenger Record
159	Phone Field Required
16	Invalid date variation
160	Passenger Name in Message Does Not Match Name in Booking File/PNR
161	Invalid OSI Type
162	OSI Type Not Supported
163	The SSR Service Code is not Valid
164	The SSR Action Code is not Valid for the SSR Service Code
165	The SSR Action Code is not Valid
166	The SSR Action Code is not Permitted for this SSR Service Code
167	Invalid Number of Services specified in SSR
168	The SSR Flight Number is not Valid
169	The SSR Flight Number is not Contained in the Itinerary
17	Invalid terminal coded
170	The SSR Class or RBD is not Valid
171	The SSR Class or RBD Does Not Match the Segment in the Itinerary
172	The SSR Date is not Valid

173	The SSR Date does not match the Segment in the Itinerary
174	The SSR Flight Description is Invalid
175	The SSR Segment Boardpoint and/or Offpoint is not Valid
176	The SSR Segment Boardpoint and/or Offpoint Does Not Match the Segment in the Itinerary
177	The SSR Name(s) do not Match the Name(s) in the Name field of the PNR or Contains Invalid Characters
178	The SSR Number of Names is not Equal to the Number of Special Services Requested
179	A Free Text Description is Mandatory for this SSR Service Code
18	Invalid on-time performance indicator
180	The SSR Free Text Description Length is in Error
181	A Free Text Description is not Permitted for this SSR Service Code
182	The SSR is not available and the Service has been waitlisted
183	The SSR is not available and the Waitlist is not Allowed
184	The SSR is not available and the Waitlist is Closed
185	SSR Service Code is not Offered
186	SSR Service Code is not Offered on this Flight Description
187	Format of Content of Required Information with this SSR Service Code is Invalid
188	Invalid SSR Measure Unit Qualifier, Age or Weight
189	Invalid SSR Measure Unit Value
19	Invalid type of call at port coded
190	Invalid Processing Indicator
191	Name Reference Required
192	Name Reference Inhibited
193	Segment Reference Required
194	Segment Reference Inhibited
195	Need Action Code
196	Invalid Flight Status for this SSR
197	Advance Seat Selection Not Available, Because the Maximum Number of Seats Authorized for Advance Seat Selection are Reserved
198	Advance Seat Selection Not Available, Airport Check-In is Active
199	Advance Seat Selection Temporarily Not Available, Maintenance In Progress
2	Invalid time
20	Invalid government action coded
200	Advance Seat Selection Not Available for this Flight
201	Advance Seat Selection Not Available for this Class/Compartment/Zone
202	Advance Seat Selection Not Available this Carrier

203	Advance Seat Selection Authorized for Full Fare Passengers Only
204	Advance Seat Selection Temporarily Not Available, Schedule Change active
205	Advance Seat Selection Temporarily Not Available, Operational Decision
206	Advance Seat Selection Temporarily Not Available, Application Suspended
207	Advance Seat Selection Temporarily Not Authorized this Passenger Type
208	Advance Seat Selection Not Available, Flight Already Departed
209	Advance Seat Selection Not Available, Flight Does Not Operate
21	Invalid facility type coded
210	Advance Seat Selection Not Available, Flight Does Not Operate this Date
211	Advance Seat Selection Not Available, Flight Does Not Operate this Date this Board Point
212	Advance Seat Selection Not Available, Flight Does Not Operate this Date this Off Point
213	Advance Seat Selection Not Available, Flight Does Not Operate this Date this Board and/or Off Point
214	Advance Seat Assignment Cancelled, Re-request Seats
215	Advance Seat Request Code Share Carrier Flight - Seat Number or Zone will Be Advised
216	Advance Seat Request is not Within Minimum/Maximum Flight Date/Time Range
217	Advance Seat Request is not Within Minimum/Maximum Flight Date Range
218	Advance Seat Request is not Within Minimum/Maximum Flight Time Range
219	Advance Seat Request on Code Share Carrier Flight Restricted
22	Invalid traffic restriction coded
220	Bassinet Seat has been Reserved
221	Bassinet/Non-Film Viewing Seat has been Reserved
222	Boarding Pass Request on Code Share Carrier Flight Restricted
223	Boarding Pass Request is not Within Minimum/Maximum Flight Date/Time Range
224	Boarding Pass Request is not Within Minimum/Maximum Flight Date Range
225	Boarding Pass Request is not Within Minimum/Maximum Flight Time Range
226	Boarding Pass Request Denied, Airport Check-In Active
227	Boarding Pass Request Denied, Maintenance In Progress
228	Boarding Pass Request Denied, For this Flight
229	Boarding Pass Request Denied, This Class/Compartment/Zone
23	Invalid traffic restriction type coded
230	Boarding Pass Request Denied, This Carrier
231	Boarding Pass Request Denied, Authorized for Full Fare Passengers Only
232	Boarding Pass Request Temporarily Not Available, Schedule Change Active
233	Boarding Pass Request Temporarily Not Available, Operational Decision

234	Boarding Pass Request Temporarily Not Available, Application Suspended
235	Boarding Pass Request Temporarily Not Authorized this Passenger Type
236	Boarding Pass Request Not Available, Flight Already Departed
237	Boarding Pass Request Not Available, Flight Does Not Operate
238	Boarding Pass Request Not Available, Flight Does Not Operate this Date
239	Boarding Pass Request Not Available, Flight Does Not Operate this Date this Board Point
24	Invalid traffic restriction qualifier coded
240	Boarding Pass Request Not Available, Flight Does Not Operate this Date this Off Point
241	Boarding Pass Request Not Available, Flight Does Not Operate this Date this Board and/or Off Point
242	Handicap Seat has been Reserved
243	Invalid Boardpoint and/or Off Point in Boarding Pass Request
244	Not allowed on marketing flights
245	Please request on operating carrier
247	Invalid Flight Number in Boarding Pass Request
248	Invalid Boardpoint in Boarding Pass Request
249	Invalid Offpoint in Boarding Pass Request
25	Invalid transport stage qualifier coded
250	Invalid Flight Date for Advance Seat Request
251	Invalid Boardpoint and/or Offpoint in Advance Seat Request
252	Invalid Flight Number in Advance Seat Request
253	Invalid Boardpoint in Advance Seat Request
254	Invalid Offpoint in Advance Seat Request
255	Invalid Seat Number, for this Class/Compartment
256	Invalid Seat Number for Aircraft Type
257	Invalid Seat Number Format
258	Invalid Generic Seat Characteristic Code
259	Invalid Combination of Generic Codes
260	Invalid Frequent Traveler Number
261	Invalid Row Number, For this Class/Compartment
262	Invalid Row Number, For this Aircraft Configuration
263	Invalid Row Number Format
264	Invalid Row Request, Number of Seats Required Exceeds Row Size
265	Invalid Seat Facility/Characteristic for the Seat Requested
266	Limited Recline Seat has been Reserved
267	Name in the Request Does Not Match Name in Reservation

268	Need Names, Passenger Name Information Required to Reserve Seats
269	Indicates that Additional Data for this Message Reference Number follows
270	Non-Film Viewing Seat has been Reserved
271	Number of Seats Requested Exceeds Maximum Allowed
272	Number of Seats Requested Does Not Equal the Number in Party
273	Request Specific Seat Number, Generic Request Inhibited this Flight
274	Request Specific Seat Number for Bassinet Seat
275	Request Specific Seat Number for Non-Film Viewing Seat
276	Requested Seat Type Not Available
277	Seat Request Includes Duplicate Seat Numbers/Codes
278	Seat Request Restricted During Divided PNR
279	Seat Request Restricted During Name Change
280	Seat Request Restricted During Reduce Number in Party
281	Specific Seat Requested Not Available
282	Specific Seat Requested Not Available, Only One Infant may be Accommodated in each Row/Section, and One is Already Taken
283	Specific Seat Requested Not Available - Restricted
284	Specific Seat Requested Not Available for Unaccompanied Minor
285	Simultaneous Changes to PNR, Related to Boarding Pass Issuance when Responding System goes through End Transaction
286	Through Seat Not Available
287	Unable to Satisfy, Need Smoking/No-Smoking Code
288	Unable to Satisfy, Need Confirmed Flight Status
289	Unable to Retrieve PNR, Database Error
290	Unable to Process Advance Seat Request
291	Unable to Process Boarding Pass Request
292	Segment Sells Restricted
293	Unable to Sell Due to Sales Limit being Reached
294	Invalid Format
295	No Flights Requested
3	Invalid transfer sequence
301	Application Suspended
302	Invalid Length
303	Flight Cancelled
304	System Temporarily Unavailable
305	Security/Audit Failure
306	Invalid Language Code

307	Received from data missing
308	Received from data invalid
309	Received from data missing or invalid
310	Ticket arrangement data missing
311	Ticket arrangement data invalid
312	Ticket arrangement data missing or invalid
313	Name element data missing
314	Name element data invalid
315	Name element data missing or invalid
316	Contact element (phone and/or address) missing
317	Contact element (phone and/or address) invalid
318	Contact element (phone and/or address) missing or invalid
319	Name element order error (e.g.:corp name must be first/infant name may not be first)
320	Invalid segment status
321	Duplicate flight segment
322	Segment continuity error
323	Invalid itinerary order (e.g.: ARNK segment cannot be first)
324	Number of infants exceeds maximum allowed per adult passenger
325	Related system reference error
326	Sending system reference error
327	Invalid segment data in itinerary
328	Invalid aircraft registration
329	Invalid hold version
330	invalid loading type
331	Invalid ULD type
332	Invalid serial number
333	Invalid contour/height code
334	Invalid tare weight
335	Unit code unknown
336	Invalid category code
337	Invalid special load reference
338	Invalid weight status
339	Weight/volume exceeded
340	Invalid PCS/WGT/QTY
341	UN vs PSN error
342	Not suitable for passenger aircraft
343	Not suitable for cargo aircraft

344	Not suitable for hold
345	Not suitable for compartment
346	Not suitable for position
347	Incompatible loads
348	Invalid flight status
349	Invalid application/product identification
350	Flight under airport control
351	Invalid cancel - married connection single leg(s) not available
352	Link to inventory system is unavailable
353	Exceeds number of flights for inventory system book individually
354	Invalid product status
356	Query control tables full
357	Declined to process interactively-default to backup
360	Invalid PNR file address
361	PNR is secured
362	Unable to display PNR and/or name list
363	PNR too long
364	Invalid ticket number
365	Invalid responding system in-house code
366	Name list too long
367	No active itinerary
368	Not authorized
369	No PNR is active, redisplay PNR required
370	Simultaneous changes to PNR
371	Prior PNR display required
372	PNR has already been claim
373	Ineligible for claim - all open/auxiliary itinerary
374	Ineligible for claim - ticket by mail/PTA present/PNR already ticketed
375	Requestor not authorized for this function for this PNR
376	Pricing/ticketing error, text information specified
377	Unable to price, multiple discounts apply
378	No rule pricing error, text information specified
379	Joint fare pricing error, text information specified
380	Ineligible for claim in current form-an update must be made before claiming
381	Record locator required
382	PNR status value not equal
383	Invalid change to status code

384	Multiple Name Matches
385	Mutually exclusive optional parameters
386	Invalid minimum/maximum connect time specified
387	Blackout for this date
388	Invalid cancel due married connection; remaining segment(s) not available in connection market
389	Invalid cancel due married connection; remaining segment(s) not available in local market
390	Unable to reformat
391	PNR contains non air segments
392	Invalid block type/name
393	Block sell restricted-request block name change
394	Segment not valid for electronic ticketing
395	Already ticketed
396	Invalid ticket/coupon status
397	Maximum ticket limit reached
398	Advance Boarding Pass already exists
399	Duplicate Name
4	Invalid city/airport code
400	Duplicate ticket number
401	Ticket number not found
403	Requested Data Not Sorted
404	No Service Between Requested Cities/Airports
405	No Service Between Requested Cities/Airports for Parameters
406	No Service Between Requested Cities/Airports for Parameters for Connection Specified
407	No Service Between Requested Cities/Airports for Parameters for Carrier Specified
408	No More Data Available
409	Request is Outside System Date Range
410	Flight does not operate due to weather, mechanical or other operational conditions
411	Flight Does Not Operate on Date Requested
412	Flight Does Not Operate Between Requested Cities
413	Requested Flight Not Active
414	Need Prior Availability Request
415	Need Prior Schedule Request
416	Need Prior Timetable Request
417	Repeat Request Updating in Progress
418	Flight has Departed

419	Flight is Boarding
420	Not Available but Waitlist is Open
421	Not Available and Waitlist is Closed
422	Not Available Due to Traffic Restrictions
423	Free ticket request rejected; not enough points for FQTV
424	Card number does not match with name for FQTV
425	Discount not applicable on the company for FQTV
426	Card expiry date is returned for FQTV
427	Ticket issuance not authorized; number not verified for FQTV
428	Verification restricted for this requestor for FQTV
429	Product/account number verification denied for FQTV
430	Invalid product/account number for FQTV
431	Invalid discount code for FQTV
432	Returned discount code is different for FQTV
433	Returned company code is different for FQTV
434	Additional product is returned for FQTV
435	Unable - flight operated by another carrier code share sales limit reached
436	Not available due to mixed fare class
437	Carrier must be in separate PNR
438	Request is outside system date range for this carrier within this system
439	Waitlisting not allowed for this carrier within this system
440	Void request on already voided or printed coupons
441	Invalid Priority Number
442	System in control of device is unknown
443	Device address is unknown
444	Part number is out of sequence
445	Security indicator requires originator ID
446	Device cannot handle this material
447	Ineligible for claim-PNR available for display
448	Contact Service Provider directly
449	Request generic seat, specific seat inhibited this class/compartments
450	All electronic ticket coupons have been printed
451	Only individual seat request allowed at this time
452	Ineligible for claim - contains flown segment
453	Bulk fare(s) not supported
454	Multiple Seat Request Allowed Only in the Same Row, Airport Check-in is Active
455	Unable-Previous Segment in this Requested Connection is Waitlisted

456	Passive Segment already exists
457	Unable-Connection Market Unavailable
458	No Agreement for Passive Notification
459	Owner Equal to Requestor
460	PNR Controlled by Third Party System
461	Ineligible for Requested Action -Group PNR not allowed
462	Invalid authorization number
463	Authorization number already used
464	Unable to ticket due to fare calculation too large
465	Unable to Sell - incompatible with existing itinerary
466	Form of payment missing or invalid for electronic ticketing
467	Flight segment not found in carriers PNR
468	Invalid routing due to 2 or more open JAWs
469	Invalid routing due to more than 2 stopovers
470	Invalid routing due to more than 2 connections on an O&D segment
471	Invalid routing due to open JAW itinerary has enroute stopover
472	Account does not allow redemption
473	No award inventory available for requested market and date
5	Invalid time mode
6	Invalid operational suffix
7	Invalid period of schedule validity
700	Invalid OSI
701	Invalid SSR
702	Error at End of Transaction
703	No negotiated space is available
704	Invalid Tour Identification
705	Invalid or missing Coupon/Booklet Number
706	Invalid Certificate Number
707	Invalid or missing baggage details
708	Incorrect credit card information
709	Invalid and/or missing frequent traveler information
70A	Airport check-in identification (FOID) type not supported
70B	Airport check-in identification (FOID) not supported
70C	Request for airport control denied
710	Free text qualifier error
711	Invalid Fare Calculation Status Code
712	Missing and/or invalid monetary information

713	Invalid Price Type Qualifier
714	Missing and/or invalid Date of Issue
715	Invalid fare basis
716	Missing and/or invalid reservation control information
717	Missing and/or invalid travel agent and/or system identification
718	Invalid Document Type
719	No fares available
720	No rules exist for this fare
721	Too much data
722	Invalid rule
723	Invalid category
724	Invalid routing
725	Domestic itinerary
726	Invalid global indicator
727	Invalid amount
728	Invalid conversion type
729	Invalid currency code
730	No fare on this market and/or carrier
731	No fare for compartment
732	No fare for rule option used
733	Request not processed per Resolution 100 rules
734	Too many fares. Enter specific date and/or fare type.
735	Unable -- claim in progress
736	Unable -- board point required
737	Unable -- Flight operated by a third party
738	Overflow
739	BBR rate not available
740	Rate not available
741	Piece concept applicable
742	No fare on this market/carrier
743	Electronic ticket record purposely not accessible
744	Missing or invalid airport check-in identification (FOID)
745	Refund (full or partial) not allowed
746	Open segment(s) not permitted for first coupon or entire itinerary
747	Validity date(s) required for electronic tickets
748	Status change denied
749	Coupon status not open

750	Endorsement restriction
751	Controlled by a third party
752	Revalidation request denied
753	Invalid or missing frequent traveler number
754	Electronic ticket outside validity date
755	Invalid exchange/coupon media
756	Tour fares not supported
757	Exchange paper to electronic ticket not allowed
758	Net remit fares not supported
759	Multiple forms of payment not allowed
760	Conjunction ticket numbers are not sequential
761	Exchange/Reissue must include all unused coupons
762	Invalid tax amount
763	Invalid tax code
764	Unavailable - have requested
765	Penalties do not allow changes
766	Ticket has no residual value
767	Historical data not available - unable to process
768	Changes not allowed on re-priced segments - process manually
769	Unable to calculate residual value - process manually
770	Unable to determine penalty or original fare- process manually
771	Carrier reissue rule invalid for origin/destination change - process manually
772	Unable to keep original fare per carrier requirements - process manually
773	Unable to determine residual value - all flights must be flown
774	Unable to keep original fare - invalid PTC
775	Unable to keep original fare - day/time requirements not met
776	Unable to keep original fare - seasonality requirements not met
777	Unable to keep original fare - applicable flight requirements not met
778	Unable to keep original fare - advance purchase requirements not met
779	Unable to keep original fare - minimum stay requirements not met
780	Unable to keep original fare - maximum stay exceeded
781	Unable to keep original fare - stopover requirements not met
782	Unable to keep original fare - transfer requirements not met
783	Unable to keep original fare - combinability not allowed
784	Unable to keep original fare - travel not allowed on blackout dates
785	Unable to keep original fare - accompanied travel requirements not met
786	Unable to keep original fare - travel restrictions not met

787	Unable to keep original fare - sales restrictions not met
788	Unable to keep original fare - new itinerary not eligible for original fare
789	New fare level in effect for new date of travel
790	Exchange denied - no further exchanges allowed
791	Unable to void exchanged/reissued ticket
792	Segment not eligible for interline electronic ticket
793	Fare/tax amount too long
794	Invalid or missing fare calculation
795	Invalid, missing or conflicting search criteria
796	Partial void of ticket coupons not allowed
797	Invalid stopover indicator
798	Invalid stopover code usage
799	Electronic ticket exists, no match on specified criteria
79A	Invalid office identification
79B	Already working another queue
79C	Not allowed to access queues for specified office identification
79D	Queue identifier has not been assigned for specified office identification
79E	Attempting to perform a queue function when not associated with a queue
79F	Queue placement or add new queue item is not allowed for the specified office identification and queue identifier
8	Invalid days of operation
9	Invalid frequency rate
900	Inactivity Time Out Value Exceeded
901	Communications Line Unavailable
902	Prior message being processed or already processed
911	Unable to process - system error
912	Incomplete message - data missing in query
913	Item/data not found or data not existing in processing host
914	Invalid format/data - data does not match EDIFACT rules
915	No action - processing host cannot support function
916	EDIFACT version not supported
917	EDIFACT message size exceeded

Codeset for Business function, coded (Ref: 4025 IA 02.2.635)

Value	Description
3	Hotel Provider (HHL)

Codeset for Charge unit, coded (Ref: 5901 IA 02.2.270)

Value	Description
1	Drop charge
10	Extra week
11	Extra month
12	Rollaway child
13	Special equipment
14	Additional driver
15	Under age differential
16	Government surcharges
17	Transfers
18	Loss damage waiver
19	Personal accident insurance
2	Extra miles
20	Personal effects coverage
21	Additional liability insurance
22	Trip cancellation
23	Life insurance
24	Baggage insurance
25	No show fee
26	Cancellation fee
27	Chauffeur drive
28	Pickup/delivery
29	Refuelling service
3	Extra kilometres
30	Airport access
31	Per mile
32	Per kilometre
33	Free miles
34	Free kilometres
35	Peak charge
36	Pets
37	Excess baggage
38	Drop charge per mile between cities
39	Drop charge per kilometre between cities
4	Extra adult

40	Refuelling charge per gallon
41	Refuelling charge per litre
42	Airport service charge percentage
43	Goods in transit
44	Theft protection
45	Tax
46	Federal TX
47	Service charge
48	State tax
49	Tax and service charge
5	Rollaway adult
50	City tax
51	Total tax
52	Extra night
53	Breakfast
54	Lunch
55	Dinner
56	Initial reservation
57	Inclusive charging, single journey
58	Non-inclusive charging, single journey
59	Inclusive charging multiple journey
6	Crib
60	Non-inclusive charging multiple journey
61	Inclusive charging, car only, single journey
62	Non-inclusive charging, car only, single journey
63	EC/IC supplement
64	Other supplement
65	RESA 300 supplement
66	ICE supplement
67	Euraffaires supplement
68	AVE supplement
69	Charging for car only
7	Extra child
70	Health insurance
71	Municipal/local tax
72	County tax
73	VAT

74	Luxury tax
75	Convention tax
76	Occupancy tax
77	Sales tax
78	Consumption tax
79	Extra day free miles
8	Extra day
80	Extra day free kilometres
81	Extra hour free miles
82	Extra hour fee kilometres
83	Golf cart
84	Room facility supplement
85	Single room supplement
86	Airport tax
87	Early check in charge per person
9	Extra hour
AB	Amount Before Mark-up
MM	Manual Mark-up
MU	Mark-up

Codeset for Code list identification code (Ref: 1131 UN 02.A.544)

Value	Description
84	State code

Codeset for Code list qualifier (Ref: 1131 IA 02.2.638)

Value	Description
EC	Error Codes
WEC	Warning code
WZZ	Mutually defined warning
ZZZ	Mutually defined

Codeset for Code list responsible agency, coded (Ref: 3055 IA 02.2.862)

Value	Description
1A	Amadeus

Codeset for Company identification (Ref: 9906 IA 02.2.3484)

Value	Description
No specific codeset defined for this data element.	

Codeset for Company identification (Ref: 9906 IA 02.2.3485)

Value	Description
7CC	Industry Car Rental Companies
7HH	Industry Hotel Chains

Codeset for Company identification (Ref: 9906 IA 02.2.3488)

Value	Description
No specific codeset defined for this data element.	

Codeset for Company identification (Ref: 9906 IA 02.2.3674)

Value	Description
7CC	Industry Car Rental Companies
7HH	Industry Hotel Chains

Codeset for Company identification (Ref: 9906 IA 01.2.1754)

Value	Description
1A	Amadeus

Codeset for Company identification (Ref: 9906 IA 01.2.2451)

Value	Description
1A	Amadeus

Codeset for Conversion type, coded (Ref: 9875 IA 02.2.34)

Value	Description
TAX	Converted tax amount
U	Converted total amount included taxes
V	Converted total amount
W	Converted monetary amount
X	Converted daily amount for a period
Y	Converted cancel fee
Z	Converted commission amount

Codeset for Currency, coded (Ref: 6345 IA 02.2.929)

Value	Description
No specific codeset defined for this data element.	

Codeset for Currency, coded (Ref: 6345 IA 02.2.930)

Value	Description
No specific codeset defined for this data element.	

Codeset for Currency, coded (Ref: 6345 IA 02.2.931)

Value	Description
No specific codeset defined for this data element.	

Codeset for Currency, coded (Ref: 6345 IA 02.2.932)

Value	Description
No specific codeset defined for this data element.	

Codeset for Currency, coded (Ref: 6345 IA 02.2.933)

Value	Description
No specific codeset defined for this data element.	

Codeset for Date/Time/Period qualifer (Ref: 2005 1A 10.1.1242)

Value	Description
756	Payment Deadline in UTC time
LT	Local time

Codeset for Date/Time/Period qualifer (Ref: 2005 IA 02.2.573)

Value	Description
CAN	Cancellation date

Codeset for Date/Time/Period qualifer (Ref: 2005 IA 02.2.574)

Value	Description
LT	Local time

Codeset for Date/Time/Period qualifer (Ref: 2005 IA 02.2.575)

Value	Description
CHK	Check-In / Check-Out dates
EFF	Effective/Discontinue dates.
HRC	Hotel Rate Change Dates
LT	Local time

Codeset for Duty/tax/fee category, coded (Ref: 5305 IA 02.2.122)

Value	Description
FEE	Fee
INC	Inclusion
MEA	Meal
SCH	Surcharge
SVC	Service
TAX	Tax
XBD	Extra Bedding
XOC	Extra Occupant
XTR	Extra

Codeset for Duty/Tax fee type, coded (Ref: 5153 IA 02.2.112)

Value	Description
19	Tourism Tax
21	Sales Tax
AP	American Plan
BBM	Bed and Breakfast Meal Plan
BED	Bed Tax
BER	Bermuda Meal
BRK	Breakfast
BUF	Buffet Breakfast
CAR	Caribbean Meal
CBF	Continental Breakfast
CHF	City Hotel Fee
CIT	City Tax
CNT	County Tax
CON	Continental Meal
COU	Country Tax
CR	Crib

DIN	Dinner
EUR	European Meal
FA	Family American Plan
FEB	Full English Breakfast
FED	Federal Tax
FM	Family Modified American Plan
FOO	Food and Beverage Tax
GST	General sales tax
INC	Inclusions
LDG	Lodging Tax
LUN	Lunch
MA	Modified American Plan
MEA	Meal
MIS	Miscellaneous
MNT	Maintenance Fee
NRG	Energy Charge
OCC	Occupancy Tax
PKG	Package Rate Fee
RA	Rollaway Adult
RC	Rollaway Child
ROO	Room Tax
RST	Resort Fee
SCH	Surcharge
STA	State Tax
SVC	Service
TAX	Tax
VAT	Value Added Tax
XAD	Extra Adult
XBD	Extra Bedding
XCD	Extra Child
XOC	Extra Occupant
XTR	Extras

Codeset for Encoding (Ref: 0133 1A 03.1.6673)

Value	Description
1	ASCII 7 bit

2	ASCII 8 bit
3	Code page 500 (EBCDIC Multinational no. 5)
4	Code page 850 (IBM PC Multinational)
5	UCS-2
6	UCS-4
7	UTF-8
8	UTF-16
ZZZ	Mutually agreed

Codeset for Encoding (Ref: 0133 1A 03.1.646)

Value	Description
1	ASCII 7 bit

Codeset for Encoding (Ref: 0133 1A 03.1.647)

Value	Description
1	ASCII 7 bit

Codeset for Encoding (Ref: 0133 1A 03.1.648)

Value	Description
1	ASCII 7 bit

Codeset for Encoding (Ref: 0133 1A 03.1.675)

Value	Description
1	ASCII 7 bit
2	ASCII 8 bit
3	Code page 500 (EBCDIC Multinational no. 5)
4	Code page 850 (IBM PC Multinational)
5	UCS-2
6	UCS-4
7	UTF-8
8	UTF-16
ZZZ	Mutually agreed

Codeset for Encoding (Ref: 0133 1A 03.1.841)

Value	Description
1	ASCII 7 bit

Codeset for Encoding (Ref: 0133 1A 03.1.1942)

Value	Description
1	ASCII 7 bit
7	UTF-8

Codeset for Form of payment identification (Ref: 9888 IA 02.2.191)

Value	Description
CC	Credit Card

Codeset for Form of payment identification (Ref: 5903 IA 02.2.24)

Value	Description
1	Credit card
10	Travel agent identification
12	Corporate identification
14	Address
4	Miscellaneous charge order
6	Check
ADV	Advanced deposit
HI	CRQCHECK: Guarantee EXCEPTION for Hilton/Hilton International
ID	Hotel Guest Identification

Codeset for Inclusion tag (Ref: 422Z 1A 03.1.8)

Value	Description
E	Excluded
I	Included
U	Unknown

Codeset for Industry sector (Ref: 408Z 1A 02.1.106)

Value	Description
HTL	Hotel

Codeset for Information type (Ref: 9980 IA 02.2.6554)

Value	Description
HRCP	Hotel Provider Rate Code Translated from Agent Rate code
HRCT	Hotel Amadeus Rate Code Translated from Agent Rate code

Codeset for Information type (Ref: 9980 IA 02.2.1034)

Value	Description
HCAN	Hotel cancellation policies
HCAP	Hotel Cancellation (from sell pricing)
HCAS	Hotel Cancellation (from sell response)
HCAT	Hotel category information message
HMKT	Hotel Marketing Text
HOTH	Hotel other information
HPMK	Hotel Pricing Marketing Text

Codeset for Information type (Ref: 9980 IA 02.2.1035)

Value	Description
HCAN	Hotel cancellation policies
HCHA	Hotel tax, surcharge, Fee, service information
HCIO	Hotel Check in/out information (from sell response)
HCKI	Hotel Check-in information
HCKO	Hotel Check-out information
HCOS	Hotel commission information
HCOP	Hotel Commission Information (from pricing)
HCOS	Hotel Commission Information (from sell)
HOTH	Hotel other information
HPAY	Hotel method of payment for guarantee/Deposit
HRAP	Hotel rate description (from pricing)
HRAS	Hotel Rule Advanced booking description from sell response
HRMD	Hotel Room Description
HRRS	Hotel Rule booking requirements description from sell response
HRSS	Hotel Rule Stay description from sell response
HRUL	Hotel rules description
HXPI	Hotel Express Check-in information
HXPO	Hotel Express check-out information

Codeset for Information type (Ref: 9980 IA 02.2.1036)

Value	Description
HRCH	Hotel Rate change information

Codeset for Information type (Ref: 9980 IA 02.2.1091)

Value	Description
1	Flifo Exists
10	Endorsement information
101	Passenger terminal segment override - arrival
102	Passenger terminal segment override - departure
11	Commission information
12	Tour number
13	Special remarks (may contain coded information followed by free text)
14	Fare quoted at time of booking
15	Fare calculation at time of ticketing
16	Form of payment information (non prepaid ticket advice (PTA))
17	Ticketing information
18	Invoice information
19	Historical information
2	Address (home or hotel)
20	PNR grouping remark
21	Wholesaler address
22	Document delivery address
23	Ticketing remarks
24	Booking party details
25	Traveler ticketed
26	Ticket issue date information
27	Ticketing time limit
28	Other service information (OSI)
29	Supplementary flight information
3	Business telephone number
30	Time of next information
31	AIRIMP record locator details
32	Endorsement box text information
33	Pricing/ticketing warning information
34	Total Fare amount too large, text information included
35	Issue separate tickets, text information included
36	Payment Restrictions
37	Horizontal Fare Calculation
38	Non-segment related itinerary remarks

39	Issuing agency/airline-name and place of issue
4	Home telephone number
40	Name of service provider to present to
41	Passenger specific information
42	Location of service provider to present at
43	Sponsor information
45	Original issue information
46	Party to be billed
47	Reason for issuance description
5	Telephone nature not known
50	Header Information
51	Trailer Information
52	Tour Option (entertainment, transfers, insurance, etc.)
53	Tour name
54	Queue Placement Information
55	Supplier agent Information
56	Office identification code and confidential remarks
6	Travel agent telephone number
7	Remarks (free text information)
700	Agent Alert
701	Fare Warning Message
702	TAG 8 Message
703	Validity Message
704	VAT Type Message
705	Override booking agents reference
706	Driving license details
707	Car information
708	Hotel information
709	Auxiliary information
710	Itinerary remarks
711	Reference sell token
712	Display more token
713	Percentage discount override - verify all rules
714	Amount discount override applied to base
715	Amount discount override applied to total fare
716	Amount/percent discount override applied to total fare
717	Amount/percent discount override applied to base fare

718	Ticket by fare basis
719	Manual manipulation of taxes
720	Negotiated rates used
721	Not fared at passenger type required
722	Hip may apply /unable to verify
723	Pricing override used
724	Booking date override used
725	Point of sale date/time when pricing transaction performed
726	Restrictions
727	Fare rules token
728	Segment related remarks
7EX	ET coupon(s) may be used, exchange recommended
7FC	ET coupon(s) may be used but was not updated with new/modified itinerary
7NU	ET coupon(s) may not be used for new/modified itinerary
7NV	ET coupon(s) may be used, further action may be required
7RV	ET coupon(s) updated with new or modified itinerary
8	Indication to reference complete party information
9	Ticket number
AHS	Arrival high security flight
BD	Domestic at board point
BI	International at board point
DHS	Departure high security flight
EN	Not electronic ticketing candidate
ET	Electronic ticketing candidate
FAA	FAA check-in rules apply
ISR	Israeli check-in rules apply
OD	Domestic at off point
OI	International at off point
TXT	Other conditions - see text

Codeset for Information type (Ref: 9980 IA 02.2.1280)

Value	Description
HCAN	Hotel cancellation policies
HCHA	Hotel tax, surcharge, Fee, service information
HCIO	Hotel Check in/out information (from sell response)
HCKI	Hotel Check-in information

HCKO	Hotel Check-out information
HCOM	Hotel commission information
HCOP	Hotel Commission Information (from pricing)
HCOS	Hotel Commission Information (from sell)
HOTH	Hotel other information
HPAY	Hotel method of payment for guarantee/Deposit
HRAP	Hotel rate description (from pricing)
HRAS	Hotel Rule Advanced booking description from sell response
HRMD	Hotel Room Description
HRRS	Hotel Rule booking requirements description from sell response
HRSS	Hotel Rule Stay description from sell response
HRUL	Hotel rules description
HXPI	Hotel Express Check-in information
HXPO	Hotel Express check-out information

Codeset for Item description type, coded (Ref: 7077 1A 02.1.74)

Value	Description
BOO	Booking requirements
CXL	Cancellation policies
DES	Room and rate descriptions
INC	Rate inclusions / extras
OTH	Other information
RAT	Rate information
TTX	All known taxes and estimated total rate

Codeset for Language, coded (Ref: 3453 IA 02.2.10140)

Value	Description
ZZZ	Mutually Defined

Codeset for Language, coded (Ref: 3453 IA 16.1.1)

Value	Description
ZZZ	Mutually Defined

Codeset for Language, coded (Ref: 3453 IA 02.2.10264)

Value	Description
ZZZ	Mutually Defined

Codeset for Language, coded (Ref: 3453 IA 02.2.1681)

Value	Description
No specific codeset defined for this data element.	

Codeset for Language, coded (Ref: 3453 IA 02.2.1684)

Value	Description
No specific codeset defined for this data element.	

Codeset for Language, coded (Ref: 3453 IA 02.2.1767)

Value	Description
No specific codeset defined for this data element.	

Codeset for Language, coded (Ref: 3453 IA 02.2.2063)

Value	Description
No specific codeset defined for this data element.	

Codeset for Language, coded (Ref: 3453 IA 02.2.3685)

Value	Description
No specific codeset defined for this data element.	

Codeset for Measure unit qualifier (Ref: 6411 IA 02.2.567)

Value	Description
M	Minutes
N	Nights

Codeset for Monetary amount type qualifier (Ref: 5025 IA 02.2.334)

Value	Description
712	Total fare amount
CAN	Cancellation fee

HRC	Hotel rate change
-----	-------------------

Codeset for Number of units qualifier (Ref: 6353 1A 10.1.3595)

Value	Description
A	Adult
CHD	Child

Codeset for Payment conditions, coded (Ref: 4439 1A 02.1.34)

Value	Description
INC	Commission is included
NIN	Commission is not included
UNK	Unknown

Codeset for Payment type identification (Ref: 5905 1A 02.2.24)

Value	Description
1	Guaranteed
2	Deposit

Codeset for Per Person (Ref: 423Z 1A 03.1.8)

Value	Description
PER	Per person
ROO	Per room
U	Unknown

Codeset for Place/location identification (Ref: 3225 1A 02.2.2007)

Value	Description
ARNK	ARNK (for RTG use only)
ZZZ	ZZZ (used to designate all cities)

Codeset for PNR segment or element name, coded (Ref: 110P 1A 98.1.475)

Value	Description
AIR	Air segment
HHL	Automated Hotel auxiliary segment

Codeset for Quantity qualifier (Ref: 6063 IA 02.2.105)

Value	Description
CAN	Cancellation fee

Codeset for Rate plan, coded (Ref: 5911 IA 02.2.89)

Value	Description
4	Package
DY	Daily
PER	per period

Codeset for Rate plan, coded (Ref: 5911 IA 02.2.90)

Value	Description
3	Total
DY	Daily

Codeset for Rate qualified indicator (Ref: 410Z 1A 02.1.236)

Value	Description
N	No
Y	yes
ZZZ	Mutually agreed

Codeset for Reference qualifier (Ref: 1153 IA 02.2.985)

Value	Description
S	Segment/service reference number

Codeset for Reference qualifier (Ref: 1153 1A 98.1.588)

Value	Description
OF	Offer element Tattoo
ST	Segment Tattoo reference number

Codeset for Remark Type, coded (Ref: 069C 1A 02.1.193)

Value	Description
HBGV	Hotel booking mean information
HCR	Hotel Confidential Remarks
HCR1	Hotel Confidential Remark 1
HCR2	Hotel Confidential Remark 2
HRTT	Hotel rate type information
HSI	Hotel supplementary information

Codeset for Reservation control type (Ref: 9958 IA 01.2.154)

Value	Description
2	Confirmation Reference
P	PNR Identification
X	Cancellation Reference

Codeset for Reservation control type (Ref: 9958 IA 01.2.215)

Value	Description
2	Confirmation Reference
P	PNR Identification
X	Cancellation Reference

Codeset for Service to be paid, coded (Ref: 5909 IA 02.2.24)

Value	Description
3	Hotel

Codeset for Source, coded (Ref: 9890 IA 02.2.7882)

Value	Description
M	Manual
S	Link

Codeset for Source, coded (Ref: 9890 IA 02.2.792)

Value	Description
M	Manual
S	Link

Codeset for Source, coded (Ref: 9890 IA 02.2.793)

Value	Description
M	Manual
S	Link

Codeset for Source, coded (Ref: 9890 IA 02.2.795)

Value	Description
M	Manual
S	Link

Codeset for Source, coded (Ref: 9890 IA 02.2.842)

Value	Description
F	CRS Floor limit
M	Manual
S	Link

Codeset for Source, coded (Ref: 9890 IA 02.2.1052)

Value	Description
M	Manual
S	Link

Codeset for Source, coded (Ref: 9890 IA 02.2.2356)

Value	Description
M	Manual

Codeset for Special condition code (Ref: 4183 UN 02.A.55)

Value	Description
12	Maximum duration
15	Late arrival
6	Advance booking
MIN	Minimum duration
OCC	Maximum occupancy

Codeset for Status, coded (Ref: 4405 IA 02.2.2539)

Value	Description
700	no active itinerary
701	Coupon notification
702	Active* (*To indicate the queue is designated for use whether it currently has any items. When not present, the default status is non-active)
703	Queue placement is inhibited
704	Queue level notification
705	Queue being printed
706	Sub-queue present
707	On hold
A	Add
AC	Accrual
AL	Aiport control
ALL	Allocated
AVA	Available
B	Flown/used
BD	Boarded
C	Change
CK	Checked in
CLO	Closed
D	Reprint
DB	Deboarded
DN	Denied boarding
E	Exchanged/reissued
F	Critical free text
G	Non air segment
I	Original Issue (Open for Use)
IF	Information only
INU	In use
IO	Irregular operations
K	Confirmed, effective, working, firm, etc
LIM	Limitations on use
NAV	Not available
NC	Not checked in
NS	Infant, no seat
OF	Offloaded

OK	Confirmed
OLD	Replaced item
OPE	Open
P	Provisional, draft proposed subject to change, etc
PAV	Partial Availability - Specified sub-elements only
PE	Print Exchange
PR	Printed
PRF	Preferred
PRP	Proposed/Intended Allocation
R	Request
RD	Redemption
REP	Replacement
REV	Revised
RF	Refunded
RQ	Requested
S	Suspended
SA	Space Available
SB	Standby
SRV	Serviceable
T	Ticketed
UNS	Unserviceable
V	Void
WL	Waitlisted
X	Cancel

Codeset for Status, coded (Ref: 4405 IA 02.2.6569)

Value	Description
700	no active itinerary
701	Coupon notification
702	Active* (*To indicate the queue is designated for use whether it currently has any items. When not present, the default status is non-active)
703	Queue placement is inhibited
704	Queue level notification
705	Queue being printed
706	Sub-queue present
707	On hold
A	Add
AC	Accrual

AL	Aiport control
ALL	Allocated
AVA	Available
B	Flown/used
BD	Boarded
C	Change
CK	Checked in
CLO	Closed
D	Reprint
DB	Deboarded
DN	Denied boarding
E	Exchanged/reissued
F	Critical free text
G	Non air segment
I	Original Issue (Open for Use)
IF	Information only
INU	In use
IO	Irregular operations
K	Confirmed, effective, working, firm, etc
LIM	Limitations on use
NAV	Not available
NC	Not checked in
NS	Infant, no seat
OF	Offloaded
OK	Confirmed
OLD	Replaced item
OPE	Open
P	Provisional, draft proposed subject to change, etc
PAV	Partial Availability - Specified sub-elements only
PE	Print Exchange
PR	Printed
PRF	Preferred
PRP	Proposed/Intended Allocation
R	Request
RD	Redemption
REP	Replacement
REV	Revised

RF	Refunded
RQ	Requested
S	Suspended
SA	Space Available
SB	Standby
SRV	Serviceable
T	Ticketed
UNS	Unserviceable
V	Void
WL	Waitlisted
X	Cancel

Codeset for Status indicator, coded (Ref: 1245 1A 15.1.1546)

Value	Description
DFP	Deferred Payment
DP	Deposit
FUS	Full SLR (complete PRI and complete SELL) indicator
GUA	Guarantee
O38	Option 38 override indicator

Codeset for Status indicator, coded (Ref: 1245 IA 02.2.3058)

Value	Description
703	More fares available
HCO	Commission applicable
HOR	On Request booking

Codeset for Text subject qualifier (Ref: 4451 IA 02.2.6108)

Value	Description
3	Literal text

Codeset for Text subject qualifier (Ref: 4451 IA 02.2.984)

Value	Description
3	Literal text

Codeset for Text subject qualifier (Ref: 4451 IA 02.2.985)

Value	Description
3	Literal text

Codeset for Text subject qualifier (Ref: 4451 IA 02.2.986)

Value	Description
3	Literal text

Codeset for Text subject qualifier (Ref: 4451 IA 02.2.1039)

Value	Description
1	Coded free text
3	Literal text
4	Coded and literal text
CHG	Change information
PRD	Product information
SAF	Safety information
SIM	IATA SSIM defined information
SPH	Special handling
STN	Statutory notice
TRA	Transportation information
ZZZ	Mutually defined (bilateral or internal information)

Codeset for Text subject qualifier (Ref: 4451 IA 02.2.1223)

Value	Description
3	Literal text

Codeset for Unit type code qualifier (Ref: 6353 UN 02.A.45)

Value	Description
2	Hours
3	Days
4	Weeks
5	Months
9	Adult