

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (B.Sc.I.T Semester V)
Enterprise Java

M1:Practical –V

Roll No.: T002	Name: Asmitha Mohan Raj
Class: TYIT	Batch: 1
Date of Assignment: 01/08/2026	Date/Time of Submission: 01/08/2026

5. Implement the following JSP JSTL and EL Applications

a. Create an html page with fields, eno, name, age, designation, salary. Now on submit this data to a JSP page which will update the employee table of database with matching eno.

Code:

index.html:

```
<!DOCTYPE html>
<html>
  <head>
    <title>Update Employee</title>
  </head>
  <body>
    <h2>Employee Update Form</h2>
    <form action="update.jsp" method="post">
      Employee No:
      <input type="text"
name="eno"><br><br>
      Name:
      <input type="text"
name="name"><br><br>
      Age:
      <input type="text"
name="age"><br><br>
      Designation:
      <input type="text"
name="designation"><br><br>
      Salary:
      <input type="text"
name="salary"><br><br>
      <input type="submit" value="Update">
    </form>
  </body>
</html>
```

update.jsp:

```
<%@page import="java.sql.*"%>
<%
  String msg = "";
  try {
```

```
    Class.forName("com.mysql.jdbc.Driver");
    // MySQL 5.7
    Connection con =
    DriverManager.getConnection(
        "jdbc:mysql://localhost:3306/employee_db",
        "root",
        "root" // Your MySQL password
    );
    int eno =
    Integer.parseInt(request.getParameter("eno"));
    String name =
    request.getParameter("name");
    int age =
    Integer.parseInt(request.getParameter("age"));
    String designation =
    request.getParameter("designation");
    double salary =
    Double.parseDouble(request.getParameter("sal
ary"));
    PreparedStatement ps =
    con.prepareStatement(
        "UPDATE employee SET name=?,
age=?, designation=?, salary=? WHERE
eno=?");
    ps.setString(1, name);
    ps.setInt(2, age);
    ps.setString(3, designation);
    ps.setDouble(4, salary);
    ps.setInt(5, eno);
    int i = ps.executeUpdate();
    if (i > 0) {
        msg = "Employee Updated
Successfully";
    } else {
```

```

        msg = "Employee Number Not Found";
    }
    con.close();
} catch (Exception e) {
    msg = e.getMessage();
}
%>
<!DOCTYPE html>
<html>
    <head>
        <title>Update Result</title>
    </head>
    <body>
        <h2><%=msg%></h2>
        <a href="index.html">Back</a>
    </body>

```

</html>

SQL Code:

```

CREATE DATABASE employee_db;
USE employee_db;

```

```

CREATE TABLE employee (
    eno INT PRIMARY KEY,
    name VARCHAR(50),
    age INT,
    designation VARCHAR(50),
    salary DOUBLE
);

```

```

INSERT INTO employee VALUES
(101,'Rahul',25,'Developer',35000),
(102,'Priya',28,'Tester',30000),
(103,'Amit',30,'Manager',50000);

```

Output:

mysql> select * from employee;					
eno	name	age	designation	salary	
101	Rahul	25	Developer	35000	
102	Priya	28	Tester	30000	
103	Asmitha	21	Developer	50000	
3 rows in set (0.00 sec)					

Employee Update Form

Employee No:

Name:

Age:

Designation:

Salary:

Employee Updated Successfully**b. Create a JSP page to demonstrate the use of Expression language.****Code:****index.jsp:**

```

<%@ page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
    <head>
        <title>JSP Expression Demo</title>
    </head>
    <body>
        <h2>JSP Expression Language</h2>
        <p>1. Addition: <%= 20 + 1%></p>
        <p>2. Multiplication: <%= 6 * 2%></p>
        <p>3. Division: <%= 20 / 10%></p>
        <p>4. Current Year: <%= java.time.Year.now()%></p>
        <p>5. String: <%= "Welcome to JSP"%></p>
        <p>Asmitha T002</p>
    </body>
</html>

```

Output:**JSP Expression Language**

1. Addition: 21
2. Multiplication: 12
3. Division: 2
4. Current Year: 2026
5. String: Welcome to JSP

Asmitha T002

c. Create a JSP application to demonstrate the use of JSTL.**Code:****index.jsp:**

```
<%@ taglib prefix="c"
uri="http://java.sun.com/jsp/jstl/core" %>
<%@page contentType="text/html"
pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
  <head>
    <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8">
    <title>Core Tag Example</title>
  </head>
  <body>
    <c:forEach var = "j" begin="5" end="15">
      Item <c:out value = "${j}"/><p>
    </c:forEach>
    <h4>Asmitha T002</h4>
  </body>
</html>
```

Output:

Item 5
Item 6
Item 7
Item 8
Item 9
Item 10
Item 11
Item 12
Item 13
Item 14
Item 15
Asmitha T002