

JRE Test 001
SCP-407 & SCP-1208

Invariem

Jr Researcher, Scientific Department, Level 2

March 31, 2024

Test Information

0.1 Sample 1

Class-D:

- ReadyRedPPandas
- microblock101

Combatives:

- darrionstrr, Security Jr, Security Department, Level 2

Spectators:

- HarptheSeal, Level 2
- HazardousHelmet, Researcher, Scientific Department, Level 2
- UniversalDreamsTM, Apprentice Technician, Engineering and Technical Services, Level 2

1 Question

What will happen to CDs who receive tumors from SCP 407 and then proceed to interact with SCP 1208? What effects will happen to the tumors?

2 Hypothesis

Considering my previous testing on SCP-407, the tumors produced are physically anchored to the body and the subject and tumors operate dependently of each other. Based on this, my primary belief is that the tumors will be transformed into waffles under the anomalous effects of SCP-1208. Another possibility is that the tumors will be apparently incompatible with SCP-1208 due to some biological difference in the tumors and cells of the person, and refuse to be waffled.

3 Procedure

3.1 CDC

I will begin by requesting my test in accordance with the on-site testing procedures format; posting myself at the relevant TSTA. I will request 2 Class-D (CD) and 1 Security Department (SD) personnel. I will prepare my recording software to capture the required evidence necessary for the report. I will now inform the SD to brief the 2 CDs if not already briefed.

3.2 CZ

At the scanners, I will obey orders from combative personnel through the containment zone scanners, and make my way firstly to SCP 407. I will take measurements of vitals including but not limited to EKG and temperature of both CD, and record them. I will instruct one CD to enter, and turn on the SCP. Based on previous research, it will take approximately 3 minutes for the tumors' effects to take place; I will instruct the CD to wait this time until tumors develop, where I will take additional vital measurements after complete. We will promptly move to the containment chamber of SCP-1208, where I will instruct CDs individually to enter the inner-CC and interact with the waffle maker in such a way where the body parts (and tumors) are under the press when activated. I will record the observations made, and final vital measurements. In the event a Class-D will gain an excess of speed due to SCP-407, I will follow the termination criteria for the SCP and determine if they can be cured using Medical Department equipment. Additionally, should any Class-D riot occur or disobedience, I will speak with my combative escort and confide in them for protection.

4 Conclusion

	Before 407			After 407		
Class-D	Health	Temperature (°F)	Humes	Health	Temperature (°F)	Humes
microblock101	100	98	0	100	98	0
ReadyRedPPandas	100	98	0	138	98	0

Figure 1: EKG and vital recordings

Microblock101 (control cd-1) was not exposed to 407, and the table reflects this in that their health did not change after 407.

The effects of 407 was clear on ReadyRedPPandas (CD-2), as their health increased by 38hp after exposure to 407.

CD-1 was exposed to SCP-1208, and the waffle iron was pressed against them, transforming all touching appendages. Then, CD-2 was exposed ensuring that SCP-1208 would envelop the SCP-407 tumor. The iron transformed neighbouring body parts, and removed the SCP-407 tumor. Post-EKG vital recordings show that no change occurred due to the SCP-1208, and all vitals remained constant. This result is extremely significant, as it shows there may be an opportunity in using SCP-1208 to remove the tumors caused by SCP-407 and potentially cure them of all effects, assuming the Medical Department can administer the relevant speed decreasing medicine to bring the CD within the termination criteria. With respect to my hypothesis, I was incorrect in the assumption that the tumors would transform into waffles - there is clearly a fundamental difference in the growths that SCP-407 cause that make it incompatible with the waffle transformation process.



Figure 2: Test Evidence



Figure 3: Tumor formed on CD-2