

# iNZightTools: Tools for iNZight

Tom Elliott

Te Rourou Tātaritanga, Victoria University of Wellington  
Department of Statistics, University of Auckland

## Abstract

A package to do things.

## 1 Introduction

**iNZight** (Elliott et al., inproc) is a graphical user interface (GUI) for easy data exploration and visualisation. As part of its development, we needed wrapper packages to translate between the user interface and R functions.

- GUI has input fields user can population, equivalent to function arguments
- generally, one window talks to one function (but not always)
- often some complicated manipulation to go from user input values to valid function arguments
- doing this in a GUI is bad practice
- instead developed intermediary package that takes simple inputs and produces a `data.frame` output
- overtime this developed to also attach the **tidyverse** (Wickham et al., 2019) code used to perform the action
- simple function/argument interface makes it easier for beginners

There are a range of different classes of methods in **iNZightTools**. Many are data manipulation functions linking to **dplyr** (Wickham et al., 2020) or similar. However there are others that are ‘clever’ helper functions for choosing the correct function for a given situation.

- import data from a range of file formats with `smart_read()`
- import a survey design from a specification file format with `import_survey()`

## 2 Designing code-writing functions

- a core part of **iNZightTools** is the implementation of ‘code-writing’ in almost all of the functions
- there might now be better ways of doing this
- consists of putting together expressions (using `paste()`)
- arguments are manipulated into the correct form and pasted into the function expression
- finally, ‘iNZightTools::interpolate()’ is used to parse the expression and attach the code as an attribute (`code`)
- almost all functions return a `data.frame`
- the **iNZight** GUI can pull the resulting `data.frame` and strip off the code, adding it to the script
- R users could also run the functions and then look at the underlying code used in the background—a great way of getting familiar with the **tidyverse**

## 3 Importing Data

- import data with the `smart_read()` function
- uses file extension to guess best package and function to use, e.g., `.xlsx` uses `haven::read_excel()` (Wickham and Miller, 2020)
- also handles metadata parsing for comma separated values (CSV)

### 3.1 Parsing Metadata for Easier Data Distribution

- often data coded (factors as numbers instead of labels)

- users need to refer to information (often external) to first set-up the variables correctly before they can get started with visualisation
- this is hard/not feasible for novice users
- metadata can be included in/distributed with the raw data
- `smart_read()` will parse the metadata and apply transformations
- here are some examples

## 4 Data wrangling with iNZightTools

- a bunch of methods: filter, sort, aggregate, join
- here are some examples
- and accessing the code

## 5 Working with Complex Survey Designs

- a hugely important data type
- can be problematic if misspecified
- two helpers: using `srvyr` (Freedman Ellis and Schneider, 2020) to handle survey objects the same as `data.frames`
- second, can parse survey specification file format distributed with the raw survey data and automatically build a survey object
- here's some examples ...

## Acknowledgements

**iNZight** is free software developed by students of the Department of Statistics, University of Auckland. Recent funding has been received by Te Rourou Tātaritanga (<https://terourou.org>), a research group at Victoria University of Wellington funded by an MBIE Endeavour Grant, ref 62506 ENDRP, with additional funding from iNZight Analytics.

## References

- T. Elliott, C. Wild, D. Barnett, and A. Sporle. **iNZight**: A graphical user interface for data visualisation and analysis through R. *inproc*.
- G. Freedman Ellis and B. Schneider. **srvyr**: *dplyr-Like Syntax for Summary Statistics of Survey Data*, 2020. URL <https://CRAN.R-project.org/package=srvyr>. R package version 1.0.0.
- H. Wickham and E. Miller. **haven**: *Import and Export SPSS, Stata and SAS Files*, 2020. URL <https://CRAN.R-project.org/package=haven>. R package version 2.3.1.
- H. Wickham, M. Averick, J. Bryan, W. Chang, L. D. McGowan, R. François, G. Golemund, A. Hayes, L. Henry, J. Hester, M. Kuhn, T. L. Pedersen, E. Miller, S. M. Bache, K. Müller, J. Ooms, D. Robinson, D. P. Seidel, V. Spinu, K. Takahashi, D. Vaughan, C. Wilke, K. Woo, and H. Yutani. Welcome to the **tidyverse**. *Journal of Open Source Software*, 4(43):1686, 2019. doi: 10.21105/joss.01686.
- H. Wickham, R. François, L. Henry, and K. Müller. **dplyr**: *A Grammar of Data Manipulation*, 2020. URL <https://CRAN.R-project.org/package=dplyr>. R package version 1.0.2.