GOOGLE WORKSPACE TRAINING

Google Sheets Foundation and Intermediate

One-day course review draft

Build, check and extend a fictional task register. All eight labs include 213 captured stages covering navigation, formats, formulas, cleaning, validation, views, summaries, charts, PDF output and a corrected13-record challenge. Separate baseline and scenario states are verified. Independent/human checks, learner timing and earlier import/paste limitations remain pending.

Delivered by Asraf · Microsoft Certified Trainer

Google Sheets Fundamental and Intermediate

One-day course review draft · Review draft, version 0.4

© 2026 Asraf Jaafar Sidik. All rights reserved.

Resources: Use the practice files supplied with this review package.

Google, Google Workspace, Gmail, Google Drive, Google Docs, Google Sheets, Google Slides, Google Sites, Gemini and NotebookLM are names associated with Google. This independent training guide is not published or endorsed by Google.

Screenshots show the product at the time of writing. Google updates its apps often, so labels, availability and layouts in your account may differ. This review draft still requires full lab validation.

About the author

Asraf is a Microsoft Certified Trainer and HRD Corp-certified IT trainer based in Malaysia. He has been teaching working professionals since 2008, helping teams at banks, pharmaceutical companies, construction firms, and retailers get real work done with Microsoft 365, Power Platform, Excel, Google Workspace, and, more recently, AI tools like Copilot.

He holds a Bachelor of Information Technology (Multimedia) from the University of Malaya, along with Microsoft certifications in Power BI (PL-300) and AI for business (AB-730). Outside the classroom he writes his own automation tools in Python and Node.js, mostly to save himself from doing the same task twice.

He runs his training practice solo, which means he has personally felt every inefficiency this book tries to fix.

Contents

Before you begin 5

1 Create and Navigate a Workbook 6
- 1.1 Open a Native Copy 6
- 1.2 Navigate the Register 9
- 1.3 Manage a Practice Tab 10
- 1.4 Build a Workbook Map and Reconstruct a Small Register 12
- Prompts and values 21

2 Enter and Format Reliable Data 23
- 2.1 Inspect Values and Types 23
- 2.2 Improve Readability 26
- 2.3 Inspect Formatting Effects 27
- 2.4 Diagnose Display, Type and Readability Problems 29
- Prompts and values 34

3 Calculate and Copy Formulas 35
- 3.1 Calculate Variance 35
- 3.2 Summarise the Columns 37
- 3.3 Anchor an Assumption 39
- 3.4 Test Calculations With Zeros, Blanks and Reference Errors 41
- Prompts and values 49

4 Clean and Organise Records 51
- 4.1 Clean a Small Import 51
- 4.2 Sort Whole Records 53
- 4.3 Freeze and Name a Range 54
- 4.4 Clean an Intake and Prove That Records Stay Together 56
- Prompts and values 64

5 Validate and Filter the Register 66
- 5.1 Add a Status Dropdown 66
- 5.2 Create a Filter View 68
- 5.3 Test a Rule Safely 70
- 5.4 Design and Verify Entry Rules and Focused Views 72
- Prompts and values 86

6 Summarise and Visualise 87
- 6.1 Count Statuses 87
- 6.2 Build a Useful Chart 89
- 6.3 Explain and Check 91
- 6.4 Build a Second Summary and Diagnose a Misleading Chart 94
- Prompts and values 104

7 Share and Prepare Output 105
- 7.1 Inspect Access 105
- 7.2 Prepare the Print Range 106
- 7.3 Compare Output Options 108
- 7.4 Prepare a Readable, Scoped and Reproducible Output 109
- Prompts and values 122

8 Complete the Register Challenge 123
- 8.1 Add a New Record 123
- 8.2 Repair and Reconcile 128
- 8.3 Explain the Result 130
- 8.4 Stress-Test the Extended Register and Complete the Handover 131
- Prompts and values 142

INTRODUCTION

Before you begin

This review book accompanies Google Sheets Fundamental and Intermediate. Work through its chapters in order and keep the original practice inputs unchanged. The same notes and prompts also appear in the local course website.

Current Status

All chapters in this book are written drafts. Most have not yet been executed end to end in the application. The masterclass's reference brief chapter has a tested core path with a recorded recovery prompt; that does not validate the other exercises. Treat VERIFY notes and draft notices as production work still to complete.

What You Need

Use a desktop browser and the Google account approved for the class. Confirm app and AI access beforehand. Edition, administrator controls and language can affect availability.

Download the supplied fictional practice pack. No real client or personnel record is needed. Dataset week fields are relative practice weeks, not an agreed pilot start date.

How to Use the Exercises

Follow the numbered steps, attempt the output and then open the expected-result box. AI wording can vary; source facts and approval conditions must remain correct.

Values and prompts follow the notes. Replace source placeholders before submitting. Inspect proposed edits before applying them. Drafting does not authorise sending, inviting people or publishing.

Course Timing

This course is planned for 1 day, with 390 teaching minutes per day, excluding breaks and lunch. Estimates include practice, checks and discussion and need a classroom pilot.

Each course supplies independent starting inputs. Use a stated recovery file if an earlier output is missing.

Expanded Casework

Revision 0.4 adds casework, independent challenges and evidence gates to every chapter. The original short guided path alone is insufficient. Timings are targets, not measured learner results. Read each case input and keep baseline and scenario files separate.

01

CHAPTER 1

Create and Navigate a Workbook

In this chapter you will create a native Sheet, rename tabs and enter a small set of records.

> **Prompts and values:** use the copy-paste page for the exact values used below.

Target allocation: 40 minutes: 10 explanation/demonstration, 10 guided build and casework, 15 independent challenge, 5 verification and repair. The active portion is 30 minutes by design. These are unmeasured targets awaiting a learner pilot.

Your result: A named native workbook with an intact source and a separate practice tab.

> **Status:** author reference with 26 current-stage application captures through 1.4. Native conversion, navigation, separate practice tabs, address map, reconstruction and Drive reopen checked. The instructor completed the XLSX upload manually after the browser extension blocked it; automated upload, independent challenge and learner timing remain unverified.

What You Will Learn

- Create and name a native Sheet.
- Navigate tabs, cells and ranges.
- Keep the input records intact.

Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Download TaskRegister.xlsx. This workbook starts at row 1 so cell references in the course match exactly.

1.1 Open a Native Copy

1. In the training account, create a Drive folder named `GW - Sheets Foundation - Practice`. Keep the starter file separate from later native practice.



2. Upload **TaskRegister.xlsx** into this folder and confirm its **Microsoft Excel** type. In this author run the instructor uploaded the file manually: the extension still rejected file upload after its file-URL setting and browser restart. The captured uploaded file is real; the automated upload step is not claimed as passed.



3. Open the uploaded file in Sheets. While its **.XLSX / Microsoft Excel format** badge is visible, choose **File > Save as Google Sheets**. This creates a separate native file; the original Excel file remains in the folder.



4. Name the new native file `GW - Sheets - Task Register`. Confirm the XLSX badge is absent and **Tasks** and **Summary** are present. Do not rename the original XLSX instead.



What should you see?

The native workbook has Tasks and Summary tabs, with 12 task records.

1.2 Navigate the Register

1. Open **Tasks**. Click the name box, enter `A1:H13` and press **Enter** to select all eight headers and twelve records.



2. Enter **D5** in the name box and press **Enter**. Read **Aina Rahman** from the formula bar; the corresponding row is **T004** in column A. A cell address locates the value now; TaskID identifies the record if rows later move.



3. Open **Summary** and return to **Tasks**. Summary contains the supplied starter headings/categories; do not build later formulas or charts yet.



What should you see?

You can identify a cell address, a rectangular range and a worksheet tab.

1.3 Manage a Practice Tab

1. Open the **Tasks** tab menu and choose **Duplicate**. Rename **Copy of Tasks** to `Navigation Practice` using its tab label or **Rename** command.



2. On **Navigation Practice**, enter `Practice only` in **J1**, commit the entry, and widen column J using its header boundary. Keep this experiment on the duplicate.



TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost
T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	RM 600	RM 550
T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	RM 800	RM 700
T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	RM 500	RM 0
T004	Planning	Prepare register template	Aina Rahman	2	Complete	RM 900	RM 850
T005	Procurement	Check dropdown choices	Bala Kumar	2	In Progress	RM 1,200	RM 1,050
T006	Procurement	Collect sample update	Siti Aminah	2	Not Started	RM 700	RM 0
T007	Procurement	Review sample chart	Aina Rahman	3	Complete	RM 1,500	RM 1,400
T008	Procurement	Prepare team guidance	Bala Kumar	3	In Progress	RM 600	RM 500
T009	Site Coordination	Check hub navigation	Siti Aminah	3	Not Started	RM 1,000	RM 0
T010	Site Coordination	Rehearse sponsor update	Aina Rahman	4	Complete	RM 800	RM 750
T011	Site Coordination	Review final submissions	Bala Kumar	4	In Progress	RM 1,100	RM 1,000
T012	Site Coordination	Record pilot lessons	Siti Aminah	4	Not Started	RM 700	RM 0

3. Return to **Tasks** and inspect **A1:H13**. The reference source was compared with its initial native cell data and remained unchanged, including all twelve records.



TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost
T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	RM 600	RM 550
T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	RM 800	RM 700
T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	RM 500	RM 0
T004	Planning	Prepare register template	Aina Rahman	2	Complete	RM 900	RM 850
T005	Procurement	Check dropdown choices	Bala Kumar	2	In Progress	RM 1,200	RM 1,050
T006	Procurement	Collect sample update	Siti Aminah	2	Not Started	RM 700	RM 0
T007	Procurement	Review sample chart	Aina Rahman	3	Complete	RM 1,500	RM 1,400
T008	Procurement	Prepare team guidance	Bala Kumar	3	In Progress	RM 600	RM 500
T009	Site Coordination	Check hub navigation	Siti Aminah	3	Not Started	RM 1,000	RM 0
T010	Site Coordination	Rehearse sponsor update	Aina Rahman	4	Complete	RM 800	RM 750
T011	Site Coordination	Review final submissions	Bala Kumar	4	In Progress	RM 1,100	RM 1,000
T012	Site Coordination	Record pilot lessons	Siti Aminah	4	Not Started	RM 700	RM 0

What should you see?

Experiments are on a clearly named copy; the baseline input is preserved.

1.4 Build a Workbook Map and Reconstruct a Small Register

1. Use **Add Sheet**, rename it **Workbook Guide**, and record the purpose of Tasks, Summary and Navigation Practice. Identify **Tasks!A1:H13** as the maintained twelve-record source. Widen the authored guide columns so the map is readable.



2. On **Tasks**, use the name box to visit **A2, D5, F8 and H13**. Inspect the value and the corresponding TaskID each time before recording the check in Workbook Guide. The reference values are below; zero actual cost is a value, not a blank.



TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost
T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	RM 600	RM 550
T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	RM 800	RM 700
T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	RM 500	RM 0
T004	Planning	Prepare register template	Aina Rahman	2	Complete	RM 900	RM 850
T005	Procurement	Check dropdown choices	Bala Kumar	2	In Progress	RM 1,200	RM 1,050
T006	Procurement	Collect sample update	Siti Aminah	2	Not Started	RM 700	RM 0
T007	Procurement	Review sample chart	Aina Rahman	3	Complete	RM 1,500	RM 1,400
T008	Procurement	Prepare team guidance	Bala Kumar	3	In Progress	RM 600	RM 500
T009	Site Coordination	Check hub navigation	Siti Aminah	3	Not Started	RM 1,000	RM 0
T010	Site Coordination	Rehearse sponsor update	Aina Rahman	4	Complete	RM 800	RM 750
T011	Site Coordination	Review final submissions	Bala Kumar	4	In Progress	RM 1,100	RM 1,000
T012	Site Coordination	Record pilot lessons	Siti Aminah	4	Not Started	RM 700	RM 0



TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost
T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	RM 600	RM 550
T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	RM 800	RM 700
T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	RM 500	RM 0
T004	Planning	Prepare register template	Aina Rahman	2	Complete	RM 900	RM 850
T005	Procurement	Check dropdown choices	Bala Kumar	2	In Progress	RM 1,200	RM 1,050
T006	Procurement	Collect sample update	Siti Aminah	2	Not Started	RM 700	RM 0
T007	Procurement	Review sample chart	Aina Rahman	3	Complete	RM 1,500	RM 1,400
T008	Procurement	Prepare team guidance	Bala Kumar	3	In Progress	RM 600	RM 500
T009	Site Coordination	Check hub navigation	Siti Aminah	3	Not Started	RM 1,000	RM 0
T010	Site Coordination	Rehearse sponsor update	Aina Rahman	4	Complete	RM 800	RM 750
T011	Site Coordination	Review final submissions	Bala Kumar	4	In Progress	RM 1,100	RM 1,000
T012	Site Coordination	Record pilot lessons	Siti Aminah	4	Not Started	RM 700	RM 0



TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost
T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	RM 600	RM 550
T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	RM 800	RM 700
T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	RM 500	RM 0
T004	Planning	Prepare register template	Aina Rahman	2	Complete	RM 900	RM 850
T005	Procurement	Check dropdown choices	Bala Kumar	2	In Progress	RM 1,200	RM 1,050
T006	Procurement	Collect sample update	Siti Aminah	2	Not Started	RM 700	RM 0
T007	Procurement	Review sample chart	Aina Rahman	3	Complete	RM 1,500	RM 1,400
T008	Procurement	Prepare team guidance	Bala Kumar	3	In Progress	RM 600	RM 500
T009	Site Coordination	Check hub navigation	Siti Aminah	3	Not Started	RM 1,000	RM 0
T010	Site Coordination	Rehearse sponsor update	Aina Rahman	4	Complete	RM 800	RM 750
T011	Site Coordination	Review final submissions	Bala Kumar	4	In Progress	RM 1,100	RM 1,000
T012	Site Coordination	Record pilot lessons	Siti Aminah	4	Not Started	RM 700	RM 0



TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost
T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	RM 600	RM 550
T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	RM 800	RM 700
T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	RM 500	RM 0
T004	Planning	Prepare register template	Aina Rahman	2	Complete	RM 900	RM 850
T005	Procurement	Check dropdown choices	Bala Kumar	2	In Progress	RM 1,200	RM 1,050
T006	Procurement	Collect sample update	Siti Aminah	2	Not Started	RM 700	RM 0
T007	Procurement	Review sample chart	Aina Rahman	3	Complete	RM 1,500	RM 1,400
T008	Procurement	Prepare team guidance	Bala Kumar	3	In Progress	RM 600	RM 500
T009	Site Coordination	Check hub navigation	Siti Aminah	3	Not Started	RM 1,000	RM 0
T010	Site Coordination	Rehearse sponsor update	Aina Rahman	4	Complete	RM 800	RM 750
T011	Site Coordination	Review final submissions	Bala Kumar	4	In Progress	RM 1,100	RM 1,000
T012	Site Coordination	Record pilot lessons	Siti Aminah	4	Not Started	RM 700	RM 0

Address	Column meaning	Visible value	TaskID
A2	TaskID	T001	T001
D5	Owner	Aina Rahman	T004
F8	Status	Complete	T007
H13	ActualCost	0 (displayed RM 0 in Tasks)	T012



Tab	Purpose and source status
Tasks	Maintained source: 12 records in A1:H13; use TaskID to identify each record.
Summary	Summary area supplied with the starter; calculations are built in later labs.
Navigation Practice	Duplicate for navigation experiments; J1 is Practice only.

Address	Column meaning	Visible value	TaskID
A2	TaskID	T001	T001
D5	Owner	Aina Rahman	T004
F8	Status	Complete	T007
H13	ActualCost	0	T012

3. Add **Entry Practice**. Enter the eight source headers in **A1:H1**, then recreate **T001, T002 and T003** as values in **A2:H4**, preserving field positions. Widen the task-text column if needed; do not copy the entire Tasks tab for this reconstruction exercise.



4. Compare all eight fields by **TaskID** against **Tasks**. The reference three rows matched, so no copying error was invented or introduced. Record that result. The observed readability issue was clipped task text; widening the Entry Practice task column repaired the display without changing values.

5. Practise **B2** (one cell), **2:2** (whole row), **C:C** (whole column) and **A1:H4** (small table) through the name box. Record that **A1:H1** targets the header only, while a complete record must keep all its fields together. Selection alone does not move data.





TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost
T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	600	550
T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	800	700
T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	500	0



TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost
T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	600	550
T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	800	700
T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	500	0



	A	B	C	D	E	F	G	H
1	TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost
2	T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	600	550
3	T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	800	700
4	T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	500	0



	A	B	C	D
1	Tab	Purpose and source status		
2	Tasks	Maintained source: 12 records in A1:H13; use TaskID to identify each record.		
3	Summary	Summary area supplied with the starter; calculations are built in later labs.		
4	Navigation Practice	Duplicate for navigation experiments; J1 is Practice only.		
5				
6				
7	Address	Column meaning	Visible value	TaskID
8	A2	TaskID	T001	T001
9	D5	Owner	Aina Rahman	T004
10	F8	Status	Complete	T007
11	H13	ActualCost	0	T012
12				
13	Check	Result		
14	Reconstruction	T001, T002 and T003 checked by TaskID: all eight fields match Tasks; no copying error found.		
15	Readability repair	Widened Entry Practice task column so complete task text is visible; values unchanged.		
16	Single cell	Use a cell address for one value, such as B2.		
17	Whole row	Select 2:2 for the complete row; do not move isolated field cells within a record.		
18	Whole column	Select C:C to operate on the Task field as a column.		
19	Header selection	Use A1:H1 to format only the header, not the records below.		
20	Small table selection	A1:H4 covers the eight headers and three recreated records.		

6. Use the Entry Practice tab menu **Move right** to place it after **Navigation Practice**. Close the native workbook, return to the practice folder in Drive and reopen the file by its name and type. This tests retrieval from the folder rather than using Recent.



TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost
T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	600	550
T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	800	700
T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	500	0



7. In **Workbook Guide**, record both identities: **TaskRegister.xlsx — Microsoft Excel**, retained as supplied source; **GW - Sheets - Task Register — Google Sheets**, the course working file. Both are in **My Drive / GW - Sheets Foundation - Practice**. Tell the next learner to open Workbook Guide, then Tasks, and identify records by TaskID. Confirm the map and checks survived reopening.





What should you see?

Workbook Guide with four address-to-record checks. The result must be supported by the recorded checks; an attractive output or an AI assurance is insufficient.

Independent Challenge

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Without using Recent, reopen the native file and locate the owner and actual cost for T008 using its record identity.
2. Create a two-row **New Entry Form** practice table with blank inputs and clear field labels. Do not append unfinished rows to Tasks.
3. Explain and demonstrate a cell address, a range, a tab and the source file identity. Have a partner use the guide or test it yourself after closing the workbook.

Evidence to Hand Over

- Workbook Guide with four address-to-record checks.
- Recreated three-row entry table and a corrected/verified copy record.
- Independent source retrieval and a labelled new-entry practice area.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
An address is mistaken for a permanent task identity	Use TaskID to identify a record because sorting can move it to another row.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

You can navigate and manage a native workbook. Next, make its data readable without changing its meaning.

Check yourself: What is the difference between a spreadsheet file and a worksheet tab?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

Part 1: Typed Values

```
GW - Sheets Foundation - Practice
```

```
GW - Sheets - Task Register
```

```
A1:H13
```

```
Navigation Practice
```

```
Practice only
```

Depth Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Beginner navigation brief: You inherit an XLSX, a native copy and several tabs. Another learner must be able to identify the maintained source and find T008's owner and actual cost without guessing from row position.
```

Workbook Guide Reference

Address	Meaning	Value	TaskID
A2	TaskID	T001	T001
D5	Owner	Aina Rahman	T004
F8	Status	Complete	T007
H13	ActualCost	0	T012

Tab purposes: **Tasks** is the maintained twelve-record source; **Summary** is the supplied summary area; **Navigation Practice** is the duplicate for experiments; **Entry Practice** is a three-row reconstruction; **Workbook Guide** records the map and checks. Final reference order: Tasks, Workbook Guide, Navigation Practice, Entry Practice, Summary.

Entry Practice Values

Enter these eight fields without moving their positions. Compare each row with Tasks by TaskID.

```
TaskID  Team    Task    Owner   DueWeek Status  PlannedCost     ActualCost
T001    Planning        Confirm reporting fields        Aina Rahman     1       Complete
600     550
T002    Planning        Draft status definitions        Bala Kumar      1       In Progress
800     700
T003    Planning        Review pilot brief      Siti Aminah     1       Not Started     500
0
```

Verification record: all eight fields for T001, T002 and T003 matched; no copying error found. Task text was clipped on the new tab and its column was widened; values remained unchanged. B2 selects one cell, 2:2 a whole row, C:C a whole column, A1:H4 the small table and A1:H1 only its header.

Edit **GW - Sheets - Task Register (Google Sheets)** in **My Drive / GW - Sheets Foundation - Practice**. Retain **TaskRegister.xlsx (Microsoft Excel)** as the supplied source. The author reopened the native file from this folder and confirmed Tasks!A1:H13 unchanged. The instructor performed the upload manually after an extension permission block; automated browser upload, independent challenge and classroom timing remain unverified.

02

CHAPTER 2

Enter and Format Reliable Data

In this chapter you will use dates, numbers, currency, wrapping and sensible column widths.

> **Prompts and values:** use the copy-paste page for the exact values used below.

Target allocation: 45 minutes: 10 explanation/demonstration, 15 guided build and casework, 15 independent challenge, 5 verification and repair. The active portion is 35 minutes by design. These are unmeasured targets awaiting a learner pilot.

Your result: A readable register with numeric currency values and sensible dimensions.

> **Status:** partial author reference with 18 staged application captures through 2.4. Currency/week formats, wrapping/row fit, numeric versus text tests, SUM/COUNT and format-only behaviour checked. Values-only target-format preservation did not pass in the controlled session and needs manual verification. Source values remain unchanged; independent challenge and learner timing are pending.

What You Will Learn

- Apply formats to typed numbers.
- Use wrapping and fitted dimensions.
- Distinguish appearance from the stored value.

Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use your original Tasks tab. If needed, reopen a fresh native copy of TaskRegister.xlsx.

2.1 Inspect Values and Types

1. On **Tasks**, select **G2** through the name box. The formula bar shows numeric **600**, while the cell displays its currency. Do not type the RM label into the source number.



TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost
T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	RM 600	RM 550
T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	RM 800	RM 700
T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	RM 500	RM 0
T004	Planning	Prepare register template	Aina Rahman	2	Complete	RM 900	RM 850
T005	Procurement	Check dropdown choices	Bala Kumar	2	In Progress	RM 1,200	RM 1,050
T006	Procurement	Collect sample update	Siti Aminah	2	Not Started	RM 700	RM 0
T007	Procurement	Review sample chart	Aina Rahman	3	Complete	RM 1,500	RM 1,400
T008	Procurement	Prepare team guidance	Bala Kumar	3	In Progress	RM 600	RM 500
T009	Site Coordination	Check hub navigation	Siti Aminah	3	Not Started	RM 1,000	RM 0
T010	Site Coordination	Rehearse sponsor update	Aina Rahman	4	Complete	RM 800	RM 750
T011	Site Coordination	Review final submissions	Bala Kumar	4	In Progress	RM 1,100	RM 1,000
T012	Site Coordination	Record pilot lessons	Siti Aminah	4	Not Started	RM 700	RM 0

2. Select **G2:H13**. Open **More formats > Custom currency**, choose **Malaysian Ringgit**, select **RM1,000** without decimals, and **Apply**. The toolbar currency shortcut follows the workbook locale, so it may offer pounds; select RM explicitly.





TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost
T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	RM600	RM550
T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	RM800	RM700
T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	RM500	RM0
T004	Planning	Prepare register template	Aina Rahman	2	Complete	RM900	RM850
T005	Procurement	Check dropdown choices	Bala Kumar	2	In Progress	RM1,200	RM1,050
T006	Procurement	Collect sample update	Siti Aminah	2	Not Started	RM700	RM0
T007	Procurement	Review sample chart	Aina Rahman	3	Complete	RM1,500	RM1,400
T008	Procurement	Prepare team guidance	Bala Kumar	3	In Progress	RM600	RM500
T009	Site Coordination	Check hub navigation	Siti Aminah	3	Not Started	RM1,000	RM0
T010	Site Coordination	Rehearse sponsor update	Aina Rahman	4	Complete	RM800	RM750
T011	Site Coordination	Review final submissions	Bala Kumar	4	In Progress	RM1,100	RM1,000
T012	Site Coordination	Record pilot lessons	Siti Aminah	4	Not Started	RM700	RM0

3. Select **E2:E13**, use **More formats > Custom number format**, enter **0** and **Apply**. DueWeek remains an index from 1 to 4, not a calendar date.



TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost
T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	RM600	RM550
T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	RM800	RM700
T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	RM500	RM0
T004	Planning	Prepare register template	Aina Rahman	2	Complete	RM900	RM850
T005	Procurement	Check dropdown choices	Bala Kumar	2	In Progress	RM1,200	RM1,050
T006	Procurement	Collect sample update	Siti Aminah	2	Not Started	RM700	RM0
T007	Procurement	Review sample chart	Aina Rahman	3	Complete	RM1,500	RM1,400
T008	Procurement	Prepare team guidance	Bala Kumar	3	In Progress	RM600	RM500
T009	Site Coordination	Check hub navigation	Siti Aminah	3	Not Started	RM1,000	RM0
T010	Site Coordination	Rehearse sponsor update	Aina Rahman	4	Complete	RM800	RM750
T011	Site Coordination	Review final submissions	Bala Kumar	4	In Progress	RM1,100	RM1,000
T012	Site Coordination	Record pilot lessons	Siti Aminah	4	Not Started	RM700	RM0

What should you see?

Costs show their currency while remaining numeric. Week values still range from 1 to 4.

2.2 Improve Readability

1. Select **A1:H1** and inspect its contrast. The starter already has bold white labels on a dark blue fill, so the reference retains that suitable style. A reasoned no-change decision is preferable to changing a readable header just to demonstrate a button.



TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost
T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	RM600	RM550
T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	RM800	RM700
T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	RM500	RM0
T004	Planning	Prepare register template	Aina Rahman	2	Complete	RM900	RM850
T005	Procurement	Check dropdown choices	Bala Kumar	2	In Progress	RM1,200	RM1,050
T006	Procurement	Collect sample update	Siti Aminah	2	Not Started	RM700	RM0
T007	Procurement	Review sample chart	Aina Rahman	3	Complete	RM1,500	RM1,400
T008	Procurement	Prepare team guidance	Bala Kumar	3	In Progress	RM600	RM500
T009	Site Coordination	Check hub navigation	Siti Aminah	3	Not Started	RM1,000	RM0
T010	Site Coordination	Rehearse sponsor update	Aina Rahman	4	Complete	RM800	RM750
T011	Site Coordination	Review final submissions	Bala Kumar	4	In Progress	RM1,100	RM1,000
T012	Site Coordination	Record pilot lessons	Siti Aminah	4	Not Started	RM700	RM0

2. Inspect Task and Owner widths and widen only if text is cut off. The supplied source widths already show each task and owner. Select **C2:C13**, choose **Text wrapping > Wrap**, and inspect complete descriptions.



TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost
T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	RM600	RM550
T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	RM800	RM700
T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	RM500	RM0
T004	Planning	Prepare register template	Aina Rahman	2	Complete	RM900	RM850
T005	Procurement	Check dropdown choices	Bala Kumar	2	In Progress	RM1,200	RM1,050
T006	Procurement	Collect sample update	Siti Aminah	2	Not Started	RM700	RM0
T007	Procurement	Review sample chart	Aina Rahman	3	Complete	RM1,500	RM1,400
T008	Procurement	Prepare team guidance	Bala Kumar	3	In Progress	RM600	RM500
T009	Site Coordination	Check hub navigation	Siti Aminah	3	Not Started	RM1,000	RM0
T010	Site Coordination	Rehearse sponsor update	Aina Rahman	4	Complete	RM800	RM750
T011	Site Coordination	Review final submissions	Bala Kumar	4	In Progress	RM1,100	RM1,000
T012	Site Coordination	Record pilot lessons	Siti Aminah	4	Not Started	RM700	RM0

3. Select rows **2:13**, open the row-header menu, choose **Resize rows 2–13 > Fit to data > OK**. Keep each data column separate; do not merge cells in the register.



What should you see?

Headers, names and cost figures are readable without cutting off text.

2.3 Inspect Formatting Effects

1. On **Navigation Practice**, enter **2026-10-24** in **J2**, commit it, then use **More formats > Date**. In the reference locale it displays **24/10/2026**. This is a practice example only, not an agreed pilot start.



2. Enter **Numeric cost / Text cost** in **J4:K4**, then numeric **600** in **J5** and text **RM 600** in **K5**. Apply RM currency to J5. Select each cell and compare its formula-bar value.





TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost
T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	RM 600	RM 550
T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	RM 800	RM 700
T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	RM 500	RM 0
T004	Planning	Prepare register template	Aina Rahman	2	Complete	RM 900	RM 850
T005	Procurement	Check dropdown choices	Bala Kumar	2	In Progress	RM 1,200	RM 1,050
T006	Procurement	Collect sample update	Siti Aminah	2	Not Started	RM 700	RM 0
T007	Procurement	Review sample chart	Aina Rahman	3	Complete	RM 1,500	RM 1,400
T008	Procurement	Prepare team guidance	Bala Kumar	3	In Progress	RM 600	RM 500
T009	Site Coordination	Check hub navigation	Siti Aminah	3	Not Started	RM 1,000	RM 0
T010	Site Coordination	Rehearse sponsor update	Aina Rahman	4	Complete	RM 800	RM 750
T011	Site Coordination	Review final submissions	Bala Kumar	4	In Progress	RM 1,100	RM 1,000
T012	Site Coordination	Record pilot lessons	Siti Aminah	4	Not Started	RM 700	RM 0

3. Keep these clearly labelled practice entries as evidence, or undo them when no longer useful. The reference retains them outside the baseline. Compare the original source values before and after formatting; display changes must not alter the twelve records.

What should you see?

You can explain why number formatting does not convert arbitrary text into a number.

2.4 Diagnose Display, Type and Readability Problems

1. On **Entry Practice**, keep **A1:H4** as the copied three-record table. Create **Type Tests** in **A7:B12**: labels in A, numeric **600** in B9, text **RM 600** in B10, week index **2** in B11 and practice date **2026-10-24** in B12.



2. Apply RM currency to **B9:B10**, then inspect both values. B9 remains a number and B10 remains text. Give B12 a date display; keep the practice date outside the source week column.

3. Add **=SUM(B9:B10)** in B14 and **=COUNT(B9:B10)** in B15. The reference results are **600** and **1**: numeric 600 contributes, while text RM 600 is ignored by this range SUM. Widen the label column if needed. These checks remain on the practice tab.



4. Give **G2:H4** the same custom RM currency display and **E2:E4** custom number format **0**. B11 remains a whole-number practice index. Dates stay in B12 and Navigation Practice J2; they do not supply missing source schedule evidence.
5. Apply a bold, light-blue header with readable dark text to **A1:H1**, wrap **C2:C4**, and retain the widened task column. Make each complete description readable. No source cells are merged.



6. Prepare **D8:F9** as a separate paste comparison: headers **Normal paste / Values only / Format only**, with **123** already in F9. Use B9 (numeric 600 with RM display) as the source. Select destination cells without pasting a cell address over your copied clipboard content.



Use **Edit > Paste special** to test the two special transfers separately from normal paste. Normal paste D9 was verified as numeric 600 with RM display. Format-only F9 retained numeric **123** and displayed **RM123**.





> **Verification limitation:** the controlled session's values-only shortcut and direct menu both carried the RM format onto E9 even after its target was explicitly set to number format 0. The number remained 600, but expected preservation of the target format was **not verified**. Repeat this step manually, compare E9's number format before and after, and record the outcome. Do not treat visually similar cells or an attempted command as proof that the property transfer passed.

7. Record the results and the unresolved paste check on the practice tab. **=COUNT(Tasks!G2:H13)** returns **24** numeric cost cells; **=COUNT(Tasks!E2:E13)** returns **12** numeric week cells. A bounded comparison confirmed that every original **Tasks!A1:H13** underlying value remained unchanged. Wrap the observation text so it is readable.



Return to **Tasks > G2** and inspect **600** again. Formatting did not create a confirmed calendar date or change the twelve records.



What should you see?

Type-test block with observed calculation behaviour. The result must be supported by the recorded checks; an attractive output or an AI assurance is insufficient.

Independent Challenge

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Repair the card's three proposed entries in a separate intake table. Preserve raw input and record the clean value or clarification needed.
2. Prepare a readable three-record handout view with consistent currency and whole-week display. Prove the underlying numeric values remain numeric.
3. Give a partner two visually similar cost cells and ask them which one can be calculated reliably. Use formula-bar and SUM evidence in your explanation.

Evidence to Hand Over

- Type-test block with observed calculation behaviour.
- Raw-to-clean intake table and readable entry-practice layout.
- Independent numeric evidence and unchanged 12-row source.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
Currency looks correct but totals are wrong	Inspect numeric type and formula-bar value before changing more display formats.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

Typed values and readable formatting prepare the register for calculation.

Check yourself: Why should you avoid merging cells inside a dataset?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

Use the supplied source and the explicit practice values below. Keep dates and type tests outside the original register.

Depth Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Formatting intake: PlannedCost “RM 600” supplied as text; DueWeek “next Monday” with no agreed calendar start; a long Task description clipped in a narrow column. Treat type, missing date evidence and presentation as three different issues.
```

Exact Practice Values

- Source costs: Tasks!G2:H13, custom Malaysian Ringgit **RM1,000** without decimals.
- Source week indices: Tasks!E2:E13, custom number format **0**.
- Practice date: **2026-10-24**, displayed **24/10/2026** in the reference locale; not a confirmed project start.
- Navigation Practice: J2 date; J4:K4 Numeric cost / Text cost; J5 numeric600, K5 text RM 600.

Entry Practice type block: A7:B12, labelled numeric600 / text RM 600 / week2 / practice date. B14 **=SUM(B9:B10)** gives600; B15 **=COUNT(B9:B10)** gives1. Both formulas reference the cells as a range; the observed result does not establish behaviour for every possible way of passing text to a function.

Paste comparison: D9 normal paste from B9 gives numeric600 with currency format; F9 format-only retains123 and displaysRM123. **Values-only target-format preservation remains unverified**: both shortcut and menu carried the RM format in this controlled session after setting E9 to number format0. Repeat manually and compare formats as well as values. Do not claim this property-transfer check passed.

Source controls: **=COUNT(Tasks!G2:H13)** gives24; **=COUNT(Tasks!E2:E13)** gives12. All twelve source records retain their original underlying values. The source header already had readable contrast and its widths were retained; wrapping and Fit to data were applied. Entry Practice header/widths/wrapping were improved. Independent intake repair, partner test and classroom timing remain pending.

03

CHAPTER 3

Calculate and Copy Formulas

In this chapter you will use arithmetic, SUM, AVERAGE and COUNT; explain relative and absolute references.

> **Prompts and values:** use the copy-paste page for the exact values used below.

Target allocation: 65 minutes: 15 explanation/demonstration, 22 guided build and casework, 20 independent challenge, 8 verification and repair. The active portion is 50 minutes by design. These are unmeasured targets awaiting a learner pilot.

Your result: Copied variance formulas, reconciled totals and a tested fixed reference.

> **Status:** author reference with 23 staged application captures through guided sections 3.1–3.3 and casework 3.4. Row formulas, summaries, fixed-reference change/restoration, zero/blank/text checks, deliberate reference repair and reconciliation verified. Independent estimate/omitted-range challenge and learner timing remain pending.

What You Will Learn

- Write arithmetic and aggregation formulas.
- Copy relative references correctly.
- Anchor a shared assumption.

Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use Tasks A1:H13. The workbook has no prefilled answer formulas.

3.1 Calculate Variance

1. On **Tasks**, use the name box to select **I1** and enter **Variance**. In **I2** enter **=H2-G2** and commit it. T001 displays **-RM50**; the formula bar shows the underlying calculation.



TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost	Variance	Fictional training data
T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	RM600	RM550	-RM50	
T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	RM800	RM700		
T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	RM500	RM0		
T004	Planning	Prepare register template	Aina Rahman	2	Complete	RM900	RM850		
T005	Procurement	Check dropdown choices	Bala Kumar	2	In Progress	RM1,200	RM1,050		
T006	Procurement	Collect sample update	Siti Aminah	2	Not Started	RM700	RM0		
T007	Procurement	Review sample chart	Aina Rahman	3	Complete	RM1,500	RM1,400		
T008	Procurement	Prepare team guidance	Bala Kumar	3	In Progress	RM600	RM500		
T009	Site Coordination	Check hub navigation	Siti Aminah	3	Not Started	RM1,000	RM0		
T010	Site Coordination	Rehearse sponsor update	Aina Rahman	4	Complete	RM800	RM750		
T011	Site Coordination	Review final submissions	Bala Kumar	4	In Progress	RM1,100	RM1,000		
T012	Site Coordination	Record pilot lessons	Siti Aminah	4	Not Started	RM700	RM0		

2. Select **I2:I13** with the name box and press **Ctrl+D** to fill down from the first cell. The fill handle or normal copy/paste is an alternative. The range sum is **-RM3,600**.



TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost	Variance	Fictional training data
T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	RM600	RM550	-RM50	
T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	RM800	RM700	-RM100	
T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	RM500	RM0	-RM500	
T004	Planning	Prepare register template	Aina Rahman	2	Complete	RM900	RM850	-RM50	
T005	Procurement	Check dropdown choices	Bala Kumar	2	In Progress	RM1,200	RM1,050	-RM150	
T006	Procurement	Collect sample update	Siti Aminah	2	Not Started	RM700	RM0	-RM700	
T007	Procurement	Review sample chart	Aina Rahman	3	Complete	RM1,500	RM1,400	-RM100	
T008	Procurement	Prepare team guidance	Bala Kumar	3	In Progress	RM600	RM500	-RM100	
T009	Site Coordination	Check hub navigation	Siti Aminah	3	Not Started	RM1,000	RM0	-RM1,000	
T010	Site Coordination	Rehearse sponsor update	Aina Rahman	4	Complete	RM800	RM750	-RM50	
T011	Site Coordination	Review final submissions	Bala Kumar	4	In Progress	RM1,100	RM1,000	-RM100	
T012	Site Coordination	Record pilot lessons	Siti Aminah	4	Not Started	RM700	RM0	-RM700	

3. Inspect **I2**, **I7** and **I13** in the formula bar. Each refers to its own row: **=H2-G2**, **=H7-G7** and **=H13-G13**. The final two checks display **-RM700**. A negative variance means actual cost is below planned; it does not by itself establish a final saving or project completion.



TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost	Variance	Fictional training data
T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	RM600	RM550	-RM50	
T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	RM800	RM700	-RM100	
T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	RM500	RM0	-RM500	
T004	Planning	Prepare register template	Aina Rahman	2	Complete	RM900	RM850	-RM50	
T005	Procurement	Check dropdown choices	Bala Kumar	2	In Progress	RM1,200	RM1,050	-RM150	
T006	Procurement	Collect sample update	Siti Aminah	2	Not Started	RM700	RM0	-RM700	
T007	Procurement	Review sample chart	Aina Rahman	3	Complete	RM1,500	RM1,400	-RM100	
T008	Procurement	Prepare team guidance	Bala Kumar	3	In Progress	RM600	RM500	-RM100	
T009	Site Coordination	Check hub navigation	Siti Aminah	3	Not Started	RM1,000	RM0	-RM1,000	
T010	Site Coordination	Rehearse sponsor update	Aina Rahman	4	Complete	RM800	RM750	-RM50	
T011	Site Coordination	Review final submissions	Bala Kumar	4	In Progress	RM1,100	RM1,000	-RM100	
T012	Site Coordination	Record pilot lessons	Siti Aminah	4	Not Started	RM700	RM0	-RM700	



TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost	Variance	Fictional training data
T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	RM600	RM550	-RM50	
T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	RM800	RM700	-RM100	
T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	RM500	RM0	-RM500	
T004	Planning	Prepare register template	Aina Rahman	2	Complete	RM900	RM850	-RM50	
T005	Procurement	Check dropdown choices	Bala Kumar	2	In Progress	RM1,200	RM1,050	-RM150	
T006	Procurement	Collect sample update	Siti Aminah	2	Not Started	RM700	RM0	-RM700	
T007	Procurement	Review sample chart	Aina Rahman	3	Complete	RM1,500	RM1,400	-RM100	
T008	Procurement	Prepare team guidance	Bala Kumar	3	In Progress	RM600	RM500	-RM100	
T009	Site Coordination	Check hub navigation	Siti Aminah	3	Not Started	RM1,000	RM0	-RM1,000	
T010	Site Coordination	Rehearse sponsor update	Aina Rahman	4	Complete	RM800	RM750	-RM50	
T011	Site Coordination	Review final submissions	Bala Kumar	4	In Progress	RM1,100	RM1,000	-RM100	
T012	Site Coordination	Record pilot lessons	Siti Aminah	4	Not Started	RM700	RM0	-RM700	

3.2 Summarise the Columns

1. In **K1:L1** enter **Measure / Result**. Label **K2:K4 Planned Total / Actual Total / Variance Total**. In **L2:L4** enter **=SUM(G2:G13)**, **=SUM(H2:H13)** and **=SUM(I2:I13)**. Double-click the right edge of the K column header to fit its labels. Scroll horizontally when needed to show the complete summary.



2. Add **Average Planned** in K6 with **=AVERAGE(G2:G13)** in L6, and **Numeric Cost Count** in K7 with **=COUNT(G2:G13)** in L7. Fit K again after adding the longer labels. Select L6 and increase decimal places twice if it inherited the source's whole-ringgit display. The displayed average is **RM866.67**; its underlying calculation remains 10,400 divided by 12.



3. Inspect L7's formula and **12** result. The totals are **RM10,400 planned**, **RM6,800 actual** and **-RM3,600 variance**. Do not replace the formulas with those expected numbers.



3.3 Anchor an Assumption

1. On **Navigation Practice**, reuse the clearly labelled practice area: clear the earlier Lab 2 date/cost examples in **J2:K6**. Their earlier screenshots remain in Lab 2. Set **J2:J13** to **More formats > Number**, so the old J2 date format cannot disguise a numeric calculation as a date. Keep the original Tasks source and the copied A:H records unchanged.
2. Enter **Practice multiplier** in **K9** and numeric **1.1** in **L9**. Fit K to show the complete label. This assumption is hypothetical; it is not an approved rate or a tax rule.



3. In **J2**, enter `=G2*$L$9` and commit it. The first result is **660.00** before filling the remaining rows.



4. Select **J2:J13** and use **Ctrl+D**. Inspect **J13**: `=G13*$L$9` displays **770.00**. G changes with the row; $L$9 stays fixed.



5. Change **L9** to **1.2** and commit it. The first and final results become **720.00** and **840.00**.



6. Restore **L9** to **1.1**. Reinspect J13's fixed reference and **770.00** result.



3.4 Test Calculations With Zeros, Blanks and Reference Errors

1. Use **Add Sheet**, then double-click the new tab and name it **Calculation Tests**. Enter **Planned / Actual / Variance** in **A1:C1**, and the four planned/actual pairs **100/80**, **100/120**, **100/0**, **100/blank** in rows 2–5. Leave **B5** genuinely empty.



2. Enter **=B2-A2** in C2 and fill **C2:C4**. Results are **-20, 20, -100**. Leave C5 empty because its actual is not supplied. Add the interpretation in D and fit its column. A formula that treats an empty reference as zero would not establish confirmed zero expenditure.



3. In **A8:D11**, create a separate test with headers **Input kind / Input / COUNT / SUM**. B9 is numeric **0**, B10 stays blank, B11 is text **RM 600**. In C9 and D9 enter **=COUNT(B9)** and **=SUM(B9)**, then fill through row 11. COUNT returns **1, 0, 0**; SUM returns **0, 0, 0**. SUM alone cannot distinguish these three inputs.



4. Predict that the intentionally wrong **=B3-A2** in C2 gives **20** by using the next row's actual. Enter it, inspect the formula bar and compare it with the first pair's intended **-20**. Record prediction and observation in **A14:D15**.



5. Repair C2 to **=B2-A2** and verify **-20**. Keep the wrong test's observed **20** as a labelled historical value, rather than a live link that changes after repair. Add the repaired observation in row 16. The reference uses **=C2** for the current repaired result.



6. Build the reference comparison in **F1:H5**: headers **Planned / Relative / Absolute**, and four planned inputs of **100**. Put **Practice multiplier** in K1 and **1.1** in K2. Enter `=F2*K2` in G2 and `=F2*$K$2` in H2. Both initially return **110**.



7. Fill **G2:H5** using Ctrl+D. Inspect **G3** `=F3*K3` and **G5** `=F5*K5` : both refer to blank multiplier cells and give **0**. Inspect **H3** `=F3*$K$2` and **H5** `=F5*$K$2` : both keep the intended assumption and give **110**. Retain the relative column as a labelled teaching counterexample.



	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	**Planned**	**Actual**	**Variance**	**Interpretation**		Planned	Relative	Absolute			Practice multiplier			
2	100	80	-20	Actual below planned		100	110	110			1.1			
3	100	120	20	Actual above planned		100	0	110						
4	100	0	-100	Confirmed numeric zero		100	0	110						
5	100			Not supplied; variance pending		100	0	110						
6														
7														
8	Input kind	Input	COUNT	SUM										
9	Numeric zero	0	1	0										
10	Blank		0	0										
11	Text	RM 600	0	0										
12														
13														
14	Reference check	Prediction	Observed	Reason										
15	Wrong reference	20	20	Recorded before repair: B3-A2										
16	Repaired	-20	-20	Same row: B2-A2										
17														
18														
19														
20														
21														
22														
23														
24														
25														
26														
27														
28														
29														
30														
31														
32														
33														



	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	**Planned**	**Actual**	**Variance**	**Interpretation**		Planned	Relative	Absolute			Practice multiplier			
2	100	80	-20	Actual below planned		100	110	110			1.1			
3	100	120	20	Actual above planned		100	0	110						
4	100	0	-100	Confirmed numeric zero		100	0	110						
5	100			Not supplied; variance pending		100	0	110						
6														
7														
8	Input kind	Input	COUNT	SUM										
9	Numeric zero	0	1	0										
10	Blank		0	0										
11	Text	RM 600	0	0										
12														
13														
14	Reference check	Prediction	Observed	Reason										
15	Wrong reference	20	20	Recorded before repair: B3-A2										
16	Repaired	-20	-20	Same row: B2-A2										
17														
18														
19														
20														
21														
22														
23														
24														
25														
26														
27														
28														
29														
30														
31														
32														
33														

8. Change K2 to **1.2**. G2 and all four absolute results become **120**; the later relative results remain **0**. Record that observation, restore K2 to **1.1**, and keep the before/change/restored values in **A19:D20**. This is hypothetical practice only.



Planned	Actual	Variance	Interpretation		Planned	Relative	Absolute			Practice multiplier
100	80	-20	Actual below planned		100	120	120			1.2
100	120	20	Actual above planned		100	0	120			
100	0	-100	Confirmed numeric zero		100	0	120			
100			Not supplied; variance pending		100	0	120			
Input kind	Input	COUNT	SUM							
Numeric zero	0	1	0							
Blank		0	0							
Text	RM 600	0	0							
Reference check	Prediction	Observed	Reason							
Wrong reference	20	20	Recorded before repair: B3-A2							
Repaired	-20	-20	Same row: B2-A2							



Planned	Actual	Variance	Interpretation		Planned	Relative	Absolute			Practice multiplier
100	80	-20	Actual below planned		100	110	110			1.1
100	120	20	Actual above planned		100	0	110			
100	0	-100	Confirmed numeric zero		100	0	110			
100			Not supplied; variance pending		100	0	110			
Input kind	Input	COUNT	SUM							
Numeric zero	0	1	0							
Blank		0	0							
Text	RM 600	0	0							
Reference check	Prediction	Observed	Reason							
Wrong reference	20	20	Recorded before repair: B3-A2							
Repaired	-20	-20	Same row: B2-A2							
Assumption test	Before	Changed	Restored							
Hypothetical only	1.1	1.2	1.1							

9. In **A23:B26**, reconcile the original source with **=SUM(Tasks!I2:I13)**, **=SUM(Tasks!H2:H13)-SUM(Tasks!G2:G13)** and the difference **=B24-B25**. Both methods give **-RM3,600** and their difference is **RM0**. Fit A to show its labels. Record the blank-information and reference-drift explanations separately below. All original **Tasks!A1:H13** values remain unchanged.



	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	Planned	Actual	Variance	Interpretation		Planned	Relative	Absolute			Practice multiplier			
2	100	80	-20	Actual below planned		100	110	110			1.1			
3	100	120	20	Actual above planned		100	0	110						
4	100	0	-100	Confirmed numeric zero		100	0	110						
5	100			Not supplied; variance pending		100	0	110						
6														
7														
8	Input kind	Input	COUNT	SUM										
9	Numeric zero	0	1	0										
10	Blank		0	0										
11	Text	RM 600	0	0										
12														
13														
14	Reference check	Prediction	Observed	Reason										
15	Wrong reference	20	20	Recorded before repair: B3-A2										
16	Repaired	-20	-20	Same row: B2-A2										
17														
18														
19	Assumption test	Before	Changed	Restored										
20	Hypothetical only	1.1	1.2	1.1										
21														
22														
23	Reconciliation	Result												
24	Sum of row variances	-RM3,600												
25	Actual minus planned	-RM3,600												
26	Difference	RM0												
27														
28	Blank Actual	Not supplied; do not claim confirmed zero.												
29	Relative G3	Moves to blank K3; result 0 exposes reference drift.												
30	Absolute H5	Keeps $K$2; result 110 after restoring 1.1.												
31														
32														
33														

> **Validation boundary:** these are author UI reference checks. The independent estimate table, deliberately omitted total range, independent diagnosis and learner timing pilot have not been completed by this reference run.

Independent Challenge

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Create an independent three-row estimate table with at least one zero actual cost and one positive variance. Calculate and explain the results without copying a finished answer column.
2. Shorten one total range on the practice table, then use a second calculation to detect and repair the omission.
3. Write a short explanation of negative variance, numeric zero, blank information and a fixed reference, each supported by an actual test cell.

Evidence to Hand Over

- Four-case calculation test with a documented blank-information limitation.
- Reference-error and omitted-range diagnosis with repaired formulas.
- Reconciled baseline totals and independent estimate table.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check

A plausible total hides a copied-row error	Inspect row references and compare sum of variances against the difference of totals.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

You calculated and reconciled the register using visible source values and references.

Check yourself: Which part of a copied formula should move, and which should stay fixed?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

Part 1: Typed Values

```
Variance
```

```
=H2-G2
```

```
=SUM(G2:G13)
```

```
=SUM(H2:H13)
```

```
=SUM(I2:I13)
```

```
=AVERAGE(G2:G13)
```

```
=COUNT(G2:G13)
```

```
Practice multiplier
```

```
=G2*$L$9
```

Depth Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Calculation pairs Planned/Actual: 100/80; 100/120; 100/0; 100/blank. The final blank means
“not supplied” for this test, not a confirmed zero. Use this to distinguish calculation
mechanics from data meaning.
```

Captured Reference Ranges

Tasks: I1 Variance; I2 **=H2-G2**, fill I2:I13. Summary K1:L7: L2 **=SUM(G2:G13)** →10400; L3 **=SUM(H2:H13)** →6800; L4 **=SUM(I2:I13)** →-3600; L6 **=AVERAGE(G2:G13)** →866.666… (display RM866.67); L7 **=COUNT(G2:G13)** →12.

Navigation Practice: clear prior Lab 2 examples J2:K6 and reset J2:J13 to Number. K9 Practice multiplier; L9 1.1; J2 `=G2*$L$9`, fill to J13. Change 1.1→1.2→1.1; first/final results 660/770→720/840→660/770.

Calculation Tests: A1:D5 four pairs and interpretation, C2:C4 **=B2-A2** filled down gives -20,20,-100; B5/C5 stay empty. A8:D11 zero/blank/text tests give COUNT 1/0/0 and SUM 0/0/0. C2 deliberately wrong **=B3-A2** gives20, repaired **=B2-A2** gives-20. A14:D16 retains the observed test history. F2:F5 are100, G2 `=F2*K2`, H2 `=F2*$K$2`, fill G2:H5. K2 1.1→1.2→1.1; G3/G5 drift to empty K3/K5 while H3/H5 stay anchored. A19:D20 records restoration. B24 **=SUM(Tasks!I2:I13)** and B25 **=SUM(Tasks!H2:H13)-SUM(Tasks!G2:G13)** both give-3600; B26 **=B24-B25** gives0.

The source twelve records remain unchanged. Independent estimate/omitted-range challenge and classroom timing are pending. Lab 2 values-only target-format preservation remains a separate unresolved check.

04

CHAPTER 4

Clean and Organise Records

In this chapter you will find and replace, trim text, sort whole records and freeze the header row.

> **Prompts and values:** use the copy-paste page for the exact values used below.

Target allocation: 50 minutes: 10 explanation/demonstration, 20 guided build and casework, 15 independent challenge, 5 verification and repair. The active portion is 40 minutes by design. These are unmeasured targets awaiting a learner pilot.

Your result: A cleaned text example, whole-record sort and named cost range.

> **Status:** partial author reference with 22 staged application captures through 4.4. Raw text preservation, TRIM, scoped case repair, whole-record sorts, frozen header, named-range reconciliation and immediate Undo of an unsafe sort verified. The reference used manual raw-value entry; CSV upload/import, independent boundary challenge and learner timing remain unverified.

What You Will Learn

- Clean text without altering source evidence.
- Sort whole records.
- Keep headers visible while scrolling.

Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use Tasks and download DirtyText.csv. Keep cleaning practice separate from the original register.

4.1 Clean a Small Import

1. Import **DirtyText.csv** into a separate practice tab, keeping its headings **TaskID / Team / Status**. The captured reference uses a **Dirty Text Practice** tab and manual entry of the supplied values because browser file upload remained unavailable. It does **not** validate the CSV import flow.

For that fallback, enter the three records from the copy-paste page into A1:C4. Check the raw spaces: B2 must contain one leading and one trailing space around Planning, and B4 one trailing space after Site Coordination. The controlled paste stripped those spaces, so they were explicitly restored through the cell editor with a leading apostrophe before the literal text. The apostrophe is an input prefix, not part of the stored team. Do not clean the raw cells themselves.



2. Enter **CleanTeam** in D1 and **=TRIM(B2)** in D2. Inspect its formula before filling **D2:D4** with Ctrl+D.



3. Put **CleanStatus** in E1 and the canonical values **Complete / In Progress / Not Started** in E2:E4, retaining the original C column. Fit B and D so complete team names are visible. Add optional **Raw length / Clean length** checks in F:G using **=LEN(B2)** and **=LEN(D2)**, filled through row 4. Planning changes from length **10 to 8** and Site Coordination from **18 to 17**; Procurement remains **11**. These checks make otherwise invisible spaces testable.



4.2 Sort Whole Records

1. Right-click **Tasks > Duplicate**, then rename the copy **Sorting Practice**. Work on the copy to preserve the original register for later chapters. Select **A1:I13**, including the variance column.



2. Open **Data > Sort range > Advanced range sorting options**. Select **Data has header row**. Choose **Team, A to Z**, add another sort column, and explicitly choose **TaskID, A to Z**; the automatic second choice may be a different column. Inspect the full range and both keys before clicking **Sort**.



3. Locate **T001** and compare **Aina Rahman**, planned **600**, actual **550**, and **-50 variance** with the source. All twelve record relationships remain intact. This supplied register already follows Team/TaskID order, so this ascending sort legitimately leaves its order unchanged. The intake in 4.4 supplies a visible reorder test.



4.3 Freeze and Name a Range

1. On **Sorting Practice**, use **View > Freeze > 1 row**. The copy already inherited a frozen header; retaining or reselecting one row is appropriate. Do not freeze additional rows merely to produce a visible change.



2. Scroll down, or navigate to **A35**, and verify row 1 remains visible above the scrolled rows. Return to the record range afterwards.



3. Select **G2:G13** on **Sorting Practice**, use **Data > Named ranges**, enter **PlannedCosts** and save with **Done**. Inspect the bounds: **'Sorting Practice'!G2:G13**, twelve numeric cost cells. This name deliberately refers to the practice copy, not a changed baseline source.



4. In K9:L11 add labels **Named planned total / Explicit planned total / Difference**, with **=SUM(PlannedCosts)**, **=SUM(G2:G13)** and **=L9-L10**. Fit K to show the complete labels and scroll horizontally when needed. Both totals are **RM10,400**; the difference is **RM0**.



4.4 Clean an Intake and Prove That Records Stay Together

1. Create **Cleaning Intake Raw**, enter the supplied five records in A1:C6, and preserve the surrounding spaces in C001's team. Inspect the raw cell value, not only its appearance. The reference uses two leading and two trailing spaces around Planning. Duplicate this raw tab and rename the working copy **Cleaning Intake**. Keep the raw tab unchanged.



2. Add **CleanTeam / CleanStatus / Disposition** in D:F. Use **=TRIM(B2)** through D6. Initially copy the status values into E, so C001's cleaned status is still lowercase **complete** before the controlled repair. Compare both C002 records across all three supplied fields: they are identical. Keep both and label their disposition **Identical duplicate; retain both**. Retain **Blocked** on C003 and flag it for clarification; no canonical mapping is supplied. No owner or cost fields are invented for this intake.



3. Select **E2:E6** and open **Find and replace** with Ctrl+H. Find **complete**, replace with **Complete**, and confirm **Specific range 'Cleaning Intake'!E2:E6**. Enable **Match case** and **Match entire cell contents**; leave regular expressions and formula search off. This is the known case repair supplied by the exercise, rather than an invented spelling error.



4. Preview with **Find**, then use **Replace all**. Verify **Replaced one instance of complete with Complete**, then **Done**. The raw C2 and raw tab still contain lowercase complete. Update C001's disposition to **Case standardised; raw retained**.



5. Record three TaskID-to-status checks before sorting in A9:D12: C001 complete→Complete, both C002 In Progress→In Progress, and C003 Blocked→Blocked with clarification pending. The supplied intake has no owners, so status relationships provide the identity check.



6. Select **A1:F6**, including raw fields, cleaned fields and dispositions. Open advanced sorting, mark the header row, and sort **CleanTeam A to Z**, then **TaskID A to Z**. Using the cleaned team avoids making whitespace part of the sort key. Keep the check table below row 6 outside the sort.



7. Verify the sorted ID order **C001, C004, C002, C002, C003**. Inspect the copied TRIM formulas: each still points to its own row's raw team. Compare the three identity checks again and record them in A14:D17. Both identical C002 rows remain; C003's unresolved status remains attached to C003.



8. Reuse **PlannedCosts**, since this intake has no numeric cost column. In A19:B21 compare **=SUM(PlannedCosts)** with **=SUM('Sorting Practice'!G2:G13)**, then subtract the two results. Both give **RM10,400** and the difference is **RM0**. The exact twelve-cell bounds were inspected in 4.3. This does not test automatic expansion when new rows are added.



9. Duplicate the cleaned tab as **Sort Safety Test**. Select **only E2:E6** on this disposable copy. Keep the raw and clean intake tabs out of the test.



10. Use **Data > Sort range > Sort range by column E (A to Z)** on that isolated selection. Inspect the broken relationship: C001 now incorrectly has **Blocked**, C004 has **Complete**, and C003 has **Not Started**. The two C002 statuses happen to remain In Progress; checking only those would miss the defect.



11. **Undo immediately** with Ctrl+Z, before making any other edit. Compare all six columns and the three ID checks with Cleaning Intake. The reference verified an exact A1:F6 match after Undo.



12. Record the observed correct / bad-sort / after-Undo statuses in A24:D27. C001 is restored to Complete, both C002 to In Progress, and C003 to Blocked. Keep the restored disposable tab as labelled evidence. The original Tasks values/formulas and raw intake remain unchanged.



> **Validation boundary:** the reference verifies the guided and casework operations above. CSV file upload/import, the independent named-range expansion test, an independent cleaner's result and classroom timing remain pending.

Independent Challenge

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Produce a clean intake and an exception list independently. Keep unresolved category and conflicting-duplicate decisions visible.
2. Add one new numeric row only to a named-range practice copy and inspect whether the named range includes it. Repair its bounds and compare the two total methods.
3. Hand over the raw copy, clean result and three row-identity checks so another person can verify the cleaning without trusting your description.

Evidence to Hand Over

- Preserved raw intake, justified clean values and explicit exceptions.
- Whole-record sorting evidence and a restored isolated-column demonstration.
- Named-range boundary test and independently reconciled total.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
A clean-looking row is associated with the wrong task	Compare complete TaskID relationships before and after the sort, not only totals.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

Cleaning, whole-record sorts and visible headers make the data safer to analyse.

Check yourself: What must stay together when sorting a register?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

Part 1: Typed Values

```
CleanTeam
```

```
=TRIM(B2)
```

```
PlannedCosts
```

```
=SUM(PlannedCosts)
```

Depth Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Cleaning intake (TaskID | Team | Status): C001 |  Planning  | complete; C002 | Procurement |
In Progress; C003 | Site Coordination | Blocked; C002 | Procurement | In Progress; C004 |
Planning | Not Started. C001 has surrounding team spaces. The duplicate is identical; Blocked
remains unresolved. These are separate practice records.
```

Exact DirtyText.csv Records

For manual entry, treat each CSV field below as a separate cell and preserve the spaces inside its quotation marks. Do not paste the entire comma-separated block into one cell.

```
"TaskID","Team","Status"
"T001"," Planning ","complete"
"T002","Procurement","In Progress"
"T003","Site Coordination ","Not Started"
```

Manual Raw-Entry Fallback

CSV import remains unverified in the captured browser session. If entry trims the surrounding spaces, use a leading apostrophe in the cell editor to preserve the literal raw text; do not include that prefix in the intended stored value. DirtyText.csv raw team values are `Planning`, `Procurement`, and `Site Coordination`, with lengths10,11,18. TRIM produces Planning/Procurement/Site Coordination, lengths8,11,17. Keep raw A:C and cleaned D:E separate.

Cleaning Intake Raw A1:C6 contains the five supplied C records. The reference explicitly preserves two spaces before and after C001's Planning. Duplicate it as Cleaning Intake. D2:D6 uses TRIM of B on each row; E initially copies raw status. Restrict Find and replace complete→Complete to E2:E6, matching case

and entire cell; one replacement. Both C002 records are identical and retained. C003 Blocked is unresolved, with no invented mapping.

Sort A1:F6 by CleanTeam then TaskID, with the header option: C001,C004,C002,C002,C003. Inspect C001/C002/C003 status relationships before and after. In a disposable Sort Safety Test copy, sorting only E2:E6 A→Z makes C001 Blocked and C003 Not Started; Undo restores Complete and Blocked respectively. C002 remains In Progress through this test.

PlannedCosts bounds: **'Sorting Practice'!G2:G13**, twelve numeric cells. SUM(PlannedCosts)=10400, explicit SUM of that range=10400, difference0. No new-row expansion test is claimed. Tasks A1:L13 values/formulas remain unchanged. Independent challenge and learner timing remain pending.

05

CHAPTER 5

Validate and Filter the Register

In this chapter you will add a status dropdown, identify invalid entries and create a filter view.

> **Prompts and values:** use the copy-paste page for the exact values used below.

Target allocation: 50 minutes: 10 explanation/demonstration, 20 guided build and casework, 15 independent challenge, 5 verification and repair. The active portion is 40 minutes by design. These are unmeasured targets awaiting a learner pilot.

Your result: A status dropdown and two named filter views.

> **Status:** author reference with 34 staged application captures through 5.4. Strict status validation, actual rejection tests, whole-week boundaries/fractions, clearing limitations, two saved views, visible TaskID checks, ordinary SUM under filtering and restoration verified. Independent coverage/range repair and learner timing remain pending.

What You Will Learn

- Restrict status values.
- Create and name a filter view.
- Check hidden rows before interpreting totals.

Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use the original Tasks table, with all 12 baseline records still present.

5.1 Add a Status Dropdown

1. On **Tasks**, select **F2:F13** and open **Data > Data validation > Add rule**. Confirm **Apply to range Tasks!F2:F13**. In the current interface the default Drop-down criterion populated its choices from the selected cells; inspect rather than assuming those inferred choices are correct. Use exactly **Complete / In Progress / Not Started**.



2. Open **Advanced options**, confirm **Reject the input**, and keep **Allow multiple selections** off. The reference uses the Chip display. Click **Done**, then close the sidebar.



3. Inspect **F3** and open its dropdown. Its existing **In Progress** value remains unchanged, and the three canonical choices are available. Adding a rule must not rewrite the twelve source statuses.



5.2 Create a Filter View

1. Select **A1:I13**, including the header and variance. Use **Data > Create filter view**, or the toolbar's **Filter views > Create filter view**. This interface initially creates **Temporary filter 1**; inspect its range before saving.



2. Click **Save view**, enter **Incomplete tasks** in **Name this view?**, then **Save**. This save-and-name step replaces the older guide's assumption that a new view is named immediately.



3. Open the Status header filter, uncheck **Complete**, and click **OK**. Leave **In Progress** and **Not Started** selected.



4. Count the visible IDs: **T002, T003, T005, T006, T008, T009, T011, T012**. The lower-right indicator reports **8 of 12 rows displayed**. Compare these with the original source statuses.



5. Use **Exit** at the right of the green filter-view bar. All twelve records return. Closing the view does not delete its saved definition or any hidden records.



5.3 Test a Rule Safely

1. Select **F2**, copy it, and select the unused **N2** outside the source register. Use **Edit > Paste special > Data validation only**. This transfers the rule without copying a source status value. Keep the copied clipboard intact while selecting the destination; pasting a cell address would replace it.



2. Edit N2 with **F2** (the edit-cell key), enter **Done**, and commit. The reference shows **There was a problem** and identifies the allowed values **Complete, In Progress, Not Started**. This is rejection, not a warning that leaves an invalid value stored.



3. Dismiss the message, exit editing if necessary, and clear N2. Its value is empty; its copied validation remains available for safe demonstrations. No baseline status was changed.



4. Open the toolbar's **Filter views** menu and choose **Incomplete tasks**. It still shows the same eight task IDs. Exit the view before continuing.



5.4 Design and Verify Entry Rules and Focused Views

1. Create **Rule Tests** with headers **Status test / Validated input / Expected / Observed / Repair or next action** in A1:E1. Plan **Complete, In Progress, Not Started, Done and Blank** in rows 2–6. Predict acceptance for the canonical statuses and rejection for Done; leave observed results pending. Treat clearing as an actual test, not an assumed required-field guarantee.



2. Copy validation from Tasks F2 to **Rule Tests B2:B6** using **Paste special > Data validation only**. Enter test values through cell-edit mode, preserving the rule. The three canonical statuses are accepted in B2:B4.



3. Attempt **Done** in B5. It is rejected with the same allowed-value message. Dismiss the message; B5 stays empty. Record **Rejected** separately from the attempted value.



4. Enter a valid status in B6, then clear it with Backspace. Clearing is allowed. Record that observation and keep B6 empty. The tested rule limits nonempty status entries but does not prove that every required field is complete.



5. Plan the week tests in **A9:E15**: **0 reject / 1 accept / 4 accept / 5 reject / 1.5 reject / blank clearing to test**. Use a copy named **Entry Rule Practice**, created by duplicating **Entry Practice**. The test target is **E4** on that copy; the original three copied records remain unchanged.



6. On **Entry Rule Practice**, select **E2:E4** only, open **Data validation > Add rule**, choose **Custom formula is**, and enter:

```
=AND(ISNUMBER(E2),E2=INT(E2),E2≥1,E2≤4)
```

Use the top-left cell E2 as the relative reference. This checks numeric type, a whole number and both bounds; a simple between rule alone would not express the whole-week requirement. Explicitly choose **Reject the input**: the custom criterion initially offered **Show a warning** in this session. Enable help text **Enter a whole practice week from 1 to 4. This is not a calendar date.**, then save and close the sidebar. E2:E4 covers the three-record practice table, not the notes and type tests farther down that tab.



7. Reuse E4 for each planned test. Enter edit mode, select its previous content, type the candidate and commit. **0** is rejected with the configured help text. Dismiss the message before the next test.



8. Test **1**, then **4**; both are accepted. Inspect the formula bar after committing each input. The captured upper-bound stage shows E4 holding numeric **4**.



9. Test **5** and **1.5** separately. Both are rejected. A fractional value must not be accepted merely because it lies between the bounds.





10. Clear the previously valid week and observe that deletion is allowed. This clearing test does not establish acceptance of every possible blank-input mechanism. Required-field completeness still needs an explicit review.



11. Restore E4 to its original numeric **1**. Keep the other practice-record values unchanged.



TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost
T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	RM600	RM550
T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	RM800	RM700
T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	RM500	RM0

Type Tests	Practice only	Paste comparison		
Field	Input	Normal paste	Values only	Format only
Numeric cost	RM600	RM600	RM600	RM123
Text cost	RM 600			
Week index	2			
Practice date	24/10/2026			
Temporary SUM check	RM600			
Numeric input count	1			
Observed result	Explanation			
SUM and COUNT	SUM(B9:B10)=600 and COUNT(B9:B10)=1: numeric 600 contributes; text RM 600 is ignored by this range SUM.			
Paste result	Normal paste: D9 numeric600 with RM display. Values-only attempts (shortcut and Edit > Paste special) also carried RM onto E9 after explicit format0; expected target-format preservation needs manual verification. Format-only F9 retained123 and displayedRM123.			
Date boundary	Practice dates are examples only, outside Tasks DueWeek; they do not establish an agreed pilot start.			
Source checks	Observed numeric counts			
Source cost cells	24			
Source week cells	12			
Source values	Formatting changes display only; all twelve Tasks records checked against the pre-format source values.			

12. Record all observed results in Rule Tests. Add an entry guide in A18:B24 covering the canonical statuses, whole relative weeks, actual rejection messages, clearing limitation, unclear-category escalation and precise rule ranges. Fit the columns so labels and instructions are readable. Do not invent a mapping for an unclear category.



Status test	Validated input	Expected	Observed	Repair / next action
Complete	Complete	Accept	Accepted	None if accepted
In Progress	In Progress	Accept	Accepted	None if accepted
Not Started	Not Started	Accept	Accepted	None if accepted
Done		Reject	Rejected	Use a canonical status
Blank		Test clearing	Clearing allowed	Check required fields separately

Week test	Copy cell	Expected	Observed	Repair / next action
0	E4	Reject	Rejected	Use integer 1 through 4
1	E4	Accept	Accepted	None if accepted
4	E4	Accept	Accepted	None if accepted
5	E4	Reject	Rejected	Use integer 1 through 4
1.5	E4	Reject	Rejected	Use a whole week
Blank	E4	Test clearing	Clearing allowed	Check required fields separately

Entry guide	Instruction
Status	Complete, In Progress, Not Started
DueWeek	Whole practice week 1 to 4; a relative index, not a calendar date.
Invalid input	Read the rejection message and repair the value; do not bypass the rule.
Blank fields	Clearing is allowed. Check required fields before handing over a record.
Unclear category	Retain the uncertainty and ask for clarification; do not invent a mapping.
Rule coverage	Tasks F2:F13; status tests B2:B6; Entry Rule Practice E2:E4.

13. On **Tasks**, enter **SUM costs** in I15 and **=SUM(G2:G13)** in J15. This labelled check sits outside the bounded A1:I13 filter range and stays visible while rows are hidden. Before filtering its result is **RM10,400**.



14. Create a second filter view over **A1:I13**, save it as **Planning incomplete tasks**, and exclude Complete in Status as before.



15. In the Team header filter leave only **Planning** selected. Both Team and Status criteria must apply to the same view.



16. Verify **T002 and T003**, and the lower-right **2 of 12 rows displayed** indicator. A manual source scan confirms these are the two Planning records not Complete. J15 still shows **RM10,400** because an ordinary SUM includes values in hidden rows; it is not the total of only the two visible records.



17. Exit the view and inspect the **Filter views** menu. Both saved names remain available.



18. Reopen **Incomplete tasks** and verify eight IDs with J15 still **RM10,400**. Exit it, reopen **Planning incomplete tasks**, and verify the same two IDs. Do not use the mere presence of a view name as proof that its criteria persisted.





19. Exit the view and leave all twelve source records visible. The source A1:L13 values and formulas remain unchanged; the validation rules and separate J15 control are additions.



20. Record the two views' ranges, visible counts, observed IDs and ordinary SUM in **Rule Tests A27:E31**. All source rows return after closing the views. Inspect rule coverage separately from view coverage: an input outside a bounded rule may escape validation, and hiding a row does not remove it from an ordinary SUM.



> **Validation boundary:** these are author UI reference checks. The independent Procurement view, new-row coverage/range repair challenge, independent entry test and learner timing pilot remain pending. Earlier CSV-import and values-only-format limitations remain separate.

Independent Challenge

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Independently build a small entry test with one valid row, one invalid status and one out-of-range week. Demonstrate the rules rather than merely listing them.
2. Create a named view answering “Which Procurement tasks are not complete?” and list its TaskIDs as evidence.
3. Check whether each new practice row lies inside the rule and view ranges. Repair a missing bound on the practice copy and retest.

Evidence to Hand Over

- Expected-versus-observed rule matrix including week boundaries and blanks.
- Two useful named views with independently checked visible records.
- Entry guide and a repaired coverage/range test.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check

A new row accepts invalid values	Inspect rule coverage as well as the dropdown definition; retest the actual new row.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

Validation prevents inconsistent entries and filter views support focused inspection.

Check yourself: Does hiding a row delete it or remove it from an ordinary SUM?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

Part 1: Typed Values

```
Incomplete tasks
```

```
Done
```

Depth Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Rule test values: status Complete, In Progress, Not Started, Done and blank; DueWeek 0, 1, 4, 5 and 1.5. DueWeek is a relative index for this training exercise, not an approved calendar schedule.
```

Captured Rule and View Reference

- Tasks status range **F2:F13**; single-selection dropdown Complete / In Progress / Not Started, **Reject the input**. Spare N2 has the copied validation and is empty after the rejected Done test.
- Rule Tests status inputs **B2:B6** use that same strict rule. B2:B4 retain Complete / In Progress / Not Started; attempted Done in B5 was rejected, and clearing B6 was allowed. A2:A6 retain the attempted test values; observations are separate in D.
- Entry Rule Practice **E2:E4**: custom formula **=AND(ISNUMBER(E2),E2=INT(E2),E2>=1,E2<=4)**, reject invalid input. Help text: Enter a whole practice week from 1 to 4. This is not a calendar date. Test E4 with0/1/4/5/1.5, then clearing. Observed reject/accept/accept/reject/reject/clearing allowed. Restore E4 to1. The bounded rule does not cover the copied notes below the three-record table.
- Tasks **I15 SUM costs / J15 =SUM(G2:G13)** displays10400 before and during either view. Ordinary SUM includes hidden rows.
- **Incomplete tasks**, Tasks A1:I13: exclude Complete; eight IDs T002,T003,T005,T006,T008,T009,T011,T012.
- **Planning incomplete tasks**, same range: Team Planning and Status excluding Complete; two IDs T002,T003.
- Both views were reopened and checked, then closed with all12 rows visible. Entry guide and view observations are in Rule Tests A18:B24/A27:E31.

Source Tasks A1:L13 values/formulas and the original Entry Practice records remain unchanged. Testing clearing does not guarantee all required fields are complete. Independent Procurement/new-row coverage challenges and classroom timing remain pending.

06

CHAPTER 6

Summarise and Visualise

In this chapter you will build a simple conditional total and chart; ask Gemini to explain a checked formula if available.

> **Prompts and values:** use the copy-paste page for the exact values used below.

Target allocation: 55 minutes: 10 explanation/demonstration, 25 guided build and casework, 15 independent challenge, 5 verification and repair. The active portion is 45 minutes by design. These are unmeasured targets awaiting a learner pilot.

Your result: A conditional summary and a source-linked status chart.

> **Status:** author reference with 29 staged application captures through 6.4. Conditional summaries, two labelled charts, Gemini explanation, actual source-change propagation, reconciliations and repaired chart/category faults checked. Source status and cost restored. Independent dashboard/reviewer and learner timing remain pending.

What You Will Learn

- Calculate a conditional count and total.
- Choose and label a simple chart.
- Use AI to explain a formula without surrendering the check.

Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use Tasks and the starter Summary tab. Existing baseline status counts are four per category.

6.1 Count Statuses

1. Open the supplied **Summary** tab. A1:B4 already contains Status / TaskCount and the three canonical status labels; the counts are blank. Enter **=COUNTIF(Tasks!$F$2:$F$13,A2)** in B2. The fixed range covers the twelve task statuses; A2 supplies the criterion.



2. Select B2:B4 and use **Fill down** (Ctrl+D). Inspect B3: the range remains fixed and the criterion becomes A3. Enter **Total** in A5 and **=SUM(B2:B4)** in B5. Verify **4 / 4 / 4**, total **12**.



3. Move the fictional-data marker from D1 to G1 before using D:E. Enter **Team / Planned cost (RM)** in D1:E1 and **Planning / Procurement / Site Coordination** in D2:D4. In E2 enter **=SUMIF(Tasks!$B$2:$B$13,D2,Tasks!$G$2:$G$13)**.



4. Fill E2 through E4. Verify **2800 / 4000 / 3600**, which sum to **10400**. Fit D:E to the labels so Site Coordination and the RM heading remain readable. These are planned amounts, not actual expenditure or savings.



6.2 Build a Useful Chart

1. Select **A1:B4**, excluding Total, then **Insert > Chart**. This session initially suggested a pie chart; explicitly choose **Column chart** in **Chart editor > Setup**. Confirm **A1:B4**, row 1 headers and column A labels.



2. In **Customise > Chart and axis titles**, set the chart title to **Task count by status**. Close the editor. Select the chart once, then drag its blank upper area to place it below the summaries without covering cells.



3. Verify exactly three categories, each at **4**. No blank category or Total should be plotted. Inspect B3 in the formula bar alongside the chart; its criterion is A3.



6.3 Explain and Check

1. If available, open **Ask Gemini** and request an explanation of the COUNTIF formula **in the panel only**. Ask about the anchored range, relative criterion and filling to B3. Do not apply Insert or other workbook changes. The exact prompt is on the copy-paste page. If Gemini is unavailable, explain the same references manually and record the fallback.



2. Compare the explanation with actual B3: **=COUNTIF(Tasks!$F$2:$F$13,A3)**. The twelve-row range stays fixed; the criterion shifts from A2 to A3. In this session Gemini showed the same B3 formula and

result 4. Its prose explanation is supporting material, not proof that the workbook is correct. Close the panel.



3. On Tasks, identify **T003** in row 4 and record **F4 = Not Started** before editing. Do not change a different task or an entire status column.



4. Temporarily edit F4 to **Complete**, preserving its existing dropdown rule. Commit the cell edit.



5. Return to Summary. Verify **Complete 5 / In Progress 4 / Not Started 3**, still total **12**, and the status chart changes with the source.



6. Restore Tasks F4 to **Not Started** immediately.



7. Return to Summary and verify **4 / 4 / 4** and the chart's three equal bars again. Both source and visual restoration matter.



6.4 Build a Second Summary and Diagnose a Misleading Chart

1. Select **D1:E4** and insert another column chart. Confirm its range and category labels.



2. Title it **Planned cost by team (RM)**. The series/vertical axis reads **Planned cost (RM)**. Place it beside the status chart; keep currency amounts separate from task counts.



3. In G2:J4 create **Summary Checks / Summary / Source / Difference**. Row 3 is **Task count**, with H3 **=B5**, I3 **=COUNTA(Tasks!A2:A13)**, J3 **=H3-I3**. Row 4 is **Planned cost (RM)**, with H4 **=SUM(E2:E4)**, I4 **=SUM(Tasks!G2:G13)**, J4 **=H4-I4**. Expect **12 versus 12** and **10400 versus 10400**, both differences zero. Fit G so its labels are readable.



4. Duplicate Summary and name the copy **Chart Range Tests**. Keep baseline Summary intact for the fault tests. Its copied formulas still refer to Tasks.



5. Edit the copied status chart in **Setup**. Use **Select data range**, set the single range **A1:B5**, and confirm **OK**. Verify the chart actually displays a fourth **Total = 12** category. The reference needed the range dialog: typing in the compact range field alone did not update the underlying category/series ranges. If multiple ranges are listed, retain only the intended single range. The categories now represent 4+4+4+12=24 plotted counts even though only twelve tasks exist; Total duplicates the population already split into statuses.



6. Use the same range dialog to restore **A1:B4**. Verify three bars at four; changing the title or hiding a label would not repair the source selection.



7. On **Chart Range Tests** only, temporarily misspell A4 as **Not Startd**. B4's COUNTIF becomes **0**, the category's bar has zero height, B5 falls to **8**, and J3 reports **-4** against twelve source TaskIDs. The source tasks are still present; the criterion is wrong.



8. Repair A4 to **Not Started**. B4 returns to **4**, total **12**, difference zero, and the chart returns to baseline. Retain the formula; never type a replacement count over it.



9. On baseline Summary, write two supported findings: **4 tasks in each status; 12 in total**, and **Procurement has the largest planned total: RM4,000 of RM10,400**. Neither finding establishes on-time delivery or realised savings.



10. For the cost propagation test, record original **Tasks G4 = 500** for T003. H4 is zero; I4's variance formula gives **-500**.



11. Temporarily edit G4 to **600**. Verify the row's I4 becomes **-600**; do not overwrite the variance formula.



12. On Summary, Planning becomes **2900**, Procurement remains **4000**, Site Coordination remains **3600**, and both planned grand totals become **10500** with difference zero. Inspect the Planning chart bar. The baseline findings describe the restored baseline; do not treat them as automatically refreshed narrative.



13. Restore Tasks **G4 to 500**. Verify I4 returns to **-500** and the source planned total to **10400**.



14. Verify Summary team totals **2800 / 4000 / 3600**, planned totals **10400**, status counts **4 / 4 / 4**, and zero reconciliation differences. Both charts and the baseline findings agree again.



15. Create **Summary Test Log** with columns **Check / Target or change / Expected and observed / Restored final state**. Record the actual status, range, spelling, cost, formula and reconciliation checks. Wrap the log text and use readable column widths. Record the independent challenge and learner timing as pending rather than claiming them from these guided author checks.



	A	B	C	D	E
1	**Check**	**Target / change**	**Expected and observed**	**Restored final state**	
2	Status change	Tasks F4: Not Started to Complete	Summary B2:B4 and chart: 5 / 4 / 3; total 12	F4 Not Started; counts 4 / 4 / 4	
3	Chart range fault	Chart Range Tests status chart A1:B5	Fourth category Total = 12; double-count risk	Range A1:B4; three categories	
4	Spelling fault	Chart Range Tests A4: Not Startd	B4 zero, B5 8, J3 -4; zero-height category	A4 Not Started; formula B4 4; total 12	
5	Cost change	Tasks G4: 500 to 600	I4 -600; Planning 2900; source and summary 10500	G4 500; I4 -500; Planning 2800; totals 10400	
6	Formula check	Summary B3 COUNTIF	Fixed Tasks F2:F13; relative A3; result 4	Panel-only explanation; no Insert applied	
7	Reconciliation	Summary H3:J4 versus Tasks	Task count 12 versus 12; planned 10400 versus 10400	Both differences zero	
8	Scope	Author reference through guided 6.1-6.3 and casework 6.4	Independent dashboard/reviewer and learner timing pending	Baseline source values restored	
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					

> **Validation boundary:** author UI reference through guided 6.1–6.3 and casework 6.4. All original Tasks A1:N15 values/formulas are restored; new summaries, charts, named copy and test log are retained. Independent dashboard, reviewer/fresh attempt and learner timing remain pending. Earlier CSV-import and values-only-format limitations remain separate.

Independent Challenge

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Prepare an independent one-page dashboard on a new tab with two labelled charts, source links and two concise supported findings.
2. Diagnose the card's suspicious chart and summary symptoms using the source cells. Repair the cause, not just the visual appearance.
3. Use a reviewer or fresh read-through to check units, population and total reconciliation, then record one correction or evidence for a no-change decision.

Evidence to Hand Over

- Two reconciled summaries/charts with distinct units.
- Documented total-row and misspelt-category fault repairs.
- Independent dashboard, supported findings and restored source-change test.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check

A missing count is hidden by typing a result	Repair the criterion or formula so later source changes still recalculate.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

A checked summary and chart communicate the register accurately.

Check yourself: Why should the total row normally be excluded from this chart's categories?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

Part 1: Typed Values

```
=COUNTIF(Tasks!$F$2:$F$13,A2)
```

```
=SUM(B2:B4)
```

```
Task count by status
```

Depth Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Troubleshooting card: A status chart shows Complete, In Progress, Not Started and Total.
Another summary says 4, 4 and 0 even though 12 task rows remain. Investigate source range and
exact criterion spelling before altering the chart design.
```

Captured Conditional Summary Reference

```
=SUMIF(Tasks!$B$2:$B$13,D2,Tasks!$G$2:$G$13)
```

Gemini prompt (panel explanation only):

```
Explain this formula in the panel only: =COUNTIF(Tasks!$F$2:$F$13,A2). Explain the anchored
range and the relative criterion cell, including what changes when filled to B3. Use only this
formula and this fictional workbook. Do not edit cells, create charts, or apply changes.
```

Baseline: status4/4/4, total12; team planned2800/4000/3600, grand total10400. Summary B2:B4 uses COUNTIF with fixed Tasks F2:F13 and relative A2/A3/A4; E2:E4 uses SUMIF with fixed Tasks B2:B13 and G2:G13 and relative D2/D3/D4.

Summary Checks G2:J4: Task count H3=B5, I3=COUNTA(Tasks!A2:A13), J3=H3-I3; Planned cost (RM) H4=SUM(E2:E4), I4=SUM(Tasks!G2:G13), J4=H4-I4. Both differences zero.

Chart titles: Task count by status (A1:B4), Planned cost by team (RM) (D1:E4). On Chart Range Tests, A1:B5 deliberately plots Total12 as a fourth category; repair to A1:B4 using Select data range and OK. Misspell A4 Not Startd: COUNTIF0, total8, difference-4; repair label to Not Started, retaining the formula.

Temporary source tests: Tasks F4 Not Started→Complete gives5/4/3, then restore Not Started. Tasks G4 500→600 gives I4-600, Planning2900 and both planned totals10500; restore500 gives I4-500, Planning2800 and10400. Source values/formulas restored. Summary Test Log retains observations. Independent dashboard/reviewer and learner timing pending.

07

CHAPTER 7

Share and Prepare Output

In this chapter you will inspect access, print a selected range and check scaling and page breaks.

> **Prompts and values:** use the copy-paste page for the exact values used below.

Target allocation: 40 minutes: 10 explanation/demonstration, 10 guided build and casework, 15 independent challenge, 5 verification and repair. The active portion is 30 minutes by design. These are unmeasured targets awaiting a learner pilot.

Your result: Checked access and readable register and summary print previews.

> **Status:** author reference with 29 staged captures through 7.4 (25 application views and four actual PDF pages). Restricted access/unpublished state inspected without changes; selected-range clipping repaired; three native PDF revisions checked, including a two-page register with repeated header; source heading restored and revision manifest recorded. Independent outputs/reviewer and learner timing remain pending.

What You Will Learn

- Inspect sharing without accidental exposure.
- Prepare a readable print range.
- Distinguish printing from public publishing.

Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use the checked register. No public publishing or email distribution is required.

7.1 Inspect Access

1. Open **Share** on the maintained workbook. Inspect **People with access** and **General access**. This reference shows **Restricted** and one listed owner; no additional people/groups or inherited group access is displayed in this dialog. Record what is shown rather than assuming the same permissions in another account.



2. Explain the proposed roles: **Viewer** reads, **Commenter** reads and comments, **Editor** can edit. Keep these role explanations separate from actual recipient testing. No named recipient was assigned in this reference, so no invitation or permission change was made. Close with **Done**.

7.2 Prepare the Print Range

1. On Tasks, select **A1:I13**, including all twelve records and the variance column. This excludes K:L controls, the row 15 SUM, spare cells and unrelated tabs.



2. Open **File > Print**. Inspect the scope menu: it offers **Current sheet**, **Workbook**, and **Selected cells (A1:I13)**. A selection in the grid does not mean Selected cells is already chosen; this session initially used Current sheet.



3. Explicitly choose **Selected cells (A1:I13)**, **Landscape**, and **Fit to width**. Inspect every preview page and all nine headers. The initial Letter preview fits one page but makes this wide register small; fitting alone does not establish readable physical output. The later casework uses A3 at approximately 10.7 pt and a separate layout copy.



4. Expand **Headers and footers**. **Repeat frozen rows** is available because Tasks already has row 1 frozen; repeat frozen columns is disabled because none are frozen. This option must be tested on

actual multi-page output. Cancel this print preview before continuing. If the browser's system print dialog opens after **Next**, cancel it; the PDF workflow below uses **Download as PDF** and **Export**.



7.3 Compare Output Options

1. Inspect **File > Share > Publish to web**, or find **Publish to web** with menu search. The dialog explicitly says **This document is not published to the web**. Do not click Publish.



2. Inspect the sheet/chart scope selector. **Entire document** and individual sheets/charts are offered. Publication creates a web-facing view and can broaden the audience; it is separate from file access and from a fixed PDF snapshot. Close the menu and dialog without publishing. A fixed PDF is suitable

when the recipient needs a checked revision rather than an editable live tracker; distribution still needs its own authorised recipient and scope.



7.4 Prepare a Readable, Scoped and Reproducible Output

1. Create **Output Plan**. Write the output brief and role proposal separately from the actual access record. A contributor needs all twelve Tasks rows and working input cells; a sponsor needs a fixed summary of **12 tasks**, counts **4/4/4**, team planned **RM2800/4000/3600**, total **RM10400**, and two labelled charts. Record Editor only as a proposal for a separately approved contributor; no recipient permission has been tested. Record the inspected Restricted/owner-only display and unpublished state. In the reference, A:B are 650 pixels wide with wrapped text.



2. On Summary, inspect the extent of the charts as well as the populated cells. The first attempted scope **A1:J28** covered the summary cells but did not extend far enough for the right-hand chart.



3. Open Print and compare **Current sheet / Workbook / Selected cells**. Current sheet uses the used sheet area, Workbook risks including practice/test tabs, and Selected cells limits the exported region. Explicitly choose the intended scope each time.



4. The **A1:J28** selected-cells preview clips the cost chart: Site Coordination is missing from the printed right-hand side. This is a scope defect even though the source chart is complete. Cancel and repair the selection rather than accepting a partly visible chart.



5. Select **A1:N28** and reopen the preview with **Selected cells** and **Fit to width**. Both complete charts now fit inside the region. Inspect all three team labels, all three statuses, the totals and zero reconciliation differences. No test tabs belong in this sponsor handout.



6. Choose **A3**, **Landscape**, and fit-to-width for this author reference. The saved text is approximately **10.7 pt** on A3; confirm the actual customer's output medium before adopting this layout. Do not claim that the same content remains readable when printed smaller. Page numbers can be selected under Headers and footers, but this session's saved PDFs did not contain visible footer numbers, so that option is not treated as verified output.



7. Cancel the Print workflow and use **File > Download > PDF (.pdf)**, or menu search **Download as PDF**. This opens the same layout controls with **Export**, avoiding the browser system print dialog reached by Print's Next. Recheck **Selected cells (A1:N28)**, A3, Landscape, Fit to width, and the one-page preview; the export scope initially defaults to Current sheet again. Click **Export** and retain the downloaded file as **GW-Sponsor-Summary-r1.pdf**.



8. Open or render the actual saved PDF, not just its preview. Verify the counts, planned totals, findings and both complete charts. This full-page render is from the native downloaded PDF. Record its revision, page count, source range and file hash before changing the source.



9. To test page breaks without changing the maintained register, duplicate Tasks as **Register Output**. On that copy only, remove columns **J:Z** and rows **14:1000**, leaving exactly **A1:I13** with the original twelve records and row 1 frozen. Preserve all nine fields and the variance formulas. This is a layout snapshot; contributors should continue editing the maintained Tasks sheet.



10. Use **Download as PDF** on Register Output. Choose **Current sheet**, A3, Landscape and **Normal (100%)**, then **Set custom page breaks**. Selected-cells mode disables custom page breaks in the summary workflow; the bounded layout copy allows Current sheet without helper content.



11. Drag the bottom row-page boundary to the line **after row 7**, between T006 and T007, then **Confirm breaks**. The reference now has two row-page regions. This deliberate split tests pagination and header repetition; it is not a requirement to waste a second page for every small register.



12. Under Headers and footers confirm **Repeat frozen rows**. The scale reads **Fit to page breaks (100%)**, and the preview reports **2 pages**. Inspect page 1 for T001–T006 and all column labels.



13. Scroll to the final preview page. It must repeat the header and show **T007–T012**, including the last task **Record pilot lessons** and its row values. No K:L controls, row 15 SUM or practice sheets should appear. Click **Export** and retain the file as **GW-Task-Listing-r1.pdf**.



14. Open or render **both actual PDF pages**. Page 1 contains six tasks and readable headers.

TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost	Variance
T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	RM600	RM550	-RM50
T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	RM800	RM700	-RM100
T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	RM500	RM0	-RM500
T004	Planning	Prepare register template	Aina Rahman	2	Complete	RM900	RM850	-RM50
T005	Procurement	Check dropdown choices	Bala Kumar	2	In Progress	RM1,200	RM1,050	-RM150
T006	Procurement	Collect sample update	Siti Aminah	2	Not Started	RM700	RM0	-RM700

15. Page 2 contains the other six tasks, repeats the header and includes T012. Compare row labels and cost values with Tasks; all twelve records appear exactly once across the two pages. The PDF uses A3 landscape and approximately 10.7 pt text. Footer numbers were not visible despite selecting the option; identify pages by the inspected content and PDF page count in this reference.

TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost	Variance
T007	Procurement	Review sample chart	Aina Rahman	3	Complete	RM1,500	RM1,400	-RM100
T008	Procurement	Prepare team guidance	Bala Kumar	3	In Progress	RM600	RM500	-RM100
T009	Site Coordination	Check hub navigation	Siti Aminah	3	Not Started	RM1,000	RM0	-RM1,000
T010	Site Coordination	Rehearse sponsor update	Aina Rahman	4	Complete	RM800	RM750	-RM50
T011	Site Coordination	Review final submissions	Bala Kumar	4	In Progress	RM1,100	RM1,000	-RM100
T012	Site Coordination	Record pilot lessons	Siti Aminah	4	Not Started	RM700	RM0	-RM700

16. On maintained Summary, record **A1 = Status**. Keep the saved revision 1 PDF untouched.



17. Temporarily change that one heading to **Task status**. Counts, formulas, costs and chart data must remain unchanged. A saved PDF does not update when the working source changes.



18. Export the same **A1:N28** range with the same A3/Landscape/Fit-to-width settings as **GW-Sponsor-Summary-r2.pdf**. Keep revision 1 as a separate file; do not overwrite it.



19. Inspect revision 2: its heading is **Task status**, with the same 4/4/4, total 12, planned 10400 and complete charts. Reopen or compare revision 1: it still says **Status**, and its SHA256 remains unchanged. A newly generated revision and an old fixed copy can legitimately differ from one another.



20. Restore Summary A1 to **Status**. Verify the maintained source values/formulas match the pre-test baseline. Revision 2 remains the latest fixed demonstration with its changed heading; document that deliberate difference from the restored source rather than claiming the two are identical.



21. Update Output Plan with the repaired **A1:N28** scope and completed revision sequence. The maintained workbook is the live source; Register Output is the bounded layout snapshot; the PDFs are

fixed outputs.



	A	B	C	D
1	**Item**	**Output brief and actual access record**		
2	Maintained source	GW - Sheets - Task Register. Tasks A2:H13 working inputs; I2:I13 and Summary formulas are calculated results to review.		
3	Contributor proposal	Editor only if separately approved for a named person; all 12 Tasks records and headers are needed. No invitation sent or recipient permissions tested.		
4	Sponsor proposal	Fixed summary PDF; baseline 12 tasks, counts 4/4/4; team planned RM2800/4000/3600 and total RM10400; two labelled charts.		
5	Actual access inspected	Restricted. One listed owner. No additional people or groups displayed, and no inherited group access displayed in this dialog.		
6	Role explanation	Viewer reads; Commenter reads and comments; Editor can edit. These are proposed roles, not demonstrated recipient access.		
7	Publication check	Publish to the web says not published. Entire document is offered; selected-sheet/chart publication differs from file access and fixed PDF output. Closed without Publish.		
8	Register scope	Tasks A1:I13 only; exclude K:L controls, row15 SUM, spare cells and all practice/test tabs.		
9	Sponsor scope	Summary A1:N28. Initial A1:J28 clipped the cost chart; corrected to include its full width. A3 landscape, fit to width; no test tabs.		
10	Revision plan	Completed r1 → temporary A1 Task status → r2 → A1 restored Status. Old r1 SHA256 unchanged; r2 preserves the changed heading. Latest fixed demonstration is r2; live source is restored baseline.		
11				
12	**Export manifest**	**Scope, settings and verified revision**		
13	GW-Sponsor-Summary-r1.pdf	1 page; Summary A1:N28; A3 landscape, fit width; original heading Status; counts4/4/4, total12, planned10400 and both complete charts.		
14	GW-Sponsor-Summary-r2.pdf	1 page; same scope/settings; heading Task status; numeric controls unchanged. Latest fixed demonstration revision.		
15	GW-Task-Listing-r1.pdf	2 pages; Register Output A1:I13 only; A3 landscape, custom break after row7 at100%; repeated frozen header; T001–T006 then T007–T012.		
16	Source restored	Summary A1 Status. Tasks original values/formulas unchanged. Register Output is a layout snapshot; edit the maintained Tasks source, not this fixed PDF.		
17	Summary r1 SHA256	c0a99d8d2ff708ba8516a4c513026aace330600f6f3ee88ef2f4a6706672a45e		
18	Summary r2 SHA256	73a11edad9cc7e66443094d98d2e62baec66836ee7f15d81d1c69a592e0d2bb3		
19	Register SHA256	680ca965924efc7288639f4c0c9e206170eddf21356c8cf81921f61f997728f0		
20	Access and publication	Restricted; owner only listed; not published. Roles are proposals; no recipient access tested. No distribution performed.		
21	PDF check boundary	All four exported pages rendered and inspected; text approximately10.7pt at A3. Footer page-number selection did not produce visible numbers in saved PDFs; do not rely on that option as proof.		

22. Add an **Export manifest** identifying each filename, source range, paper/orientation/scale, page count, inspected final-page content, hash, and revision status. Record source restoration, actual access versus proposed roles, the footer-number limitation and pending independent reviewer/timing checks. The downloadable examples below are the native author reference exports.



	A	B	C	D
12	**Export manifest**	**Scope, settings and verified revision**		
13	GW-Sponsor-Summary-r1.pdf	1 page; Summary A1:N28; A3 landscape, fit width; original heading Status; counts4/4/4, total12, planned10400 and both complete charts.		
14	GW-Sponsor-Summary-r2.pdf	1 page; same scope/settings; heading Task status; numeric controls unchanged. Latest fixed demonstration revision.		
15	GW-Task-Listing-r1.pdf	2 pages; Register Output A1:I13 only; A3 landscape, custom break after row7 at100%; repeated frozen header; T001–T006 then T007–T012.		
16	Source restored	Summary A1 Status. Tasks original values/formulas unchanged. Register Output is a layout snapshot; edit the maintained Tasks source, not this fixed PDF.		
17	Summary r1 SHA256	c0a99d8d2ff708ba8516a4c513026aace330600f6f3ee88ef2f4a6706672a45e		
18	Summary r2 SHA256	73a11edad9cc7e66443094d98d2e62baec66836ee7f15d81d1c69a592e0d2bb3		
19	Register SHA256	680ca965924efc7288639f4c0c9e206170eddf21356c8cf81921f61f997728f0		
20	Access and publication	Restricted; owner only listed; not published. Roles are proposals; no recipient access tested. No distribution performed.		
21	PDF check boundary	All four exported pages rendered and inspected; text approximately10.7pt at A3. Footer page-number selection did not produce visible numbers in saved PDFs; do not rely on that option as proof.		
22	Remaining learner checks	Independent outputs, reviewer manifest test and classroom timing remain pending. A3 is this author reference choice; confirm intended customer output medium.		

- Sponsor summary r1 — original heading, one A3 page
- Sponsor summary r2 — changed heading, one A3 page
- Task listing r1 — repeated header, two A3 pages

- Export manifest with hashes and scope

> **Validation boundary:** guided 7.1–7.3 and casework 7.4 are author reference checks. The three PDFs contain four inspected pages. No sharing, publication, email distribution or recipient-role testing was performed. The original Tasks values/formulas and Summary heading are restored. Independent outputs, reviewer manifest test, customer output medium and classroom timing remain pending; earlier import/paste limitations remain separate.

Independent Challenge

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Prepare two independent outputs: a concise sponsor summary and a complete task listing with readable headings. Do not force both into the same one-page layout.
2. Have a reviewer use the manifest to identify the current source and current fixed copy. Repair ambiguous filenames or scope labels.
3. Explain which ranges should be edited, which calculated cells should be reviewed and why a fixed PDF is not a live tracker.

Evidence to Hand Over

- Inspected access settings and proposed-role plan.
- Two scope-checked readable PDFs with the correct final-page content.
- Source-to-export comparison and a revision manifest that identifies the current copy.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
The PDF contains practice/helper content	Inspect selected-cells versus current-sheet/workbook scope and regenerate the intended output.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

Checked access and readable output complete the register handover.

Check yourself: Which output would automatically reflect later source changes, and which is a snapshot?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

This chapter uses the supplied files and visible controls. No additional prompt or typed code is required.

Depth Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Output brief: Sponsor wants a readable summary of the 12-task baseline and planned costs.
Contributor needs all task rows and labels. Exclude Entry Practice, temporary rule tests and
unrelated helper notes from the sponsor handout.
```

Captured Output Reference

Actual access display: Restricted, one listed owner; no additional people/groups or inherited group access displayed. Roles are proposed only; no invitation or recipient access test. Publish to the web says not published and was closed without Publish.

Register logical scope: Tasks A1:I13, twelve records/nine fields. Register Output is a separate layout copy bounded by removing J:Z and rows14:1000. Current sheet PDF, A3 landscape, custom break after row7 at100%, repeated frozen row1: page1 T001–T006, page2 T007–T012. GW-Task-Listing-r1.pdf has2pages.

Sponsor logical scope: Summary A1:N28. Initial A1:J28 clips the cost chart. A3 landscape / Fit to width; all counts4/4/4,total12,team planned2800/4000/3600,total10400,zero differences,two complete charts. Native Download as PDF opens Export; Print's Next opens a browser dialog. Recheck Selected cells after each opening.

Revision test: GW-Sponsor-Summary-r1.pdf,1page,heading Status; temporarily change SummaryA1 to Task status; export GW-Sponsor-Summary-r2.pdf,1page,changed heading/same numeric controls. Original r1 SHA256 unchanged. Restore source A1 Status. Latest fixed demonstration r2 retains its changed heading; restored live source and fixed copy are documented separately in Output Plan.

Native exports and JSON manifest are linked in the lesson. All four pages were rendered and checked at approximately10.7pt on A3. Page-number option did not produce visible footers in the downloaded PDFs; repeated header was verified. Independent outputs/reviewer and learner timing remain pending.

08

CHAPTER 8

Complete the Register Challenge

In this chapter you will extend a separate register, repair a formula and reconcile its totals before an independent changed-row challenge.

> **Prompts and values:** use the copy-paste page for the exact values used below.

Target allocation: 45 minutes: 10 explanation/demonstration, 15 guided build and casework, 15 independent challenge, 5 verification and repair. The active portion is 35 minutes by design. These are unmeasured targets awaiting a learner pilot.

Your result: A separate 13-record challenge copy with reconciled totals and chart.

> **Status:** author reference with 32 staged captures through 8.4 (31 application views and one native PDF page). Separate 13-record workbook, extended ranges, repaired reference, actual validation rejection, two-method controls, cost correction, focused views, current PDF and operating guide checked. Original baseline preserved. Partner explanation/handover, independent T014/range omission and learner timing remain pending.

What You Will Learn

- Extend a register deliberately.
- Repair a formula and reconcile totals.
- Explain a checked chart.

Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Make a separate challenge copy of your workbook. The original 12-record baseline must stay intact.

8.1 Add a New Record

1. On the maintained workbook use **File > Make a copy**. Name the new file **GW - Sheets - Register Challenge - 13 Records**. Keep **Share it with the same people** and **Copy comments** unchecked. Verify the new title and distinct workbook identity before editing. This is a whole-workbook scenario copy, not a replacement for the original baseline.



2. Inspect Tasks and its original twelve records. The copied workbook also contains earlier practice tabs and output plans; these are training history. The current challenge handover will use **Tasks / Summary / Change Log** only. Do not present an inherited twelve-record PDF or practice control as the corrected challenge output.



3. In Tasks A14:H14 enter **T013 / Planning / Check the handover / Aina Rahman / 4 / Not Started / 200 / 0**. The new costs are numeric; the existing bounded controls still omit row 14 until extended.



4. Select I13:I14 and **Fill down**. Inspect **I14 =H14-G14**, result **-200**. It must calculate from its own record rather than a prior task.



5. Inspect the status rule through **Data > Data validation**. Its intended range is **Tasks!F2:F14**, retaining the separate N2 spare rule. Use the **Select data range** picker, extend the F range and confirm **OK / Done**; preserve the exact canonical choices and Reject input. The captured field edit below shows the intended extension, but this author's first text-field attempt did not persist. The actual new-row verification and committed repair are shown in 8.3. Do not accept a typed range field alone as proof of coverage.



6. Extend the live Tasks controls: L2 **=SUM(G2:G14)**, L3 **=SUM(H2:H14)**, L4 **=SUM(I2:I14)**, L6 **=AVERAGE(G2:G14)**, L7 **=COUNT(G2:G14)**, and J15 **=SUM(G2:G14)**. Expected values before correction are **10600 / 6800 / -3800**, average planned **815.384615...**, numeric count **13**. The original twelve task values remain unchanged.



7. Inspect **Named ranges**. In the inherited training workbook, PlannedCosts referred to the earlier **Sorting Practice!G2:G13**. In this scenario copy, edit it to the authoritative **Tasks!G2:G14** and save. Navigating to PlannedCosts selects Tasks and reports **RM10600**. Record both the sheet change and new last row; simply extending a historical practice table would leave the named control tied to the wrong source.



TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost
T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	RM600	
T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	RM800	
T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	RM500	
T004	Planning	Prepare register template	Aina Rahman	2	Complete	RM900	
T005	Procurement	Check dropdown choices	Bala Kumar	2	In Progress	RM1,200	
T006	Procurement	Collect sample update	Siti Aminah	2	Not Started	RM700	
T007	Procurement	Review sample chart	Aina Rahman	3	Complete	RM1,500	
T008	Procurement	Prepare team guidance	Bala Kumar	3	In Progress	RM600	
T009	Site Coordination	Check hub navigation	Siti Aminah	3	Not Started	RM1,000	
T010	Site Coordination	Rehearse sponsor update	Aina Rahman	4	Complete	RM800	
T011	Site Coordination	Review final submissions	Bala Kumar	4	In Progress	RM1,100	
T012	Site Coordination	Record pilot lessons	Siti Aminah	4	Not Started	RM700	

8. On Summary, enter **=COUNTIF(Tasks!$F$2:$F$14,A2)** in B2 and fill to B4. Enter **=SUMIF(Tasks!$B$2:$B$14,D2,Tasks!$G$2:$G$14)** in E2 and fill to E4. Extend I3 to **=COUNTA(Tasks!A2:A14)** and I4 to **=SUM(Tasks!G2:G14)**. The existing B5/H3/H4/difference formulas can remain because their summary-category population has not gained a row. Expect **4 / 4 / 5**, total **13**, team planned **3000 / 4000 / 3600**, total **10600**, zero differences. The inherited written findings are updated in the next section; text does not automatically refresh with a chart.



Status	TaskCount
Complete	4
In Progress	4
Not Started	5
Total	13

Team	Planned cost (RM)
Planning	3000
Procurement	4000
Site Coordination	3600

Fictional training data

Summary Checks	Summary	Source	Difference
Task count	13	13	0
Planned cost (RM)	10600	RM10,600	RM0

Finding: 4 tasks in each status; 12 tasks in total.
Finding: Procurement has the largest planned total: RM4,000 of RM10,400.

8.2 Repair and Reconcile

1. Predict a deliberate error before applying it. Change challenge I14 to **=H14-G13**. G13 is T012's planned **700**, so the predicted row result is **-700**, summed variance **-4300**, and discrepancy **-500** from the correct actual-minus-planned **-3800**. Inspect the actual row and total; the captured grid shows that predicted fault.



2. Repair I14 to **=H14-G14**. The row returns to **-200**; do not replace the formula with a typed result.



3. Reconcile planned **10600**, actual **6800**, and variance **-3800**. Compare the sum of row variances with actual total minus planned total. Numeric planned-cost count is thirteen.



4. Update the written findings to **4 Complete / 4 In Progress / 5 Not Started; 13 tasks** and explain that T013 adds planned **RM200**, increasing Planning to **RM3000** and planned grand total to **RM10600**. Inspect both charts. Their category source ranges stay **A1:B4 / D1:E4**; the conditional formulas underneath them now cover the thirteenth source record.



8.3 Explain the Result

1. Verify the new row's validation before handover. In this run the first compact range-text edit had not saved F14. The author reopened the rule, used **Select data range**, changed the first range to **Tasks!F2:F14**, preserved **Tasks!N2**, then confirmed **OK / Done**. Entering **Done** in F14 through cell-edit mode is now actually rejected with the three allowed statuses.



2. Dismiss the message and exit editing. F14 retains **Not Started**. This is evidence of the tested rule on the new row; a dropdown elsewhere in the workbook would not prove that coverage. The repaired range is also confirmed in native cell metadata.



3. Explain using the cells: I14's H14/G14 references follow its own row; Summary B4 holds **=COUNTIF(Tasks!$F$2:$F$14,A4)**, with a fixed source range and relative criterion; F14 uses the canonical strict status rule. Identify the new record's RM200 planned contribution and its effect on population and variance. This reference provides the cell-supported author explanation; the requested partner explanation remains a learner/human check and was not performed.



8.4 Stress-Test the Extended Register and Complete the Handover

1. Create **Change Log** and list every active range changed for T013: row variance, totals, average/count, status validation, PlannedCosts, conditional summaries, source checks, chart dependency and filter-view coverage. Distinguish inherited training tabs and baseline exports from the current scenario. The reference uses wrapped 450-pixel A:C columns so descriptions remain readable. Leave filter-view verification pending until reopened below.



2. On Tasks use **View > Show > Formulae**, or menu search **Show all formulae**. Inspect every cell I2:I14: each is **=Hrow-Grow**, including repaired I14. Turn formula display off afterward. If a sort is required, sort whole records and repeat the row-reference check; this reference did not perform an additional sort in Lab 8.



3. Extend Summary's control block with actual and variance checks in G5:J6. H5 is **=SUM(Tasks!H2:H14)**. I5 independently adds SUMIF actual totals for Planning, Procurement and Site Coordination over B2:B14/H2:H14; J5 is H5-I5. H6 is **=SUM(Tasks!I2:I14)**; I6 is H5-H4, and J6 is H6-I6. Before the correction these reconcile to **6800 / -3800** and zero differences.



4. In Change Log A15:D22 make a control table **Control / Method one / Method two / Difference**. Compare COUNTA task IDs with COUNT numeric planned costs; COUNTUNIQUE with COUNTA; SUM planned with the team SUMIF total; SUM actual with the three-team actual total; summed variance with actual-minus-planned; status-count sum with record count; and SUM(PlannedCosts) with the direct source sum. Each difference should be zero. Record the next prediction before changing the source: **T013 ActualCost 0→150** should give row variance **-50**, actual grand total **6950**, variance grand total **-3650**, with planned **10600** unchanged. Status and planned-cost charts should remain unchanged because neither uses ActualCost.



5. Apply **150** to challenge Tasks H14 only. Verify **I14 =H14-G14 = -50**. For consistent display, copy G13:H13 and paste **Format only** into G14:H14 without overwriting numeric 200/150. Preserve the clipboard while selecting the destination; pasting an address would replace the copied cells.



6. Inspect Summary: actual **6950**, variance **-3650**, planned **10600**, counts **4/4/5**, zero reconciliation differences. The unchanged charts are correct for their selected measures; the actual/variance controls communicate the correction.



7. Recheck the two-method table and record observed versus predicted effects. The corrected state is retained in this scenario copy; the original baseline is not changed to 13 records.



	A	B	C	D	E
3	Source totals	Tasks L2/L3/L4 use G2:G14/H2:H14/I2:I14; J15 uses G2:G14	10600 / 6800 / -3800 before correction; no omitted T013.		
4	Other controls	Tasks L6 AVERAGE(G2:G14); L7 COUNT(G2:G14)	815.384615 average planned; numeric count13.		
5	Status validation	Tasks F2:F14 plus retained spare N2; strict canonical list	First range text edit did not save F14; committed in range picker. Done rejected; Not Started retained.		
6	Named range	PlannedCosts changed from historical Sorting Practice G2:G13 to authoritative Tasks G2:G14	Navigation selects Tasks and shows sum10600; inherited practice controls are historical, not handover analysis.		
7	Conditional summaries	Summary B2:B4 fixed F2:F14; E2:E4 fixed B2:B14/G2:G14	Counts4/4/5,total13; planned by team3000/4000/3600.		
8	Source reconciliation	Summary I3 COUNTA Tasks A2:A14; I4 SUM Tasks G2:G14	Count13 and planned10600; differences0.		
9	Charts	Keep Summary chart source A1:B4 and D1:E4	Category ranges do not gain a data row; their source formulas are extended.		
10	Filter view coverage	Inherited views still need range A1:I14 and visible-ID checks	Pending before focused-view step; do not claim coverage from names alone.		
11	Archived tabs and outputs	Copied practice tabs, Chart Range Tests, Register Output, Output Plan and old exports describe earlier training states	Current handover uses challenge Tasks / Summary / Change Log only. Original workbook remains separate 12-record baseline.		
12	Fault prediction and repair	I14 =H14-G13 predicted -700 and summed variance-4300, mismatch-500	Observed in actual Tasks grid; repaired H14-G14 restores -200 and total-3800.		
13					
14					
15	Control	Method one	Method two	Difference	
16	Record count	13	13	0	
17	Unique task IDs	13	13	0	
18	Planned cost	RM10,600	10600	RM0	
19	Actual cost	RM6,950	6950	RM0	
20	Variance	-RM3,650	-RM3,650	RM0	
21	Status population	13	13	0	
22	Named range	RM10,600	RM10,600	RM0	
23					
24	Correction prediction	T013 H14 0 to150; planned10600 unchanged; actual6950; row variance-50; total variance-3650. Counts4/4/5 and planned chart stay unchanged because neither uses ActualCost.			
25					
26	Observed correction	T013 actual150; variance-50. Total actual6950, variance-3650; planned10600. Status4/4/5 and planned chart unchanged as predicted; controls reconcile with zero differences.			

8. Reopen **Incomplete tasks** and inspect its range and record IDs. In this session the inherited view already reopened over **A1:I14**, so no manual range edit was needed. Verify nine visible IDs **T002, T003, T005, T006, T008, T009, T011, T012, T013**. Check bounds explicitly; do not assume the application will expand a bounded view in every future run.



TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost	Varianc
T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	RM800	RM700	-RM100
T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	RM500	RM0	-RM500
T005	Procurement	Check dropdown choices	Bala Kumar	2	In Progress	RM1,200	RM1,050	-RM150
T006	Procurement	Collect sample update	Siti Aminah	2	Not Started	RM700	RM0	-RM700
T008	Procurement	Prepare team guidance	Bala Kumar	3	In Progress	RM600	RM500	-RM100
T009	Site Coordination	Check hub navigation	Siti Aminah	3	Not Started	RM1,000	RM0	-RM1,000
T011	Site Coordination	Review final submissions	Bala Kumar	4	In Progress	RM1,100	RM1,000	-RM100
T012	Site Coordination	Record pilot lessons	Siti Aminah	4	Not Started	RM700	RM0	-RM700
T013	Planning	Check the handover	Aina Rahman	4	Not Started	RM200	RM150	-RM50
							SUM costs	RM10,600

9. Close that view and reopen **Planning incomplete tasks**. It also shows **A1:I14**, with **3 of 13 rows displayed**: **T002, T003, T013**. The new task must be included. A saved view name alone is not a population check.



10. Exit the view and leave all thirteen records visible. Update Change Log with the observed ranges and IDs, noting that both views were closed. Ordinary SUM still includes the full source population while a view hides rows.



11. Label Summary **13-record challenge - corrected** and write a current finding with **planned RM10600 / actual RM6950 / variance -RM3650**. Keep the task-count finding at 4/4/5, thirteen total. Include the new actual/variance controls in the sponsor output so its corrected state can be distinguished from the old baseline PDF.



12. Select **Summary A1:N28**, use **Download as PDF**, and explicitly choose **Selected cells**, A3, Landscape, Fit to width. Inspect the complete labels, charts and current control values. Export as **GW-Register-Challenge-Corrected-r1.pdf**; do not overwrite a baseline file or export the whole workbook's historical practice tabs.



13. Inspect the actual saved page. It is a one-page A3 native PDF with approximately 10.7 pt text, thirteen tasks, status **4/4/5**, Planning **3000**, planned **10600**, actual **6950**, variance **-3650**, zero differences and both complete charts. It is distinct from the untouched baseline exports.

Status	TaskCount
Complete	4
In Progress	4
Not Started	5
Total	13

Team	Planned cost (RM)
Planning	3000
Procurement	4000
Site Coordination	3600

13-record challenge — corrected

Summary Checks	Summary	Source	Difference
Task count	13	13	0
Planned cost (RM)	10600	RM10,600	RM0
Actual cost (RM)	RM6,950	6950	RM0
Variance (RM)	-RM3,650	-RM3,650	RM0

Finding: 4 Complete, 4 In Progress and 5 Not Started; 13 tasks in total.
Corrected challenge: planned RM10,600; actual RM6,950; variance -RM3,650.

14. Write an operating guide in Change Log: identify the maintained challenge source; enter the next record on a further disposable copy; retain unique IDs/numeric costs/canonical statuses; copy a same-row formula; extend every active bounded range; commit and test rule coverage; inspect whole-record sorts and view IDs; reconcile by two methods; then export a newly named current summary. Record the PDF's scope, state, page count and hash. Partner handover and independent T014 remain pending rather than being inferred from this written guide.



GW - Sheets - Register Challenge - 13 Records

	A	B	C	D	E
26	Observed correction	T013 actual150; variance-50. Total actual6950, variance-3650; planned10600. Status4/4/5 and planned chart unchanged as predicted; controls reconcile with zero differences.			
27					
28					
29	**Operating guide**	**Current corrected challenge / next-record procedure**			
30	Current source	GW - Sheets - Register Challenge - 13 Records: use Tasks, Summary and Change Log. The original GW - Sheets - Task Register remains the 12-record baseline.			
31	Enter another record	Use a further disposable copy for the independent T014 task. Assign a unique ID, retain full row fields, numeric costs and a canonical status. T014 has not been entered in this author reference.			
32	Extend calculations	Copy variance with references to its own row; extend totals, average/count, PlannedCosts, COUNTIF/SUMIF and source checks to the new last row. Keep chart category ranges bounded to summary categories.			
33	Check entry rules	Use the range picker to commit coverage, then test the new row. Reject invalid status input; correct to Complete / In Progress / Not Started. Ask for clarification rather than inventing a mapping.			
34	Sort and view safely	Sort whole records including every task field and verify each row formula afterward. Reopen both views and inspect bounds/IDs; do not infer coverage from a saved name or automatic expansion.			
35	Reconcile before export	Check record and unique counts, numeric population, planned/actual totals, variance sum versus actual-minus-planned, status-count sum and all zero differences.			
36	Export current sponsor copy	Summary A1:N28, Download as PDF, Selected cells, A3 landscape, fit to width; inspect complete charts and current actual/variance controls. Recheck scope after opening Export.			
37	Fixed copy identity	GW-Register-Challenge-Corrected-r1.pdf; 1 A3 page; 13 records, planned10600, actual6950, variance-3650, status4/4/5. This is distinct from earlier baseline PDFs.			
38	Current export SHA256	da029860d7a417a1f314107aa319f7ea0802274f6702f29e0c9cbd4c62bdb6e2			
39	Human check boundary	Written operating guide is authored and cell-supported. Partner explanation, partner handover, independent T014/range-omission test and learner timing remain pending.			

Calculation Tests | Dirty Text Practice | Entry Practice | Entry Rule Practice | Summary | Change Log | Summary Test Log | Chart Range Tests

15. Inspect the completed coverage log and control table. Current handover sources are **Tasks / Summary / Change Log**; copied practice tabs, prior Register Output, Output Plan and old PDFs describe earlier training states. The PlannedCosts definition now belongs to the authoritative challenge Tasks source, so historical practice controls must not be presented as the current handover analysis.



16. Reopen the original **GW - Sheets - Task Register** and compare its twelve-record state: **4/4/4**, planned **10400**, actual **6800**, variance **-3600**. Native readback confirms its Tasks and Summary values/formulas remain unchanged from Lab 7.



17. Leave **GW - Sheets - Register Challenge - 13 Records** clearly named and saved in the corrected state. Its 13-record source, controls, export and written guide are retained; there is no T014 author-reference copy yet.



- Corrected challenge sponsor PDF
- Current export manifest

> **Validation boundary:** guided 8.1–8.2, cell-supported author explanation and casework 8.4 are checked. Partner explanation/handover, independent T014 and shortened-range diagnosis, and learner timing remain pending. All eight Foundation labs now have author-reference captures; this does not establish a classroom-ready release or resolve earlier CSV/import and values-only-format limitations.

Independent Challenge

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Close the earlier click instructions. Add T014 on a further disposable copy using the supplied fields, then extend and verify all affected features independently.
2. Use your control table to catch at least one deliberately shortened range. Correct it and explain the cause with cell evidence.
3. Give a partner the operating guide and ask them to find the current source and identify the checks for the next row. Record a handover improvement and leave all scenario copies clearly named.

Evidence to Hand Over

- 13-record cost-corrected challenge and a full coverage/change log.
- Separate 14-record independent test with reconciled totals and repaired range omission.

- Readable current export plus a tested operating guide and preserved baseline.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
The challenge contaminates the next baseline lesson	Keep named scenario copies and compare their population and totals before proceeding.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

You have built, checked and extended a usable register.

Check yourself: Which ranges needed extending after T013 was added?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

Part 1: Typed Values

```
Check the handover
```

Depth Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Corrections and extension: T013 ActualCost becomes 150. Further-copy T014: Procurement |
Verify submission checklist | Bala Kumar | week 4 | In Progress | planned 300 | actual 100.
Keep all three states separate: original baseline, 13-record corrected challenge, 14-record
extension.
```

Captured Challenge Reference

T013 TSV for Tasks A14:H14:

```
T013    Planning        Check the handover      Aina Rahman     4       Not Started     200
0
```

I14 =H14-G14. Live source totals/average/count and COUNTIF/SUMIF bounds include row14. PlannedCosts in this challenge is Tasks!G2:G14, retargeted from historical Sorting Practice!G2:G13. Status range Tasks F2:F14 (plus retained spare N2), strict canonical choices Complete/In Progress/Not Started. Commit through range picker and actually test the new cell; first compact text edit did not persist in the author run.

Before correction:13unique records,planned10600,actual6800,variance-3800,status4/4/5;Planning planned3000. Deliberate I14=H14-G13 gives-700 and total-4300 (mismatch-500), repaired to own-row H14-G14. After H14=150:rowvariance-50,actual6950,variance-3650,planned10600 and status4/4/5 unchanged. No extra sort was performed; all13variance formulas were inspected in the grid and metadata.

Summary actual check:

```
=SUMIF(Tasks!B2:B14,"Planning",Tasks!H2:H14)+SUMIF(Tasks!B2:B14,"Procurement",Tasks!H2:H14)+SU
MIF(Tasks!B2:B14,"Site Coordination",Tasks!H2:H14)
```

Change Log controls compare count/unique IDs, planned and actual team totals, variance sum versus actual-minus-planned, status population and named range. All differences0. Both saved views reopened with A1:I14:incomplete9IDs T002,T003,T005,T006,T008,T009,T011,T012,T013;Planning incomplete3IDs T002,T003,T013. No manual view-range edit needed in this session; both closed with13source rows visible.

Current PDF:GW-Register-Challenge-Corrected-r1.pdf,Summary A1:N28,one A3landscape page,13-record corrected state. Current native workbook's Tasks/Summary/Change Log are authoritative; inherited practice tabs and old outputs are history. Original12-record baseline unchanged at10400/6800/-3600/status4/4/4. Independent T014 and partner/timing checks pending.

Google Sheets Fundamental and Intermediate

A course review draft with fictional inputs and substantial casework. Captured source controls, range extensions, strict entry rules, reconciled charts, native PDF handovers and an operating guide. All eight labs have author references; independent learner/reviewer validation and classroom timing remain pending.

Asraf Jaafar Sidik · Microsoft Certified Trainer ·