GOOGLE WORKSPACE TRAINING



Google Sheets Advanced

Two-day course review draft

Analyse and hand over a fictional procurement register. All 12 guided author routes include 416 captured stages through source checks, formulas, pivots, database criteria, dashboards, Gemini audits, capstone and a runbook tested on a separate PO025 extension. Baseline preserved; unresolved keys and historical snapshots labelled. Independent challenges, human review, spoken delivery and learner timing remain pending.

Delivered by Asraf · Microsoft Certified Trainer

Google Sheets Advanced

Two-day course review draft · Review draft, version 0.4

© 2026 Asraf Jaafar Sidik. All rights reserved.

Resources: Use the practice files supplied with this review package.

Google, Google Workspace, Gmail, Google Drive, Google Docs, Google Sheets, Google Slides, Google Sites, Gemini and NotebookLM are names associated with Google. This independent training guide is not published or endorsed by Google.

Screenshots show the product at the time of writing. Google updates its apps often, so labels, availability and layouts in your account may differ. This review draft still requires full lab validation.

About the author

Asraf is a Microsoft Certified Trainer and HRD Corp-certified IT trainer based in Malaysia. He has been teaching working professionals since 2008, helping teams at banks, pharmaceutical companies, construction firms, and retailers get real work done with Microsoft 365, Power Platform, Excel, Google Workspace, and, more recently, AI tools like Copilot.

He holds a Bachelor of Information Technology (Multimedia) from the University of Malaya, along with Microsoft certifications in Power BI (PL-300) and AI for business (AB-730). Outside the classroom he writes his own automation tools in Python and Node.js, mostly to save himself from doing the same task twice.

He runs his training practice solo, which means he has personally felt every inefficiency this book tries to fix.

Contents

Before you begin 6

1 Audit the Source Register 7
- 1.1 Prepare the Workbook 7
- 1.2 Audit Key Fields 11
- 1.3 Protect the Analysis Trail 13
- 1.4 Quarantine Bad Rows and Write a Data Contract 15
- Prompts and values 25

2 Build Conditional Calculations 31
- 2.1 Calculate Line Amounts 31
- 2.2 Create a Summary Grid 36
- 2.3 Test Logic Boundaries 38
- 2.4 Reconcile Three Populations and Test Conditional Boundaries 39
- Prompts and values 54

3 Validate Entries and Flag Exceptions 57
- 3.1 Validate New Entries 57
- 3.2 Flag Pending High Amounts 60
- 3.3 Test the Rules 61
- 3.4 Create a Rule Test Harness and Reconcile Exceptions 63
- Prompts and values 80

4 Combine and Clean Text 82
- 4.1 Extract Identifier Parts 82
- 4.2 Combine and Clean Text 85
- 4.3 Check Categorisation 87
- 4.4 Build a Reversible Text Normalisation Pipeline 90
- Prompts and values 101

5 Match Records and Handle Errors 106
- 5.1 Look Up a Rate 106
- 5.2 Practise a Horizontal Lookup 109
- 5.3 Handle an Expected Missing Key 111
- 5.4 Challenge Exact Lookups With Missing and Duplicate Keys 113
- Prompts and values 127

6 Complete the Formula Clinic 131
- 6.1 Create Three Test Defects 131
- 6.2 Repair and Test 135
- 6.3 Reconcile and Explain 138
- 6.4 Run the Formula Fault Clinic 141
- Prompts and values 149

7 Summarise with Pivot Tables 153
- 7.1 Build the Pivot 153
- 7.2 Filter and Compare 156
- 7.3 Inspect a Calculated Field 158
- 7.4 Reconcile Pivot Semantics and New-Row Coverage 161
- Prompts and values 174

8 Query Structured Criteria 178
- 8.1 Build the Criteria 178
- 8.2 Count and Average 180
- 8.3 Check Criteria Semantics 182
- 8.4 Prove AND, OR and Overlapping Criteria 185
- Prompts and values 200

9 Build a Dashboard 206
9.1 Build a Compact View 206
9.2 Show the Weekly Sequence 209
9.3 Test a Refresh 211
9.4 Design a Dashboard With a Visible Refresh Contract 215
Prompts and values 224

10 Use Gemini as an Analysis Partner 228
10.1 Request a Formula Proposal 228
10.2 Check an Interpretation 231
10.3 Inspect Generated Visuals 234
10.4 Evaluate AI Proposals Against Known Test Cases 241
Prompts and values 252

11 Complete the Analysis Capstone 258
11.1 Define and Calculate 258
11.2 Challenge the Result 262
11.3 Present the Analysis 267
11.4 Complete a Decision Analysis With Independent Evidence 269
Prompts and values 278

12 Review and Handover 286
12.1 Review the Baseline 286
12.2 Write the Handover 288
12.3 Demonstrate One Update 291
12.4 Make the Analysis Operable by Another Analyst 301
Prompts and values 310

INTRODUCTION

Before you begin

This review book accompanies Google Sheets Advanced. Work through its chapters in order and keep the original practice inputs unchanged. The same notes and prompts also appear in the local course website.

Current Status

All chapters in this book are written drafts. Most have not yet been executed end to end in the application. The masterclass's reference brief chapter has a tested core path with a recorded recovery prompt; that does not validate the other exercises. Treat VERIFY notes and draft notices as production work still to complete.

What You Need

Use a desktop browser and the Google account approved for the class. Confirm app and AI access beforehand. Edition, administrator controls and language can affect availability.

Download the supplied fictional practice pack. No real client or personnel record is needed. Dataset week fields are relative practice weeks, not an agreed pilot start date.

How to Use the Exercises

Follow the numbered steps, attempt the output and then open the expected-result box. AI wording can vary; source facts and approval conditions must remain correct.

Values and prompts follow the notes. Replace source placeholders before submitting. Inspect proposed edits before applying them. Drafting does not authorise sending, inviting people or publishing.

Course Timing

This course is planned for 2 days, with 390 teaching minutes per day, excluding breaks and lunch. Estimates include practice, checks and discussion and need a classroom pilot.

Each course supplies independent starting inputs. Use a stated recovery file if an earlier output is missing.

Expanded Casework

Revision 0.4 adds casework, independent challenges and evidence gates to every chapter. The original short guided path alone is insufficient. Timings are targets, not measured learner results. Read each case input and keep baseline and scenario files separate.

01

CHAPTER 1

Audit the Source Register

In this chapter you will check types, blanks, duplicates and keys before analysis.

> **Prompts:** the prompts page has every value and prompt for this chapter, each with a Copy button.

Estimated time: 45 minutes, planned as 10 explanation and demonstration, 15 guided build and casework, 15 independent practice and 5 verification and repair, with 35 active minutes by design. Not yet timed with learners.

Your result: An audited source, preserved snapshot and empty Analysis workspace.

> **Status:** author reference with 30 staged application captures through 1.4. Native conversion, baseline diagnostics, preserved snapshot, empty Analysis, six raw intake cases, training contract and evidence-backed proposed dispositions checked. Upload required instructor handoff. Independent disposition/release-condition work, reviewer challenge and learner timing remain pending.

What You Will Learn

- Inspect dataset grain and keys.
- Check types and baseline controls.
- Preserve the source before analysis.

Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Download ProcurementRegister.xlsx. It contains 24 fictional order lines and a six-item rate table, separate from the pilot budget.

1.1 Prepare the Workbook

1. In the training account, create a separate **GW - Sheets Advanced - Practice** folder in My Drive. Keep it separate from the Foundation register.



Open a separate empty Advanced practice folder.

2. Upload **ProcurementRegister.xlsx** from the supplied practice files. This is a handoff, not a verified automated upload.

> **Reference run:** The extension blocked local-file uploads, so the instructor uploaded the file manually.



Inspect the manually uploaded starter workbook.

3. Open the Excel workbook and use **File > Save as Google Sheets**. Preserve the original XLSX. This creates a distinct native file; do not simply rename the Excel source.



Save the Excel source as a separate native Sheets file.

4. Rename the native file **GW - Sheets Advanced - Analysis**. On **Orders**, confirm the nine working headers in **A1:I1** and inspect the records. The supplied **K1** fictional-data label is outside that working table.



Inspect the named native Orders baseline.

5. Navigate to **A25:I25**. Confirm **PO024** is the final supplied order, with 24 data rows in **2:25**. One row represents a fictional order line, not a project subtotal or purchase commitment.



OrderID	Project	Team	ItemCode	Quantity	UnitCost	Status	Week	Description
PO006	PJ-A	Site Coordination	IT06	2	RM 8.00	Pending	1	Quick guide for review session
PO007	PJ-A	Planning	IT01	4	RM 45.00	Cancelled	2	Display adapter for briefing
PO008	PJ-A	Procurement	IT02	6	RM 12.00	Delivered	2	Training notebook for pilot team
PO009	PJ-B	Site Coordination	IT03	8	RM 30.00	Delivered	2	Cable pack for review session
PO010	PJ-B	Planning	IT04	10	RM 18.00	Pending	2	Marker set for briefing
PO011	PJ-B	Procurement	IT05	2	RM 25.00	Cancelled	2	Desk sign for pilot team
PO012	PJ-B	Site Coordination	IT06	4	RM 8.00	Delivered	2	Quick guide for review session
PO013	PJ-B	Planning	IT01	6	RM 45.00	Delivered	3	Display adapter for briefing
PO014	PJ-B	Procurement	IT02	8	RM 12.00	Pending	3	Training notebook for pilot team
PO015	PJ-B	Site Coordination	IT03	10	RM 30.00	Cancelled	3	Cable pack for review session
PO016	PJ-B	Planning	IT04	2	RM 18.00	Delivered	3	Marker set for briefing
PO017	PJ-C	Procurement	IT05	4	RM 25.00	Delivered	3	Desk sign for pilot team
PO018	PJ-C	Site Coordination	IT06	6	RM 8.00	Pending	3	Quick guide for review session
PO019	PJ-C	Planning	IT01	8	RM 45.00	Cancelled	4	Display adapter for briefing
PO020	PJ-C	Procurement	IT02	10	RM 12.00	Delivered	4	Training notebook for pilot team
PO021	PJ-C	Site Coordination	IT03	2	RM 30.00	Delivered	4	Cable pack for review session
PO022	PJ-C	Planning	IT04	4	RM 18.00	Pending	4	Marker set for briefing
PO023	PJ-C	Procurement	IT05	6	RM 25.00	Cancelled	4	Desk sign for pilot team
PO024	PJ-C	Site Coordination	IT06	8	RM 8.00	Delivered	4	Quick guide for review session

Check the final supplied order PO024.

6. Open **Rates** and inspect **A1:D7**: six item codes **IT01–IT06** in A2:A7, with item, unit cost and category fields. Keep the supplied **F1** label outside the table.



ItemCode	Item	UnitCost	Category
IT01	Display adapter	RM 45.00	Equipment
IT02	Training notebook	RM 12.00	Stationery
IT03	Cable pack	RM 30.00	Equipment
IT04	Marker set	RM 18.00	Stationery
IT05	Desk sign	RM 25.00	Print
IT06	Quick guide	RM 8.00	Print

Inspect the six original Rates keys.

1.2 Audit Key Fields

1. Create **Audit Checks** so the diagnostics do not alter Orders. Paste the baseline diagnostic card from the prompts page into **A1:G25**. It references each source row and checks ID occurrences, numeric Quantity/UnitCost/Week, exact item-key counts and allowed statuses. Make A:G wide enough to read the headings; the first captured stage uses 155-pixel columns.



OrderID	ID occurrences	Qty numeric	Cost numeric	Item key matches	Allowed status	Week numeric
PO001	1	TRUE	TRUE	1	TRUE	TRUE
PO002	1	TRUE	TRUE	1	TRUE	TRUE
PO003	1	TRUE	TRUE	1	TRUE	TRUE
PO004	1	TRUE	TRUE	1	TRUE	TRUE
PO005	1	TRUE	TRUE	1	TRUE	TRUE
PO006	1	TRUE	TRUE	1	TRUE	TRUE
PO007	1	TRUE	TRUE	1	TRUE	TRUE
PO008	1	TRUE	TRUE	1	TRUE	TRUE
PO009	1	TRUE	TRUE	1	TRUE	TRUE
PO010	1	TRUE	TRUE	1	TRUE	TRUE
PO011	1	TRUE	TRUE	1	TRUE	TRUE
PO012	1	TRUE	TRUE	1	TRUE	TRUE
PO013	1	TRUE	TRUE	1	TRUE	TRUE
PO014	1	TRUE	TRUE	1	TRUE	TRUE
PO015	1	TRUE	TRUE	1	TRUE	TRUE
PO016	1	TRUE	TRUE	1	TRUE	TRUE
PO017	1	TRUE	TRUE	1	TRUE	TRUE
PO018	1	TRUE	TRUE	1	TRUE	TRUE
PO019	1	TRUE	TRUE	1	TRUE	TRUE
PO020	1	TRUE	TRUE	1	TRUE	TRUE
PO021	1	TRUE	TRUE	1	TRUE	TRUE
PO022	1	TRUE	TRUE	1	TRUE	TRUE
PO023	1	TRUE	TRUE	1	TRUE	TRUE
PO024	1	TRUE	TRUE	1	TRUE	TRUE

Check every baseline row with native formulas.

2. Paste the population-control card into **A28:B48**. Confirm **24 rows / 24 unique IDs / 0 blanks / 0 non-unique ID rows**, 24 numeric values in each required field, 24 matched item keys, and six unique nonblank Rates keys. The status population is **12 Delivered / 6 Pending / 6 Cancelled**, total 24. Quantity sums to **140**; the unit-price sum is **RM552**, which is a diagnostic checksum, not spend. Week is the numeric practice index **1–4**, not a date. Use a wider label column and navigate to B48 to see the complete control block.



Reconcile baseline population and numeric controls.

3. Inspect **B2 =COUNTIF(Orders!$A$2:$A$25,A2)**. Each baseline ID occurs once. The anchored source population stays fixed while each row tests its own relative ID. A count of one inside intake alone would not prove that an ID is new to Orders; the later casework checks both populations.



Inspect the anchored duplicate diagnostic.

4. Inspect **C2 =ISNUMBER(Orders!E2)** and its results down to row 25. Verify Quantity and UnitCost are actual numbers. Keep Cancelled records visible; validity and the population chosen for a later question are separate decisions.



Inspect a numeric type check.

1.3 Protect the Analysis Trail

1. Return to **Orders**. Open its tab menu and choose **Duplicate** before adding any analysis calculation to that source.



Duplicate Orders before adding analysis calculations.

2. Rename the duplicate **Source Snapshot**. It retains the supplied Orders values and formatting. This is a preserved comparison copy; naming it does not create a protected-range permission or automatic version archive.



Retain the original Source Snapshot.

3. Create **Analysis** and leave it empty for later summaries. Keep diagnostics in Audit Checks rather than prebuilding later course outputs.



Create an empty Analysis workspace.

4. In **Audit Checks A51:B57**, record the source **Orders!A1:I25**, rate table **Rates!A1:D7**, order-line grain, snapshot purpose and empty Analysis workspace. Wrap the note text; in the captured workbook A is 320 pixels and B is 400 pixels. Source facts, training rules and unresolved questions must remain distinguishable.



Record source grain range and tab purpose.

1.4 Quarantine Bad Rows and Write a Data Contract

1. Create **Audit Intake** and paste the six-row raw card into **A1:I7**. These are labelled practice copies of PO001–PO006, altered only as described in the card. Preserve the blank ID, **IT99**, text **four**, numeric **0** and **Cancelled** exactly. Use the practice IDs QA003–QA006 only in intake. Add **Issue / Evidence / Disposition** in J1:L1. Do not append any of these rows to Orders. The captured raw view uses 130-pixel A:I columns with wrapped Description cells.



Preserve the six isolated raw intake scenarios.

2. Create **Data Contract** and record the stated training rules: one order line per required unique OrderID; exactly one Rates mapping; numeric non-negative whole-number Quantity; numeric non-negative UnitCost; statuses Delivered, Pending or Cancelled. **Zero Quantity is explicitly valid for this fictional training rule.** Distinguish a repeated identical row from the same key with a conflicting field. Preserve raw evidence and record proposed corrections separately. This is a training contract, not a real purchasing policy. Use A about 280 pixels and B about 900 pixels, with wrapped text.



	A	B
1	**Data Contract**	**Fictional training rule — source audit**
2	Grain	One order line. One OrderID identifies that line; not a project subtotal or a purchase approval.
3	Maintained source	Orders!A1:I25, 24 supplied lines. Rates!A1:D7, six supplied item mappings. Intake rows are separate practice copies.
4	OrderID	Required and unique for each order line. Do not invent a missing identifier or overwrite a conflicting duplicate.
5	ItemCode	Must match exactly one Rates!A2:A7 key. An unknown code needs clarification, not an approximate match.
6	Quantity	Numeric, non-negative whole number. Zero is valid for this stated training rule; text four is not numeric 4.
7	UnitCost	Numeric and non-negative. Values use the supplied training currency; a sum of unit prices is not spend.
8	Status	Exactly Delivered, Pending or Cancelled. Keep valid cancelled lines in an all-orders population.
9	Week	Numeric practice index 1 to 4 in this baseline, not a calendar date.
10	Repeated record	Same ID and all nine fields identical: a repeated copy, not an additional order. Preserve provenance and do not double-count.
11	Conflicting duplicate	Same ID with changed Quantity or any other field: quarantine pending an evidenced correction. Do not choose a winner by guesswork.
12	Raw evidence	Preserve Audit Intake A2:I7 exactly. Record proposed corrections separately; no repairs to Orders during this audit.
13	Analysis scope	Questions may later select statuses. Record that population rule; do not label Cancelled as corrupt merely to exclude it.
14	Authority boundary	Training contract and proposed dispositions only. No purchasing, approval, sharing or real policy decisions.

Define the explicit fictional data contract.

3. Create **Intake Checks** and paste its diagnostic card into **A1:J7**. The source-ID count tests Orders, the intake-ID count tests the separate six-row intake, and the rate-key count tests Rates. Inspect both numeric type and the non-negative whole-number rule. A zero key count or FALSE result is evidence to investigate; a set of TRUE checks does not by itself approve a record for release.



Case	Intake row	OrderID	Source ID count	Intake ID count	Rate key count	Qty numeric	Qty rule	Cost rule	Status rule
Case 1	2	PO001	1	1	1	TRUE	TRUE	TRUE	TRUE
Case 2	3		0	0	1	TRUE	TRUE	TRUE	TRUE
Case 3	4	QA003	0	1	0	TRUE	TRUE	TRUE	TRUE
Case 4	5	QA004	0	1	1	FALSE	FALSE	TRUE	TRUE
Case 5	6	QA005	0	1	1	TRUE	TRUE	TRUE	TRUE
Case 6	7	QA006	0	1	1	TRUE	TRUE	TRUE	TRUE

Inspect intake key and rule diagnostics.

4. Compare the conflicting **PO001**: source Quantity **2**, intake Quantity **3**, equality **FALSE**. The supplied Orders row and its unaltered Source Snapshot have **9 of 9 identical fields**, illustrating a repeated copy. Preserve the conflicting intake row and request evidence; do not overwrite the baseline or count both as separate orders. The supporting comparison cells are on the prompts page.



Case	Intake row	OrderID	Source ID count	Intake ID count	Rate key count	Qty numeric	Qty rule	Cost rule	Status rule
Case 1	2	PO001	1	1	1	TRUE	TRUE	TRUE	TRUE
Case 2	3		0	0	1	TRUE	TRUE	TRUE	TRUE
Case 3	4	QA003	0	1	0	TRUE	TRUE	TRUE	TRUE
Case 4	5	QA004	0	1	1	FALSE	FALSE	TRUE	TRUE
Case 5	6	QA005	0	1	1	TRUE	TRUE	TRUE	TRUE
Case 6	7	QA006	0	1	1	TRUE	TRUE	TRUE	TRUE
Source Qty	2		Intake Qty	3		Quantities equal?	FALSE		
Repeated copy	Orders vs Snapshot		Same fields (of9)	9					
Conflicting copy	PO001: same ID, but Quantity 2 vs 3. Preserve both and clarify; never overwrite Orders.								

Distinguish a conflicting duplicate from an identical copy.

5. Inspect **F4 =COUNTIF(Rates!$A$2:$A$7,'Audit Intake'!D4)**. **IT99** has **0** exact matches. Its Cancelled status is valid, but that does not repair the unknown item key. Keep it quarantined pending

clarification.



Check the unknown IT99 key.

6. Inspect **G5 =ISNUMBER('Audit Intake'!E5)**: text **four** returns **FALSE**, as does its Quantity rule. Do not replace it with 4 without source evidence. Record the proposed next action separately.



Verify text four fails the numeric test.

7. Inspect the zero-quantity row: ISNUMBER and the non-negative whole-number rule are both **TRUE**. Retain it as a valid training example under the stated contract; do not infer a delivery or purchasing decision from a zero.



Verify zero quantity passes the stated training rule.

8. Complete **Audit Intake J2:L7** with each Issue, supporting cell evidence and proposed Disposition. The first four cases remain quarantined pending evidence; the last two are valid training cases retained separately. Clarification requests are recorded as next actions, not sent. Wrap the text, widen J/K/L to about **260/560/500 pixels**, and navigate to **L1** to see the complete disposition column.



Record issues evidence and proposed dispositions beside raw intake.

9. Inspect **J7** on Intake Checks. The QA006 Cancelled example passes the allowed-status test, as do its numeric and key checks. A later analysis may choose a status population, but a valid Cancelled record

is not automatically corrupt.



Case	Intake row	OrderID	Source ID count	Intake ID count	Rate key count	Qty numeric	Qty rule	Cost rule	Status rule
Case 1	2	PO001	1	1	1	TRUE	TRUE	TRUE	TRUE
Case 2	3		0	0	1	TRUE	TRUE	TRUE	TRUE
Case 3	4	QA003	0	1	0	TRUE	TRUE	TRUE	TRUE
Case 4	5	QA004	0	1	1	FALSE	FALSE	TRUE	TRUE
Case 5	6	QA005	0	1	1	TRUE	TRUE	TRUE	TRUE
Case 6	7	QA006	0	1	1	TRUE	TRUE	TRUE	TRUE
Source Qty	2		Intake Qty	3		Quantities equal?	FALSE		
Repeated copy	Orders vs Snapshot		Same fields (of9)	9					
Conflicting copy	PO001: same ID, but Quantity 2 vs 3. Preserve both and clarify; never overwrite Orders.								

Verify Cancelled is an allowed status.

10. Reopen **Audit Intake A1:I7** and verify every raw value remains intact beside the recorded issues. No repair has been applied to the raw examples or maintained source.



OrderID	Project	Team	ItemCode	Quantity	UnitCost	Status	Week	Description	Issue	Evidence
PO001	PJ-A	Planning	IT01	3	45	Delivered	1	Display adapter for briefing	Conflicting duplicate OrderID	Practice PO001 copied from PC
	PJ-A	Procurement	IT02	4	12	Pending	1	Training notebook for pilot team	Missing OrderID	Raw intake A3 infer that missi
QA003	PJ-A	Site Coordination	IT99	6	30	Cancelled	1	Cable pack for review session	Unknown ItemCode	IT99 has zero e Cancelled itself
QA004	PJ-A	Planning	IT04	four	18	Delivered	1	Marker set for briefing	Non-numeric Quantity	Quantity is the FALSE. Other fi
QA005	PJ-A	Procurement	IT05	0	25	Delivered	1	Desk sign for pilot team	Valid zero Quantity	Quantity0 is nu copied from PC
QA006	PJ-A	Site Coordination	IT06	2	8	Cancelled	1	Quick guide for review session	Valid Cancelled status	Cancelled pass Practice copy o

Recheck the preserved raw intake values.

11. Return to **Orders** and recheck its original 24 records through PO024.

> **Reference run:** Native readback confirms its supplied values and formatting are unchanged.



	OrderID	Project	Team	ItemCode	Quantity	UnitCost	Status	Week	Description
7	PO006	PJ-A	Site Coordination	IT06	2	RM 8.00	Pending	1	Quick guide for review session
8	PO007	PJ-A	Planning	IT01	4	RM 45.00	Cancelled	2	Display adapter for briefing
9	PO008	PJ-A	Procurement	IT02	6	RM 12.00	Delivered	2	Training notebook for pilot team
10	PO009	PJ-B	Site Coordination	IT03	8	RM 30.00	Delivered	2	Cable pack for review session
11	PO010	PJ-B	Planning	IT04	10	RM 18.00	Pending	2	Marker set for briefing
12	PO011	PJ-B	Procurement	IT05	2	RM 25.00	Cancelled	2	Desk sign for pilot team
13	PO012	PJ-B	Site Coordination	IT06	4	RM 8.00	Delivered	2	Quick guide for review session
14	PO013	PJ-B	Planning	IT01	6	RM 45.00	Delivered	3	Display adapter for briefing
15	PO014	PJ-B	Procurement	IT02	8	RM 12.00	Pending	3	Training notebook for pilot team
16	PO015	PJ-B	Site Coordination	IT03	10	RM 30.00	Cancelled	3	Cable pack for review session
17	PO016	PJ-B	Planning	IT04	2	RM 18.00	Delivered	3	Marker set for briefing
18	PO017	PJ-C	Procurement	IT05	4	RM 25.00	Delivered	3	Desk sign for pilot team
19	PO018	PJ-C	Site Coordination	IT06	6	RM 8.00	Pending	3	Quick guide for review session
20	PO019	PJ-C	Planning	IT01	8	RM 45.00	Cancelled	4	Display adapter for briefing
21	PO020	PJ-C	Procurement	IT02	10	RM 12.00	Delivered	4	Training notebook for pilot team
22	PO021	PJ-C	Site Coordination	IT03	2	RM 30.00	Delivered	4	Cable pack for review session
23	PO022	PJ-C	Planning	IT04	4	RM 18.00	Pending	4	Marker set for briefing
24	PO023	PJ-C	Procurement	IT05	6	RM 25.00	Cancelled	4	Desk sign for pilot team
25	PO024	PJ-C	Site Coordination	IT06	8	RM 8.00	Delivered	4	Quick guide for review session

Retain all original order lines.

12. Recheck the original six **Rates** keys and supplied values. The unknown intake code has not been added to the reference table to make a test pass.



	ItemCode	Item	UnitCost	Category
2	IT01	Display adapter	RM 45.00	Equipment
3	IT02	Training notebook	RM 12.00	Stationery
4	IT03	Cable pack	RM 30.00	Equipment
5	IT04	Marker set	RM 18.00	Stationery
6	IT05	Desk sign	RM 25.00	Print
7	IT06	Quick guide	RM 8.00	Print

Recheck the unchanged Rates table.

13. Reopen the baseline population controls. Counts, types, key coverage, status population, Quantity 140 and the unit-price checksum 552 remain unchanged. Intake anomalies are excluded from these bounded controls.



Reconcile the baseline after auditing intake.

14. Record the current source integrity, evidence locations and intake boundary in **Audit Checks A60:B68**. Label independent disposition decisions, release conditions, reviewer challenge and learner timing as pending.

> **Reference run:** The author walkthrough does not substitute for those checks.



Record evidence locations and unfinished human checks.

15. Confirm **Analysis** remains empty. Leave the current workbook ready for conditional calculations in the next lab, with no later summary or dashboard prebuilt.



Leave Analysis empty for later chapters.

16. Leave the saved workbook with its **Data Contract**, isolated intake and diagnostics available. The source snapshot and original XLSX remain available for comparison.



Leave the saved source audit ready for the next lab.

> **Validation boundary:** guided 1.1–1.3 and author casework 1.4 are checked in the learner UI, supplemented by bounded read-only native-cell verification. Upload used an instructor handoff. Independent release conditions and disposition decisions, reviewer challenge and learner timing are not completed.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Independently decide whether each anomaly should enter the analysis, remain pending or be retained as a valid case. Justify every decision against the contract.
2. Write a release condition for the source: what must be true before conditional calculations and lookups can be trusted?
3. Have a reviewer challenge one disposition and resolve it using source evidence or an explicit unresolved label.

Evidence to Hand Over

- Data contract and six-row anomaly audit with preserved raw values.
- Baseline uniqueness/type/key checks and a justified quarantine policy.
- Independent release conditions and a recorded challenged decision.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
A cancelled row is removed as dirty data	Separate data validity from the inclusion rule of the analysis question.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

An analysis begins with data meaning, types and source coverage.

Check yourself: What does one row represent, and which field identifies it?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

Part 1: Typed Values

```
GW - Sheets Advanced - Analysis
```

```
Source Snapshot
```

```
Analysis
```

Part 2: Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Separate intake anomalies: duplicate PO001 with changed quantity; missing OrderID; ItemCode
IT99; Quantity “four”; valid zero quantity; valid Cancelled status. Do not inject these into
Orders. Other fields can be copied from a source row only in Audit Intake and labelled as
practice.
```

Part 3: Captured Source-Audit Reference

The supplied source has 24 unique OrderIDs PO001–PO024, six unique Rates keys IT01–IT06, Quantity total 140 and unit-price checksum552 (not spend). All 24 Quantity/UnitCost/Week entries are numeric, all 24 item keys map, statuses are 12 Delivered/6 Pending/6 Cancelled. Source tables retain their supplied values and formats; Analysis is empty. Manual upload handoff was required; native conversion and audit were executed in the application.

Baseline row diagnostics — Audit Checks A1:G25

Paste this bounded card into the named diagnostic tab, not Orders. It supplies the exact formulas observed in the author run; inspect representative formulas and explain the anchored population.

```
OrderID ID occurrences  Qty numeric     Cost numeric    Item key matches        Allowed status
Week numeric
=Orders!A2      =COUNTIF(Orders!$A$2:$A$25,A2)  =ISNUMBER(Orders!E2)    =ISNUMBER(Orders!F2)
=COUNTIF(Rates!$A$2:$A$7,Orders!D2)
=OR(Orders!G2="Delivered",Orders!G2="Pending",Orders!G2="Cancelled")    =ISNUMBER(Orders!H2)
=Orders!A3      =COUNTIF(Orders!$A$2:$A$25,A3)  =ISNUMBER(Orders!E3)    =ISNUMBER(Orders!F3)
=COUNTIF(Rates!$A$2:$A$7,Orders!D3)
=OR(Orders!G3="Delivered",Orders!G3="Pending",Orders!G3="Cancelled")    =ISNUMBER(Orders!H3)
=Orders!A4      =COUNTIF(Orders!$A$2:$A$25,A4)  =ISNUMBER(Orders!E4)    =ISNUMBER(Orders!F4)
=COUNTIF(Rates!$A$2:$A$7,Orders!D4)
=OR(Orders!G4="Delivered",Orders!G4="Pending",Orders!G4="Cancelled")    =ISNUMBER(Orders!H4)
=Orders!A5      =COUNTIF(Orders!$A$2:$A$25,A5)  =ISNUMBER(Orders!E5)    =ISNUMBER(Orders!F5)
=COUNTIF(Rates!$A$2:$A$7,Orders!D5)
=OR(Orders!G5="Delivered",Orders!G5="Pending",Orders!G5="Cancelled")    =ISNUMBER(Orders!H5)
```

```
=Orders!A6      =COUNTIF(Orders!$A$2:$A$25,A6)  =ISNUMBER(Orders!E6)    =ISNUMBER(Orders!F6)
=COUNTIF(Rates!$A$2:$A$7,Orders!D6)
=OR(Orders!G6="Delivered",Orders!G6="Pending",Orders!G6="Cancelled")    =ISNUMBER(Orders!H6)
=Orders!A7      =COUNTIF(Orders!$A$2:$A$25,A7)  =ISNUMBER(Orders!E7)    =ISNUMBER(Orders!F7)
=COUNTIF(Rates!$A$2:$A$7,Orders!D7)
=OR(Orders!G7="Delivered",Orders!G7="Pending",Orders!G7="Cancelled")    =ISNUMBER(Orders!H7)
=Orders!A8      =COUNTIF(Orders!$A$2:$A$25,A8)  =ISNUMBER(Orders!E8)    =ISNUMBER(Orders!F8)
=COUNTIF(Rates!$A$2:$A$7,Orders!D8)
=OR(Orders!G8="Delivered",Orders!G8="Pending",Orders!G8="Cancelled")    =ISNUMBER(Orders!H8)
=Orders!A9      =COUNTIF(Orders!$A$2:$A$25,A9)  =ISNUMBER(Orders!E9)    =ISNUMBER(Orders!F9)
=COUNTIF(Rates!$A$2:$A$7,Orders!D9)
=OR(Orders!G9="Delivered",Orders!G9="Pending",Orders!G9="Cancelled")    =ISNUMBER(Orders!H9)
=Orders!A10     =COUNTIF(Orders!$A$2:$A$25,A10) =ISNUMBER(Orders!E10)   =ISNUMBER(Orders!F10)
=COUNTIF(Rates!$A$2:$A$7,Orders!D10)
=OR(Orders!G10="Delivered",Orders!G10="Pending",Orders!G10="Cancelled") =ISNUMBER(Orders!H10)
=Orders!A11     =COUNTIF(Orders!$A$2:$A$25,A11) =ISNUMBER(Orders!E11)   =ISNUMBER(Orders!F11)
=COUNTIF(Rates!$A$2:$A$7,Orders!D11)
=OR(Orders!G11="Delivered",Orders!G11="Pending",Orders!G11="Cancelled") =ISNUMBER(Orders!H11)
=Orders!A12     =COUNTIF(Orders!$A$2:$A$25,A12) =ISNUMBER(Orders!E12)   =ISNUMBER(Orders!F12)
=COUNTIF(Rates!$A$2:$A$7,Orders!D12)
=OR(Orders!G12="Delivered",Orders!G12="Pending",Orders!G12="Cancelled") =ISNUMBER(Orders!H12)
=Orders!A13     =COUNTIF(Orders!$A$2:$A$25,A13) =ISNUMBER(Orders!E13)   =ISNUMBER(Orders!F13)
=COUNTIF(Rates!$A$2:$A$7,Orders!D13)
=OR(Orders!G13="Delivered",Orders!G13="Pending",Orders!G13="Cancelled") =ISNUMBER(Orders!H13)
=Orders!A14     =COUNTIF(Orders!$A$2:$A$25,A14) =ISNUMBER(Orders!E14)   =ISNUMBER(Orders!F14)
=COUNTIF(Rates!$A$2:$A$7,Orders!D14)
=OR(Orders!G14="Delivered",Orders!G14="Pending",Orders!G14="Cancelled") =ISNUMBER(Orders!H14)
=Orders!A15     =COUNTIF(Orders!$A$2:$A$25,A15) =ISNUMBER(Orders!E15)   =ISNUMBER(Orders!F15)
=COUNTIF(Rates!$A$2:$A$7,Orders!D15)
=OR(Orders!G15="Delivered",Orders!G15="Pending",Orders!G15="Cancelled") =ISNUMBER(Orders!H15)
=Orders!A16     =COUNTIF(Orders!$A$2:$A$25,A16) =ISNUMBER(Orders!E16)   =ISNUMBER(Orders!F16)
=COUNTIF(Rates!$A$2:$A$7,Orders!D16)
=OR(Orders!G16="Delivered",Orders!G16="Pending",Orders!G16="Cancelled") =ISNUMBER(Orders!H16)
=Orders!A17     =COUNTIF(Orders!$A$2:$A$25,A17) =ISNUMBER(Orders!E17)   =ISNUMBER(Orders!F17)
=COUNTIF(Rates!$A$2:$A$7,Orders!D17)
=OR(Orders!G17="Delivered",Orders!G17="Pending",Orders!G17="Cancelled") =ISNUMBER(Orders!H17)
=Orders!A18     =COUNTIF(Orders!$A$2:$A$25,A18) =ISNUMBER(Orders!E18)   =ISNUMBER(Orders!F18)
=COUNTIF(Rates!$A$2:$A$7,Orders!D18)
=OR(Orders!G18="Delivered",Orders!G18="Pending",Orders!G18="Cancelled") =ISNUMBER(Orders!H18)
=Orders!A19     =COUNTIF(Orders!$A$2:$A$25,A19) =ISNUMBER(Orders!E19)   =ISNUMBER(Orders!F19)
=COUNTIF(Rates!$A$2:$A$7,Orders!D19)
=OR(Orders!G19="Delivered",Orders!G19="Pending",Orders!G19="Cancelled") =ISNUMBER(Orders!H19)
=Orders!A20     =COUNTIF(Orders!$A$2:$A$25,A20) =ISNUMBER(Orders!E20)   =ISNUMBER(Orders!F20)
=COUNTIF(Rates!$A$2:$A$7,Orders!D20)
=OR(Orders!G20="Delivered",Orders!G20="Pending",Orders!G20="Cancelled") =ISNUMBER(Orders!H20)
=Orders!A21     =COUNTIF(Orders!$A$2:$A$25,A21) =ISNUMBER(Orders!E21)   =ISNUMBER(Orders!F21)
=COUNTIF(Rates!$A$2:$A$7,Orders!D21)
=OR(Orders!G21="Delivered",Orders!G21="Pending",Orders!G21="Cancelled") =ISNUMBER(Orders!H21)
=Orders!A22     =COUNTIF(Orders!$A$2:$A$25,A22) =ISNUMBER(Orders!E22)   =ISNUMBER(Orders!F22)
=COUNTIF(Rates!$A$2:$A$7,Orders!D22)
=OR(Orders!G22="Delivered",Orders!G22="Pending",Orders!G22="Cancelled") =ISNUMBER(Orders!H22)
=Orders!A23     =COUNTIF(Orders!$A$2:$A$25,A23) =ISNUMBER(Orders!E23)   =ISNUMBER(Orders!F23)
=COUNTIF(Rates!$A$2:$A$7,Orders!D23)
=OR(Orders!G23="Delivered",Orders!G23="Pending",Orders!G23="Cancelled") =ISNUMBER(Orders!H23)
=Orders!A24     =COUNTIF(Orders!$A$2:$A$25,A24) =ISNUMBER(Orders!E24)   =ISNUMBER(Orders!F24)
=COUNTIF(Rates!$A$2:$A$7,Orders!D24)
=OR(Orders!G24="Delivered",Orders!G24="Pending",Orders!G24="Cancelled") =ISNUMBER(Orders!H24)
=Orders!A25     =COUNTIF(Orders!$A$2:$A$25,A25) =ISNUMBER(Orders!E25)   =ISNUMBER(Orders!F25)
```

```
=COUNTIF(Rates!$A$2:$A$7,Orders!D25)
=OR(Orders!G25="Delivered",Orders!G25="Pending",Orders!G25="Cancelled") =ISNUMBER(Orders!H25)
```

Baseline controls — Audit Checks A28:B48

```
Baseline check  Observed
Source rows     =COUNTA(Orders!A2:A25)
Unique OrderIDs =COUNTUNIQUE(Orders!A2:A25)
Blank OrderIDs  =COUNTBLANK(Orders!A2:A25)
Non-unique ID rows      =COUNTIF(B2:B25,">1")
Numeric Quantity        =COUNT(Orders!E2:E25)
Numeric UnitCost        =COUNT(Orders!F2:F25)
Valid item mappings     =COUNTIF(E2:E25,1)
Allowed status rows     =COUNTIF(F2:F25,TRUE)
Numeric Week index      =COUNT(Orders!H2:H25)
Quantity total  =SUM(Orders!E2:E25)
UnitCost sum (not spend)        =SUM(Orders!F2:F25)
Delivered records       =COUNTIF(Orders!G2:G25,"Delivered")
Pending records =COUNTIF(Orders!G2:G25,"Pending")
Cancelled records       =COUNTIF(Orders!G2:G25,"Cancelled")
Status population       =SUM(B40:B42)
Rates keys      =COUNTA(Rates!A2:A7)
Unique Rates keys       =COUNTUNIQUE(Rates!A2:A7)
Blank Rates keys        =COUNTBLANK(Rates!A2:A7)
Minimum Week    =MIN(Orders!H2:H25)
Maximum Week    =MAX(Orders!H2:H25)
```

Raw practice intake — Audit Intake A1:I7

Rows 2–7 are practice copies of source PO001–PO006. Changes: PO001 Quantity 2→3; PO002 ID removed; PO003 practice ID QA003 and ItemCode IT99; PO004 practice ID QA004 and Quantity text four; PO005 practice ID QA005 and numeric Quantity 0; PO006 practice ID QA006 and status Cancelled. Other fields are copied only as fictional practice context. Do not insert these into Orders or replace the blank with PO002.

```
OrderID Project Team    ItemCode        Quantity        UnitCost        Status  Week
Description
PO001   PJ-A    Planning        IT01    3       45      Delivered       1       Display
adapter for briefing
        PJ-A    Procurement     IT02    4       12      Pending 1       Training notebook for
pilot team
QA003   PJ-A    Site Coordination       IT99    6       30      Cancelled       1       Cable
pack for review session
QA004   PJ-A    Planning        IT04    four    18      Delivered       1       Marker set for
briefing
QA005   PJ-A    Procurement     IT05    0       25      Delivered       1       Desk sign for
pilot team
QA006   PJ-A    Site Coordination       IT06    2       8       Cancelled       1       Quick
guide for review session
```

Training contract — Data Contract A1:B14

```
Data Contract   Fictional training rule — source audit
Grain   One order line. One OrderID identifies that line; not a project subtotal or a purchase approval.
Maintained source       Orders!A1:I25, 24 supplied lines. Rates!A1:D7, six supplied item mappings. Intake rows are separate practice copies.
OrderID Required and unique for each order line. Do not invent a missing identifier or overwrite a conflicting duplicate.
ItemCode        Must match exactly one Rates!A2:A7 key. An unknown code needs clarification, not an approximate match.
Quantity        Numeric, non-negative whole number. Zero is valid for this stated training rule; text four is not numeric 4.
UnitCost        Numeric and non-negative. Values use the supplied training currency; a sum of unit prices is not spend.
Status  Exactly Delivered, Pending or Cancelled. Keep valid cancelled lines in an all-orders population.
Week    Numeric practice index 1 to 4 in this baseline, not a calendar date.
Repeated record Same ID and all nine fields identical: a repeated copy, not an additional order. Preserve provenance and do not double-count.
Conflicting duplicate   Same ID with changed Quantity or any other field: quarantine pending an evidenced correction. Do not choose a winner by guesswork.
Raw evidence    Preserve Audit Intake A2:I7 exactly. Record proposed corrections separately; no repairs to Orders during this audit.
Analysis scope  Questions may later select statuses. Record that population rule; do not label Cancelled as corrupt merely to exclude it.
Authority boundary      Training contract and proposed dispositions only. No purchasing, approval, sharing or real policy decisions.
```

Intake diagnostics — Intake Checks A1:J7

```
Case    Intake row      OrderID Source ID count Intake ID count Rate key count  Qty numeric
Qty rule        Cost rule       Status rule
Case 1  2       ='Audit Intake'!A2      =IF(C2="",0,COUNTIF(Orders!$A$2:$A$25,C2))
=IF(C2="",0,COUNTIF('Audit Intake'!$A$2:$A$7,C2))       =COUNTIF(Rates!$A$2:$A$7,'Audit
Intake'!D2)     =ISNUMBER('Audit Intake'!E2)    =IF(ISNUMBER('Audit Intake'!E2),AND('Audit
Intake'!E2⩾0,MOD('Audit Intake'!E2,1)=0),FALSE)        =AND(ISNUMBER('Audit
Intake'!F2),'Audit Intake'!F2⩾0)       =OR('Audit Intake'!G2="Delivered",'Audit
Intake'!G2="Pending",'Audit Intake'!G2="Cancelled")
Case 2  3       ='Audit Intake'!A3      =IF(C3="",0,COUNTIF(Orders!$A$2:$A$25,C3))
=IF(C3="",0,COUNTIF('Audit Intake'!$A$2:$A$7,C3))       =COUNTIF(Rates!$A$2:$A$7,'Audit
Intake'!D3)     =ISNUMBER('Audit Intake'!E3)    =IF(ISNUMBER('Audit Intake'!E3),AND('Audit
Intake'!E3⩾0,MOD('Audit Intake'!E3,1)=0),FALSE)        =AND(ISNUMBER('Audit
Intake'!F3),'Audit Intake'!F3⩾0)       =OR('Audit Intake'!G3="Delivered",'Audit
Intake'!G3="Pending",'Audit Intake'!G3="Cancelled")
Case 3  4       ='Audit Intake'!A4      =IF(C4="",0,COUNTIF(Orders!$A$2:$A$25,C4))
=IF(C4="",0,COUNTIF('Audit Intake'!$A$2:$A$7,C4))       =COUNTIF(Rates!$A$2:$A$7,'Audit
Intake'!D4)     =ISNUMBER('Audit Intake'!E4)    =IF(ISNUMBER('Audit Intake'!E4),AND('Audit
Intake'!E4⩾0,MOD('Audit Intake'!E4,1)=0),FALSE)        =AND(ISNUMBER('Audit
Intake'!F4),'Audit Intake'!F4⩾0)       =OR('Audit Intake'!G4="Delivered",'Audit
Intake'!G4="Pending",'Audit Intake'!G4="Cancelled")
Case 4  5       ='Audit Intake'!A5      =IF(C5="",0,COUNTIF(Orders!$A$2:$A$25,C5))
=IF(C5="",0,COUNTIF('Audit Intake'!$A$2:$A$7,C5))       =COUNTIF(Rates!$A$2:$A$7,'Audit
Intake'!D5)     =ISNUMBER('Audit Intake'!E5)    =IF(ISNUMBER('Audit Intake'!E5),AND('Audit
Intake'!E5⩾0,MOD('Audit Intake'!E5,1)=0),FALSE)        =AND(ISNUMBER('Audit
Intake'!F5),'Audit Intake'!F5⩾0)       =OR('Audit Intake'!G5="Delivered",'Audit
Intake'!G5="Pending",'Audit Intake'!G5="Cancelled")
Case 5  6       ='Audit Intake'!A6      =IF(C6="",0,COUNTIF(Orders!$A$2:$A$25,C6))
=IF(C6="",0,COUNTIF('Audit Intake'!$A$2:$A$7,C6))       =COUNTIF(Rates!$A$2:$A$7,'Audit
Intake'!D6)     =ISNUMBER('Audit Intake'!E6)    =IF(ISNUMBER('Audit Intake'!E6),AND('Audit
Intake'!E6⩾0,MOD('Audit Intake'!E6,1)=0),FALSE)        =AND(ISNUMBER('Audit
Intake'!F6),'Audit Intake'!F6⩾0)       =OR('Audit Intake'!G6="Delivered",'Audit
Intake'!G6="Pending",'Audit Intake'!G6="Cancelled")
Case 6  7       ='Audit Intake'!A7      =IF(C7="",0,COUNTIF(Orders!$A$2:$A$25,C7))
=IF(C7="",0,COUNTIF('Audit Intake'!$A$2:$A$7,C7))       =COUNTIF(Rates!$A$2:$A$7,'Audit
Intake'!D7)     =ISNUMBER('Audit Intake'!E7)    =IF(ISNUMBER('Audit Intake'!E7),AND('Audit
Intake'!E7⩾0,MOD('Audit Intake'!E7,1)=0),FALSE)        =AND(ISNUMBER('Audit
Intake'!F7),'Audit Intake'!F7⩾0)       =OR('Audit Intake'!G7="Delivered",'Audit
Intake'!G7="Pending",'Audit Intake'!G7="Cancelled")
```

Supporting comparison cells: B11 **=Orders!E2** gives 2; E11 **='Audit Intake'!E2** gives 3; H11 **=Orders!E2='Audit Intake'!E2** givesFALSE. E13 **=SUMPRODUCT(--(Orders!A2:I2='Source Snapshot'!A2:I2))** gives 9 identical fields in the preserved copy. A repeated copy is not an additional order; the conflicting PO001 intake remains quarantined.

Proposed exception register — Audit Intake J1:L7

These are guided author-reference dispositions, not completed independent decisions or messages to a source owner.

```
Issue   Evidence        Disposition
Conflicting duplicate OrderID   Practice PO001: source ID count 1; Orders Quantity 2 vs intake
3, equality FALSE. Other fields copied from PO001.      Quarantine pending evidenced
correction. Clarify with the source owner; do not overwrite Orders or count both.
Missing OrderID Raw intake A3 is empty. This is a labelled copy of PO002 with only its ID
removed; do not infer that missing ID.  Clarify the required key; quarantine pending evidence.
Do not invent an ID or silently fill PO002.
Unknown ItemCode        IT99 has zero exact matches in Rates A2:A7. Other fields are practice
copies of PO003. Cancelled itself is allowed.   Clarify the intended item key and rate with
evidence. Keep raw IT99; quarantine pending evidence.
Non-numeric Quantity    Quantity is the text four: ISNUMBER is FALSE and the non-negative
whole-number rule is FALSE. Other fields copied from PO004.     Clarify the intended numeric
quantity with evidence; propose correction separately. Do not replace raw text by guessing 4.
Valid zero Quantity     Quantity 0 is numeric and passes the explicit non-negative whole-
number rule. Other fields copied from PO005 under a practice ID.        Retain as a valid
training example. No insertion into baseline Orders; zero does not prove a delivery or spend.
Valid Cancelled status  Cancelled passes the status contract; numeric Quantity 2, UnitCost 8
and key IT06 are valid. Practice copy of PO006 with status changed.     Retain as a valid all-
orders training example. Later status exclusions need a stated analysis question, not a dirty-
data label.
```

Independent release conditions, independent disposition reasoning, reviewer challenge and learner timing remain pending. The six intake examples never enter baseline controls. A preserved Source Snapshot is a copy, not a protected-range permission or automatic archive.

02

CHAPTER 2

Build Conditional Calculations

In this chapter you will revise mixed references and apply IF, SUMIF, COUNTIF, SUMIFS and COUNTIFS with test cases.

> **Prompts:** the prompts page has every value and prompt for this chapter, each with a Copy button.

Estimated time: 75 minutes, planned as 15 explanation and demonstration, 32 guided build and casework, 20 independent practice and 8 verification and repair, with 60 active minutes by design. Not yet timed with learners.

Your result: Checked line amounts, a project/status summary grid and tested logic bands.

> **Status:** author reference with 37 staged application captures through 2.4. Row formulas, mixed-reference grids, distinct populations, manual six-ID checks, 21 expected-versus-actual logic cases and isolated anchor-fault repair verified. Original input fields and Lab 1 evidence preserved. Independent threshold summary, 250/restoration test, reviewer and learner timing remain pending.

What You Will Learn

- Build row calculations.
- Apply conditional totals with mixed references.
- Test a nested rule at its boundaries.

Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use Orders A1:I25 and the Analysis tab from Chapter 1.

2.1 Calculate Line Amounts

1. Reopen **GW - Sheets Advanced - Analysis** from Chapter 1. Inspect Orders. The supplied **K1** contains a fictional-data label, so preserve it before using K for a calculation. Keep A:I, Rates and Source Snapshot unchanged.



Inspect the starter label before calculation columns.

2. Cut **K1** and paste it into **M1**, outside the calculation columns. This preserves the label rather than silently overwriting it with ActiveAmount. Source Snapshot retains the original label at K1.



Preserve the fictional-data label outside the calculations.

3. Enter **Amount** in J1 and **=E2*F2** in J2. For PO001, Quantity 2 times UnitCost 45 gives **90**.



Calculate the first line amount.

4. Select **J2:J25** and use **Fill down** (Ctrl+D). Check that every formula multiplies its own row's Quantity and UnitCost.



Fill line-amount formulas through all 24 records.

5. Enter **ActiveAmount** in K1 and **=IF(G2="Cancelled",0,J2)** in K2, then fill K2:K25 down. Inspect **K4**: PO003 remains in Orders with Amount 180, while ActiveAmount is **0**. This applies a population rule; it does not delete or declare the source row corrupt. Widen new J/K columns as needed. For explicit RM

display, apply custom number format **"RM" #,##0.00** to J2:K25; do not change the supplied numeric values.



Keep a Cancelled record with zero ActiveAmount.

6. Outside the 24-row table, put **All Amount / Active Amount** in J26:K26 and **=SUM(J2:J25) / =SUM(K2:K25)** in J27:K27. Expect **RM3158 / RM1938**. Keep these helper totals outside later bounded source calculations.



Reconcile all-orders and active source totals.

7. Inspect **J13 =E13*F13** for PO012: **4 × 8 =32**. Compare the referenced source fields, not only the displayed amount.



Spot-check the middle source order.

8. Inspect **J25 =E25*F25** for PO024: **8 × 8 =64**. The last row must be included in both filled columns and totals.



Spot-check the final source order.

2.2 Create a Summary Grid

1. On **Analysis**, enter Project in A3, Delivered/Pending/Cancelled in B3:D3, and PJ-A/PJ-B/PJ-C in A4:A6. In B4 enter **=SUMIFS(Orders!$J$2:$J$25,Orders!$B$2:$B$25,$A4,Orders!$G$2:$G$25,B$3)**. Its first result is **556**. The source ranges are fully anchored; the project column is fixed but its row can move; the status row is fixed but its column can move.



Enter the first project-status SUMIFS.

2. Select **B4:D4** and **Fill right** (Ctrl+R), then select **B4:D6** and **Fill down** (Ctrl+D). Expected rows are **556/64/360**, **578/276/350** and **344/120/510**. Label the amount grid as RM. These nine intersections sum to **3158** across every status.



Fill the amount grid across and down.

3. Inspect **D6**. It must use **$A6** for PJ-C and **D$3** for Cancelled, while both source criteria ranges and the sum range remain fixed. Its value is **510**. After populating Analysis, update the Chapter 1 Audit Checks notes that previously described Analysis as empty; preserve the Chapter 1 audit evidence as a historical checkpoint.



Inspect the final mixed-reference formula.

2.3 Test Logic Boundaries

1. In the separate practice area on Analysis, label **F1/G1** Practice amount / Hypothetical band. Put **99** in F2 and **=IF(F2<100,"Low",IF(F2<200,"Medium","High"))** in G2. Expect **Low**. These are fictional training bands, not procurement policy.



Test 99 as Low.

2. Change only F2 to **100**. The lower Medium boundary is inclusive: expect **Medium**.



Test 100 as Medium.

3. Change F2 to **199**. It remains below 200: expect **Medium**.



Test 199 as Medium.

4. Change F2 to **200**. The High boundary is inclusive: expect **High**. Retain the tested formula; the cross-stage captures record the four separate results.



Test 200 as High.

2.4 Reconcile Three Populations and Test Conditional Boundaries

1. Write the population definitions on **Analysis A13:D18 before calculating**: all 24 order lines; Active excludes Cancelled; Delivered-only excludes both Pending and Cancelled. Keep Cancelled and

Pending controls explicit too. Do not treat totals for different populations as interchangeable.



Define populations before calculating their controls.

2. Fill the amount and count controls using the card on the prompts page. Expected amount/count pairs are **All 3158/24**, **Active 1938/18**, **Delivered 1478/12**, **Cancelled 1220/6**, **Pending 460/6**. The SUMIF/COUNTIF checks use the exact status vocabulary; ActiveAmount is summed separately from all-orders Amount.



Compare all active delivered cancelled and pending totals.

3. Build the matching COUNTIFS grid in **A8:D11**. Use Project count / Delivered / Pending / Cancelled in row 8 and the three projects in A9:A11. Enter **=COUNTIFS(Orders!$B$2:$B$25,$A9,Orders!$G$2:$G$25,B$8)** in B9, fill right through D9 and down through row 11. Each project has **4/2/2** records. Keep the amount and count grids separate, with clear units.



Build matching count and amount grids.

4. In **A21:D26**, reconcile the amount grid to 3158 and count grid to 24. Verify **Active = Delivered + Pending** and **All = Active + Cancelled**, with zero differences. In B28, **=COUNTIFS(Orders!G2:G25,"Pending",Orders!J2:J25,">=200")** returns **0**. This is a valid baseline result; positive-branch tests belong in the separate synthetic matrix.



Reconcile grid totals and population identities.

5. Create **Subset Checks** and list the qualifying OrderIDs for two intersections. PJ-A Delivered is **PO001/PO004/PO005/PO008**, with manual products **90/144/250/72**. PJ-B Pending is **PO010/PO014**, with **180/96**. Inspect their actual source Quantity and UnitCost values. Record the manually checked products before entering the formula comparisons.



List qualifying order IDs and manual products.

6. In Subset Checks G2 enter **=D2*E2**, H2 **=G2-F2**, and fill G2:H7 down. Compare the two manual totals to the maintained grid: **556** to Analysis B4, **276** to Analysis C5; compare qualifying-ID counts **4** and **2**

to Analysis B9/C10. Every line and subset difference is zero. This is author-supported manual casework, not an independent learner validation.



Compare manual subsets with summary intersections.

7. Create **Logic Tests**. Paste the 21-case expected-input card, leaving actual band/flag/pass columns empty initially. It crosses amounts **0,99,100,101,199,200,201** with all three statuses. The zero cases use **Quantity 0 × known UnitCost 100**, rather than an unknown rate disguised as 0. Type the expected classifications and flags before running the actual formulas.



Record all 21 test expectations before actual formulas.

8. Enter **G2 =IF(D2<100,"Low",IF(D2<200,"Medium","High"))**, **I2 =AND(E2="Pending",D2>=200)** and **J2 =AND(F2=G2,H2=I2)**. Fill each actual-formula column through row 22. Compare expected and actual results; inspect the boundary cases rather than trusting only a total pass count.



Execute the full logic matrix.

9. Reconcile the matrix controls in **A25:D34**: **21 cases /21 passes /0 mismatches**, two Pending High flags, three zero-quantity cases, **6 High /9 Medium /6 Low**. The two positive flag cases are synthetic Pending amounts 200 and 201; the maintained source still has 0 qualifying records. No baseline row is changed to force a positive result.



Reconcile matrix results and baseline zero match.

10. Duplicate the **Analysis** tab as **Mixed Reference Tests**, a named scenario copy. Record the fault prediction before editing: removing the column anchor from **$A4** will leave B4 at 556, make C4 use numeric B4 as its project criterion and return 0, and reduce the copied grid total to **1478**, a **-1680** discrepancy from 3158. Add the copied-grid control **A37:D38** and prediction notes outside the working grid.



Record an isolated anchor-fault prediction.

11. On the copied tab only, change B4's project criterion from **$A4** to **A4**. Fill right and down again. Inspect **C4**: the project criterion has shifted to **B4**, a numeric amount rather than PJ-A. The first incorrect intersection is **0**. Do not damage the maintained Analysis grid.



Inspect the first incorrect project criterion.

12. Inspect the copied-grid total control: expected 3158, observed **1478**, difference **-1680**. The actual fault state was captured and read back before repair; a correct first cell alone did not prove that copying preserved the logic.



Observe the predicted grid-total discrepancy.

13. Restore **$A4** in copied B4 and refill right/down. Inspect the repaired D6 using **$A6 / D$3**, value 510.



Restore the project anchor and filled grid.

14. Recheck the copied total: **3158**, difference **0**. Keep the scenario clearly named as a repaired copy.



Reconcile the repaired grid total.

15. Record the predicted error, observed criterion/value and repair in **A40:B46**. Label the tab's title cell **Mixed-reference scenario — repaired copy**. The maintained Analysis never required repair.



Record the actual fault and repair.

16. On maintained Analysis, record why a **known numeric zero** differs from an unresolved **IT99** rate mapping, and why the all-orders, active and delivered-only totals answer different questions. Keep the training bands separate from source policy. Label the independent project threshold summary, filtered-source reconciliation and 250/restoration challenge as pending.



Explain populations and valid zero versus unknown rate.

17. Reinspect the maintained amount and count grids. The nine intersections still match the source, with amount total 3158 and count 24.



Recheck maintained amount and count grids.

18. Finish readable amount formats and inspect all five zero-difference control rows. In the captured Analysis layout A/B/C/D are approximately 240/220/180/180 pixels, with wrapped definition and note cells; money formats are applied only to amount ranges, not the count grid.



Inspect final maintained analysis controls.

19. Recheck Orders A:I through PO024. Original input values and formats, Rates, intake evidence and the training contract remain unchanged; only the new calculation columns, outside-table controls and preserved label location were added to Orders.



Preserve original source input fields.

20. Inspect **Source Snapshot**. It retains the original source values and original K1 label, without the new calculation columns. It remains a comparison copy, not the maintained calculation source.



Retain the original source snapshot.

21. Leave all 21 Logic Tests passing. Preserve the synthetic cases separately from Orders and the repaired reference scenario separately from Analysis.



TestID	Quantity	UnitCost	Amount	Status	Expected band	Actual band	Expected flag	Actual flag	Pass
LT01	0	100	0	Delivered	Low	Low	FALSE	FALSE	TRUE
LT02	0	100	0	Pending	Low	Low	FALSE	FALSE	TRUE
LT03	0	100	0	Cancelled	Low	Low	FALSE	FALSE	TRUE
LT04	1	99	99	Delivered	Low	Low	FALSE	FALSE	TRUE
LT05	1	99	99	Pending	Low	Low	FALSE	FALSE	TRUE
LT06	1	99	99	Cancelled	Low	Low	FALSE	FALSE	TRUE
LT07	1	100	100	Delivered	Medium	Medium	FALSE	FALSE	TRUE
LT08	1	100	100	Pending	Medium	Medium	FALSE	FALSE	TRUE
LT09	1	100	100	Cancelled	Medium	Medium	FALSE	FALSE	TRUE
LT10	1	101	101	Delivered	Medium	Medium	FALSE	FALSE	TRUE
LT11	1	101	101	Pending	Medium	Medium	FALSE	FALSE	TRUE
LT12	1	101	101	Cancelled	Medium	Medium	FALSE	FALSE	TRUE
LT13	1	199	199	Delivered	Medium	Medium	FALSE	FALSE	TRUE
LT14	1	199	199	Pending	Medium	Medium	FALSE	FALSE	TRUE
LT15	1	199	199	Cancelled	Medium	Medium	FALSE	FALSE	TRUE
LT16	1	200	200	Delivered	High	High	FALSE	FALSE	TRUE
LT17	1	200	200	Pending	High	High	TRUE	TRUE	TRUE
LT18	1	200	200	Cancelled	High	High	FALSE	FALSE	TRUE
LT19	1	201	201	Delivered	High	High	FALSE	FALSE	TRUE
LT20	1	201	201	Pending	High	High	TRUE	TRUE	TRUE
LT21	1	201	201	Cancelled	High	High	FALSE	FALSE	TRUE

Check	Actual	Expected	Difference
Test cases	21	21	0
Passing cases	21	21	0
Mismatches	0	0	0
Pending High flags	2	2	0
Zero Qty cases	3	3	0
High bands	6	6	0
Medium bands	9	9	0

Leave all 21 logic cases passing.

22. Leave the saved maintained **Analysis** ready for the next lab. Source inputs are preserved; hypothetical tests and historical audit notes are clearly scoped. Independent threshold work, reviewer checks and learner timing remain unfinished.



Conditional calculations — training reference						
All-orders Amount (RM)					Practice amount	Hypothetical band
					200	High
Project	**Delivered**	**Pending**	**Cancelled**			
PJ-A	RM 556.00	RM 64.00	RM 360.00			
PJ-B	RM 578.00	RM 276.00	RM 350.00			
PJ-C	RM 344.00	RM 120.00	RM 510.00			
Project count	**Delivered**	**Pending**	**Cancelled**			
PJ-A	4	2	2			
PJ-B	4	2	2			
PJ-C	4	2	2			
Population	Definition	Amount (RM)	Record count			
All orders	All 24 supplied order lines; include every status.	RM 3,158.00	24			
Active	Delivered and Pending; exclude Cancelled from ActiveAmount only.	RM 1,938.00	18			
Delivered only	Only the Delivered status; excludes Pending and Cancelled.	RM 1,478.00	12			
Cancelled	Valid source lines retained; not active for this question.	RM 1,220.00	6			
Pending	Only Pending, regardless of amount.	RM 460.00	6			
Check	Summary	Source	Difference			
Amount grid	RM 3,158.00	RM 3,158.00	RM 0.00			
Count grid	24	24	0			
Active = Delivered + Pending	RM 1,938.00	RM 1,938.00	RM 0.00			
All = Active + Cancelled	RM 3,158.00	RM 3,158.00	RM 0.00			
Status population	24	24	0			
		Expected baseline zero;				

Leave maintained analysis ready for the next lab.

> **Validation boundary:** guided 2.1–2.3 and author casework 2.4 are verified through actual learner UI and bounded read-only native-cell evidence. The independent project/threshold summary, filtered-source reconciliation, 250/restoration test and human checks were not performed. Planned 75-minute classroom timing remains unmeasured.

Zero-Match Check

The supplied baseline has no Pending record with Amount at least 200. Record that result explicitly. Use a separately labelled synthetic case to prove the positive branch; do not edit baseline records just to obtain a highlight.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Build a second summary answering count and amount for Pending orders of at least 200 by project. Keep threshold logic explicit.
2. Use a filtered source list as an independent reconciliation. A zero-match baseline is a valid result; create a separate synthetic qualifying case and a non-qualifying boundary case to test the rule.
3. Change the threshold to 250 in a labelled assumption cell, repair references so the grid follows it, then restore 200 and verify restoration.

Evidence to Hand Over

- Reconciled count/amount grids for clearly defined populations.
- Expected-versus-actual boundary matrix and repaired mixed-reference defect.
- Independent threshold summary with supporting OrderIDs and a restored assumption.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
Correct totals conceal the wrong population	Reconcile counts and contributing IDs as well as the monetary total.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

Visible row calculations and explicit criteria make advanced logic checkable.

Check yourself: Which references in the summary grid must stay fixed when copied across and down?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

Part 1: Typed Values

```
Amount
```

```
=E2*F2
```

```
ActiveAmount
```

```
=IF(G2="Cancelled",0,J2)
```

```
=SUMIFS(Orders!$J$2:$J$25,Orders!$B$2:$B$25,$A4,Orders!$G$2:$G$25,B$3)
```

```
=IF(F2<100,"Low",IF(F2<200,"Medium","High"))
```

Part 2: Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Logic matrix must cover below/on/above thresholds, zero quantity, Delivered, Pending and
Cancelled. Practice bands: Low <100; Medium 100 to <200; High ⩾200. Exception: Pending AND
Amount ⩾200. These are training rules, not procurement policy.
```

Part 3: Captured Conditional-Calculation Reference

Preserve the supplied K1 fictional-data label in M1 before using K for ActiveAmount. Original A:I inputs, Rates, Source Snapshot and intake audit remain intact. J2=E2*F2 and K2=IF(G2="Cancelled",0,J2), filled to 25; source totals 3158 and 1938. Spot checks J2/J13/J25 are 90/32/64.

Amount grid B4:D6:556/64/360;578/276/350;344/120/510. D6 uses $A6 and D$3. Count grid B9:D11:4/2/2 for each project. B9 seed:

```
=COUNTIFS(Orders!$B$2:$B$25,$A9,Orders!$G$2:$G$25,B$8)
```

Population control card — Analysis A13:D18

Write each population definition before calculating the final two columns.

```
Population      Definition      Amount (RM)     Record count
All orders      All 24 supplied order lines; include every status.      =SUM(Orders!J2:J25)
=COUNTA(Orders!A2:A25)
Active  Delivered and Pending; exclude Cancelled from ActiveAmount only.
=SUM(Orders!K2:K25)     =COUNTIF(Orders!G2:G25,"<>Cancelled")
Delivered only  Only the Delivered status; excludes Pending and Cancelled.
=SUMIF(Orders!G2:G25,"Delivered",Orders!J2:J25) =COUNTIF(Orders!G2:G25,"Delivered")
Cancelled       Valid source lines retained; not active for this question.
=SUMIF(Orders!G2:G25,"Cancelled",Orders!J2:J25) =COUNTIF(Orders!G2:G25,"Cancelled")
Pending Only Pending, regardless of amount.     =SUMIF(Orders!G2:G25,"Pending",Orders!J2:J25)
=COUNTIF(Orders!G2:G25,"Pending")
```

Reconciliation card — Analysis A21:D26

```
Check   Summary Source  Difference
Amount grid     =SUM(B4:D6)     =C14    =B22-C22
Count grid      =SUM(B9:D11)    =D14    =B23-C23
Active = Delivered + Pending    =C16+C18        =C15    =B24-C24
All = Active + Cancelled        =C15+C17        =C14    =B25-C25
Status population       =SUM(D16:D18)   =D14    =B26-C26
```

B28 baseline check **=COUNTIFS(Orders!G2:G25,"Pending",Orders!J2:J25,">=200")** gives 0. All 3158/24, Active 1938/18, Delivered 1478/12, Cancelled 1220/6, Pending 460/6. Every reconciliation difference 0.

Manual subset inputs — Subset Checks A1:H7

Record the six manually checked products before G/H formula comparisons. Inputs match the named source OrderIDs; all amounts use training RM.

```
Project Status  OrderID Quantity        UnitCost        Manual Amount   Formula Amount
Difference
PJ-A    Delivered       PO001   2       45      90
PJ-A    Delivered       PO004   8       18      144
PJ-A    Delivered       PO005   10      25      250
PJ-A    Delivered       PO008   6       12      72
PJ-B    Pending PO010   10      18      180
PJ-B    Pending PO014   8       12      96
```

G2 **=D2*E2**, H2 **=G2-F2**, fill to 7. The two subsets total 556 and 276; their counts 4 and 2 also match the maintained grids.

Logic matrix input/expectations — Logic Tests A1:J22

Actual columns G/I/J are deliberately empty on this input card. D calculates Quantity times a known UnitCost. Zero Quantity is numeric 0; it is not an unresolved rate lookup. Expected flags are Boolean TRUE/FALSE.

```
TestID  Quantity        UnitCost        Amount  Status  Expected band   Actual band
Expected flag   Actual flag     Pass
LT01    0       100     =B2*C2  Delivered       Low             FALSE
LT02    0       100     =B3*C3  Pending Low             FALSE
LT03    0       100     =B4*C4  Cancelled       Low             FALSE
LT04    1       99      =B5*C5  Delivered       Low             FALSE
```

```
LT05    1       99      =B6*C6  Pending Low             FALSE
LT06    1       99      =B7*C7  Cancelled       Low             FALSE
LT07    1       100     =B8*C8  Delivered       Medium          FALSE
LT08    1       100     =B9*C9  Pending Medium          FALSE
LT09    1       100     =B10*C10        Cancelled       Medium          FALSE
LT10    1       101     =B11*C11        Delivered       Medium          FALSE
LT11    1       101     =B12*C12        Pending Medium          FALSE
LT12    1       101     =B13*C13        Cancelled       Medium          FALSE
LT13    1       199     =B14*C14        Delivered       Medium          FALSE
LT14    1       199     =B15*C15        Pending Medium          FALSE
LT15    1       199     =B16*C16        Cancelled       Medium          FALSE
LT16    1       200     =B17*C17        Delivered       High            FALSE
LT17    1       200     =B18*C18        Pending High            TRUE
LT18    1       200     =B19*C19        Cancelled       High            FALSE
LT19    1       201     =B20*C20        Delivered       High            FALSE
LT20    1       201     =B21*C21        Pending High            TRUE
LT21    1       201     =B22*C22        Cancelled       High            FALSE
```

G2 **=IF(D2<100,"Low",IF(D2<200,"Medium","High"))**; I2 **=AND(E2="Pending",D2>=200)**; J2 **=AND(F2=G2,H2=I2)**. Fill each to 22. Expected 21 passes/0 mismatches, 2 positive flags, 3 zero-quantitycases, 6High/9Medium/6Low. Synthetic Pending 200/201 exercise the positive flag branch; baseline remains 0.

Repaired mixed-reference scenario

Duplicate Analysis as Mixed Reference Tests. On that copy only, remove the column anchor from B4's $A4 criterion, then refill across/down. C4 incorrectly uses B4 as project criterion and gives 0; total 1478, discrepancy-1680 from 3158. Restore $A4 and refill: grid 3158, difference 0; D6 uses $A6 and D$3. The actual fault snapshot was retained before repair. The maintained Analysis grid was never damaged.

Independent project threshold summary, filtered-source reconciliation, threshold 250 change/restoration and reviewer/learner-timing checks remain pending. Practice bands and flags are fictional training rules, not procurement policy.

03

CHAPTER 3

Validate Entries and Flag Exceptions

In this chapter you will use dropdowns, custom validation and formula-based conditional formatting.

> **Prompts:** the prompts page has every value and prompt for this chapter, each with a Copy button.

Estimated time: 65 minutes, planned as 15 explanation and demonstration, 22 guided build and casework, 20 independent practice and 8 verification and repair, with 50 active minutes by design. Not yet timed with learners.

Your result: Validation rules and a tested pending-order exception highlight.

> **Status:** author reference with 39 staged application captures through 3.4. Separate practice copy, strict categorical/numeric rules, actual rejection behavior, ten input observations including blank clearing, five exception cases, first/final-row coverage and flag/highlight/filtered-ID agreement checked. Temporary values restored; maintained source preserved. Independent appended-row repair, bulk-paste/CSV numeric-text behavior, reviewer and learner timing remain pending.

What You Will Learn

- Validate categorical and numeric inputs.
- Highlight exceptions using a rule.
- Test an invalid and boundary value.

Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use a practice copy of Orders. Restore all temporary tests before completing the chapter.

3.1 Validate New Entries

1. Duplicate **Orders** as **Validation Practice** in the existing Advanced workbook. Verify the separate tab name before editing. It retains the 24 original records, Amount/ActiveAmount formulas and outside-table totals. Maintain Orders, Analysis, Rates and Source Snapshot unchanged.



Create a separate Validation Practice copy.

2. Select **G2:G25**, open **Data > Data validation** and add a rule. Use a single-choice **Drop-down** with **Delivered / Pending / Cancelled**. Inspect **Advanced options > Reject the input**, then save with **Done**. The canonical set matters; auto-populated order may differ.



Configure canonical statuses and Reject input.

3. Select **E2:E25** and add a separate rule. Choose **Custom formula is** and enter **=AND(ISNUMBER(E2),E2>=0,MOD(E2,1)=0)**. Set **Reject the input** explicitly: this custom-rule editor defaulted to **Show a warning** in the author account. Save with Done. The row-relative E2 corresponds

to the first cell of the apply-to range. Numeric zero is permitted; do not substitute a positive-only restriction.



Require whole nonnegative Quantity with a custom reject rule.

4. Inspect the saved rules for **E2:E25 / G2:G25**. A visible dropdown or coloured cell alone does not prove rejection behavior.

> **Reference run:** Native readback later confirms strict rules on every cell through row 25, with the quantity reference adjusted per row.



Inspect the saved categorical and numeric ranges.

3.2 Flag Pending High Amounts

1. Select **A2:K25**, open **Format > Conditional formatting**, choose **Custom formula is**, and enter **=AND($G2="Pending",$J2>=200)**. Use a readable light fill; the captured rule uses **#b7e1cd**. Save with Done. Columns G/J are fixed while the row follows each record, starting at source row 2.



Define the row-aligned Pending high-amount format.

2. Close the rule sidebar and inspect the baseline. It contains **no Pending record with Amount at least 200**, so no row qualifies. Keep this valid zero-match result; do not change the maintained source merely to obtain a highlight.



Inspect the zero-match baseline without forced highlights.

3.3 Test the Rules

1. On the practice copy, edit **G3** to **Ready**. The actual native dialog rejects it and lists the three allowed statuses. Dismiss **OK**, then **Escape** from editing so Pending is retained. The input method in this walkthrough is cell-edit mode (F2), pasted text inside the editor, then Enter; this is not a bulk-range paste test.



Observe actual invalid-status rejection.

2. Try **1.5** in E3 using the same method. The native validation dialog rejects it. Dismiss and exit editing; original Quantity 4 remains. A rejected value was not saved, so do not blindly undo the newly configured rule.



Observe actual fractional-quantity rejection.

3. In the practice row only, set **E3=1 / F3=199**, keeping Pending. J3 is 199 and the row is not highlighted.



Test Pending 199 without highlighting.

4. Change F3 to **200**. J3 becomes 200 and the intended row is highlighted. Delivered and Cancelled records elsewhere do not qualify merely because their amount is high.



	OrderID	Project	Team	ItemCode	Quantity	UnitCost	Status	Week	Description	Amount
2	0001	PJ-A	Planning	IT01	2	RM 45.00	Delivered		1 Display adapter for briefing	RM 90.00
3	0002	PJ-A	Procurement	IT02	1	RM 200.00	Pending		1 Training notebook for pilot team	RM 200.00
4	0003	PJ-A	Site Coordination	IT03	6	RM 30.00	Cancelled		1 Cable pack for review session	RM 180.00
5	0004	PJ-A	Planning	IT04	8	RM 18.00	Delivered		1 Marker set for briefing	RM 144.00
6	0005	PJ-A	Procurement	IT05	10	RM 25.00	Delivered		1 Desk sign for pilot team	RM 250.00
7	0006	PJ-A	Site Coordination	IT06	2	RM 8.00	Pending		1 Quick guide for review session	RM 16.00
8	0007	PJ-A	Planning	IT01	4	RM 45.00	Cancelled		2 Display adapter for briefing	RM 180.00
9	0008	PJ-A	Procurement	IT02	6	RM 12.00	Delivered		2 Training notebook for pilot team	RM 72.00
10	0009	PJ-B	Site Coordination	IT03	8	RM 30.00	Delivered		2 Cable pack for review session	RM 240.00
11	0010	PJ-B	Planning	IT04	10	RM 18.00	Pending		2 Marker set for briefing	RM 180.00
12	0011	PJ-B	Procurement	IT05	2	RM 25.00	Cancelled		2 Desk sign for pilot team	RM 50.00
13	0012	PJ-B	Site Coordination	IT06	4	RM 8.00	Delivered		2 Quick guide for review session	RM 32.00
14	0013	PJ-B	Planning	IT01	6	RM 45.00	Delivered		3 Display adapter for briefing	RM 270.00
15	0014	PJ-B	Procurement	IT02	8	RM 12.00	Pending		3 Training notebook for pilot team	RM 96.00
16	0015	PJ-B	Site Coordination	IT03	10	RM 30.00	Cancelled		3 Cable pack for review session	RM 300.00
17	0016	PJ-B	Planning	IT04	2	RM 18.00	Delivered		3 Marker set for briefing	RM 36.00
18	0017	PJ-C	Procurement	IT05	4	RM 25.00	Delivered		3 Desk sign for pilot team	RM 100.00
19	0018	PJ-C	Site Coordination	IT06	6	RM 8.00	Pending		3 Quick guide for review session	
20	0019	PJ-C	Planning	IT01	8	RM 45.00	Cancelled		4 Display adapter for briefing	

Test Pending 200 with highlighting.

5. Restore **E3=4 / F3=12 / G3=Pending**. Amount returns to 48 and the highlight disappears. The maintained source was never changed.



	OrderID	Project	Team	ItemCode	Quantity	UnitCost	Status	Week	Description	Amount
2	0001	PJ-A	Planning	IT01	2	RM 45.00	Delivered		1 Display adapter for briefing	RM 90.00
3	0002	PJ-A	Procurement	IT02	4	RM 12.00	Pending		1 Training notebook for pilot team	RM 48.00
4	0003	PJ-A	Site Coordination	IT03	6	RM 30.00	Cancelled		1 Cable pack for review session	RM 180.00
5	0004	PJ-A	Planning	IT04	8	RM 18.00	Delivered		1 Marker set for briefing	RM 144.00
6	0005	PJ-A	Procurement	IT05	10	RM 25.00	Delivered		1 Desk sign for pilot team	RM 250.00
7	0006	PJ-A	Site Coordination	IT06	2	RM 8.00	Pending		1 Quick guide for review session	RM 16.00
8	0007	PJ-A	Planning	IT01	4	RM 45.00	Cancelled		2 Display adapter for briefing	RM 180.00
9	0008	PJ-A	Procurement	IT02	6	RM 12.00	Delivered		2 Training notebook for pilot team	RM 72.00
10	0009	PJ-B	Site Coordination	IT03	8	RM 30.00	Delivered		2 Cable pack for review session	RM 240.00
11	0010	PJ-B	Planning	IT04	10	RM 18.00	Pending		2 Marker set for briefing	RM 180.00
12	0011	PJ-B	Procurement	IT05	2	RM 25.00	Cancelled		2 Desk sign for pilot team	RM 50.00
13	0012	PJ-B	Site Coordination	IT06	4	RM 8.00	Delivered		2 Quick guide for review session	RM 32.00
14	0013	PJ-B	Planning	IT01	6	RM 45.00	Delivered		3 Display adapter for briefing	RM 270.00
15	0014	PJ-B	Procurement	IT02	8	RM 12.00	Pending		3 Training notebook for pilot team	RM 96.00
16	0015	PJ-B	Site Coordination	IT03	10	RM 30.00	Cancelled		3 Cable pack for review session	RM 300.00
17	0016	PJ-B	Planning	IT04	2	RM 18.00	Delivered		3 Marker set for briefing	RM 36.00
18	0017	PJ-C	Procurement	IT05	4	RM 25.00	Delivered		3 Desk sign for pilot team	RM 100.00
19	0018	PJ-C	Site Coordination	IT06	6	RM 8.00	Pending		3 Quick guide for review session	
20	0019	PJ-C	Planning	IT01	8	RM 45.00	Cancelled		4 Display adapter for briefing	

Restore the guided practice row.

3.4 Create a Rule Test Harness and Reconcile Exceptions

1. Create **Validation Tests** and paste the input-expectations card into **A1:H11**. It includes nine ordinary entry cases and one separate blank-clearing observation. Record expected results before trying each

input; leave observed-result cells empty until after testing. A blank is not a numeric Quantity for a completed row, but clearing behavior must be observed separately from entered-value rejection.



Case	Target	Input	Expected value rule	Expected UI	Observed UI	Result	Saved test value
V01	Quantity E3	0	Valid nonnegative whole zero	Accept			
V02	Quantity E3	2	Valid positive whole number	Accept			
V03	Quantity E3	-1	Invalid negative	Reject			
V04	Quantity E3	1.5	Invalid fractional	Reject			
V05	Quantity E3	two	Invalid text	Reject			
V06	Status G3	Delivered	Allowed status	Accept			
V07	Status G3	Pending	Allowed status	Accept			
V08	Status G3	Cancelled	Allowed status	Accept			
V09	Status G3	Ready	Not an allowed status	Reject			
V10	Quantity E3	Clear cell	Blank is not numeric for a completed row	Observe clearing behavior			

Record input expectations before harness tests.

2. On practice E3, enter numeric **0**. It is accepted by the nonnegative whole-number rule. Record the result, then restore 4.



OrderID	Project	Team	ItemCode	Quantity	UnitCost	Status	Week	Description	Amount
0001	PJ-A	Planning	IT01	2	RM 45.00	Delivered	1	Display adapter for briefing	RM 90.00
0002	PJ-A	Procurement	IT02	0	RM 12.00	Pending	1	Training notebook for pilot team	RM 0.00
0003	PJ-A	Site Coordination	IT03	6	RM 30.00	Cancelled	1	Cable pack for review session	RM 180.00
0004	PJ-A	Planning	IT04	8	RM 18.00	Delivered	1	Marker set for briefing	RM 144.00
0005	PJ-A	Procurement	IT05	10	RM 25.00	Delivered	1	Desk sign for pilot team	RM 250.00
0006	PJ-A	Site Coordination	IT06	2	RM 8.00	Pending	1	Quick guide for review session	RM 16.00
0007	PJ-A	Planning	IT01	4	RM 45.00	Cancelled	2	Display adapter for briefing	RM 180.00
0008	PJ-A	Procurement	IT02	6	RM 12.00	Delivered	2	Training notebook for pilot team	RM 72.00
0009	PJ-B	Site Coordination	IT03	8	RM 30.00	Delivered	2	Cable pack for review session	RM 240.00
0010	PJ-B	Planning	IT04	10	RM 18.00	Pending	2	Marker set for briefing	RM 180.00
0011	PJ-B	Procurement	IT05	2	RM 25.00	Cancelled	2	Desk sign for pilot team	RM 50.00
0012	PJ-B	Site Coordination	IT06	4	RM 8.00	Delivered	2	Quick guide for review session	RM 32.00
0013	PJ-B	Planning	IT01	6	RM 45.00	Delivered	3	Display adapter for briefing	RM 270.00
0014	PJ-B	Procurement	IT02	8	RM 12.00	Pending	3	Training notebook for pilot team	RM 96.00
0015	PJ-B	Site Coordination	IT03	10	RM 30.00	Cancelled	3	Cable pack for review session	RM 300.00
0016	PJ-B	Planning	IT04	2	RM 18.00	Delivered	3	Marker set for briefing	RM 36.00
0017	PJ-C	Procurement	IT05	4	RM 25.00	Delivered	3	Desk sign for pilot team	RM 100.00
0018	PJ-C	Site Coordination	IT06	6	RM 8.00	Pending	3	Quick guide for review session	
0019	PJ-C	Planning	IT01	8	RM 45.00	Cancelled	4	Display adapter for briefing	

Accept numeric zero Quantity.

3. Enter **2**. It is accepted. Record the result, then restore 4.



Accept a positive whole Quantity.

4. Enter **-1**. The actual dialog rejects it; dismiss and retain 4.



Reject negative Quantity.

5. Enter **1.5**. It is rejected in the harness test too; retain 4.



Reject fractional Quantity in the harness.

6. Enter the text **two**. It is rejected. Preserve the observed input and result in the report rather than silently translating it into numeric 2.



Reject text Quantity.

7. Test **Delivered** in G3. It is accepted; restore Pending after recording the result.



Accept Delivered status.

8. Test **Pending**. It is an allowed value and remains selected.



Accept Pending status.

9. Test **Cancelled**. It is accepted; restore Pending. Cancelled remains a valid source status, even though the current exception condition excludes it.



Accept Cancelled status.

10. Test **Ready**. It is rejected and Pending is retained.



Reject an unknown status.

11. Select E3 and use **Delete** to clear it. In this account the cell became blank **without a blocking dialog**, while the custom validation rule remained. Record this limit: the input rule does not enforce requiredness against clearing, and a complete row still needs a numeric Quantity check. Save the blank observation before restoring 4. Do not report this as a successful blank-rejection test.



Observe clearing a quantity cell without a blocking dialog.

12. Complete the observed-result columns. Nine ordinary cases match the expected accept/reject behavior; the tenth records the separate completeness gap. Restore E3/F3/G3 to **4/12/Pending**. Bulk-range paste and numeric text imported from CSV were not tested.



Record input results including the blank-clearing limit.

13. In Validation Practice, enter **PendingHigh** in L1 and **=AND($G2="Pending",$J2>=200)** in L2, then fill through L25. The restored baseline has 24 FALSE flags, agreeing with no highlighted rows. For a full-

width view, adjust only practice columns: A:H about 110 pixels, C 150, I 220, J:L 120; later G140/H80 makes the status labels readable. Keep maintained-source widths unchanged.



	OrderID	Project	Team	ItemCode	Quantity	UnitCost	Status	Week	Description	Amount	ActiveAmount	PendingHigh	Fic
2	PO001	PJ-A	Planning	IT01	2	RM 45.00	Delivered	1	Display adapter for briefing	RM 90.00	RM 90.00	FALSE	
3	PO002	PJ-A	Procurement	IT02	4	RM 12.00	Pending	1	Training notebook for pilot team	RM 48.00	RM 48.00	FALSE	
4	PO003	PJ-A	Site Coordination	IT03	6	RM 30.00	Cancell...	1	Cable pack for review session	RM 180.00	RM 0.00	FALSE	
5	PO004	PJ-A	Planning	IT04	8	RM 18.00	Delivered	1	Marker set for briefing	RM 144.00	RM 144.00	FALSE	
6	PO005	PJ-A	Procurement	IT05	10	RM 25.00	Delivered	1	Desk sign for pilot team	RM 250.00	RM 250.00	FALSE	
7	PO006	PJ-A	Site Coordination	IT06	2	RM 8.00	Pending	1	Quick guide for review session	RM 16.00	RM 16.00	FALSE	
8	PO007	PJ-A	Planning	IT01	4	RM 45.00	Cancell...	2	Display adapter for briefing	RM 180.00	RM 0.00	FALSE	
9	PO008	PJ-A	Procurement	IT02	6	RM 12.00	Delivered	2	Training notebook for pilot team	RM 72.00	RM 72.00	FALSE	
10	PO009	PJ-B	Site Coordination	IT03	8	RM 30.00	Delivered	2	Cable pack for review session	RM 240.00	RM 240.00	FALSE	
11	PO010	PJ-B	Planning	IT04	10	RM 18.00	Pending	2	Marker set for briefing	RM 180.00	RM 180.00	FALSE	
12	PO011	PJ-B	Procurement	IT05	2	RM 25.00	Cancell...	2	Desk sign for pilot team	RM 50.00	RM 0.00	FALSE	
13	PO012	PJ-B	Site Coordination	IT06	4	RM 8.00	Delivered	2	Quick guide for review session	RM 32.00	RM 32.00	FALSE	
14	PO013	PJ-B	Planning	IT01	6	RM 45.00	Delivered	3	Display adapter for briefing	RM 270.00	RM 270.00	FALSE	
15	PO014	PJ-B	Procurement	IT02	8	RM 12.00	Pending	3	Training notebook for pilot team	RM 96.00	RM 96.00	FALSE	
16	PO015	PJ-B	Site Coordination	IT03	10	RM 30.00	Cancell...	3	Cable pack for review session	RM 300.00	RM 0.00	FALSE	
17	PO016	PJ-B	Planning	IT04	2	RM 18.00	Delivered	3	Marker set for briefing	RM 36.00	RM 36.00	FALSE	
18	PO017	PJ-C	Procurement	IT05	4	RM 25.00	Delivered	3	Desk sign for pilot team	RM 100.00	RM 100.00	FALSE	
19	PO018	PJ-C	Site Coordination	IT06	6	RM 8.00	Pending	3	Quick guide for review session	RM 48.00	RM 48.00	FALSE	
20	PO019	PJ-C	Planning	IT01	8	RM 45.00	Cancell	4	Display adapter for briefing				

Create explicit row flags matching the format logic.

14. On Validation Tests, enter the five exception expectations in **A15:H20** before trying them: Pending 199 FALSE; Pending 200 TRUE; Pending 201 TRUE; Delivered 200 FALSE; Cancelled 200 FALSE. Actual flag/highlight/ID/result columns start empty. These are sequential temporary versions of practice PO002, not additional source records.



Case	Target	Input	Expected value rule	Expected UI	Observed UI	Result	Saved test value
V01	Quantity E3	0	Valid nonnegative whole zero	Accept	Accepted	Matches expected	0 accepted, then restored4
V02	Quantity E3	2	Valid positive whole number	Accept	Accepted	Matches expected	2 accepted, then restored4
V03	Quantity E3	-1	Invalid negative	Reject	Rejected with dialog	Matches expected	4 retained
V04	Quantity E3	1.5	Invalid fractional	Reject	Rejected with dialog	Matches expected	4 retained
V05	Quantity E3	two	Invalid text	Reject	Rejected with dialog	Matches expected	4 retained
V06	Status G3	Delivered	Allowed status	Accept	Accepted	Matches expected	Delivered, then restored Pending
V07	Status G3	Pending	Allowed status	Accept	Accepted	Matches expected	Pending retained
V08	Status G3	Cancelled	Allowed status	Accept	Accepted	Matches expected	Cancelled, then restored Pending
V09	Status G3	Ready	Not an allowed status	Reject	Rejected with dialog	Matches expected	Pending retained
V10	Quantity E3	Clear cell	Blank is not numeric for a completed row	Observe clearing behavior	Cleared without blocking dialog	Blank requires a separate completeness check	Blank observed, then restored4

Case	Status	Amount	Expected flag	Observed flag	Observed highlight	Qualifying OrderID	Result
X01	Pending	199	FALSE				
X02	Pending	200	TRUE				
X03	Pending	201	TRUE				
X04	Delivered	200	FALSE				
X05	Cancelled	200	FALSE				

Record exception expectations before testing.

15. With E3=1, test **Pending / F3=199**. L3 is FALSE and the row is not highlighted. The amount condition excludes it.



Check Pending 199 flag is FALSE.

16. Test **Pending /200**. L3 is TRUE and PO002 is highlighted; the threshold is inclusive.



Check Pending 200 flag is TRUE.

17. Test **Pending /201**. L3 remains TRUE and the row remains highlighted.



Check Pending 201 flag is TRUE.

18. Test **Delivered /200**. L3 is FALSE and the highlight is absent because the status condition fails.



Exclude Delivered 200 from the flag.

19. Test **Cancelled /200**. L3 is FALSE, the highlight is absent and ActiveAmount is 0. Record the observed cases, then restore E3/F3/G3 to **4/12/Pending**.



	A	B	C	D	E	F	G	H	I	J	K	L
1	OrderID	Project	Team	ItemCode	Quantity	UnitCost	Status	Week	Description	Amount	ActiveAmount	PendingHigh
2	PO001	PJ-A	Planning	IT01	2	RM 45.00	Delivered	1	Display adapter for briefing	RM 90.00	RM 90.00	FALSE
3	PO002	PJ-A	Procurement	IT02	1	RM 200.00	Cancell...	1	Training notebook for pilot team	RM 200.00	RM 0.00	FALSE
4	PO003	PJ-A	Site Coordination	IT03	6	RM 30.00	Cancell...	1	Cable pack for review session	RM 180.00	RM 0.00	FALSE
5	PO004	PJ-A	Planning	IT04	8	RM 18.00	Delivered	1	Marker set for briefing	RM 144.00	RM 144.00	FALSE
6	PO005	PJ-A	Procurement	IT05	10	RM 25.00	Delivered	1	Desk sign for pilot team	RM 250.00	RM 250.00	FALSE
7	PO006	PJ-A	Site Coordination	IT06	2	RM 8.00	Pending	1	Quick guide for review session	RM 16.00	RM 16.00	FALSE
8	PO007	PJ-A	Planning	IT01	4	RM 45.00	Cancell...	2	Display adapter for briefing	RM 180.00	RM 0.00	FALSE
9	PO008	PJ-A	Procurement	IT02	6	RM 12.00	Delivered	2	Training notebook for pilot team	RM 72.00	RM 72.00	FALSE
10	PO009	PJ-B	Site Coordination	IT03	8	RM 30.00	Delivered	2	Cable pack for review session	RM 240.00	RM 240.00	FALSE
11	PO010	PJ-B	Planning	IT04	10	RM 18.00	Pending	2	Marker set for briefing	RM 180.00	RM 180.00	FALSE
12	PO011	PJ-B	Procurement	IT05	2	RM 25.00	Cancell...	2	Desk sign for pilot team	RM 50.00	RM 0.00	FALSE
13	PO012	PJ-B	Site Coordination	IT06	4	RM 8.00	Delivered	2	Quick guide for review session	RM 32.00	RM 32.00	FALSE
14	PO013	PJ-B	Planning	IT01	6	RM 45.00	Delivered	3	Display adapter for briefing	RM 270.00	RM 270.00	FALSE
15	PO014	PJ-B	Procurement	IT02	8	RM 12.00	Pending	3	Training notebook for pilot team	RM 96.00	RM 96.00	FALSE
16	PO015	PJ-B	Site Coordination	IT03	10	RM 30.00	Cancell...	3	Cable pack for review session	RM 300.00	RM 0.00	FALSE
17	PO016	PJ-B	Planning	IT04	2	RM 18.00	Delivered	3	Marker set for briefing	RM 36.00	RM 36.00	FALSE
18	PO017	PJ-C	Procurement	IT05	4	RM 25.00	Delivered	3	Desk sign for pilot team	RM 100.00	RM 100.00	FALSE
19	PO018	PJ-C	Site Coordination	IT06	6	RM 8.00	Pending	3	Quick guide for review session	RM 48.00	RM 48.00	FALSE
20	PO019	PJ-C	Planning	IT01	8	RM 45.00	Cancell	4	Display adapter for briefing			

Exclude Cancelled 200 from the flag.

20. Check both range boundaries without appending a record. Temporarily set **PO001 row 2** to Quantity 1, UnitCost 200, Pending, and **PO024 row 25** to Quantity 1, UnitCost 201, Pending. Both flags and row highlights are TRUE. Inspect the final row explicitly; the first cell alone does not prove full coverage.

> **Reference run:** Native readback retained both positive boundary states before restoration.



	A	B	C	D	E	F	G	H	I	J	K	L
1	OrderID	Project	Team	ItemCode	Quantity	UnitCost	Status	Week	Description	Amount	ActiveAmount	PendingHigh
8	PO007	PJ-A	Planning	IT01	4	RM 45.00	Cancell...	2	Display adapter for briefing	RM 180.00	RM 0.00	FALSE
9	PO008	PJ-A	Procurement	IT02	6	RM 12.00	Delivered	2	Training notebook for pilot team	RM 72.00	RM 72.00	FALSE
10	PO009	PJ-B	Site Coordination	IT03	8	RM 30.00	Delivered	2	Cable pack for review session	RM 240.00	RM 240.00	FALSE
11	PO010	PJ-B	Planning	IT04	10	RM 18.00	Pending	2	Marker set for briefing	RM 180.00	RM 180.00	FALSE
12	PO011	PJ-B	Procurement	IT05	2	RM 25.00	Cancell...	2	Desk sign for pilot team	RM 50.00	RM 0.00	FALSE
13	PO012	PJ-B	Site Coordination	IT06	4	RM 8.00	Delivered	2	Quick guide for review session	RM 32.00	RM 32.00	FALSE
14	PO013	PJ-B	Planning	IT01	6	RM 45.00	Delivered	3	Display adapter for briefing	RM 270.00	RM 270.00	FALSE
15	PO014	PJ-B	Procurement	IT02	8	RM 12.00	Pending	3	Training notebook for pilot team	RM 96.00	RM 96.00	FALSE
16	PO015	PJ-B	Site Coordination	IT03	10	RM 30.00	Cancell...	3	Cable pack for review session	RM 300.00	RM 0.00	FALSE
17	PO016	PJ-B	Planning	IT04	2	RM 18.00	Delivered	3	Marker set for briefing	RM 36.00	RM 36.00	FALSE
18	PO017	PJ-C	Procurement	IT05	4	RM 25.00	Delivered	3	Desk sign for pilot team	RM 100.00	RM 100.00	FALSE
19	PO018	PJ-C	Site Coordination	IT06	6	RM 8.00	Pending	3	Quick guide for review session	RM 48.00	RM 48.00	FALSE
20	PO019	PJ-C	Planning	IT01	8	RM 45.00	Cancell...	4	Display adapter for briefing	RM 360.00	RM 0.00	FALSE
21	PO020	PJ-C	Procurement	IT02	10	RM 12.00	Delivered	4	Training notebook for pilot team	RM 120.00	RM 120.00	FALSE
22	PO021	PJ-C	Site Coordination	IT03	2	RM 30.00	Delivered	4	Cable pack for review session	RM 60.00	RM 60.00	FALSE
23	PO022	PJ-C	Planning	IT04	4	RM 18.00	Pending	4	Marker set for briefing	RM 72.00	RM 72.00	FALSE
24	PO023	PJ-C	Procurement	IT05	6	RM 25.00	Cancell...	4	Desk sign for pilot team	RM 150.00	RM 0.00	FALSE
25	PO024	PJ-C	Site Coordination	IT06	1	RM 201.00	Pending	4	Quick guide for review session	RM 201.00	RM 201.00	TRUE
26										All Amount	Active Amou	

Check the final bounded source row with a positive case.

21. Create a native filter over **A1:L25** and filter PendingHigh to **TRUE**. Navigate to A2 so both records are visible. Expect **2 of 24 rows displayed: PO001 and PO024**, with matching TRUE flags and highlights. The ordinary SUM controls still include the full practice population while rows are hidden; they are not filtered subtotals.



Filter the two flags and compare actual highlighted IDs.

22. Remove the filter. Restore row 2 to **2/45/Delivered** and row 25 to **8/8/Delivered**; row 3 remains **4/12/Pending**. Leave every original OrderID intact.



Remove the filter and restore all original practice values.

23. Reinspect the final row's FALSE flag after restoration. The practice totals return to **3158 /1938**, with no current exceptions. No temporary test value is retained in the source table.



	OrderID	Project	Team	ItemCode	Quantity	UnitCost	Status	Week	Description	Amount	ActiveAmount	PendingHigh	Fic
7	PO006	PJ-A	Site Coordination	IT06	2	RM 8.00	Pending	1	Quick guide for review session	RM 16.00	RM 16.00	FALSE	
8	PO007	PJ-A	Planning	IT01	4	RM 45.00	Cancell...	2	Display adapter for briefing	RM 180.00	RM 0.00	FALSE	
9	PO008	PJ-A	Procurement	IT02	6	RM 12.00	Delivered	2	Training notebook for pilot team	RM 72.00	RM 72.00	FALSE	
10	PO009	PJ-B	Site Coordination	IT03	8	RM 30.00	Delivered	2	Cable pack for review session	RM 240.00	RM 240.00	FALSE	
11	PO010	PJ-B	Planning	IT04	10	RM 18.00	Pending	2	Marker set for briefing	RM 180.00	RM 180.00	FALSE	
12	PO011	PJ-B	Procurement	IT05	2	RM 25.00	Cancell...	2	Desk sign for pilot team	RM 50.00	RM 0.00	FALSE	
13	PO012	PJ-B	Site Coordination	IT06	4	RM 8.00	Delivered	2	Quick guide for review session	RM 32.00	RM 32.00	FALSE	
14	PO013	PJ-B	Planning	IT01	6	RM 45.00	Delivered	3	Display adapter for briefing	RM 270.00	RM 270.00	FALSE	
15	PO014	PJ-B	Procurement	IT02	8	RM 12.00	Pending	3	Training notebook for pilot team	RM 96.00	RM 96.00	FALSE	
16	PO015	PJ-B	Site Coordination	IT03	10	RM 30.00	Cancell...	3	Cable pack for review session	RM 300.00	RM 0.00	FALSE	
17	PO016	PJ-B	Planning	IT04	2	RM 18.00	Delivered	3	Marker set for briefing	RM 36.00	RM 36.00	FALSE	
18	PO017	PJ-C	Procurement	IT05	4	RM 25.00	Delivered	3	Desk sign for pilot team	RM 100.00	RM 100.00	FALSE	
19	PO018	PJ-C	Site Coordination	IT06	6	RM 8.00	Pending	3	Quick guide for review session	RM 48.00	RM 48.00	FALSE	
20	PO019	PJ-C	Planning	IT01	8	RM 45.00	Cancell...	4	Display adapter for briefing	RM 360.00	RM 0.00	FALSE	
21	PO020	PJ-C	Procurement	IT02	10	RM 12.00	Delivered	4	Training notebook for pilot team	RM 120.00	RM 120.00	FALSE	
22	PO021	PJ-C	Site Coordination	IT03	2	RM 30.00	Delivered	4	Cable pack for review session	RM 60.00	RM 60.00	FALSE	
23	PO022	PJ-C	Planning	IT04	4	RM 18.00	Pending	4	Marker set for briefing	RM 72.00	RM 72.00	FALSE	
24	PO023	PJ-C	Procurement	IT05	6	RM 25.00	Cancell...	4	Desk sign for pilot team	RM 150.00	RM 0.00	FALSE	
25	PO024	PJ-C	Site Coordination	IT06	8	RM 8.00	Delivered	4	Quick guide for review session	RM 64.00	RM		

Recheck the restored final-row flag.

24. Record exact ranges, restoration and limitations in **Validation Tests J1:K9**, outside the matrices. Use wide wrapped note columns (about 250/1000 pixels) so they remain readable without widening the test tables. State that the independent appended PO-TEST row, new-row coverage repair, bulk paste, CSV numeric text and human/timing checks remain pending.



	J	K
1	Validation handover	Author-run guided and casework evidence
2	Restoration	Practice E3/F3/G3 restored to4/12/Pending. First row restored2/45/Delivered; final row restored8/8/Delivered. Filter removed.
3	Validation coverage	Validation Practice G2:G25: Delivered/Pending/Cancelled, single choice, Reject input. E2:E25 custom formula =AND(ISNUMBER(E2),E2>=0,MOD(E2,1)=0), Reject input.
4	Exception coverage	Conditional format A2:K25 uses =AND($G2="Pending",$J2>=200). Explicit flags L2:L25 use the same row logic.
5	Boundary reconciliation	First and final rows tested positive as PO001/Pending200 and PO024/Pending201; flags TRUE, both highlighted, filter showed2of24 matching IDs. All values now restored: baseline flags0.
6	Blank limit	Delete cleared E3 without a blocking dialog, while the custom rule remained. A complete row still needs numeric Quantity; do not claim requiredness is enforced by this input rule.
7	Input method limit	Tests used cell-edit mode with text pasted into the editor and Enter. Bulk range paste and CSV-imported numeric text were not tested.
8	Independent work pending	No PO-TEST row was appended. New-row rule/formula/format coverage diagnosis and repair, independent report, reviewer and learner timing remain pending.
9	Source boundary	Maintained Orders/Analysis/Rates and original Source Snapshot were not altered. Practice copy restored with24 original IDs and no current exceptions.

Record exact ranges restoration and untested behaviors.

25. Inspect the completed ten input observations. Separate the nine expected entry results from the blank-clearing limit; a no-highlight row is not proof that every field is valid.



Case	Target	Input	Expected value rule	Expected UI	Observed UI	Result	Saved test value
V01	Quantity E3	0	Valid nonnegative whole zero	Accept	Accepted	Matches expected	0 accepted, then restored4
V02	Quantity E3	2	Valid positive whole number	Accept	Accepted	Matches expected	2 accepted, then restored4
V03	Quantity E3	-1	Invalid negative	Reject	Rejected with dialog	Matches expected	4 retained
V04	Quantity E3	1.5	Invalid fractional	Reject	Rejected with dialog	Matches expected	4 retained
V05	Quantity E3	two	Invalid text	Reject	Rejected with dialog	Matches expected	4 retained
V06	Status G3	Delivered	Allowed status	Accept	Accepted	Matches expected	Delivered, then restored Pending
V07	Status G3	Pending	Allowed status	Accept	Accepted	Matches expected	Pending retained
V08	Status G3	Cancelled	Allowed status	Accept	Accepted	Matches expected	Cancelled, then restored Pending
V09	Status G3	Ready	Not an allowed status	Reject	Rejected with dialog	Matches expected	Pending retained
V10	Quantity E3	Clear cell	Blank is not numeric for a completed row	Observe clearing behavior	Cleared without blocking dialog	Blank requires a separate completeness check	Blank observed, then restored4

Case	Status	Amount	Expected flag	Observed flag	Observed highlight	Qualifying OrderID	Result
X01	Pending	199	FALSE	FALSE	No	None	Matches expected
X02	Pending	200	TRUE	TRUE	Yes	PO002	Matches expected
X03	Pending	201	TRUE	TRUE	Yes	PO002	Matches expected
X04	Delivered	200	FALSE	FALSE	No	None	Matches expected
X05	Cancelled	200	FALSE	FALSE	No	None	Matches expected

Inspect completed input observations.

26. Inspect all five exception cases. Expected flags, actual flags and actual highlights agree. Two qualifying entries in the sequential matrix refer to two different temporary amounts on the same PO002, not two simultaneous source records.



Case	Target	Input	Expected value rule	Expected UI	Observed UI	Result	Saved test value
V01	Quantity E3	0	Valid nonnegative whole zero	Accept	Accepted	Matches expected	0 accepted, then restored4
V02	Quantity E3	2	Valid positive whole number	Accept	Accepted	Matches expected	2 accepted, then restored4
V03	Quantity E3	-1	Invalid negative	Reject	Rejected with dialog	Matches expected	4 retained
V04	Quantity E3	1.5	Invalid fractional	Reject	Rejected with dialog	Matches expected	4 retained
V05	Quantity E3	two	Invalid text	Reject	Rejected with dialog	Matches expected	4 retained
V06	Status G3	Delivered	Allowed status	Accept	Accepted	Matches expected	Delivered, then restored Pending
V07	Status G3	Pending	Allowed status	Accept	Accepted	Matches expected	Pending retained
V08	Status G3	Cancelled	Allowed status	Accept	Accepted	Matches expected	Cancelled, then restored Pending
V09	Status G3	Ready	Not an allowed status	Reject	Rejected with dialog	Matches expected	Pending retained
V10	Quantity E3	Clear cell	Blank is not numeric for a completed row	Observe clearing behavior	Cleared without blocking dialog	Blank requires a separate completeness check	Blank observed, then restored4

Case	Status	Amount	Expected flag	Observed flag	Observed highlight	Qualifying OrderID	Result
X01	Pending	199	FALSE	FALSE	No	None	Matches expected
X02	Pending	200	TRUE	TRUE	Yes	PO002	Matches expected
X03	Pending	201	TRUE	TRUE	Yes	PO002	Matches expected
X04	Delivered	200	FALSE	FALSE	No	None	Matches expected
X05	Cancelled	200	FALSE	FALSE	No	None	Matches expected

Inspect the completed five-case exception matrix.

27. Recheck maintained **Orders**. Native verification confirms its values, formulas, formats and original controls remain unchanged, as do maintained Analysis, Rates and Source Snapshot.



Verify the maintained source is preserved.

28. Leave **Validation Practice** saved with 24 original records, original Amount/ActiveAmount formulas, the two strict validation rules, the conditional format and 24 FALSE explicit flags. All temporary values and the filter are removed.



Leave restored Validation Practice ready for the next lab.

> **Validation boundary:** guided 3.1–3.3 and author casework 3.4 are checked in the learner UI. Nine ordinary entry cases match expectations; blank clearing is allowed and explicitly documented as a completeness limit. Five exception cases and first/final-row flag/highlight/filtered-ID agreement are checked. Independent appended-row coverage diagnosis/repair, bulk-paste/CSV numeric-text behavior, reviewer and learner timing remain pending. The 65-minute classroom allocation is unmeasured.

Zero-Match Check

The supplied baseline has no Pending record with Amount at least 200. Record that result explicitly. Use a separately labelled synthetic case to prove the positive branch; do not edit baseline records just to obtain a highlight.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Append a synthetic pending record only to the test copy and diagnose whether input validation, flag formulas and conditional formatting extend to it.
2. Repair coverage and produce a test report containing at least eight input cases and five exception cases.
3. State whether blanks and pasted values were actually tested and list any behaviour still requiring confirmation in the customer account.

Evidence to Hand Over

- Eight-case input validation matrix and five-case exception matrix.
- Agreement between explicit flags, highlighted rows and filtered IDs.
- New-row coverage repair and restored source values.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
The colour rule flags the wrong row	Check the apply-to start row and the relative row in the custom formula.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

Data rules constrain entry; conditional formatting draws attention to defined exceptions.

Check yourself: How does a validation rule differ from a coloured warning?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

Part 1: Typed Values

```
=AND($G2="Pending",$J2⩾200)
```

Part 2: Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Synthetic coverage record, test copy only: PO-TEST | PJ-A | Planning | IT01 | Quantity 5 |
UnitCost 45 | Pending | week 4 | Coverage test. Quantity candidates: 0, 2, -1, 1.5, text
“two”, blank and numeric text imported from a CSV.
```

Part 3: Captured Validation Reference

Use the separate Validation Practice tab. G2:G25: single-choice Delivered/Pending/Cancelled, strict Reject input. E2:E25: Custom formula is **=AND(ISNUMBER(E2),E2>=0,MOD(E2,1)=0)**, explicitly select Reject input (the custom editor defaulted to warning). Conditional format A2:K25: **=AND($G2="Pending",$J2>=200)**, light fill#b7e1cd. L2 uses that same formula, filled to 25.

Input expectations — Validation Tests A1:H11

Observed columns F:H start empty. Each entry test uses cell-edit mode, not a bulk-range paste. Restore E3=4 or G3=Pending after each accepted test; rejected input retains the original value. Test clearing separately with Delete and restore 4 afterward.

```
Case    Target  Input   Expected value rule     Expected UI     Observed UI     Result  Saved
test value
V01     Quantity E3     0       Valid nonnegative whole zero    Accept
V02     Quantity E3     2       Valid positive whole number     Accept
V03     Quantity E3     -1      Invalid negative        Reject
V04     Quantity E3     1.5     Invalid fractional      Reject
V05     Quantity E3     two     Invalid text    Reject
V06     Status G3       Delivered       Allowed status  Accept
V07     Status G3       Pending Allowed status  Accept
V08     Status G3       Cancelled       Allowed status  Accept
V09     Status G3       Ready   Not an allowed status   Reject
V10     Quantity E3     Clear cell      Blank is not numeric for a completed row
Observe clearing behavior
```

Nine ordinary cases matched accept/reject expectations. Delete cleared E3 without a blocking dialog while the custom rule remained. A blank is not a completed numeric Quantity: record the completeness limit rather than claiming requiredness is enforced. Bulk-range paste and CSV-imported numeric text remain untested.

Exception expectations — Validation Tests A15:H20

Use temporary practice PO002 (row 3), Quantity 1 and the listed UnitCost/Amount; restore 4/12/Pending after all five cases. Observed columns E:H start empty.

```
Case    Status  Amount  Expected flag   Observed flag   Observed highlight      Qualifying
OrderID Result
X01     Pending 199     FALSE
X02     Pending 200     TRUE
X03     Pending 201     TRUE
X04     Delivered       200     FALSE
X05     Cancelled       200     FALSE
```

Actual flags/highlights were FALSE/none, TRUE/PO002, TRUE/PO002, FALSE/none, FALSE/none. The two positive rows in the report are sequential tests of one record. Delivered/Cancelled fail the status condition even at 200.

First/final-row coverage check

On the practice copy only, set row 2 PO001 to Quantity 1/UnitCost200/Pending and row 25 PO024 to Quantity 1/UnitCost201/Pending. Flags L2/L25 and row highlights are TRUE. Filter A1:L25 on PendingHigh TRUE:2of24 records, PO001 and PO024. Remove the filter; restore row 2 to 2/45/Delivered and row 25 to 8/8/Delivered. Leave row 3 at 4/12/Pending. Original24IDs and J/K formulas remain, totals 3158/1938 and24FALSE flags.

Handover notes — Validation Tests J1:K9

```
Validation handover     Author-run guided and casework evidence
Restoration     Practice E3/F3/G3 restored to 4/12/Pending. First row restored 2/45/Delivered;
final row restored 8/8/Delivered. Filter removed.
Validation coverage     Validation Practice G2:G25: Delivered/Pending/Cancelled, single
choice, Reject input. E2:E25 custom formula =AND(ISNUMBER(E2),E2⩾0,MOD(E2,1)=0), Reject
input.
Exception coverage      Conditional format A2:K25 uses =AND($G2="Pending",$J2⩾200). Explicit
flags L2:L25 use the same row logic.
Boundary reconciliation First and final rows tested positive as PO001/Pending200 and
PO024/Pending201; flags TRUE, both highlighted, filter showed2of24 matching IDs. All values
now restored; baseline flags 0.
Blank limit     Delete cleared E3 without a blocking dialog, while the custom rule remained. A
complete row still needs numeric Quantity; do not claim requiredness is enforced by this input
rule.
Input method limit      Tests used cell-edit mode with text pasted into the editor and Enter.
Bulk range paste and CSV-imported numeric text were not tested.
Independent work pending        No PO-TEST row was appended. New-row rule/formula/format
coverage diagnosis and repair, independent report, reviewer and learner timing remain pending.
Source boundary Maintained Orders/Analysis/Rates and original Source Snapshot were not
altered. Practice copy restored with 24 original IDs and no current exceptions.
```

No PO-TEST row was appended. Independent new-row validation/formula/format coverage repair, bulk paste, CSV numeric text, reviewer and learner timing remain pending. Maintained Orders/Analysis/Rates and Source Snapshot were unchanged.

04

CHAPTER 4

Combine and Clean Text

In this chapter you will use LEFT, RIGHT, MID and concatenation; check AI categorisation against explicit rules.

> **Prompts:** the prompts page has every value and prompt for this chapter, each with a Copy button.

Estimated time: 60 minutes, planned as 15 explanation and demonstration, 17 guided build and casework, 20 independent practice and 8 verification and repair, with 45 active minutes by design. Not yet timed with learners.

Your result: Text extraction and labels with checked category mappings.

> **Status:** author reference with 32 staged application captures through 4.4. Leading-zero text, raw/clean provenance, actual Gemini proposals, explicit category comparisons, NBSP exception and separate identifier syntax/reference checks verified. Maintained source preserved. Independent mixed intake, reviewer reconstruction, native file import and learner timing remain pending.

What You Will Learn

- Extract parts of identifiers.
- Combine readable labels.
- Check AI categories against a visible mapping.

Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use Orders and Rates. The supplied IDs follow PO plus three digits; this is a training convention.

4.1 Extract Identifier Parts

1. Create a separate **Text Practice** tab. Copy OrderID, Project and ItemCode values from Orders rows 2,3,25 using the card. Put headers OrderID / Project / ItemCode / Prefix / Right suffix / Mid suffix in A1:F1. Leave the original Orders fields unchanged.



Record source samples before extraction.

2. In D2 enter **=LEFT(A2,2)**. It returns **PO**.



Extract the first prefix with LEFT.

3. In E2 enter **=RIGHT(A2,3)**. The result is the text **001**, retaining its leading zeros.



Retain the three-character suffix with RIGHT.

4. In F2 enter **=MID(A2,3,3)**. It also returns **001**. Extracted text is not a newly assigned identifier and does not prove that the entire key is valid.



Compare MID with RIGHT.

5. Select D2:F4 and **Fill down** (Ctrl+D). The two suffix columns show **001 /002 /024**. Inspect the final sample's own-row formula.



Fill the extraction formulas through the samples.

4.2 Combine and Clean Text

1. On Text Practice put Raw team / TRIM team / Raw length / Clean length in A7:D7. Enter Planning from DirtyText.csv into A8 with one leading and one trailing ordinary space, as a single-cell value. Use **=TRIM(A8)** in B8, **=LEN(A8)** in C8 and **=LEN(B8)** in D8. Expect Planning and lengths **10 /8**. Do not lose the raw spaces during entry.



TRIM the source-padded Planning value.

2. Add Display label in G1 and **=A2&" - "&B2** in G2. This combines OrderID and Project on the practice tab; do not add display-only fields to the maintained source for this test.



Combine a display label without replacing keys.

3. Fill G2:G4 down. Verify labels **PO001 - PJ-A**, **PO002 - PJ-A**, **PO024 - PJ-C** while separate OrderID/Project/ItemCode fields remain available. Add the source-row traceability note outside the table.



Fill the display labels.

4.3 Check Categorisation

1. Inspect **Rates A1:D7**. Its six ItemCodes map to Equipment / Stationery / Equipment / Stationery / Print / Print in code order IT01–IT06. Rates is the reference, not an AI answer.



Inspect the six-item Rates reference.

2. If Gemini is available, open **Ask Gemini** and submit the supplied proposal-only prompt. It includes the explicit six-item mapping and requests no spreadsheet edits. Keep the request visible before submitting; do not apply an Insert suggestion to the maintained Rates table.



Ask Gemini using the explicit mapping.

3. Read the actual six proposals. Model output can vary. This prompt tests adherence to a provided mapping, not independent classification of unseen items.

> **Reference run:** Gemini repeated all six supplied categories and advised review for unmapped or conflicting inputs.



Retain Gemini actual category proposals.

4. Create **Category Checks** with ItemCode / Item / Gemini proposal / Rates category / Matches reference in A1:E1. Record the six actual proposals in A2:C7 before calculating comparisons. If Gemini is unavailable, label the fallback as a manual reference exercise; do not invent an AI response.



Record proposals before reference comparisons.

5. In D2 enter **=VLOOKUP(A2,Rates!$A$2:$D$7,4,FALSE)** and E2 **=C2=D2**. Fill D2:E7 down and inspect every row. Record the limited scope of that evidence.

> **Reference run:** All six comparisons are TRUE in this author run.



Compare each proposal with Rates.

4.4 Build a Reversible Text Normalisation Pipeline

1. Create **Text Audit**. Retain exact DirtyText.csv raw columns TaskID / Raw team / Raw status in A1:C4. The verified route is clipboard entry, not a completed native CSV file-import test. Use the raw-length checks to detect entry loss.

> **Reference run:** TSV block paste removed surrounding spaces; single-cell entry restored B2 to Planning with one leading and one trailing ordinary space, and B4 to Site Coordination with one trailing ordinary space, before adding formulas.



Preserve exact raw CSV values before normalisation.

2. Add D:H headers Normalised team / Normalised status / Decision / Raw team length / Clean team length. In D2 use **=TRIM(B2)**. E2 uses the exact explicit-case formula on the card for **Complete /In Progress /Not Started**. These are task statuses from DirtyText.csv, separate from the Orders status vocabulary; do not infer a mapping to Delivered/Pending/Cancelled.



Test explicit team and status normalisation.

3. F2 accepts only the three known team names and a recognised task status. G2/H2 compare LEN(B2)/LEN(D2). Fill D2:H4 down. All three sample rows are Accepted; raw/clean team lengths are **10/8**, **11/11**, **18/17**. Add the source-entry and vocabulary notes outside the data.



Fill three audit decisions and length comparisons.

4. In A12:H15 create the whitespace test card. Record expected post-TRIM lengths **8 /17 /10** before actual formulas. Enter raw values individually to retain their characters. The third case is a literal non-

breaking-space character before and after Planning; it is labelled as synthetic author casework, not an additional CSV row.



Record whitespace expectations before results.

5. Use D13 **=TRIM(B13)**, E13 **=LEN(D13)**, F13 **=E13=C13**, H13 **=UNICODE(LEFT(B13,1))**; fill the formula columns through row 15. Ordinary spaces are removed. The NBSP result remains length **10**, with first code point **160**. Keep that exception for review rather than silently treating TRIM as universal whitespace cleaning.



Observe non-breaking spaces retained by TRIM.

6. Wrap A12:H15 to make every case and decision readable. All three expected-length comparisons pass, including the expected retained-NBSP behavior; this does not make the unusual space an accepted team value.



	A	B	C	D	E	F	G	H
1	TaskID	Raw team	Raw status	Normalised team	Normalised status	Decision	Raw team length	Clean team length
2	T001	Planning	complete	Planning	Complete	Accepted	10	8
3	T002	Procurement	In Progress	Procurement	In Progress	Accepted	11	11
4	T003	Site Coordination	Not Started	Site Coordination	Not Started	Accepted	18	17
5								
6								
7	Audit boundary	DirtyText.csv contains task statuses, not the Orders Delivered/Pending/Cancelled vocabulary. Case handling uses only its three known statuses. Raw source remains for traceability.						
8								
9	Source entry me	CSV rows pasted through UI. Multi-cell paste trimmed surrounding spaces; B2 and B4 restored by single-cell entry before cleaning. File-import workflow not tested this round.						
10								
11								
12	Case	Raw value	Expected length after TRIM	TRIM output	Observed length	Matches expected	Decision	First code point
13	Ordinary padding	Planning	8	Planning	8	TRUE	Ordinary spaces removed	32
14	Trailing space	Site Coordination	17	Site Coordination	17	TRUE	Ordinary space removed	83
15	NBSP padding	Planning	10	Planning	10	TRUE	NBSP retained - review	160

Inspect readable whitespace cases and codepoint160.

7. Create **Identifier Tests** using the eight-row card, with expected outcomes recorded before formulas. Keep B5 truly blank and enter B9 as IT03 with one leading and one trailing ordinary space separately. Order keys require PO plus three digits; item keys require IT plus two digits and a mapping entry.



	A	B	C	D	E	F	G	H	I	J	K	L
1	Case	Raw key	Kind	Expected outcome	Normalised	Prefix	RIGHT 3	MID 3	Pattern OK	Reference OK	Decision	
2	ID01	PO001	Order	Accepted order								
3	ID02	PO024	Order	Accepted order								
4	ID03	PO1	Order	Malformed								
5	ID04		Item	Blank								
6	ID05	IT01	Item	Equipment								
7	ID06	IT06	Item	Print								
8	ID07	IT99	Item	Unmapped								
9	ID08	IT03	Item	Equipment								

Record eight identifier expectations before formulas.

8. Normalise B with TRIM in E; apply LEFT(E2,2), RIGHT(E2,3) and MID(E2,3,3) in F:H and fill through row 9. **PO1** still yields substrings despite being malformed. For IT01, RIGHT3 returns **T01**, while MID returns **01**; the three-digit order-suffix convention must not be applied blindly to item keys.



Observe extraction on malformed PO1.

9. Use the card's complete-pattern REGEXMATCH formula in I2 and fill down. PO1 and the blank fail. IT99 passes its pattern, which proves syntax only.



Validate complete identifier patterns.

10. In J2 check membership against bounded Orders A2:A25 or Rates A2:A7 only after the pattern passes. Fill down. **IT99 is TRUE for pattern and FALSE for reference membership**. A plausible-looking code is not a valid category mapping.



Separate IT99 syntax from mapping membership.

11. Use K2's decision formula and fill down. It keeps **Blank /Malformed /Unmapped** separate, accepts the two existing order keys and returns exact Rates categories for the three mapped item cases. Raw values and extraction columns remain available for audit.



Keep malformed blank and unmapped decisions distinct.

12. In L2 compare **=K2=D2** and fill through row 9. All eight decisions match their recorded expected outcomes. These are guided author cases, not the independent mixed-intake challenge.



Compare all eight decisions with expected results.

13. Add A12:D21 controls: **8 cases /8 matches /2 accepted orders /3 mapped item cases /1 malformed /1 blank /1 unmapped /6 pattern passes /5 reference matches**. Compare each actual to its expected count. All nine differences are zero; inspect contributing rows as well as totals.



Reconcile identifier counts and zero differences.

14. Create **Pipeline Notes** with the traceability card. Explain raw → normalised → validated → category/display output. TRIM and case changes require raw input for reconstruction; keeping raw alongside output preserves traceability but does not make TRIM itself invertible. The display label never replaces the separate keys.



Document pipeline traceability and reversibility.

15. Inspect the final Text Audit with wrapped headings and decisions. Check raw spaces remain and the NBSP example still records review rather than a silently repaired source value.



Inspect the final raw and whitespace audit.

16. Inspect the final Identifier Tests table and zero-difference controls. Blank is not an item category; unmapped is not zero; extracted text is not membership proof.



Inspect final identifier decisions and controls.

17. Reinspect maintained Orders. This lab adds practice/audit tabs only; Orders, Analysis, Rates and Source Snapshot retain their original values and formats.



Verify maintained Orders are preserved.

18. Reinspect Text Practice's leading-zero suffixes and separate label inputs.



Retain separate keys and leading-zero display outputs.

19. Leave the six Category Checks comparisons and saved Pipeline Notes ready for handover. Retain the actual Gemini response as author evidence without claiming reliability on untested items.



Inspect six completed AI-reference comparisons.

> **Validation boundary:** guided 4.1–4.3 and author casework 4.4 were executed through learner UI with bounded read-only native-cell proof. Independent mixed-intake work, human reviewer reconstruction, native CSV file import and planned 60-minute learner timing remain unverified. Clipboard whitespace loss was detected and repaired before cleaning; the raw three-row CSV now matches exactly.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Independently process the mixed identifier intake into accepted keys and an exception list. Do not rely on string length alone for validity.
2. Demonstrate that IT99 is syntactically plausible but absent from the supplied mapping, and that a blank key is not a category.
3. Have a reviewer reconstruct one clean value's origin from your raw and transformation columns. Repair any missing trace.

Evidence to Hand Over

- Raw/clean text audit and identifier extraction tests.
- Separate syntax and mapping validation with explicit exceptions.
- Traceable category/display outputs and an independent mixed-intake result.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
Text extraction succeeds on a bad identifier	Validate the complete pattern and reference mapping separately from substring extraction.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

Text functions reshape fields while source keys and mappings preserve meaning.

Check yourself: Why should an ID suffix such as 001 remain text?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

Part 1: Typed Values

```
=LEFT(A2,2)
```

```
=RIGHT(A2,3)
```

```
=MID(A2,3,3)
```

```
=A2&" - "&B2
```

Part 2: Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Identifier intake: PO001; PO024; PO1; blank; IT01; IT06; IT99; “ IT03 ”. Order IDs require PO plus three digits; mapped item keys are the six supplied Rates codes. Do not treat every extracted suffix as a valid key.
```

Part 3: Captured Author-Run Reference

Fictional training material. Expectations precede actual formulas; actual results are recorded separately. Preserve spaces using single-cell entry where noted. This is not independent learner validation.

Text Practice A1:C4

```
OrderID Project ItemCode
PO001   PJ-A    IT01
PO002   PJ-A    IT02
PO024   PJ-C    IT06
```

Text Practice source-padded team A8

Enter one ordinary space, then `Planning`, then one ordinary space. The raw value must have length 10; enter this cell separately from a multi-cell paste.

Gemini proposal-only prompt

```
Fictional training task. Return a category proposal table only; do not edit the spreadsheet. Use only Equipment, Stationery, Print and this explicit Rates mapping: IT01 Display adapter = Equipment; IT02 Training notebook = Stationery; IT03 Cable pack = Equipment; IT04 Marker set = Stationery; IT05 Desk sign = Print; IT06 Quick guide = Print. Propose a category for each of these six ItemCodes and names. Mark an unmapped or ambiguous input for review rather than inventing a category.
```

Category Checks A1:E7 — actual proposal observations, blank comparison columns

```
ItemCode        Item    Gemini proposal Rates category  Matches reference
IT01    Display adapter Equipment
IT02    Training notebook       Stationery
IT03    Cable pack      Equipment
IT04    Marker set      Stationery
IT05    Desk sign       Print
IT06    Quick guide     Print
```

Text Audit A1:C4 — raw CSV, restore B2/B4 single-cell spaces

```
TaskID  Raw team        Raw status
T001     Planning       complete
T002    Procurement     In Progress
T003    Site Coordination       Not Started
```

Whitespace expectations A12:H15 — blank actual columns

```
Case    Raw value       Expected length after TRIM      TRIM output     Observed length
Matches expected        Decision        First code point
Ordinary padding         Planning       8
Trailing space  Site Coordination       17
NBSP padding     Planning       10
```

Identifier expectations A1:L9 — blank actual columns

```
Case    Raw key Kind    Expected outcome        Normalised      Prefix  RIGHT 3 MID 3
Pattern OK      Reference OK    Decision        Matches expected
ID01    PO001   Order   Accepted order
ID02    PO024   Order   Accepted order
ID03    PO1     Order   Malformed
ID04            Item    Blank
ID05    IT01    Item    Equipment
ID06    IT06    Item    Print
ID07    IT99    Item    Unmapped
ID08     IT03   Item    Equipment
```

Identifier controls A12:D21

```
Control Actual  Expected        Difference
Cases   =COUNTA(A2:A9)  8       =B13-C13
Expected decisions matched      =COUNTIF(L2:L9,TRUE)    8       =B14-C14
Accepted orders =COUNTIF(K2:K9,"Accepted order")        2       =B15-C15
Mapped item categories
=COUNTIF(K2:K9,"Equipment")+COUNTIF(K2:K9,"Stationery")+COUNTIF(K2:K9,"Print")  3       =B16-
C16
Malformed       =COUNTIF(K2:K9,"Malformed")     1       =B17-C17
Blank   =COUNTIF(K2:K9,"Blank") 1       =B18-C18
Unmapped        =COUNTIF(K2:K9,"Unmapped")      1       =B19-C19
Pattern passes  =COUNTIF(I2:I9,TRUE)    6       =B20-C20
Reference matches       =COUNTIF(J2:J9,TRUE)    5       =B21-C21
```

Pipeline Notes A1:B10

```
Pipeline stage  Evidence and reversibility
Raw source      DirtyText.csv raw values retained in Text Audit A:C; Orders and Rates
unchanged. CSV block paste trimmed spaces; affected raw cells restored individually before
cleaning.
Normalised      Text Audit D uses TRIM. E uses explicit case handling only for complete / in
progress / not started. Whitespace and case changes are not invertible without the raw source.
Unusual whitespace      The literal NBSP case keeps length 10 after TRIM and code point 160.
Retain it for review; do not silently replace unusual characters.
Validated       Identifier Tests checks complete ^PO[0-9]{3}$ or ^IT[0-9]{2}$ patterns and
reference membership separately. PO1 malformed; blank remains blank; IT99 syntactically valid
but unmapped.
Category output Known item categories come from exact Rates mapping. Six Gemini proposals were
compared individually; they repeated the supplied mapping, not an independent test on unseen
items.
Display output  Text Practice combines OrderID and Project only for display. Separate keys and
original zeros remain; LEFT/RIGHT/MID outputs are text, not new identifiers.
Reconstruction  Clean Planning traces to Text Audit B2 with raw length 10, TRIM D2 length 8.
Preserve raw B2 to recover discarded spaces; do not attempt to reverse TRIM from clean text
alone.
Author evidence Three raw/clean rows, three space cases, eight expected-versus-actual
identifier cases and six AI/reference comparisons checked. Maintained
Orders/Analysis/Rates/Source Snapshot unchanged.
Pending checks  Independent mixed-intake attempt and reviewer reconstruction not performed.
File-import route and classroom 60-minute timing remain unverified.
```

Seed formulas — fill each stated column down

Text Practice D2:D4

```
=LEFT(A2,2)
```

Text Practice E2:E4

```
=RIGHT(A2,3)
```

Text Practice F2:F4

```
=MID(A2,3,3)
```

Text Practice G2:G4

```
=A2&" - "&B2
```

Text Audit D2:D4

```
=TRIM(B2)
```

Text Audit E2:E4

```
=IF(LOWER(TRIM(C2))="complete","Complete",IF(LOWER(TRIM(C2))="in progress","In
Progress",IF(LOWER(TRIM(C2))="not started","Not Started","Review")))
```

Text Audit F2:F4

```
=IF(AND(OR(D2="Planning",D2="Procurement",D2="Site
Coordination"),E2<>"Review"),"Accepted","Review")
```

Text Audit G2:G4

```
=LEN(B2)
```

Text Audit H2:H4

```
=LEN(D2)
```

Text Audit D13:D15

```
=TRIM(B13)
```

Text Audit E13:E15

```
=LEN(D13)
```

Text Audit F13:F15

```
=E13=C13
```

Text Audit H13:H15

```
=UNICODE(LEFT(B13,1))
```

Identifier Tests E2:E9

```
=TRIM(B2)
```

Identifier Tests F2:F9

```
=LEFT(E2,2)
```

Identifier Tests G2:G9

```
=RIGHT(E2,3)
```

Identifier Tests H2:H9

```
=MID(E2,3,3)
```

Identifier Tests I2:I9

```
=IF(C2="Order",REGEXMATCH(E2,"^PO[0-9]{3}$"),IF(C2="Item",REGEXMATCH(E2,"^IT[0-9]
{2}$"),FALSE))
```

Identifier Tests J2:J9

```
=IF(I2,IF(C2="Order",COUNTIF(Orders!$A$2:$A$25,E2)=1,COUNTIF(Rates!$A$2:$A$7,E2)=1),FALSE)
```

Identifier Tests K2:K9

```
=IF(E2="","Blank",IF(NOT(I2),"Malformed",IF(NOT(J2),"Unmapped",IF(C2="Order","Accepted
order",VLOOKUP(E2,Rates!$A$2:$D$7,4,FALSE)))))
```

Identifier Tests L2:L9

```
=K2=D2
```

Category Checks D2:D7

```
=VLOOKUP(A2,Rates!$A$2:$D$7,4,FALSE)
```

Category Checks E2:E7

```
=C2=D2
```

Raw whitespace cases include literal NBSP (U+00A0) padding; if copying changes it, verify the first code point 160 and raw length 10. Do not substitute ordinary spaces and claim the same test. Independent mixed intake, reviewer reconstruction, native file import and learner timing remain pending.

05

CHAPTER 5

Match Records and Handle Errors

In this chapter you will compare exact-match VLOOKUP, HLOOKUP and INDEX/MATCH; distinguish a missing key from bad input.

> **Prompts:** the prompts page has every value and prompt for this chapter, each with a Copy button.

Estimated time: 80 minutes, planned as 15 explanation and demonstration, 37 guided build and casework, 20 independent practice and 8 verification and repair, with 65 active minutes by design. Not yet timed with learners.

Your result: Exact-match lookup examples and an explicit missing-item result.

> **Status:** author reference with 36 staged application captures through 5.4.24 order rates reconcile, nine key cases match expectations, duplicate first-match and omitted-mode failures are observed, and distinct formula defects are captured and repaired. Maintained source preserved. Independent zero-rate/output/column-move work, reviewer and learner timing remain pending.

What You Will Learn

- Use exact-match lookups.
- Compare vertical and horizontal lookup layouts.
- Distinguish missing keys from broken formulas.

Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use Orders and Rates. Rates A2:D7 has unique item codes and numeric unit costs.

5.1 Look Up a Rate

1. Duplicate **Orders** as **Lookup Practice**. Verify the separate tab before editing. Keep maintained Orders, Rates, Analysis and Source Snapshot unchanged. The training-data label remains in M1, so new practice calculations start at **N1**.



Duplicate Orders for isolated lookup practice.

2. Label N1 **LookupRate** and enter **=VLOOKUP(D2,Rates!$A$2:$D$7,3,FALSE)** in N2. IT01 returns 45. FALSE requests an exact key match; the key must be in the first column of A:D and the requested return column is 3.



Enter the first exact VLOOKUP rate.

3. Fill **N2:N25** down. Inspect the final IT06 rate 8 as well as the first result; a correct first row alone is not the complete check.



Fill exact VLOOKUP through 24 copied orders.

4. Label O1 **IndexMatchRate**. In O2 enter **=INDEX(Rates!$C$2:$C$7,MATCH(D2,Rates!$A$2:$A$7,0))** and fill O2:O25 down. MATCH0 is exact; the key and return ranges must be aligned.



Use INDEX MATCH with zero match mode.

5. Label P1/Q1 **VLookup difference /Index difference**. Enter **=N2-F2 / =O2-F2** in P2/Q2 and fill through row 25. All 24 pairs are zero against the original UnitCost values. Widen only the new practice columns as needed.



Compare both methods with original UnitCost.

5.2 Practise a Horizontal Lookup

1. Create a blank **Horizontal Lookup** tab. The original guide's Analysis F/G cells now contain Lab 2 work, so use the same address pattern on this isolated tab. Enter IT01–IT06 in **G1:L1** and rates **45 /12 /30 /18 /25 /8** in G2:L2. Put Test key / Horizontal rate in F3:G3 and **IT03** in F4.



Prepare the horizontal reference and test key.

2. In G4 enter **=HLOOKUP(F4,$G$1:$L$2,2,FALSE)**. The exact lookup searches the first row and returns from the second row: **30**.



Look up IT03 horizontally as 30.

3. Change only F4 to **IT06**. Expect **8**.



Change the horizontal key to IT06 and observe 8.

4. Restore F4 to **IT03** and confirm 30. Preserve this restored key for the later three-method comparison.



Restore the horizontal key to IT03.

5.3 Handle an Expected Missing Key

1. Create **Lookup Errors** with the case/meaning/action card. In B2 enter **=VLOOKUP("IT99",Rates!$A$2:$D$7,3,FALSE)**. Observe the actual **#N/A** missing-match result; it is not an evidenced zero rate.



Observe an expected missing-key NA.

2. Change B2 to **=IFNA(VLOOKUP("IT99",Rates!$A$2:$D$7,3,FALSE),"Unmapped item")**. This labels the intended missing-match case.



Handle only the intended missing match with IFNA.

3. In B3 deliberately enter **=VLOKUP("IT03",Rates!$A$2:$D$7,3,FALSE)**. The native result is **#NAME?**, with the message **Unknown function: 'VLOKUP'.** Capture the actual defect before repair.



Observe the unknown-function NAME error.

4. Correct VLOKUP to **VLOOKUP**. B3 now returns 30. Repairing a formula defect is different from labelling a genuinely absent key.



Repair the function name and recover30.

5.4 Challenge Exact Lookups With Missing and Duplicate Keys

1. Create **Lookup Tests** from the nine-row expectation card. It includes all six known keys, IT99, a truly blank key and IT03 with one leading/trailing ordinary space. Preserve raw input B beside normalised C. Enter the padded B10 separately if block paste strips its spaces. Keep expected D values before populating actual formula columns.



Record nine key expectations before actual lookups.

2. In C2 use **=TRIM(B2)** and fill down. In K2 use the raw-key exact lookup card and fill through row 10. The raw padded key returns **Unmapped item**, while its normalised key is IT03. Keep that distinction visible instead of overwriting raw B10.



	A	B	C	D	E	F	G	H	I	J	K	L
1	Case	Raw key	Normalised key	Expected result	Match count	VLOOKUP	INDEX MATCH	Rates check	Matches expected	Decision	Raw lookup	
2	LK01	IT01	IT01	45							45	
3	LK02	IT02	IT02	12							12	
4	LK03	IT03	IT03	30							30	
5	LK04	IT04	IT04	18							18	
6	LK05	IT05	IT05	25							25	
7	LK06	IT06	IT06	8							8	
8	LK07	IT99	IT99	Unmapped item							Unmapped item	
9	LK08			Blank							Blank	
10	LK09	IT03	IT03	30							Unmapped item	

Retain raw padded input beside its normalised key.

3. Fill E2:G10 using the card: count matches only for nonblank keys, then use exact VLOOKUP and INDEX/MATCH on normalised C. Handle an explicit blank separately from a missing mapping. The six known keys and cleaned IT03 return their numeric rates; IT99 remains Unmapped item.



	A	B	C	D	E	F	G	H	I	J	K	L
1	Case	Raw key	Normalised key	Expected result	Match count	VLOOKUP	INDEX MATCH	Rates check	Matches expected	Decision	Raw lookup	
2	LK01	IT01	IT01	45	1	45	45				45	
3	LK02	IT02	IT02	12	1	12	12				12	
4	LK03	IT03	IT03	30	1	30	30				30	
5	LK04	IT04	IT04	18	1	18	18				18	
6	LK05	IT05	IT05	25	1	25	25				25	
7	LK06	IT06	IT06	8	1	8	8				8	
8	LK07	IT99	IT99	Unmapped item	0	Unmapped item	Unmapped item				Unmapped item	
9	LK08			Blank	0	Blank	Blank				Blank	
10	LK09	IT03	IT03	30	1	30	30				Unmapped item	

Compare normalised exact lookup methods.

4. H checks the bounded Rates values only after the match count is one. I compares the expected result with both lookup methods and H; J records Accepted / Unmapped item / Blank. Fill all three columns through row 10. All nine expected-versus-actual checks are TRUE. This is guided author casework, not an independent learner attempt.



Compare nine actual results with expected source values.

5. Add A13:D19 controls: **9 cases /9 matches /0 disagreements /7 accepted cases /1 unmapped /1 blank**. All six differences are zero. The seven accepted cases include the repeated, space-normalised IT03 input; they are not seven unique source keys.



Reconcile nine cases with zero disagreements.

6. Duplicate baseline **Rates** as **Rates Duplicate Test**. Confirm the separate name and six original rows before introducing a conflict. Do not edit maintained Rates.



Create a disposable Rates duplicate-test copy.

7. Append **IT03 /Cable pack duplicate /99 /Equipment** to A8:D8 on the copy only. The original IT03 row still has 30.



Append a conflicting IT03 only to the copy.

8. Add the duplicate diagnostic card at A11:F12. Exact VLOOKUP and INDEX/MATCH both return the first IT03 rate **30**, but COUNTIF over A2:A8 returns **2**. The decision is **Review duplicate**. Returning a value

does not establish uniqueness; do not accept either 30 or 99 as an authoritative repair. Keep the labelled experimental copy.



Observe first-match30 and duplicate-count2.

9. Make a second copy of baseline Rates named **Rates Reordered**. Select **A2:D7 only**, then **Data > Sort range > Sort range by column A (Z to A)**. Keep the header and outside-table data label separate. The keys become IT06 down to IT01, with the corresponding rows moving together.



Sort only a separate Rates copy descending.

10. At A10:F11 compare IT03 using **=VLOOKUP(A11,$A$2:$D$7,3,FALSE)** with **=VLOOKUP(A11,$A$2:$D$7,3)**. In this actual descending-copy test, exact mode returns **30** while omitted mode returns the plausible but wrong **45**. The omitted mode assumes approximate matching on ascending keys; its precondition is violated here. Record this observation without generalising that every unsorted table will return 45. Keep the experiment separate from the authoritative mapping.



Compare exact 30 with omitted-mode45.

11. Return to Lookup Errors. Create the A6:E9 wrapper comparison. First run the raw missing-key formula in B7, **=IFNA(B7,"Unmapped item")** in C7 and **=IFERROR(B7,"Fallback")** in D7. NA becomes an explicit unmapped result under IFNA; a generic fallback is less specific.



Compare missing-match error wrappers.

12. In B8 enter the misspelled VLOKUP case. Apply the same IFNA/IFERROR wrappers in C8/D8. The native **#NAME?** persists through IFNA but IFERROR hides it as Fallback. Retain actual error evidence before correcting it.



Observe IFNA preserving a NAME defect.

13. In B9 enter **=VLOOKUP("IT03",Rates!$A$2:$B$7,3,FALSE)**. Return column 3 lies outside the two-column range. The native **#REF!** message is **VLOOKUP evaluates to an out of bounds range.** C9's IFNA preserves that defect; D9's IFERROR hides it. This is a range-shape defect, not a missing item.



Observe IFNA preserving a REF defect.

14. Repair B8's function spelling and expand B9's source range back to **Rates A2:D7**. B8:C9 and their broad wrappers now return 30. Add the observed-error/repair notes. Retain B7's raw **#N/A** only as a clearly labelled expected missing-key demonstration; do not claim all error cells were removed.



Repair the function and range defects.

15. On Horizontal Lookup, add Vertical rate / INDEX MATCH / All equal in H3:J3. With F4 restored to IT03, use the card's exact vertical and INDEX/MATCH formulas in H4/I4 and **=AND(G4=H4,H4=I4)** in J4. All three results are 30 and the comparison is TRUE.



Reconcile horizontal vertical and INDEX MATCH at 30.

16. Create **Lookup Notes**. Record key/return range alignment, VLOOKUP first-column and column-index assumptions, HLOOKUP row orientation, explicit exact modes, raw-key handling, uniqueness diagnostic, experiment results and the final repair state. Exact matching also does not, by itself, prove a matched return value is populated; these supplied baseline rates were checked as numeric.



Document lookup assumptions and experiment boundaries.

17. Inspect the final nine-key matrix and controls. Unmapped item and Blank remain distinct from a numeric rate. The independent zero-rate/output/column-move challenge is still pending.



Inspect final nine-key comparisons.

18. Recheck the final copied order's two zero rate differences, then the first order. All 24 rows reconcile to the maintained source.



Check the final order rate differences.



Check the first order exact rates.

19. Inspect maintained Rates: exactly the original six unique items, with IT03 still 30. No duplicate or reordering experiment changed this mapping.



Retain six unique baseline Rates keys.

20. Inspect maintained Analysis F2. Its Lab 2 band test remains 200/High and the earlier grids are intact; the horizontal exercise used a separate tab.



Preserve the earlier Analysis band test.

21. Leave Lookup Errors with repaired function/range cases and the one labelled raw missing case. The broad wrapper did not repair the defects; the underlying formulas were corrected.



Retain repaired defects and one labelled expected missing case.

22. Leave saved Lookup Notes ready for handover. Retain the labelled duplicate/reordered scenario tabs as teaching evidence, with their limitations stated.



Leave the saved lookup handover ready.

> **Validation boundary:** guided 5.1–5.3 and author casework 5.4 were executed through learner UI and bounded read-only native-cell evidence. Independent output, zero-rate distinction, column-move diagnosis, rejected-key handover, reviewer and planned 80-minute learner timing remain unverified. Baseline Orders/Analysis/Rates/Source Snapshot remain unchanged.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Design an independent lookup output with Rate, MatchCount and Decision for the mixed intake. A zero rate, unknown key and duplicate key must remain distinguishable.
2. Move a column only on a disposable mapping copy and inspect which lookup formula needs repair. Explain why the original column-index assumption failed.
3. Hand over a rejected-key list and source-mapping check, leaving baseline Rates unchanged.

Evidence to Hand Over

- Known/missing/blank/padded-key test matrix with exact-method reconciliation.
- Duplicate-key and column-move diagnosis on labelled copies.
- Independent lookup result that never silently turns unknown rates into zero.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
A lookup returns a plausible but wrong rate	Inspect exact-match mode, key uniqueness, whitespace and the lookup column position.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

Reliable lookups depend on clean keys, explicit match behaviour and deliberate error handling.

Check yourself: Does an exact-match lookup prove that a matched source value is populated?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

Part 1: Typed Values

```
LookupRate
```

```
=VLOOKUP(D2,Rates!$A$2:$D$7,3,FALSE)
```

```
=INDEX(Rates!$C$2:$C$7,MATCH(D2,Rates!$A$2:$A$7,0))
```

```
=HLOOKUP(F4,$G$1:$L$2,2,FALSE)
```

```
=IFNA(VLOOKUP("IT99",Rates!$A$2:$D$7,3,FALSE),"Unmapped item")
```

Part 2: Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Lookup challenge: Known IT01 and IT06; unknown IT99; blank; space-padded IT03. Duplicate-test
mapping adds IT03 with UnitCost 99 only on a disposable copy. Baseline IT03 remains 30. Keep
the supplied six-key Rates source intact.
```

Part 3: Captured Author-Run Reference

Fictional training material. Use separate practice/copy tabs, preserve raw keys and record expectations before actual results. This is not independent learner validation.

Lookup Practice N1:Q2 — seed formulas, fill row 2 through 25

```
LookupRate      IndexMatchRate  VLookup difference      Index difference
=VLOOKUP(D2,Rates!$A$2:$D$7,3,FALSE)    =INDEX(Rates!$C$2:$C$7,MATCH(D2,Rates!$A$2:$A$7,0))
=N2-F2  =O2-F2
```

Horizontal Lookup G1:L2 reference

```
IT01    IT02    IT03    IT04    IT05    IT06
45      12      30      18      25      8
```

Lookup Errors A1:D3 — repaired introductory state

```
Case    Observed output Meaning Action
Missing key     =IFNA(VLOOKUP("IT99",Rates!$A$2:$D$7,3,FALSE),"Unmapped item")  Expected
missing match   Label as unmapped, not zero
Bad function    =VLOOKUP("IT03",Rates!$A$2:$D$7,3,FALSE)        Formula defect  Repair
function name
```

Lookup Tests A1:K10 — expectations, blank actual columns

```
Case    Raw key Normalised key  Expected result Match count     VLOOKUP INDEX MATCH     Rates
check   Matches expected        Decision        Raw lookup
LK01    IT01            45
LK02    IT02            12
LK03    IT03            30
LK04    IT04            18
LK05    IT05            25
LK06    IT06            8
LK07    IT99            Unmapped item
LK08                    Blank
LK09     IT03           30
```

Lookup Tests A13:D19 controls

```
Control Actual  Expected        Difference
Cases   =COUNTA(A2:A10) 9       =B14-C14
Expected results matched        =COUNTIF(I2:I10,TRUE)   9       =B15-C15
Disagreements   =COUNTIF(I2:I10,FALSE)  0       =B16-C16
Accepted key cases      =COUNTIF(J2:J10,"Accepted")     7       =B17-C17
Unmapped key cases      =COUNTIF(J2:J10,"Unmapped item")        1       =B18-C18
Blank key cases =COUNTIF(J2:J10,"Blank")        1       =B19-C19
```

Rates Duplicate Test A8:D8 — copy only

```
IT03    Cable pack duplicate    99      Equipment
```

Duplicate diagnostic A11:F12

```
Test key        First VLOOKUP   INDEX MATCH     Match count     Decision        Expected first
rate
IT03    =VLOOKUP(A12,$A$2:$D$8,3,FALSE) =INDEX($C$2:$C$8,MATCH(A12,$A$2:$A$8,0))
=COUNTIF($A$2:$A$8,A12) =IF(D12<>1,"Review duplicate","Accepted")       30
```

Descending-copy experiment A10:F11

```
Test key        Exact FALSE     Omitted mode    Expected exact  Exact matches   Comparison
IT03    =VLOOKUP(A11,$A$2:$D$7,3,FALSE) =VLOOKUP(A11,$A$2:$D$7,3)       30      =B11=D11
Descending keys violate the ascending-order requirement of approximate lookup. Record this
output; do not use it as a rate mapping.
```

Actual error comparison A6:E9 — before repair

```
Error experiment        Raw result      IFNA only       IFERROR blanket Interpretation
Missing key     =VLOOKUP("IT99",Rates!$A$2:$D$7,3,FALSE)        =IFNA(B7,"Unmapped item")
=IFERROR(B7,"Fallback") Expected missing match; not a zero rate
Bad function name       =VLOKUP("IT03",Rates!$A$2:$D$7,3,FALSE) =IFNA(B8,"Unmapped item")
=IFERROR(B8,"Fallback") IFNA exposes function defect; IFERROR hides it
Return column outside range     =VLOOKUP("IT03",Rates!$A$2:$B$7,3,FALSE)
=IFNA(B9,"Unmapped item")       =IFERROR(B9,"Fallback") Third return column is outside the
two-column range
```

Lookup Notes A1:B11

```
Topic   Verified result and assumptions
Preserved baseline      Orders, Analysis, Rates and Source Snapshot remain unchanged. Lookup
Practice is an Orders copy; Horizontal Lookup avoids the occupied Analysis F/G area.
Vertical lookup VLOOKUP uses Rates A2:D7, keys in the first column, return column 3, FALSE for
exact match. All 24 copied Orders rows reconcile to original UnitCost.
INDEX MATCH     INDEX returns Rates C2:C7 and MATCH searches the aligned A2:A7 range with 0.
All 24 copied rows reconcile; exact matching still returns a first match, not a uniqueness
guarantee.
Horizontal lookup       G1:L1 contains the six keys and G2:L2 their rates. HLOOKUP uses row 2
and FALSE. IT03 returned 30, IT06 returned 8, then IT03 was restored; three methods agree at
30.
Input matrix    Nine expected cases include all six known keys, IT99, blank and padded IT03.
Raw key retained beside TRIM. Nine comparisons pass; seven accepted cases, one unmapped, one
blank.
Duplicate copy  Rates Duplicate Test appends IT03 with UnitCost 99. First VLOOKUP and INDEX
MATCH return 30, but COUNTIF=2 means Review duplicate. Baseline IT03 remains 30. Retain the
labelled experimental copy.
Reordered copy  Rates Reordered sorts only A2:D7 descending. Exact lookup of IT03 returns 30;
omitted match mode returned 45 in this actual test. Approximate mode assumes ascending keys;
that experiment is not authoritative mapping.
Error distinction       Raw missing IT99 gives NA, misspelled VLOKUP gives NAME, and return
column 3 on range A:B gives REF. IFNA handles only NA; IFERROR hid all three behind the same
fallback text.
Repair and final state  Function and range defects were repaired to return 30. One raw
expected missing-key NA remains as a labelled demonstration; Unmapped item is not zero.
Conflicting and reordered mappings exist only in scenario tabs.
Pending independent work        Independent Rate/MatchCount/Decision output, zero-rate
distinction, column-move diagnosis, rejected-key handover, reviewer and classroom 80-minute
timing remain pending. These author cases are not independent learner validation.
```

Lookup Tests seed formulas — fill each column from row 2 through 10

C2:C10

```
=TRIM(B2)
```

E2:E10

```
=IF(C2="",0,COUNTIF(Rates!$A$2:$A$7,C2))
```

F2:F10

```
=IF(C2="","Blank",IFNA(VLOOKUP(C2,Rates!$A$2:$D$7,3,FALSE),"Unmapped item"))
```

G2:G10

```
=IF(C2="","Blank",IFNA(INDEX(Rates!$C$2:$C$7,MATCH(C2,Rates!$A$2:$A$7,0)),"Unmapped item"))
```

H2:H10

```
=IF(C2="","Blank",IF(E2=0,"Unmapped
item",IF(E2>1,"Duplicate",SUMIF(Rates!$A$2:$A$7,C2,Rates!$C$2:$C$7))))
```

I2:I10

```
=AND(D2=F2,D2=G2,D2=H2)
```

J2:J10

```
=IF(C2="","Blank",IF(E2=0,"Unmapped item",IF(E2>1,"Duplicate","Accepted")))
```

K2:K10

```
=IF(B2="","Blank",IFNA(VLOOKUP(B2,Rates!$A$2:$D$7,3,FALSE),"Unmapped item"))
```

Horizontal comparison formulas

Horizontal Lookup G4

```
=HLOOKUP(F4,$G$1:$L$2,2,FALSE)
```

Horizontal Lookup H4

```
=VLOOKUP(F4,Rates!$A$2:$D$7,3,FALSE)
```

Horizontal Lookup I4

```
=INDEX(Rates!$C$2:$C$7,MATCH(F4,Rates!$A$2:$A$7,0))
```

Horizontal Lookup J4

```
=AND(G4=H4,H4=I4)
```

Enter padded Lookup Tests B10 individually as one ordinary space, IT03, then one ordinary space. Keep B9 truly empty. Error comparison formulas intentionally create errors; capture and inspect them before repairing B8/B9 to exact VLOOKUP on Rates A2:D7. Independent zero-rate/column-move/output and reviewer checks remain pending.

06

CHAPTER 6

Complete the Formula Clinic

In this chapter you will debug supplied defects, explain the correction and reconcile a checked sample.

> **Prompts:** the prompts page has every value and prompt for this chapter, each with a Copy button.

Estimated time: 65 minutes, planned as 15 explanation and demonstration, 22 guided build and casework, 20 independent practice and 8 verification and repair, with 50 active minutes by design. Not yet timed with learners.

Your result: Three repaired defects with independent baseline reconciliations.

> **Status:** author reference with 31 staged application captures through 6.4. Three defects are observed and repaired in a separate workbook copy. Zero, missing, numeric-text, duplicate-key and final-row tests are verified; original source remains unchanged. Independent diagnosis, partner/reviewer and learner timing remain pending.

What You Will Learn

- Diagnose formula defects.
- Test zero and missing values.
- Reconcile source totals independently.

Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use a challenge copy of your advanced workbook. Keep the baseline original untouched.

6.1 Create Three Test Defects

1. File > Make a copy of the existing Advanced workbook. Name it GW - Sheets Advanced - Formula Clinic in the practice folder. Keep sharing/comments unchecked. Verify the new workbook title and different file URL before editing.



copy workbook with private settings.



separate clinic workbook before faults.

2. Create Clinic Register and record intended behaviour, fault and detecting test before mutation. Known IT01=45 is not sufficient to detect omitted match mode; missing IT99 must remain explicit. First line is 2×45=90; final order contributes 64 to 3158.



record intended behaviour and fault predictions.

3. On the copy Lookup Practice N2 remove FALSE. With known IT01 it still returns 45. Temporarily test D2=IT99: the omitted mode returns 8 from the sorted mapping, an incorrect rate for an absent key. Preserve that observation, then restore D2=IT01.



omitted match mode still looks correct for known key.



unknown key exposes approximate rate 8.

4. On copy Orders J2 use =E2*F3. The numeric 24 is plausible but wrong because the next row's cost is 12.



shifted multiplication uses next row unit cost.

5. Shorten copy Orders J27 to =SUM(J2:J24). With both amount and range faults present, observe 3028. Do not attribute this combined discrepancy solely to the last row.



shortened total excludes final order.

6.2 Repair and Test

1. Restore exact FALSE in Lookup Practice N2; IT01 returns 45.



restore exact match mode for known rate.

2. Restore Orders J2=E2*F2=90. The shortened total is now 3094, isolating the missing 64.



repair row reference total still misses 64.

3. Restore J27=SUM(J2:J25)=3158.



restore full 24 row sum to 3158.

4. Temporarily set Orders E2=0. J2/K2 become a legitimate numeric 0, all-orders total 3068. Save the observed test before restoring E2=2, J2=90 and total 3158.



zero quantity produces valid zero amount.



restore quantity and total after zero test.

5. In Clinic Checks compare known IT01 VLOOKUP result 45 and unknown IT99 IFNA result Unmapped item against prior expectations. Both checks pass. Unmapped item is not a zero price.



known and unknown rates remain distinct.

6.3 Reconcile and Explain

1. Clinic Checks independently calculates SUM(Orders!J2:J25)=3158, SUMIF status Delivered=1478, COUNTA OrderID=24 and COUNTIF Delivered=12. Compare each to its stated population control.



restored all and delivered controls before filter check.

2. On copy Orders create a bounded A1:K25 filter and select Delivered only from Status. Use outside-table N27=SUBTOTAL(109,J2:J25) and O27=SUBTOTAL(103,A2:A25). The actual filtered result is 1478

and 12 visible records. Keep helpers outside the filtered source; source SUM is not a filtered subtotal. Remove filter after the observation, leaving 3158/24 in the helper cells.



filtered delivered source records.



filtered delivered subtotal 1478 and count 12.

3. Inspect PJ-A Delivered IDs PO001/PO004/PO005/PO008 and record manual 2×45=90,8×18=144,10×25=250,6×12=72 before formula comparison.



	A	B	C	D	E	F
1	Check	Expected	Observed	Pass		
2	Known IT01 rate	45	RM 45.00	TRUE		
3	Unknown IT99	Unmapped item	Unmapped item	TRUE		
4						
5	Population control	Expected	Observed	Difference		
6	All orders amount	3158	RM 3,158.00	RM 0.00		
7	Delivered amount	1478	1478	0		
8	All order count	24	24	0		
9	Delivered count	12	12	0		
10						
11						
12	OrderID	Quantity	UnitCost	Manual amount	Formula amount	Difference
13	PO001	2	45	90		
14	PO004	8	18	144		
15	PO005	10	25	250		
16	PO008	6	12	72		

manual delivered subset before formula comparison.

4. Calculate each product and its difference against the manually recorded amount. All four differences 0; manual subtotal 556 matches Analysis B4 PJ-A Delivered 556. These are author-supported manual checks, not independent learner validation.



	A	B	C	D	E	F	G
1	Check	Expected	Observed	Pass			
2	Known IT01 rate	45	RM 45.00	TRUE			
3	Unknown IT99	Unmapped item	Unmapped item	TRUE			
4							
5	Population control	Expected	Observed	Difference			
6	All orders amount	3158	RM 3,158.00	RM 0.00			
7	Delivered amount	1478	1478	0			
8	All order count	24	24	0			
9	Delivered count	12	12	0			
10							
11							
12	OrderID	Quantity	UnitCost	Manual amount	Formula amount	Difference	
13	PO001	2	45	90	90	0	
14	PO004	8	18	144	144	0	
15	PO005	10	25	250	250	0	
16	PO008	6	12	72	72	0	
17							
18	Manual subset sum	556	556	0			
19	Analysis PJ-A Delivered	556	RM 556.00	RM 0.00			

manual subset and conditional summary agree at 556.

5. Explain the match-mode, row-reference and range-coverage causes and their detecting tests in Clinic Register.



	A	B	C	D
1	Defect	Expected behaviour	Planned fault	Test that should detect it
2	Match mode	Known IT01 returns45; unknown IT99 must be an explicit missing match	Remove FALSE from Lookup Practice N2	Test IT99; sorted approximate lookup may return an unrelated rate
3	Shifted row	Orders J2 multiplies its own Quantity2 by UnitCost45 =90	Change J2 from E2*F2 to E2*F3	Compare first-row product and inspect references
4	Omitted row	All24 Orders amounts sum3158; final PO024 contributes64	Change J27 SUM range to J2:J24	Inspect final-row coverage and compare full control total
5				
6				
7	Cause	Why the control detects it		
8	Match mode	Removing FALSE leaves approximate matching: a known IT01 still looked correct45, but unknown IT99 incorrectly returned8. Exact matching keeps absence explicit.		
9	Shifted row	E2*F3 uses the next item price12, so Quantity2 gives24 instead of90. Inspecting same-row inputs catches a plausible numeric error.		
10	Omitted row	SUM(J2:J24) excludes PO024 amount64. After repairing J2, it gives3094 instead of3158; a final-row coverage test catches the omission.		
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				

record causes and detecting controls.

6.4 Run the Formula Fault Clinic

1. Create **Clinic Comparisons A1:E4** from the side-by-side card. Put live faulty expressions in C and repaired expressions in E; use **FORMULATEXT(C2)** and **FORMULATEXT(E2)** in B/D and fill through row 4. Wrap A1:E4. Observe **8 versus Unmapped item**, **24 versus 90**, and **3094 versus 3158**. These are isolated re-evaluations against the restored baseline; the earlier combined-fault total was 3028.



	A	B	C	D	E
1	Defect	Faulty expression	Isolated faulty result	Repaired expression	Repaired result
2	Match mode	=VLOOKUP("IT99",Rates!$A$2:$D$7,3)	RM 8.00	=IFNA(VLOOKUP("IT99",Rates!$A$2:$D$7,3,FALSE),"Unmapped item")	Unmapped item
3	Shifted row	=Orders!E2*Orders!F3	24	=Orders!E2*Orders!F2	90
4	Omitted row	=SUM(Orders!J2:J24)	RM 3,094.00	=SUM(Orders!J2:J25)	RM 3,158.00
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					
34					

side by side comparisons.

2. Before changing inputs, record the numeric-text, duplicate-key and final-row expectations in A7:D10. A source type error must remain visible; do not replace it with zero.



	A	B	C	D	E
1	Defect	Faulty expression	Isolated faulty result	Repaired expression	Repaired result
2	Match mode	=VLOOKUP("IT99",Rates!$A$2:$D$7,3)	RM 8.00	=IFNA(VLOOKUP("IT99",Rates!$A$2:$D$7,3,FALSE),"Unmapped item")	Unmapped item
3	Shifted row	=Orders!E2*Orders!F3	24	=Orders!E2*Orders!F2	90
4	Omitted row	=SUM(Orders!J2:J24)	RM 3,094.00	=SUM(Orders!J2:J25)	RM 3,158.00
5					
6					
7	Test	Expected observation	Restore	Classification	
8	Numeric text: Orders E3=four	J3 and total show #VALUE!	E3=4; J3=48; total=3158	Source type error; do not hide as zero	
9	Duplicate IT03 in copied Rates	First rate=30; count=2; review duplicate	Keep duplicate confined to test tab	Source key validation	
10	Final row: Orders E25=0	J25=0; total=3094	E25=8; J25=64; total=3158	Range boundary test	

regression expectations.

3. On clinic-copy **Orders**, temporarily enter literal **four** in E3. J3's **=E3*F3** produces **#VALUE!**, which propagates to J27. Inspect the error before repairing its source.



	rderID	Project	Team	ItemCode	Quantity	UnitCost	Status	Week	Description	Amount
2	0001	PJ-A	Planning	IT01	2	RM 45.00	Delivered		1 Display adapter for briefing	RM 90.00
3	0002	PJ-A	Procurement	IT02	four	RM 12.00	Pending		1 Training notebook for pilot team	#VALUE!
4	0003	PJ-A	Site Coordination	IT03	6	RM 30.00	Cancelled		1 Cable pack for review session	RM 180.00
5	0004	PJ-A	Planning	IT04	8	RM 18.00	Delivered		1 Marker set for briefing	RM 144.00
6	0005	PJ-A	Procurement	IT05	10	RM 25.00	Delivered		1 Desk sign for pilot team	RM 250.00
7	0006	PJ-A	Site Coordination	IT06	2	RM 8.00	Pending		1 Quick guide for review session	RM 16.00
8	0007	PJ-A	Planning	IT01	4	RM 45.00	Cancelled		2 Display adapter for briefing	RM 180.00
9	0008	PJ-A	Procurement	IT02	6	RM 12.00	Delivered		2 Training notebook for pilot team	RM 72.00
10	0009	PJ-B	Site Coordination	IT03	8	RM 30.00	Delivered		2 Cable pack for review session	RM 240.00
11	0010	PJ-B	Planning	IT04	10	RM 18.00	Pending		2 Marker set for briefing	RM 180.00
12	0011	PJ-B	Procurement	IT05	2	RM 25.00	Cancelled		2 Desk sign for pilot team	RM 50.00
13	0012	PJ-B	Site Coordination	IT06	4	RM 8.00	Delivered		2 Quick guide for review session	RM 32.00
14	0013	PJ-B	Planning	IT01	6	RM 45.00	Delivered		3 Display adapter for briefing	RM 270.00
15	0014	PJ-B	Procurement	IT02	8	RM 12.00	Pending		3 Training notebook for pilot team	RM 96.00
16	0015	PJ-B	Site Coordination	IT03	10	RM 30.00	Cancelled		3 Cable pack for review session	RM 300.00
17	0016	PJ-B	Planning	IT04	2	RM 18.00	Delivered		3 Marker set for briefing	RM 36.00
18	0017	PJ-C	Procurement	IT05	4	RM 25.00	Delivered		3 Desk sign for pilot team	RM 100.00
19	0018	PJ-C	Site Coordination	IT06	6	RM 8.00	Pending		3 Quick guide for review session	RM 48.00
20	0019	PJ-C	Planning	IT01	8	RM 45.00	Cancelled		4 Display adapter for briefing	RM 360.00
21	0020	PJ-C	Procurement	IT02	10	RM 12.00	Delivered		4 Training notebook for pilot team	

numeric text error.

4. Restore **E3=4**. J3 returns 48 and the all-orders total returns 3158. This is source cleaning, not a reason to wrap the multiplication in IFERROR(...,0).



numeric source restored.

5. Duplicate baseline **Rates** as **Clinic Duplicate Rates**. Verify the new tab has the six original keys before altering it. Keep maintained Rates unchanged.



duplicate sandbox before.

6. Append **IT03 / Duplicate cable rate /99 /Equipment** at A8:D8 on that test tab only. Original IT03 remains 30.



duplicate key in sandbox.

7. In **Clinic Comparisons A13:D14**, run the duplicate diagnostic card over the seven data rows. Exact VLOOKUP returns the first rate 30, COUNTIF returns 2, and the decision is **Review duplicate**. Neither 30 nor 99 becomes an approved repair. Retain the clearly named scenario tab.



duplicate detected.

8. Temporarily change **Orders E25 to 0**. J25 becomes 0 and the repaired full-range total J27 changes to 3094. The shortened range would not respond to this last-row change. Inspect J27 in the formula bar; scroll down if it is below the viewport.



final row boundary.

9. Restore **E25=8**. J25 returns 64 and J27 returns 3158. Keep the full **=SUM(J2:J25)** formula.



final row restored.

10. Record actual observations in **A17:D23** after each experiment. Distinguish captured historical results from formulas that recalculate with the current baseline. The normal/missing lookup, normal/zero multiplication and normal/final-row total tests all have recorded outcomes.



	A	B	C	D	E
1	Defect	Faulty expression	Isolated faulty result	Repaired expression	Repaired result
2	Match mode	=VLOOKUP("IT99",Rates!$A$2:$D$7,3)	RM 8.00	=IFNA(VLOOKUP("IT99",Rates!$A$2:$D$7,3,FALSE),"Unmapped item")	Unmapped item
3	Shifted row	=Orders!E2*Orders!F3	24	=Orders!E2*Orders!F2	90
4	Omitted row	=SUM(Orders!J2:J24)	RM 3,094.00	=SUM(Orders!J2:J25)	RM 3,158.00
5					
6					
7	Test	Expected observation	Restore	Classification	
8	Numeric text: Orders E3=four	J3 and total show #VALUE!	E3=4; J3=48; total=3158	Source type error; do not hide as zero	
9	Duplicate IT03 in copied Rates	First rate=30; count=2; review duplicate	Keep duplicate confined to test tab	Source key validation	
10	Final row: Orders E25=0	J25=0; total=3094	E25=8; J25=64; total=3158	Range boundary test	
11					
12					
13	Key	First exact rate	Key count	Decision	
14	IT03	RM 30.00	2	Review duplicate	
15					
16					
17	Test	Expected	Observed during test	Restored or retained state	
18	Known and missing key	45 / Unmapped item	45 / Unmapped item	Exact FALSE restored	
19	Zero quantity E2	J2=0; total=3068	J2=0; total=3068	E2=2; J2=90	
20	Numeric text E3	#VALUE! in J3 and total	#VALUE! in J3 and J27	E3=4; J3=48	
21	Duplicate IT03	Count=2; review duplicate	Rate=30; count=2; review duplicate	Only Clinic Duplicate Rates contains added row	
22	Final row E25=0	J25=0; total=3094	J25=0; total=3094	E25=8; J25=64	
23	Restored baseline	3158 / 1478 / 24 / 12	3158 / 1478 / 24 / 12	No source filter; cancelled rows retained	

regression results.

11. Write the troubleshooting path in A26:B31: inspect source → define population → inspect references → test boundary → reconcile. Explain which control detects each defect and why a plausible numeric result is insufficient.



	A	B	C	D	E
1	Defect	Faulty expression	Isolated faulty result	Repaired expression	Repaired result
2	Match mode	=VLOOKUP("IT99",Rates!$A$2:$D$7,3)	RM 8.00	=IFNA(VLOOKUP("IT99",Rates!$A$2:$D$7,3,FALSE),"Unmapped item")	Unmapped item
3	Shifted row	=Orders!E2*Orders!F3	24	=Orders!E2*Orders!F2	90
4	Omitted row	=SUM(Orders!J2:J24)	RM 3,094.00	=SUM(Orders!J2:J25)	RM 3,158.00
5					
6					
7	Test	Expected observation	Restore	Classification	
8	Numeric text: Orders E3=four	J3 and total show #VALUE!	E3=4; J3=48; total=3158	Source type error; do not hide as zero	
9	Duplicate IT03 in copied Rates	First rate=30; count=2; review duplicate	Keep duplicate confined to test tab	Source key validation	
10	Final row: Orders E25=0	J25=0; total=3094	E25=8; J25=64; total=3158	Range boundary test	
11					
12					
13	Key	First exact rate	Key count	Decision	
14	IT03	RM 30.00	2	Review duplicate	
15					
16					
17	Test	Expected	Observed during test	Restored or retained state	
18	Known and missing key	45 / Unmapped item	45 / Unmapped item	Exact FALSE restored	
19	Zero quantity E2	J2=0; total=3068	J2=0; total=3068	E2=2; J2=90	
20	Numeric text E3	#VALUE! in J3 and total	#VALUE! in J3 and J27	E3=4; J3=48	
21	Duplicate IT03	Count=2; review duplicate	Rate=30; count=2; review duplicate	Only Clinic Duplicate Rates contains added row	
22	Final row E25=0	J25=0; total=3094	J25=0; total=3094	E25=8; J25=64	
23	Restored baseline	3158 / 1478 / 24 / 12	3158 / 1478 / 24 / 12	No source filter; cancelled rows retained	
24					
25					
26	Troubleshooting step	Evidence to check			
27	1 Inspect source	Numeric types and unique keys before changing formulas			
28	2 Define population	All 24 orders=3158; Delivered 12=1478; keep Cancelled			
29	3 Inspect references	Exact FALSE; same-row product; include J25			
30	4 Test boundaries	Normal, missing, zero, text, duplicate and final row			
31	5 Reconcile	Manual PJ-A Delivered=556; record expected versus actual			

troubleshooting path.

12. Return to **Clinic Checks**. Confirm all-orders 3158, Delivered 1478, total count 24, Delivered count 12, and manually inspected PJ-A Delivered 556. All differences are 0; known/missing checks are TRUE. Remove any active source filter and retain Cancelled records. Orders N27/O27 SUBTOTAL helpers now show 3158/24.



	A	B	C	D	E	F
1	**Check**	**Expected**	**Observed**	**Pass**		
2	Known IT01 rate	45	RM 45.00	TRUE		
3	Unknown IT99	Unmapped item	Unmapped item	TRUE		
4						
5	Population control	Expected	Observed	Difference		
6	All orders amount	3158	RM 3,158.00	RM 0.00		
7	Delivered amount	1478	1478	0		
8	All order count	24	24	0		
9	Delivered count	12	12	0		
10						
11						
12	OrderID	Quantity	UnitCost	Manual amount	Formula amount	Difference
13	PO001	2	45	90	90	0
14	PO004	8	18	144	144	0
15	PO005	10	25	250	250	0
16	PO008	6	12	72	72	0
17						
18	Manual subset sum	556	556	0		
19	Analysis PJ-A Delivered	556	RM 556.00	RM 0.00		

final reconciliation.

> **Validation boundary:** guided 6.1–6.3 and author casework 6.4 were executed through learner UI with bounded native-cell evidence. Original maintained ranges are unchanged; temporary clinic inputs are restored. The copied workbook also retains earlier labelled teaching scenarios, including a raw missing-key error from Lab 5. This is not independent learner diagnosis or proof of the planned 65-minute classroom allocation. Complete the independent challenge separately.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Ask a partner to introduce a defect on a separate clinic copy without telling you its cell; if alone, use the card and hide your defect note before diagnosis.
2. Locate it through controls, isolate the cause, repair it and run a regression check on a previously correct population.
3. Present the evidence trail in two minutes, including why your chosen control would catch the defect on a future refresh.

Evidence to Hand Over

- Defect register with preserved faulty/repaired formulas and test evidence.
- Normal/boundary checks for every repair and restored baseline controls.
- Independent diagnosis, regression check and an explainable troubleshooting path.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
The total is corrected but the defect remains	Require a formula/source repair and a new input test rather than a hard-coded total.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

A useful formula check tests meaning and boundaries rather than merely the absence of an error message.

Check yourself: Which of your checks would catch a missing final row?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

Use the bounded formulas and test cards below on the separate clinic copy. Record expected behaviour before introducing a fault. Restore every temporary source change.

Part 1: Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Extra fault choices, clinic copy only: change a numeric quantity to text “four”; insert a
duplicate lookup key; replace a blank/missing-rate outcome with 0; shorten one delivered
summary range by two rows. Diagnose the cause before restoring from Source Snapshot.
```

Part 2: Captured Author-Run Reference

Create a whole-workbook copy named **GW - Sheets Advanced - Formula Clinic**. Keep sharing/comments unchecked. Use the new copy for every mutation below. These are guided reference cards, not a completed independent challenge.

Clinic Register A1:D4 — record before faults

```
Defect  Expected behaviour      Planned fault   Test that should detect it
Match mode      Known IT01 returns 45; unknown IT99 must be an explicit missing match   Remove
FALSE from Lookup Practice N2   Test IT99; sorted approximate lookup may return an unrelated
rate
Shifted row     Orders J2 multiplies its own Quantity 2 by UnitCost 45 =90      Change J2 from
E2*F2 to E2*F3  Compare first-row product and inspect references
Omitted row     All 24 Orders amounts sum 3158; final PO024 contributes64       Change J27 SUM
range to J2:J24 Inspect final-row coverage and compare full control total
```

Clinic Checks A1:D3 — expected values before actuals

```
Check   Expected        Observed        Pass
Known IT01 rate 45
Unknown IT99    Unmapped item
```

Clinic Checks A5:D9 — population expectations

```
Population control      Expected        Observed        Difference
All orders amount       3158
Delivered amount        1478
All order count 24
Delivered count 12
```

Clinic Checks A12:F16 — manual amounts before formulas

```
OrderID Quantity        UnitCost        Manual amount   Formula amount  Difference
PO001   2       45      90
PO004   8       18      144
PO005   10      25      250
PO008   6       12      72
```

Clinic Checks A18:D19 — reconciliation formulas

```
Manual subset sum       556     =SUM(D13:D16)   =C18-B18
Analysis PJ-A Delivered =SUM(D13:D16)   =Analysis!B4    =C19-B19
```

Clinic Register A7:B10 — causes after repairs

```
Cause   Why the control detects it
Match mode      Removing FALSE leaves approximate matching: a known IT01 still looked correct
45, but unknown IT99 incorrectly returned 8. Exact matching keeps absence explicit.
Shifted row     E2*F3 uses the next item price 12, so Quantity 2 gives 24 instead of 90.
Inspecting same-row inputs catches a plausible numeric error.
Omitted row     SUM(J2:J24) excludes PO024 amount 64. After repairing J2, it gives 3094
instead of 3158; a final-row coverage test catches the omission.
```

Clinic Comparisons A1:E4 — live isolated expressions

```
Defect  Faulty expression       Isolated faulty result  Repaired expression     Repaired
result
Match mode      =FORMULATEXT(C2)        =VLOOKUP("IT99",Rates!$A$2:$D$7,3)
=FORMULATEXT(E2)        =IFNA(VLOOKUP("IT99",Rates!$A$2:$D$7,3,FALSE),"Unmapped item")
Shifted row     =FORMULATEXT(C3)        =Orders!E2*Orders!F3    =FORMULATEXT(E3)
=Orders!E2*Orders!F2
Omitted row     =FORMULATEXT(C4)        =SUM(Orders!J2:J24)     =FORMULATEXT(E4)
=SUM(Orders!J2:J25)
```

Clinic Comparisons A7:D10 — expectations before tests

```
Test    Expected observation    Restore Classification
Numeric text: Orders E3=four    J3 and total show #VALUE!       E3=4; J3=48; total=3158 Source
type error; do not hide as zero
Duplicate IT03 in copied Rates  First rate=30; count=2; review duplicate        Keep duplicate
confined to test tab    Source key validation
Final row: Orders E25=0 J25=0; total=3094       E25=8; J25=64; total=3158       Range boundary
test
```

Clinic Duplicate Rates A8:D8 — append only on the test tab

```
IT03    Duplicate cable rate    99      Equipment
```

Clinic Comparisons A13:D14 — duplicate diagnostic

```
Key     First exact rate        Key count       Decision
IT03    =VLOOKUP(A14,'Clinic Duplicate Rates'!$A$2:$D$8,3,FALSE)        =COUNTIF('Clinic
Duplicate Rates'!$A$2:$A$8,A14) =IF(C14>1,"Review duplicate","Unique")
```

Clinic Comparisons A17:D23 — test log, actual columns blank

```
Test    Expected        Observed during test    Restored or retained state
Known and missing key   45 / Unmapped item
Zero quantity E2        J2=0; total=3068
Numeric text E3 #VALUE! in J3 and total
Duplicate IT03  Count=2; review duplicate
Final row E25=0 J25=0; total=3094
Restored baseline       3158 / 1478 / 24 / 12
```

Clinic Comparisons A26:B31 — troubleshooting path

```
Troubleshooting step    Evidence to check
1 Inspect source        Numeric types and unique keys before changing formulas
2 Define population     All 24 orders=3158; Delivered 12=1478; keep Cancelled
3 Inspect references    Exact FALSE; same-row product; include J25
4 Test boundaries       Normal, missing, zero, text, duplicate and final row
5 Reconcile     Manual PJ-A Delivered=556; record expected versus actual
```

Actual fault and repair sequence

Target on clinic copy	Fault	Repair / restore
Lookup Practice N2	=VLOOKUP(D2,Rates!$A$2:$D$7,3)	=VLOOKUP(D2,Rates!$A$2:$D$7,3,FALSE)
Lookup Practice D2	IT99 to expose approximate result 8	IT01; exact result 45
Orders J2	=E2*F3 returns 24	=E2*F2 returns 90
Orders J27	=SUM(J2:J24); combinedfault3028, after rowrepair3094	=SUM(J2:J25) returns 3158
Orders E2	0 gives valid zero line amount; total 3068	2; total 3158
Orders E3	four gives #VALUE! in J3 and total	4; J3=48; total 3158
Orders E25	0 gives J25=0 and total 3094	8; J25=64; total 3158

Filtered population helpers outside the source range

Create the filter on **Orders A1:K25**, select Status **Delivered** only, and add the helpers outside that range:

```
Visible Amount  Visible Count
=SUBTOTAL(109,J2:J25)   =SUBTOTAL(103,A2:A25)
```

Paste in **N26:O27**. With the Delivered filter active, expect 1478/12. Remove the filter after recording the result; the helpers then show 3158/24. SUM over the source remains an all-record total. Keep Cancelled records.

In Clinic Checks **E13** use **=B13*C13** and F13 **=E13-D13**, then fill both through row 16. The manual amounts must be recorded before these comparisons. Expected differences are 0; subset sum 556.

The numeric-text and duplicate-key cases classify source type/uniqueness problems separately from formula logic. Do not replace missing or invalid values with 0. Independent hidden-fault diagnosis, partner presentation, reviewer work and learner duration remain pending.

07

CHAPTER 7

Summarise with Pivot Tables

In this chapter you will group project costs and status; inspect filters, calculated fields and source coverage.

> **Prompts:** the prompts page has every value and prompt for this chapter, each with a Copy button.

Estimated time: 75 minutes, planned as 15 explanation and demonstration, 32 guided build and casework, 20 independent practice and 8 verification and repair, with 60 active minutes by design. Not yet timed with learners.

Your result: A native pivot with checked filters and a calculated-field demonstration or recorded limitation.

> **Status:** author reference with 34 staged application captures through 7.4. Native amount/count pivots, Delivered filter, Custom average field, actual drilldown and PO025 coverage tests are verified. Maintained baseline unchanged; new record retained only on a separate scenario copy. Independent challenge, reviewer and learner timing remain pending.

What You Will Learn

- Create a native pivot summary.
- Choose filters and aggregation deliberately.
- Check a calculated field against row calculations.

Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use Orders A1:K25 after calculating Amount in J and ActiveAmount in K. A recovery route is to repeat Advanced Chapter 2 on the supplied workbook.

7.1 Build the Pivot

1. On the maintained Advanced workbook, select **Orders A1:K25**. Choose **Insert > Pivot table**. Verify the data range and select **New sheet** before Create. This includes 24 records plus their header and the existing Amount/ActiveAmount columns; it excludes the summary cells below them.



pivot source range dialog.

2. Rename the new **Pivot Table 1** tab **Pivot Review**. Keep the empty native pivot and editor visible before adding fields. Do not type a summary grid in place of a pivot.



empty native pivot review.

3. In the editor, use **Rows > Add > Project**.



project rows added.

4. Use **Columns > Add > Status**. Keep Show totals enabled for both groups.



status columns added.

5. Use **Values > Add > Amount** and inspect **Summarise by SUM**. The native grand total is **3,158**: Cancelled 1,220, Delivered 1,478 and Pending 460. PJ-A totals 980, PJ-B1,204 and PJ-C974. Cancelled records remain part of the all-orders population.



native sum pivot 3158.

7.2 Filter and Compare

1. Use **Filters > Add > Status**. Open Showing all items, choose Clear, select **Delivered** only and confirm OK. The grand total becomes **1,478**; project amounts are **556 /578 /344**. This is a pivot filter, not deletion from Orders.



delivered pivot total 1478.

2. On **Analysis A3:D6**, inspect the earlier SUMIFS grid. Its Delivered column gives the same three project amounts. Note that this grid orders its status columns differently from the pivot; compare labels rather than column positions.



delivered formula comparison.

3. Return to Pivot Review and remove only the **Filter Status** card with its close/remove button. Do not remove the Status column grouping. All statuses and the **3,158** grand total return.



filter removed total restored.

7.3 Inspect a Calculated Field

1. Select Orders A1:K25 and create another native pivot on a new sheet named **Pivot Calculations**. Add Project as rows and Amount as values, SUM. Keep this authoritative row-amount sum alongside the demonstration.



project sum practice pivot.

2. Choose **Values > Add > Calculated Field**. The current UI opens **Add calculated field**. Name it **Average line amount**, enter **=SUM(Amount)/COUNTA(OrderID)**, choose **Summarise by Custom**, and inspect Formula is valid before Add. Use the bounded source with populated unique OrderID values; COUNTA counts nonblank lines, not distinct identifiers.



average calculated field dialog.

3. Inspect the native results: **122.5 /150.5 /121.75** for PJ-A/B/C and **131.5833333** overall. The overall result is total Amount divided by all 24 lines; it is not a sum of the project averages.



average calculated field native result.

4. Widen column C to 190 pixels so its heading is readable. Preserve the unrounded calculated result for reconciliation; display rounding alone is not a formula repair.



readable average line amount.

5. Create **Pivot Checks**. Record the expected project and overall averages in A1:B5 before adding actual calculations. Use the copy-paste card; C:E start blank.



average expectations before checks.

6. Add source SUMIF/COUNTIF averages in C, native Pivot Calculations references in D, and D minus C in E. All four differences are 0. Widen A:E to 170 pixels.

> **Reference run:** This target UI supports the specified calculated field, so an unavailable-feature fallback was not needed in this author run.



average source pivot reconciled.

7.4 Reconcile Pivot Semantics and New-Row Coverage

1. Duplicate **Pivot Review** as **Pivot Counts**. Select A1 and open its Edit control if the editor is closed. Remove Amount from Values, then add **OrderID**, inspecting **COUNTA**. Keep Project rows, Status columns and source Orders A1:K25. The grand total is 24: Cancelled 6, Delivered 12 and Pending 6. Each project has 8 lines.



native count pivot 24.

2. In Pivot Checks A8:D18, compare all nine project/status categories with bounded source **COUNTIFS** and the corresponding count-pivot cells. Add a total COUNTA check. All ten differences are 0. COUNT on text OrderID would answer a different question, so inspect the aggregation explicitly.



countifs and pivot counts reconcile.

3. Return to Pivot Review and double-click the **PJ-A / Delivered** value 556 in C3. The application creates **Detail1-PJ-A-Delivered** with actual contributing records **PO001 /PO004 /PO005 /PO008**. This is a snapshot of the drilldown at this point; do not treat it as a live refreshable source table.



actual drilldown four contributors.

4. In Pivot Checks A21:F25, record the four manually inspected quantities, costs and amounts **90 /144 /250 /72** before formula comparisons. These are guided author checks; they do not replace an independent learner attempt.



manual contributor expectations.

5. Calculate each row product and difference in E/F. At A27:D28 compare the manual sum 556 with SUM of the actual detail sheet's J2:J5. All four row differences and the total difference are 0.



drilldown manual reconciliation 556.

6. Build the separate two-row practice table at A31:D33: **2×45=90** and **4×12=48**. Record expected 138, SUM the row products, and separately calculate **SUM(Quantity)*SUM(UnitCost)**. The first returns

138; the second 342 includes cross-products that do not belong to either order. Retain SUM of source row Amount as the authoritative total. Do not substitute this product-of-sums calculation for it.



aggregation trap 138 versus 342.

7. Use **File > Make a copy** of the workbook. Name it **GW - Sheets Advanced - Pivot Coverage** in the practice folder. Keep sharing and comments unchecked. This copies the whole workbook, including native pivots; keep the maintained workbook unchanged during the following source experiment.



separate coverage copy dialog.

8. Verify the new title and separate file URL before editing. On its Orders, select row 26 and **Insert 1 row above**. This reserves a new data row before the existing summary labels; those labels move to row 27 and their totals to row 28.



coverage workbook before new row.

9. Enter the supplied **PO025** record in A26:I26, **=E26*F26** in J26 and **=IF(G26="Cancelled",0,J26)** in K26. Its amount is 90. Expect all Amount 3,248, Delivered 1,568, count 25 and Delivered count 13 once coverage is repaired. The copied summary J28 still uses J2:J25 at this point, so it remains 3,158.



po025 source row outside fixed range.

10. Inspect the copied **Pivot Review**. Its source is still Orders A1:K25, its total 3,158 and PJ-A Delivered 556: the new record has not entered the pivot.



fixed amount pivot still 3158.

11. Inspect copied **Pivot Counts**. It still counts 24 and Delivered 12. Matching the old total is not proof that a new source record was included.



fixed count pivot still 24.

12. Use the editor's **Select data range** button, enter **Orders!A1:K26** in the Range dialog and confirm **OK** for each pivot. In the captured intermediate state, the count editor displayed typed A1:K26 text but the

count was still 24. Verify the applied native definition and recalculated results; typed field text alone is insufficient evidence.



typed range not yet applied.

13. After confirming the Amount pivot range, inspect **3,248** overall, **1,568** Delivered, and **646** PJ-A Delivered. This is the original 556 plus the new 90.



amount range extended to 3248.

14. Confirm the count pivot's range through the same dialog. It now counts **25** overall, **13** Delivered and **5** PJ-A Delivered. Both pivots must cover row 26.



count range confirmed 25.

15. Repair only the scenario Orders summaries to **=SUM(J2:J26)** and **=SUM(K2:K26)** in J28/K28. They become **3,248 /2,028**. ActiveAmount excludes Cancelled; it is not the same population as Delivered.



source summary repaired to 3248.

16. In the scenario Pivot Checks A41:D47, compare expanded source formulas and both native pivots for all/Delivered amount and count plus the changed PJ-A contribution. All six differences are 0.



expanded formulas and pivots reconciled.

17. Create a clearly separate **Coverage Controls** tab containing the same six expanded controls at A1:D7. Widen A:D to 200 pixels. Record scenario scope below it: earlier copied checks/calculated pivots still describe the 24-row baseline and must not be presented as fully refreshed 25-row analysis. The expanded controls are the authoritative checks for this experiment. Retain PO025 only on this named scenario copy.



isolated expanded coverage controls.

18. In the maintained workbook create **Pivot Notes**. Record source range, groups, filter experiment/restoration, SUM versus COUNTA, Custom average definition, drilldown evidence, aggregation trap and the separate coverage result. State the validation boundary.



pivot analysis handover.

19. Inspect the maintained Pivot Review: still **3,158** overall and **1,478** Delivered. Original Orders, Rates, Source Snapshot and Analysis values/formats are unchanged.



baseline amount pivot unchanged.

20. Inspect maintained Pivot Counts: still **24 /12**. Leave the baseline pivots and named coverage experiment available for trainer review. The independent challenge below remains a fresh learner task.



Project	Cancelled	Delivered	Pending	Grand Total
PJ-A	2	4	2	8
PJ-B	2	4	2	8
PJ-C	2	4	2	8
Grand Total	6	12	6	24

baseline count pivot unchanged.

> **Validation boundary:** guided 7.1–7.3 and author casework 7.4 were executed through learner UI and bounded native pivot/cell evidence. Custom average is supported in this target UI. PO025 is retained only in the separate coverage workbook; baseline source and pivots are preserved. Independent Delivered-output construction, diagnosis/presentation, human reviewer and the planned 75-minute learner allocation remain unverified.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Build a fresh pivot independently answering Delivered amount by Project, with a count of contributing order lines.
2. On the challenge copy include PO025 and show the source row, count, total and changed project contribution. Leave the baseline pivot unchanged.
3. Explain one aggregation trap and use contributing rows to prove the correct result.

Evidence to Hand Over

- Amount and count pivots reconciled to formulas and contributing source rows.
- Safe calculated-field comparison or documented unavailable route.
- Separate new-record pivot with repaired coverage and demonstrated aggregation semantics.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
A pivot total is wrong even though the row appears	Inspect aggregation, filters, source range and calculated-field meaning separately.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

Native pivots summarise a defined source. Their filters and formulas need the same checks as ordinary calculations.

Check yourself: Why must the pivot's source range include every record and calculated column?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

Part 1: Typed Values

```
Pivot Review
```

```
=SUM(Amount)/COUNTA(OrderID)
```

Part 2: Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
PO025, challenge copy only: PJ-A | Planning | IT01 | Quantity 2 | UnitCost 45 | Delivered |
week 4 | Additional practice line. Amount is quantity times cost. Extend both formulas and
pivot source range; do not alter the baseline workbook.
```

Part 3: Captured Author-Run Reference

Use native **Insert > Pivot table**, not a typed summary. Baseline source **Orders A1:K25** contains 24 records. Keep source edits for the named whole-workbook **Pivot Coverage** copy only. These cards support guided casework, not an independent learner submission.

Calculated field — Average line amount, Summarise by Custom

```
=SUM(Amount)/COUNTA(OrderID)
```

Pivot Checks A1:E5 — expectations first, actual columns blank

```
Project Expected average        Source average  Pivot average   Difference
PJ-A    122.5
PJ-B    150.5
PJ-C    121.75
All     131.583333333333
```

Pivot Checks C2:E5 — source/native comparison formulas

```
=SUMIF(Orders!$B$2:$B$25,A2,Orders!$J$2:$J$25)/COUNTIF(Orders!$B$2:$B$25,A2)    ='Pivot
Calculations'!C2        =D2-C2
=SUMIF(Orders!$B$2:$B$25,A3,Orders!$J$2:$J$25)/COUNTIF(Orders!$B$2:$B$25,A3)    ='Pivot
Calculations'!C3        =D3-C3
=SUMIF(Orders!$B$2:$B$25,A4,Orders!$J$2:$J$25)/COUNTIF(Orders!$B$2:$B$25,A4)    ='Pivot
Calculations'!C4        =D4-C4
=SUM(Orders!$J$2:$J$25)/COUNTA(Orders!$A$2:$A$25)       ='Pivot Calculations'!C5        =D5-C5
```

Pivot Checks A8:D18 — category counts and total

```
Project / status        Source count    Pivot count     Difference
PJ-A / Cancelled        =COUNTIFS(Orders!$B$2:$B$25,"PJ-A",Orders!$G$2:$G$25,"Cancelled")
='Pivot Counts'!B3      =C9-B9
PJ-A / Delivered        =COUNTIFS(Orders!$B$2:$B$25,"PJ-A",Orders!$G$2:$G$25,"Delivered")
='Pivot Counts'!C3      =C10-B10
PJ-A / Pending  =COUNTIFS(Orders!$B$2:$B$25,"PJ-A",Orders!$G$2:$G$25,"Pending") ='Pivot
Counts'!D3      =C11-B11
PJ-B / Cancelled        =COUNTIFS(Orders!$B$2:$B$25,"PJ-B",Orders!$G$2:$G$25,"Cancelled")
='Pivot Counts'!B4      =C12-B12
PJ-B / Delivered        =COUNTIFS(Orders!$B$2:$B$25,"PJ-B",Orders!$G$2:$G$25,"Delivered")
='Pivot Counts'!C4      =C13-B13
PJ-B / Pending  =COUNTIFS(Orders!$B$2:$B$25,"PJ-B",Orders!$G$2:$G$25,"Pending") ='Pivot
Counts'!D4      =C14-B14
PJ-C / Cancelled        =COUNTIFS(Orders!$B$2:$B$25,"PJ-C",Orders!$G$2:$G$25,"Cancelled")
='Pivot Counts'!B5      =C15-B15
PJ-C / Delivered        =COUNTIFS(Orders!$B$2:$B$25,"PJ-C",Orders!$G$2:$G$25,"Delivered")
='Pivot Counts'!C5      =C16-B16
PJ-C / Pending  =COUNTIFS(Orders!$B$2:$B$25,"PJ-C",Orders!$G$2:$G$25,"Pending") ='Pivot
Counts'!D5      =C17-B17
All records     =COUNTA(Orders!A2:A25)  ='Pivot Counts'!E6      =C18-B18
```

Pivot Checks A21:F25 — manual amounts before comparison

```
OrderID Quantity        UnitCost        Manual amount   Formula amount  Difference
PO001   2       45      90
PO004   8       18      144
PO005   10      25      250
PO008   6       12      72
```

Pivot Checks E22:F25 — row comparison formulas

```
=B22*C22        =E22-D22
=B23*C23        =E23-D23
=B24*C24        =E24-D24
=B25*C25        =E25-D25
```

Pivot Checks A27:D28 — actual drilldown reconciliation

```
Control Manual sum      Native detail sum       Difference
PJ-A Delivered  =SUM(D22:D25)   =SUM('Detail1-PJ-A-Delivered'!J2:J5)    =C28-B28
```

Pivot Checks A31:D33 — two-row aggregation practice

```
Practice row    Quantity        UnitCost        Row amount
First line      2       45      =B32*C32
Second line     4       12      =B33*C33
```

Pivot Checks A35:B38 — aggregation comparison

```
Metric  Result
Expected row total      138
Sum of row products     =SUM(D32:D33)
Product of sums =SUM(B32:B33)*SUM(C32:C33)
```

Scenario Orders A26:K26 — after inserting row 26

```
PO025   PJ-A    Planning        IT01    2       45      Delivered       4       Additional
practice line   =E26*F26        =IF(G26="Cancelled",0,J26)
```

Scenario Orders J28:K28 — repaired source totals

```
=SUM(J2:J26)    =SUM(K2:K26)
```

Coverage Controls A1:D7 — expanded source/pivot reconciliation

```
Coverage control        Source formula  Expanded pivot  Difference
All amount      =SUM(Orders!J2:J26)     ='Pivot Review'!E6      =C2-B2
Delivered amount        =SUMIF(Orders!G2:G26,"Delivered",Orders!J2:J26) ='Pivot Review'!C6
=C3-B3
All count       =COUNTA(Orders!A2:A26)  ='Pivot Counts'!E6      =C4-B4
Delivered count =COUNTIF(Orders!G2:G26,"Delivered")     ='Pivot Counts'!C6      =C5-B5
PJ-A Delivered amount   =SUMIFS(Orders!J2:J26,Orders!B2:B26,"PJ-A",Orders!G2:G26,"Delivered")
='Pivot Review'!C3      =C6-B6
PJ-A Delivered count    =COUNTIFS(Orders!B2:B26,"PJ-A",Orders!G2:G26,"Delivered")
='Pivot Counts'!C3      =C7-B7
```

Coverage Controls A10:B14 — scenario scope note

```
Scenario scope  Record
Source  Orders A1:K26 includes PO025, amount 90
Pivots  Pivot Review SUM Amount; Pivot Counts COUNTA OrderID; both A1:K26
Earlier sheets  Copied baseline checks and calculated pivot still target24rows; historical
comparison only
Authoritative expanded checks   Coverage Controls A1:D7; six differences 0; independent
learner challenge pending
```

Pivot Notes A1:B10 — baseline handover

```
Analysis note   Definition / evidence
Baseline source Orders A1:K25;24 records; Cancelled retained
Amount pivot    Pivot Review: Project rows, Status columns, SUM Amount; no final filter
Filter test     Delivered only 1478; removed filter restores 3158
Count pivot     Pivot Counts: same source/groups, COUNTA OrderID;24 total/12Delivered
Calculated field        Pivot Calculations: Average line amount =SUM(Amount)/COUNTA(OrderID),
Custom; all 131.5833333
Drilldown       Actual Detail1-PJ-A-Delivered contains PO001/004/005/008; amounts
90/144/250/72 sum 556
Aggregation trap        Two rows2x45 and4x12: SUM row products 138; product of sums 342
Coverage experiment     Separate Pivot Coverage workbook only: confirmed A1:K26 gives 3248/25;
Delivered 1568/13
Validation limit        Guided author reference; independent learner diagnosis/presentation
and75minute timing pending
```

Native pivot definitions

Tab	Source	Rows	Columns	Values	Final filter
Pivot Review	Orders A1:K25	Project	Status	SUM of Amount	None; Delivered-only1478 test then removed
Pivot Counts	Orders A1:K25	Project	Status	COUNTA of OrderID	None
Pivot Calculations	Orders A1:K25	Project	None	SUM of Amount plus Average line amount, Custom	None
Scenario Pivot Review	Orders A1:K26	Project	Status	SUM of Amount	None
Scenario Pivot Counts	Orders A1:K26	Project	Status	COUNTA of OrderID	None

Use **Select data range > Range > OK** to confirm range edits. Inspect recalculation, not just input text. Expected baseline 3158/1478/24/12; scenario 3248/1568/25/13. PJ-A Delivered changes 556/4 to 646/5. Do not include summary rows 27–28 in the scenario pivot source.

The two-row trap has row products 90 and 48, sum 138; multiplying the summed quantities 6 by summed costs 57 returns 342. These metrics have different meanings. The original ambiguous multiplication prompt has been replaced by the actually verified average field; retain SUM of row Amount for authoritative totals.

Earlier copied scenario checks/calculated pivots remain 24-row references. Only the expanded source summaries and Coverage Controls A1:D7 establish 25-row coverage. Independent Delivered pivot/output, learner diagnosis/presentation and timing remain pending.

08

CHAPTER 8

Query Structured Criteria

In this chapter you will use DSUM, DCOUNT and DAVERAGE with a visible criteria range and reconcile against a manual subset.

> **Prompts:** the prompts page has every value and prompt for this chapter, each with a Copy button.

Estimated time: 60 minutes, planned as 15 explanation and demonstration, 17 guided build and casework, 20 independent practice and 8 verification and repair, with 45 active minutes by design. Not yet timed with learners.

Your result: A visible criteria area and reconciled database function results.

> **Status:** author reference with 36 staged application captures through 8.4. DSUM/DCOUNT/DAVERAGE, exact AND/OR ID sets, overlap, field types, weighted means and an actual header fault/repair are verified. A wrong mean prediction is explicitly investigated and corrected. Maintained source and earlier pivots unchanged. Independent question, reviewer and learner timing remain pending.

What You Will Learn

- Build a visible database criteria range.
- Use DSUM, DCOUNT and DAVERAGE.
- Reconcile criteria-based results.

Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use Orders A1:J25, including Amount. Keep criteria outside the source table.

8.1 Build the Criteria

1. Create a separate tab named **Database Analysis**. The draft's Analysis A10:D12 locations already contain earlier count/population work, so use the same addresses on this new tab. Keep maintained Analysis unchanged. Widen A/B/C/D to 180/140/310/180 pixels. Create the blank tab before entering criteria.



new blank database practice tab.

2. In **A10:A11** enter **Status / Delivered**. Match the Orders header exactly. This visible one-column criteria block is ready before entering the result formulas.



visible Delivered criteria before calculation.

3. In C10 enter **Delivered amount** and D10 **=DSUM(Orders!A1:J25,"Amount",A10:A11)**. Add the C14:E15 comparison card. Both DSUM and source **SUMIF** return **1,478**; their difference is 0. The source

includes the header and 24 data records, with criteria outside it.



delivered source sumif comparison.

8.2 Count and Average

1. Enter both metric rows: C11 **Delivered numeric quantity records**, D11 **=DCOUNT(Orders!A1:J25,"Quantity",A10:A11)**; C12 **Average delivered unit cost**, D12 **=DAVERAGE(Orders!A1:J25,"UnitCost",A10:A11)**. Inspect D11: **12 numeric Quantity entries**, not a count of text identifiers.



dcount numeric quantity 12.

2. Select D12 and inspect its DAVERAGE formula. It returns **23**, the unweighted mean of 12 numeric UnitCost values. It is not an average line Amount or a quantity-weighted price.



daverage unit cost 23.

3. Add C17:D20. **DCOUNT of OrderID returns 0**, **DCOUNTA of OrderID returns 12**, and source COUNTIF Delivered returns 12. This baseline has populated text IDs and numeric quantities; those different fields

happen to identify the same 12 records only when counted with the appropriate function.



text id count versus numeric count.

8.3 Check Criteria Semantics

1. On Orders select **A1:J25**, then **Data > Create filter view**. In the Status dropdown choose Clear, select Delivered only and OK. Inspect the 12 visible source records; the ordinary SUM below the table still totals all records. Do not delete the other statuses.



delivered filter view twelve records.

2. Choose **Save view**, name it **DB8 - Delivered**, and Save. Inspect the named view and then Exit the view toolbar so later work starts from the unfiltered source.



OrderID	Project	Team	ItemCode	Quantity	UnitCost	Status	Week	Description	Amount
PO001	PJ-A	Planning	IT01	2	RM 45.00	Delivered	1	Display adapter for briefing	RM 90.
PO004	PJ-A	Planning	IT04	8	RM 18.00	Delivered	1	Marker set for briefing	RM 144.
PO005	PJ-A	Procurement	IT05	10	RM 25.00	Delivered	1	Desk sign for pilot team	RM 250.
PO008	PJ-A	Procurement	IT02	6	RM 12.00	Delivered	2	Training notebook for pilot team	RM 72.
PO009	PJ-B	Site Coordination	IT03	8	RM 30.00	Delivered	2	Cable pack for review session	RM 240.
PO012	PJ-B	Site Coordination	IT06	4	RM 8.00	Delivered	2	Quick guide for review session	RM 32.
PO013	PJ-B	Planning	IT01	6	RM 45.00	Delivered	3	Display adapter for briefing	RM 270.
PO016	PJ-B	Planning	IT04	2	RM 18.00	Delivered	3	Marker set for briefing	RM 36.
PO017	PJ-C	Procurement	IT05	4	RM 25.00	Delivered	3	Desk sign for pilot team	RM 100.
PO020	PJ-C	Procurement	IT02	10	RM 12.00	Delivered	4	Training notebook for pilot team	RM 120.
PO021	PJ-C	Site Coordination	IT03	2	RM 30.00	Delivered	4	Cable pack for review session	RM 60.
PO024	PJ-C	Site Coordination	IT06	8	RM 8.00	Delivered	4	Quick guide for review session	RM 64.
									All Amount
									RM 3,158.

named delivered source view.

3. Return to Database Analysis. Add **Project / PJ-A** in **B10:B11**, on the same header/data rows as Status/Delivered. Keep the earlier one-column formulas unchanged. Add the new C23:D26 block using **A10:B11**: DSUM Amount **556**, DCOUNT Quantity **4**, DAVERAGE UnitCost **25**. Two conditions on the same criteria row mean both must hold.



same row and criteria 556.

4. Add C28:E29. Source **SUMIFS** for Delivered and PJ-A returns 556 and the difference is 0. Label this expanded criterion explicitly; the original A10:A11 formulas still answer Delivered across all projects.



and source sumifs agrees.

8.4 Prove AND, OR and Overlapping Criteria

1. Create **Database Semantics**, with separate labelled blocks: A2:B3 for **Delivered AND PJ-A**; A8:A10 for **Delivered OR Pending**; A15:B17 for **Delivered OR PJ-A**. The OR cases use separate data rows. In the overlapping block, put Delivered alone on row 16 and PJ-A alone in B17; leave the other cell on each row blank. Those blanks mean the corresponding field is unrestricted on that OR row, not a requirement for a blank source value.
2. Record predictions before actual formulas. Treat it as a prediction to investigate, not an answer key. Final source-derived expectations are **556 /4 /25**, **1938 /18 /352÷18**, and **1902 /16 /23.1875**. The later audit-repair stages show why that one prediction changed.

> **Reference run:** The reference's initial prediction card below contains a mistaken disjoint-OR mean of 23.



three populations and expectations.

3. For the AND block, calculate DSUM Amount, DCOUNT Quantity and DAVERAGE UnitCost against **A2:B3**. The three results are **556 /4 /25**, with zero differences.



and three metrics reconcile.

4. For disjoint OR, use **A8:A10**. Amount is **1,938**, numeric count **18**, and the observed mean is **19.55555556**. In the captured first pass, its mean difference is nonzero because the prediction 23 was wrong. Keep that mismatch visible until source costs explain it; do not force the actual formula to the prediction.



disjoint or three metrics reconcile.

5. For overlapping OR, use **A15:B17**. Results are **1,902 /16 /23.1875**. A record satisfying both Delivered and PJ-A qualifies once.



overlapping or three metrics reconcile.

6. Add the inclusion–exclusion card at A21:D25. Delivered 1,478 plus PJ-A980 minus their shared 556 gives **1,902**. Counts 12+8−4 give **16**. Adding the two sets without removing the shared membership would overstate the population.



inclusion exclusion 1902 and 16.

7. Reconcile the disjoint statuses in D28:G30: Delivered 1,478 + Pending 460 = **1,938**, and 12+6 = **18**. These status sets do not overlap. This checks amount and count; it does not yet explain the mean prediction.



disjoint status sum reconciliation.

8. Create a second actual Orders **A1:J25** filter view. Select Delivered in Status and PJ-A in Project. Inspect the four visible IDs **PO001 /PO004 /PO005 /PO008** and their amounts 90/144/250/72, which sum to 556.



actual and filter four source ids.

9. Save it as **DB8 - Delivered AND PJ-A** and Exit. Retain both named views for trainer inspection while leaving the source unfiltered.



named and view four records.

10. Create **Database IDs**. Use the FILTER cards in A2/C2/E2 to list the AND, disjoint-OR and overlapping-OR IDs from the source in their original order. Each OR condition is converted to a boolean membership test rather than concatenating two lists with duplicates.



traceable source id sets.

11. Add A23:F26 controls. COUNTA and COUNTUNIQUE both return **4 /18 /16** for the three ID sets. Sum Amount by the listed IDs and compare with the database results: **556 /1938 /1902**. The baseline has unique source IDs, so this key-based reconciliation is valid for these supplied data.



id counts uniqueness and amounts.



full population controls in view.

12. Create **Database Tests** with the explicit four-row type table at A1:D5 and Status/Delivered criteria in F1:F2. Keep its intentionally invalid text/blank cases separate from maintained Orders. Record expected field counts and means before filling actuals: numeric Quantity 2, populated Quantity 3, numeric UnitCost 2, mean UnitCost 15, numeric OrderID 0 and populated OrderID 4.



numeric text blank expectations.

13. Enter the six database formulas in C9:C14 and C minus B differences in D. Numeric zero is included by DCOUNT; a blank and literal four are excluded from its numeric Quantity count. DCOUNTA includes the nonblank text four. DAVERAGE uses only the two numeric costs 10 and 20, giving15; blank/text costs do not enter that denominator. Invalid source types still require review even when a numeric result appears.



type sensitive counts and mean.



six type controls all zero differences.

14. Build a separate disposable header test at A18:A20: label, exact **Status**, then Delivered. D19 uses **=DSUM(Orders!A1:J25,"Amount",A19:A20)** and returns 1,478.



correct header control 1478.

15. Change only test header A19 to **Statuz**. In this actual native experiment, D19 returns **0**, with no formula error. Save the observation before repair. Do not generalise this one result to every malformed header; a plausible or error-free output is insufficient evidence of correct criteria.



misspelled criteria header observation.

16. Restore A19 to exact **Status**. The same DSUM formula returns **1,478** again. Record the observed zero and repair rather than hiding it with an error wrapper.



exact header restores 1478.

17. Add the explicit two-row weighted-price table at A26:D28: quantity 2 at cost 10 and quantity 8 at cost 30. Row costs are 20 and 240. The rows are labelled practice data, not replacements for source Orders.



explicit weighted cost inputs.

18. Compare **AVERAGE(C27:C28)=20** with **SUM(D27:D28)/SUM(B27:B28)=26**. The first asks the mean price per line; the second asks cost per unit across 10 units. Total line cost is 260. Both results are correct for their stated questions, and their expected-versus-actual differences are 0.



weighted 26 versus unweighted 20.

19. Create **Database Notes** with source scope, criteria definitions, ID reconciliation, type tests and validation limits. The first handover retained the incorrect disjoint mean prediction, so the final audit below is required before accepting it.



database analysis handover.

20. Review the three criteria blocks and their difference cells. The initial disjoint-OR mean mismatch remains visible in this first-pass checkpoint. The next steps investigate it rather than accepting the handover as complete.



three criteria blocks before audit repair.

21. Inspect maintained Orders unfiltered: the all-record Amount remains **3,158**. Earlier Analysis, Rates, Source Snapshot and native pivots remain intact. The discrepancy is in the prediction for a defined subset, not a changed source baseline.



unfiltered maintained source 3158.

22. In Database Semantics D31:G32, reconcile the OR population's UnitCost sum. Source SUMIF totals and DSUM both give **352**: Delivered contributes276 and Pending 76. Divide by 18 numeric costs to obtain **19.55555556**, matching DAVERAGE. The statuses do not have the same UnitCost distribution, so copying Delivered's mean 23 was an invalid expectation.



disjoint mean prediction investigation.

23. Correct **E10 to =352/18**. Keep F10 as the original DAVERAGE formula. All nine metric differences now reconcile to 0, and the separate source-cost mean check also has zero difference. The preserved

first-pass evidence distinguishes a wrong prediction from a formula repair.



corrected disjoint mean controls.

24. Correct the disjoint-OR entry in Database Notes and append the prediction-repair explanation. Leave the exact Status test header restored and the source unfiltered, with the two named filter views retained. The independent challenge below remains unperformed.



final handover with mean reconciliation.

25. Finish by inspecting **Database Analysis** with all Delivered and AND formulas visible. DSUM/SUMIF 1478 and AND DSUM/SUMIFS556 have zero differences; the numeric/text count distinction remains

explicit. This final view confirms the completed results after the earlier entry-stage captures.



Completed Delivered and AND controls.

> **Validation boundary:** guided 8.1–8.3 and author casework 8.4 were executed through learner UI with bounded native-cell evidence. A mistaken author prediction was caught and corrected using source UnitCost sums; it was not a source-data defect. The Statuz 0/Status1478 observation is specific to the captured test. Independent learner question/OR diagnosis, human reviewer and the planned 60-minute allocation remain unverified.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Write a new analysis question requiring two conditions and design its database criteria without copying a finished block.
2. Create a second version that uses OR instead of AND, predict the population difference and verify it through contributing IDs.
3. Explain the numeric field counted by DCOUNT, the average's denominator and one overlap risk.

Evidence to Hand Over

- Three labelled criteria blocks with source-ID reconciliation.
- AND/OR and overlap proof, plus weighted/unweighted meaning comparison.
- Independent question and corrected criteria-header test.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
An OR total double-counts overlapping rows	Compare the contributing ID sets and count each qualifying source record once.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

Database functions are useful when their header matching, criteria logic and field meaning are explicit.

Check yourself: Why is an average unit cost different from a quantity-weighted average?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

Part 1: Typed Values

```
Delivered amount
```

```
=DSUM(Orders!A1:J25,"Amount",A10:A11)
```

```
Delivered numeric quantity records
```

```
=DCOUNT(Orders!A1:J25,"Quantity",A10:A11)
```

```
Average delivered unit cost
```

```
=DAVERAGE(Orders!A1:J25,"UnitCost",A10:A11)
```

Part 2: Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Criteria cases: Status=Delivered AND Project=PJ-A; Status=Delivered OR Status=Pending;
Status=Delivered OR Project=PJ-A. The last case overlaps. DCOUNT uses numeric Quantity;
OrderID is text and must not be treated as a numeric record count.
```

Part 3: Captured Author-Run Reference

Use a separate **Database Analysis** tab because the earlier Analysis cells are occupied. Maintained source is **Orders A1:J25**. Predict results before actual formulas. These cards show the final corrected source-derived mean 352/18; the historical first-pass prediction 23 in screenshots is investigated in the guide. Independent learner work remains a separate task.

Database Analysis A10:B11 — criteria

```
Status  Project
Delivered       PJ-A
```

Database Analysis C10:D12 — original Delivered formulas

```
Delivered amount        =DSUM(Orders!A1:J25,"Amount",A10:A11)
Delivered numeric quantity records      =DCOUNT(Orders!A1:J25,"Quantity",A10:A11)
Average delivered unit cost     =DAVERAGE(Orders!A1:J25,"UnitCost",A10:A11)
```

Database Analysis C14:E15 — amount control

```
Control Source SUMIF    Difference
Delivered amount        =SUMIF(Orders!G2:G25,"Delivered",Orders!J2:J25) =D10-D15
```

Database Analysis C17:D20 — field-aware counts

```
Count comparison        Result
DCOUNT text OrderID     =DCOUNT(Orders!A1:J25,"OrderID",A10:A11)
DCOUNTA populated OrderID       =DCOUNTA(Orders!A1:J25,"OrderID",A10:A11)
COUNTIF Delivered source rows   =COUNTIF(Orders!G2:G25,"Delivered")
```

Database Analysis C23:D26 — AND metrics

```
Delivered AND PJ-A      Result
Amount  =DSUM(Orders!A1:J25,"Amount",A10:B11)
Numeric quantity records        =DCOUNT(Orders!A1:J25,"Quantity",A10:B11)
Average unit cost       =DAVERAGE(Orders!A1:J25,"UnitCost",A10:B11)
```

Database Analysis C28:E29 — SUMIFS comparison

```
AND comparison  SUMIFS  Difference
Delivered AND PJ-A      =SUMIFS(Orders!J2:J25,Orders!G2:G25,"Delivered",Orders!B2:B25,"PJ-A")
=D24-D29
```

Database Semantics A1:B3 — AND

```
Delivered AND PJ-A
Status  Project
Delivered       PJ-A
```

Database Semantics A7:A10 — disjoint OR

```
Delivered OR Pending
Status
Delivered
Pending
```

Database Semantics A14:B17 — overlapping OR

```
Delivered OR PJ-A
Status  Project
Delivered
        PJ-A
```

Database Semantics D1:G4 — AND expectations, actuals blank

```
Metric  Expected        Actual  Difference
Amount  556
Numeric quantity count  4
Mean unit cost  25
```

Database Semantics D7:G10 — corrected OR expectations, actuals blank

```
Metric  Expected        Actual  Difference
Amount  1938
Numeric quantity count  18
Mean unit cost  =352/18
```

Database Semantics D14:G17 — overlap expectations, actuals blank

```
Metric  Expected        Actual  Difference
Amount  1902
Numeric quantity count  16
Mean unit cost  23.1875
```

Database Semantics A21:D25 — inclusion–exclusion

```
Population arithmetic   Amount  Count   Meaning
Delivered       =SUMIF(Orders!G2:G25,"Delivered",Orders!J2:J25)
=COUNTIF(Orders!G2:G25,"Delivered")     First set
PJ-A    =SUMIF(Orders!B2:B25,"PJ-A",Orders!J2:J25)      =COUNTIF(Orders!B2:B25,"PJ-A")  Second
set
Overlap: Delivered AND PJ-A     =F2     =F3     Remove one duplicated membership
Union: Delivered OR PJ-A        =B22+B23-B24    =C22+C23-C24    One count per qualifying
source row
```

Database Semantics D28:G32 — independent source controls

```
Disjoint status control Source formula  Database result Difference
Delivered plus Pending amount
=SUMIF(Orders!G2:G25,"Delivered",Orders!J2:J25)+SUMIF(Orders!G2:G25,"Pending",Orders!J2:J25)
=F8     =F29-E29
Delivered plus Pending count
=COUNTIF(Orders!G2:G25,"Delivered")+COUNTIF(Orders!G2:G25,"Pending")    =F9     =F30-E30
UnitCost sum in OR population
=SUMIF(Orders!G2:G25,"Delivered",Orders!F2:F25)+SUMIF(Orders!G2:G25,"Pending",Orders!F2:F25)
=DSUM(Orders!A1:J25,"UnitCost",A8:A10)  =F31-E31
Mean from source cost sum / count       =E31/E30        =F10    =F32-E32
```

Database IDs A23:F26 — ID counts and amounts

```
Population      Expected count  Actual count    Unique IDs      Sum by listed IDs
Database amount
AND     4       =COUNTA(A2:A5)  =COUNTUNIQUE(A2:A5)
=SUM(ARRAYFORMULA(SUMIF(Orders!A2:A25,A2:A5,Orders!J2:J25)))    ='Database Semantics'!F2
Disjoint OR     18      =COUNTA(C2:C19) =COUNTUNIQUE(C2:C19)
=SUM(ARRAYFORMULA(SUMIF(Orders!A2:A25,C2:C19,Orders!J2:J25)))   ='Database Semantics'!F8
Overlapping OR  16      =COUNTA(E2:E17) =COUNTUNIQUE(E2:E17)
=SUM(ARRAYFORMULA(SUMIF(Orders!A2:A25,E2:E17,Orders!J2:J25)))   ='Database Semantics'!F15
```

Database Tests A1:D5 — isolated type cases

```
OrderID Quantity        UnitCost        Status
T01     2       10      Delivered
T02             20      Delivered
T03     four            Delivered
T04     0       unknown Delivered
```

Database Tests A8:E14 — expectations before actuals

```
Metric  Expected        Actual  Difference      Meaning
Numeric Quantity        2                       Includes numeric 2 and valid 0; excludes
blank/text
Populated Quantity      3                       Nonblank count includes text four
Numeric UnitCost        2                       Only numeric 10 and 20
Mean UnitCost   15                      Two numeric costs; blank/text excluded
Numeric OrderID 0                       Text IDs are not numeric values
Populated OrderID       4                       Four populated text IDs
```

Database Tests C9:D14 — six actual formulas

```
=DCOUNT($A$1:$D$5,"Quantity",$F$1:$F$2) =C9-B9
=DCOUNTA($A$1:$D$5,"Quantity",$F$1:$F$2)        =C10-B10
=DCOUNT($A$1:$D$5,"UnitCost",$F$1:$F$2) =C11-B11
=DAVERAGE($A$1:$D$5,"UnitCost",$F$1:$F$2)       =C12-B12
=DCOUNT($A$1:$D$5,"OrderID",$F$1:$F$2)  =C13-B13
=DCOUNTA($A$1:$D$5,"OrderID",$F$1:$F$2) =C14-B14
```

Database Tests A18:A20 — correct header test

```
Disposable header test
Status
Delivered
```

Database Tests D18:E19 — header test formula

```
Observed amount Criterion requirement
=DSUM(Orders!A1:J25,"Amount",A19:A20)   Match the exact source header Status
```

Database Tests A22:B23 — actual fault observation

```
Header observation      Interpretation
Statuz returned 0; restored Status returns 1478 No visible error does not prove correct
criteria
```

Database Tests A26:D28 — weighted-price inputs

```
Practice line   Quantity        UnitCost        Line cost
Small line      2       10      =B27*C27
Large line      8       30      =B28*C28
```

Database Tests A31:D34 — mean interpretation checks

```
Question        Expected        Observed        Difference
Mean price per line     20      =AVERAGE(C27:C28)       =C32-B32
Price per unit across quantities        26      =SUM(D27:D28)/SUM(B27:B28)      =C33-B33
Total line cost 260     =SUM(D27:D28)   =C34-B34
```

Database Notes A1:B13 — corrected handover

```
Database analysis note  Definition / evidence
Source boundary Orders A1:J25;24 baseline records; maintained values/formats preserved
Practice placement      Separate Database Analysis tab avoids existing Analysis A10:D12 work
Delivered       DSUM1478; DCOUNT Quantity 12; DAVERAGE UnitCost 23; text OrderID DCOUNT0
versus DCOUNTA12
AND     Status and Project on same row: Delivered AND PJ-A gives 556/4/25
Disjoint OR     Status alternatives on separate rows: Delivered OR Pending gives
1938/18/19.55555556
Overlapping OR  Separate Delivered row and PJ-A row: 1902/16/23.1875; each matching record
once
Overlap proof   Delivered 1478 + PJ-A980 - overlap 556 =1902; counts 12+8-4=16
Source IDs      FILTER lists reconcile 4/18/16 unique IDs and amounts 556/1938/1902; saved
views DB8 Delivered and DB8 Delivered AND PJ-A
Field types     Test table: numeric Quantity count 2 includes zero; populated Quantity 3
includes text; numeric UnitCost mean 15 ignores blank/text
Mean meaning / header test      Two-row unweighted 20 versus quantity-weighted26; Statuz
criterion returned 0 before Status repair 1478
Validation boundary     Guided author casework; independent learner question/OR
diagnosis/reviewer and60minute timing pending
Prediction repair       Initial expected mean 23 was wrong: Delivered cost sum 276 plus
Pending 76 =352 across 18 numeric costs; corrected expectation352/18 matches DAVERAGE
```

AND F2:G4

```
=DSUM(Orders!$A$1:$J$25,"Amount",$A$2:$B$3)     =F2-E2
=DCOUNT(Orders!$A$1:$J$25,"Quantity",$A$2:$B$3) =F3-E3
=DAVERAGE(Orders!$A$1:$J$25,"UnitCost",$A$2:$B$3)       =F4-E4
```

Disjoint OR F8:G10

```
=DSUM(Orders!$A$1:$J$25,"Amount",$A$8:$A$10)    =F8-E8
=DCOUNT(Orders!$A$1:$J$25,"Quantity",$A$8:$A$10)        =F9-E9
=DAVERAGE(Orders!$A$1:$J$25,"UnitCost",$A$8:$A$10)      =F10-E10
```

Overlapping OR F15:G17

```
=DSUM(Orders!$A$1:$J$25,"Amount",$A$15:$B$17)   =F15-E15
=DCOUNT(Orders!$A$1:$J$25,"Quantity",$A$15:$B$17)       =F16-E16
=DAVERAGE(Orders!$A$1:$J$25,"UnitCost",$A$15:$B$17)     =F17-E17
```

Database IDs AND — A2

```
=FILTER(Orders!A2:A25,Orders!G2:G25="Delivered",Orders!B2:B25="PJ-A")
```

Database IDs Disjoint OR — C2

```
=FILTER(Orders!A2:A25,((Orders!G2:G25="Delivered")+(Orders!G2:G25="Pending"))>0)
```

Database IDs Overlapping OR — E2

```
=FILTER(Orders!A2:A25,((Orders!G2:G25="Delivered")+(Orders!B2:B25="PJ-A"))>0)
```

Filter views and test boundaries

Select **Orders A1:J25 > Data > Create filter view**. Save **DB8 - Delivered** after selecting Delivered in Status. Create a separate **DB8 - Delivered AND PJ-A** with both Status Delivered and Project PJ-A; its IDs are PO001/PO004/PO005/PO008. Exit the view after inspection. Do not delete excluded source rows.

Database Tests criteria are **F1:F2 = Status / Delivered**. Preserve genuine blanks B3/C4, text four/unknown and numeric zero B5 in that isolated table. DCOUNT counts numbers; DCOUNTA counts populated fields; DAVERAGE's denominator includes only numeric values of the selected field.

For the disposable header test, capture D19 with exact Status, then temporarily change A19 to Statuz. The observed result was 0; restore Status and verify 1478. Do not treat an error-free numeric result as proof of correct criteria.

The disjoint-OR mean is 352/18 =19.55555556, not 23. Final expected E10 is **=352/18**, while actual F10 remains DAVERAGE. Delivered UnitCost sum 276 plus Pending 76 explains the mean. Keep prediction errors distinct from formula/source defects.

Final populations: Delivered 1478/12/23; Delivered AND PJ-A556/4/25; Delivered OR Pending 1938/18/19.55555556; Delivered OR PJ-A1902/16/23.1875. Amount/numeric Quantity count/mean UnitCost are different metrics. Independent question, learner diagnosis and timing remain pending.

09

CHAPTER 9

Build a Dashboard

In this chapter you will choose charts, sparklines and filter views; distinguish source-linked charts from generated analysis snapshots.

> **Prompts:** the prompts page has every value and prompt for this chapter, each with a Copy button.

Estimated time: 70 minutes, planned as 15 explanation and demonstration, 27 guided build and casework, 20 independent practice and 8 verification and repair, with 55 active minutes by design. Not yet timed with learners.

Your result: A compact source-linked dashboard with a tested update path.

> **Status:** author reference with 31 staged application captures through 9.4. Native column chart, weekly sparkline, distinct KPI populations and recalculating Checks are verified. Existing-row +45 and scenario-copy +90 tests were restored. Independent PO025 coverage, reviewer and learner timing remain pending.

What You Will Learn

- Choose source-linked visuals.
- Use a sparkline for a defined time sequence.
- Explain how a dashboard refreshes.

Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use the checked advanced workbook with all-orders and delivered controls reconciled.

9.1 Build a Compact View

1. Create **Dashboard Data** separately from the maintained Analysis tab. Link A2:A4 to the three project labels PJ-A/PJ-B/PJ-C. In B2:B4 sum each checked Analysis project row across Delivered/Pending/Cancelled; C links Delivered and D links Pending. All project amounts are **980 /1204 /974**. Keep **Cancelled included** explicit.



checked project summary links.

2. Create **Dashboard**. Set column A to 220 pixels and B:H to 140. Add the title and scope label. Link **A5:D8** to Dashboard Data A1:D4; this is a formula-linked view rather than copied static numbers.



dashboard linked project view.

3. Select Dashboard **A5:B8 > Insert chart**. In the Chart editor Setup, choose **Column chart**, retaining header row 5 and project labels in column A. The automatic initial suggestion may be Pie; change the type explicitly.



native column chart source range.

4. Under **Customise > Chart and axis titles**, set **Amount by Project - incl. Cancelled (RM)**. Under **Series**, enable **Data labels**. The captured title uses an em dash separator; its meaning and population are the same.



chart title and data labels.

5. Select the chart border and drag its blank upper margin to the right of the working tables. Verify all three amount labels are visible and that the chart does not cover source cells or later controls.



labelled project chart positioned.

6. In Dashboard Data A7:B10 create a status record-count table using **COUNTIF(Orders!$G$2:$G$25,A8)** and corresponding status labels. Link it to Dashboard F5:G8. **Delivered 12 /Pending6 /Cancelled6** reconcile to 24 records.



separate status count view.

9.2 Show the Weekly Sequence

1. Use **Dashboard Data A15:E16**, because the draft's Analysis B16:E16 cells already contain earlier work. Put numeric week labels 1/2/3/4 in B15:E15. B16 is

=SUMIFS(Orders!$J$2:$J$25,Orders!$H$2:$H$25,B$15); fill across. The four practice-week totals are **728 /754 /850 /826**.



numeric week sequence 728 754 850 826.

2. Add the A18:D19 control: source SUM of Orders J2:J25 and SUM of B16:E16 both return **3158**; their difference is **0**. These weeks are numeric practice periods, not an invented calendar.



weekly total reconciles to 3158.

3. Link Dashboard B12:E13 to the week labels and amounts. Merge B15:E15 and enter **=SPARKLINE('Dashboard Data'!B16:E16)** in B15. Set row 15 height40 and label the trend in A15. B16 **=SUM(B13:E13)** returns 3158.



chart and chronological sparkline.

9.3 Test a Refresh

1. Before changing source, record the predicted **+45** delta for PO001 Quantity **2 to 3** at UnitCost 45. Expected line 135, PJ-A all amount 1025, Week 1 amount 773, total 3203 and unchanged record count 24.



predicted refresh delta 45.

2. On maintained Orders, change **E2 to 3**. Inspect the PO001 source line and its calculated **Amount 135**. This is a temporary change to an existing record, not a new-row coverage test.



temporary po001 quantity 3 amount 135.

3. Inspect Dashboard. The project table and chart update PJ-A to **1025**; Week 1 becomes **773**, the sparkline shape changes and the weekly total becomes **3203**.



chart and week 1 refresh plus 45.

4. Inspect the existing native **Pivot Review**: its all-record total also becomes 3203 without a manual refresh in this captured test. Its source bounds remain the same 24-record table.



native pivot refresh total 3203.

5. Inspect Dashboard Data's weekly totals and source comparison. Both totals are 3203 and the difference remains 0. Preserve the transient observation before restoration.



weekly refresh and source control.

6. Restore **Orders E2 to 2**, returning the line Amount to 90.



OrderID	Project	Team	ItemCode	Quantity	UnitCost	Status	Week	Description	Amount
PO001	PJ-A	Planning	IT01	2	RM 45.00	Delivered	1	Display adapter for briefing	RM 90.
PO002	PJ-A	Procurement	IT02	4	RM 12.00	Pending	1	Training notebook for pilot team	RM 48.
PO003	PJ-A	Site Coordination	IT03	6	RM 30.00	Cancelled	1	Cable pack for review session	RM 180.
PO004	PJ-A	Planning	IT04	8	RM 18.00	Delivered	1	Marker set for briefing	RM 144.
PO005	PJ-A	Procurement	IT05	10	RM 25.00	Delivered	1	Desk sign for pilot team	RM 250.
PO006	PJ-A	Site Coordination	IT06	2	RM 8.00	Pending	1	Quick guide for review session	RM 16.
PO007	PJ-A	Planning	IT01	4	RM 45.00	Cancelled	2	Display adapter for briefing	RM 180.
PO008	PJ-A	Procurement	IT02	6	RM 12.00	Delivered	2	Training notebook for pilot team	RM 72.
PO009	PJ-B	Site Coordination	IT03	8	RM 30.00	Delivered	2	Cable pack for review session	RM 240.
PO010	PJ-B	Planning	IT04	10	RM 18.00	Pending	2	Marker set for briefing	RM 180.
PO011	PJ-B	Procurement	IT05	2	RM 25.00	Cancelled	2	Desk sign for pilot team	RM 50.
PO012	PJ-B	Site Coordination	IT06	4	RM 8.00	Delivered	2	Quick guide for review session	RM 32.
PO013	PJ-B	Planning	IT01	6	RM 45.00	Delivered	3	Display adapter for briefing	RM 270.
PO014	PJ-B	Procurement	IT02	8	RM 12.00	Pending	3	Training notebook for pilot team	RM 96.
PO015	PJ-B	Site Coordination	IT03	10	RM 30.00	Cancelled	3	Cable pack for review session	RM 300.
PO016	PJ-B	Planning	IT04	2	RM 18.00	Delivered	3	Marker set for briefing	RM 36.
PO017	PJ-C	Procurement	IT05	4	RM 25.00	Delivered	3	Desk sign for pilot team	RM 100.
PO018	PJ-C	Site Coordination	IT06	6	RM 8.00	Pending	3	Quick guide for review session	RM 48.

source quantity restored to 2.

7. Verify Dashboard returns to PJ-A980, Week 1 = 728 and total 3158; the chart and sparkline return to baseline.



chart and sparkline return to baseline.

8. Confirm Pivot Review also returns to **3158**.

> **Reference run:** Existing-row value refresh was automatic in this run; this does not establish automatic range extension for appended records.



SUM of Amount	Status			
Project	Cancelled	Delivered	Pending	Grand Total
PJ-A	RM 360.00	RM 556.00	RM 64.00	RM 980.00
PJ-B	RM 350.00	RM 578.00	RM 276.00	RM 1,204.00
PJ-C	RM 510.00	RM 344.00	RM 120.00	RM 974.00
Grand Total	RM 1,220.00	RM 1,478.00	RM 460.00	RM 3,158.00

pivot restored to 3158.

9.4 Design a Dashboard With a Visible Refresh Contract

1. Create **Dashboard Contract** and record the audience, source **Orders A1:K25**, units RM,24-record population and practice weeks. Keep **all orders including Cancelled**, **ActiveAmount excluding Cancelled**, and **Delivered only** distinct. Predict the separate copy test before editing: Quantity 2 to 4 adds 90, giving line 180, PJ-A = 1,070, Week 1 = 818, total 3248, Active 2028 and Delivered 1568. Count remains 24.



Dashboard brief	Definition
Audience	Fictional project reporting reviewer; training evidence, not company policy
Source / units	Orders A1:K25;24records; Amount and cost values in RM
Population	All includes Cancelled; Active excludes Cancelled; Delivered is a separate status subset
Questions	Largest Delivered project? Pending Amount? Largest all-orders practice week?
Practice sequence	Numeric weeks1,2,3,4; no invented real calendar dates
Chart / filter scope	Dashboard A5:B8 linked to checked all-project totals; saved source views do not filter these SUMIFS totals
Scenario prediction	Copy only: PO001 Quantity2 to4 adds90; line180/PJ-Aall1070/Week1 818/all3248/active2028/Delivered1568/count24
Expected ranking change	Largest Delivered project changes from PJ-B578 to PJ-A646; peakweek remains3at850
Validation limit	Guided author casework; independent new-row coverage, reviewer and70minute learner timing pending

dashboard brief and refresh predictions.

2. Add Dashboard A18:B22 KPI formulas: **COUNTA(Orders!A2:A25)=24**, **SUM('Dashboard Data'!B2:B4)=3158**, **SUM(Orders!K2:K25)=1938**, and **SUM('Dashboard Data'!C2:C4)=1478**. Label each population.



distinct kpi populations.

3. Add D18:E23 **Checks**. Compare count with Pivot Counts E6, all amount with source SUM J2:J25, active with Analysis C15, and Delivered with Database Analysis D10. All four differences are 0. E23 uses **=IF(COUNTIF(E19:E22,0)=4,"All checks pass","Review mismatch")**; it is a recalculating result, not typed assurance.



recalculating difference checks.

4. Answer the audience questions using formulas in A24:C27. Largest Delivered project is **PJ-B = 578**; total Pending Amount is **460**; largest practice week is **3 at 850**. Keep the chart's all-orders comparison distinct from the Delivered ranking.



audience answers and dashboard baseline.

5. Choose **File > Make a copy**, name it **GW - Sheets Advanced - Dashboard Refresh**, and retain the default practice folder. Leave sharing and comment-copy boxes unchecked.



scenario copy dialog.

6. Open the new workbook and inspect Dashboard before editing. It starts at the same 24/3158/1938/1478 baseline and has its own source, formulas and chart.



scenario copy baseline.

7. In this **copy only**, change Orders **E2 to 4**. PO001 Amount becomes **180**, a90 increase.



scenario quantity four.

8. Inspect the copied dashboard: PJ-A all amount **1070**, Week 1 **818**, all amount **3248**, active **2028**, Delivered **1568**, count 24 and all Checks differences 0. The chart label and sparkline change. Largest Delivered project changes to **PJ-A = 646**; Pending remains 460 and week 3 remains largest at 850.



scenario dashboard refresh.

9. Check the copied native Pivot Review total **3248**. Pivot Counts remains 24. The copy retains its native source and pivot relationships.



scenario pivot refresh.

10. Check copied Dashboard Data: weekly amounts **818 /754 /850 /826**, weekly sum and source amount 3248, difference 0.



scenario weekly refresh.

11. Restore the copy's **Orders E2 to 2**, returning line Amount 90.



scenario source restored.

12. Confirm the copied Dashboard returns to **24 /3158 /1938 /1478**, PJ-B = 578, Pending = 460, peak week 3 at 850 and four zero differences. Retain the restored copy as evidence of the controlled test.



scenario dashboard restored.

13. Complete the visible refresh contract in both workbooks. Record source/formula/pivot bounds, **Dashboard A5:B8** chart source, **Dashboard Data B16:E16** sparkline source and no dashboard filter. Named source filter views do not filter these SUMIFS totals. Static exports or generated snapshots need regeneration and verification; no generated snapshot was tested. New records require checking every dependent range. The independent PO025 challenge below remains unperformed.



visible refresh contract.

14. Finish on the maintained Dashboard and verify the reconciled baseline. Native bounded readback confirms source values/formats and earlier pivot definitions match their pre-test state. The two captured value-change tests needed no manual refresh; future row coverage and human comprehension still require separate checks.



final maintained dashboard.

> **Validation boundary:** guided 9.1-9.3 and author casework 9.4 were executed through learner UI, with read-only native evidence of both temporary changes and restoration. This is not an independent learner attempt. PO025 range extension, human reviewer and the planned 70-minute classroom allocation remain unverified.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Build an independent dashboard view answering the three audience questions on the card, with at least one visible reconciliation check.
2. Append PO025 only on a challenge copy and repair source-range coverage across KPIs, pivots, charts and the weekly sequence.
3. Ask a reviewer to identify the population and a stale component using the labels/checks, then revise any misleading element.

Evidence to Hand Over

- Defined dashboard with distinct populations, units and recalculating controls.
- Source-change/restoration trace across line, summary and visuals.
- Independent new-row coverage test and a usable refresh contract.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
A dashboard looks current but omits the new line	Trace range coverage through every KPI and visual rather than checking only one total.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

A dashboard is useful when its totals, populations and update path are understandable.

Check yourself: Which dashboard objects depend on which source calculations?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

Part 1: Typed Values

```
=SPARKLINE(Analysis!B16:E16)
```

Part 2: Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Audience questions: Which project has the largest Delivered amount? How much Amount remains
Pending? Which practice week has the largest all-orders Amount? PO025 extension: PJ-A,
Planning, IT01, Quantity 2, UnitCost 45, Delivered, week 4.
```

Part 3: Captured Author-Run Reference

Use separate **Dashboard Data**, **Dashboard**, and **Dashboard Contract** tabs. Earlier Analysis B16:E16 is occupied. Formulas below describe the final baseline; build them in guide order and record predictions before changing source. All input data is fictional.

Dashboard Data A1:D4 - project view

```
Project All Amount incl Cancelled (RM)  Delivered Amount (RM)   Pending Amount (RM)
PJ-A    =SUM(Analysis!B4:D4)    =Analysis!B4    =Analysis!C4
PJ-B    =SUM(Analysis!B5:D5)    =Analysis!B5    =Analysis!C5
PJ-C    =SUM(Analysis!B6:D6)    =Analysis!B6    =Analysis!C6
```

Dashboard Data A7:B10 - status counts

```
Status  Record count
Delivered       =COUNTIF(Orders!$G$2:$G$25,A8)
Pending =COUNTIF(Orders!$G$2:$G$25,A9)
Cancelled       =COUNTIF(Orders!$G$2:$G$25,A10)
```

Dashboard Data A15:E16 - numeric weeks

```
Practice week   1       2       3       4
All orders Amount (RM)  =SUMIFS(Orders!$J$2:$J$25,Orders!$H$2:$H$25,B$15)
=SUMIFS(Orders!$J$2:$J$25,Orders!$H$2:$H$25,C$15)
=SUMIFS(Orders!$J$2:$J$25,Orders!$H$2:$H$25,D$15)
=SUMIFS(Orders!$J$2:$J$25,Orders!$H$2:$H$25,E$15)
```

Dashboard Data A18:D19 - weekly control

```
Control Source all Amount       Weekly sum      Difference
Week coverage   =SUM(Orders!J2:J25)     =SUM(B16:E16)   =C19-B19
```

Dashboard Data A22:D28 - first test predictions

```
Refresh test    Baseline        Predicted quantity 3    Restore target
PO001 Quantity  2       3       2
PO001 Amount    90      135     90
PJ-A all Amount 980     1025    980
Week 1 Amount   728     773     728
All Amount      3158    3203    3158
Record count    24      24      24
```

Dashboard A5:D8 - project links

```
Project All Amount (RM) Delivered (RM)  Pending (RM)
='Dashboard Data'!A2    ='Dashboard Data'!B2    ='Dashboard Data'!C2    ='Dashboard Data'!D2
='Dashboard Data'!A3    ='Dashboard Data'!B3    ='Dashboard Data'!C3    ='Dashboard Data'!D3
='Dashboard Data'!A4    ='Dashboard Data'!B4    ='Dashboard Data'!C4    ='Dashboard Data'!D4
```

Dashboard F5:G8 - status links

```
Status  Record count
='Dashboard Data'!A8    ='Dashboard Data'!B8
='Dashboard Data'!A9    ='Dashboard Data'!B9
='Dashboard Data'!A10   ='Dashboard Data'!B10
```

Dashboard A12:E16 - weekly links and sparkline

```
Practice week   1       2       3       4
All orders Amount (RM)  ='Dashboard Data'!B16   ='Dashboard Data'!C16   ='Dashboard Data'!D16
='Dashboard Data'!E16

Practice-week trend     =SPARKLINE('Dashboard Data'!B16:E16)
Weekly total (RM)       =SUM(B13:E13)
```

Dashboard A18:B22 - KPIs

```
Key metrics     Value
All record count        =COUNTA(Orders!A2:A25)
All Amount (RM) =SUM('Dashboard Data'!B2:B4)
Active Amount (RM)      =SUM(Orders!K2:K25)
Delivered Amount (RM)   =SUM('Dashboard Data'!C2:C4)
```

Dashboard D18:E23 - live Checks

```
Checks  Difference
Count via pivot =B19-'Pivot Counts'!E6
All source amount       =B20-SUM(Orders!J2:J25)
Active via analysis     =B21-Analysis!C15
Delivered via DSUM      =B22-'Database Analysis'!D10
Check status    =IF(COUNTIF(E19:E22,0)=4,"All checks pass","Review mismatch")
```

Dashboard A24:C27 - audience answers

```
Audience question       Answer  Amount (RM)
Top Delivered project   =INDEX(A6:A8,MATCH(MAX(C6:C8),C6:C8,0)) =MAX(C6:C8)
Pending Amount  Pending =SUM(D6:D8)
Peak practice week      =INDEX(B12:E12,1,MATCH(MAX(B13:E13),B13:E13,0)) =MAX(B13:E13)
```

Dashboard Contract A1:B10 - brief

```
Dashboard brief Definition
Audience        Fictional project reporting reviewer; training evidence, not company policy
Source / units  Orders A1:K25;24 records; Amount and cost values in RM
Population      All includes Cancelled; Active excludes Cancelled; Delivered is a separate
status subset
Questions       Largest Delivered project? Pending Amount? Largest all-orders practice week?
Practice sequence       Numeric weeks 1,2,3,4; no invented real calendar dates
Chart / filter scope    Dashboard A5:B8 linked to checked all-project totals; saved source
views do not filter these SUMIFS totals
Scenario prediction     Copy only: PO001 Quantity 2 to 4 adds 90; line 180/PJ-Aall1070/Week1
818/all 3248/active 2028/Delivered1568/count 24
Expected ranking change Largest Delivered project changes from PJ-B578 to PJ-A646; peakweek
remains3at850
Validation limit        Guided author casework; independent new-row coverage, reviewer
and70minute learner timing pending
```

Dashboard Contract A12:B25 - refresh bounds

```
Refresh contract        Observed bounds and action
Source bounds   Orders A1:K25: header plus 24 records. This run changes existing E2 only.
Formula bounds  SUMIFS/COUNTIF use rows 2:25. Dashboard Data project links use Analysis rows
4:6; weekly B16:E16.
Pivot bounds    Existing Pivot Review / Pivot Counts source Orders A1:K25. Existing-row
changes updated automatically in both captured tests.
Chart bounds    Dashboard A5:B8, header plus three projects; column chart includes Cancelled.
Sparkline bounds        Dashboard B15 uses Dashboard Data B16:E16, numeric practice weeks 1 to
4.
Filter scope    Dashboard has no filter. Source saved filter views do not filter these SUMIFS
totals. Exit source views after inspection.
Snapshot and export     Static exports or generated analysis snapshots need regeneration and
verification after source changes. No generated snapshot was tested here.
New-row coverage        New rows require checking every source, formula, pivot and chart
bound; PO025 extension is independent work, not executed.
Maintained refresh test Quantity 2 to 3 added RM45: line 135, PJ-A1025, week 1773, total 3203.
Restored 2 and baseline 3158.
Copy refresh test       Dashboard Refresh copy: quantity 2 to 4 added RM90: line 180, PJ-
A1070, week 1818, total 3248, active 2028, Delivered 1568.
Copy audience result    Top Delivered changed from PJ-B578 to PJ-A646. Pending 460 and peak
week 3 at 850 stayed unchanged. All four Checks differences 0.
Final restoration       Both workbooks restored to quantity 2, line 90, total 3158, active
1938, Delivered 1478, count 24.
Refresh limit   No manual refresh was required for these existing-row value tests. This does
not prove automatic new-row coverage. Independent reviewer and learner timing pending.
```

Controlled refresh tests

Maintained workbook E2:2 to 3, observe +45 then restore 2. Separate whole-workbook copy E2:2 to 4, observe +90 then restore 2. Never perform the copy test on maintained source. Copy-test expected KPIs: 24 /3248 /2028 /1568; chart PJ-A1070; Week 1818; Delivered leader PJ-A646. Final baseline: 24 /3158 /1938 /1478; weeks 728/754/850/826; Delivered leader PJ-B578, Pending 460, peak week 3 at 850. Independent PO025 extension is not covered by existing-row refresh.

10

CHAPTER 10

Use Gemini as an Analysis Partner

In this chapter you will generate and inspect formula proposals and chart summaries; test exceptions before accepting.

> **Prompts:** the prompts page has every value and prompt for this chapter, each with a Copy button.

Estimated time: 55 minutes, planned as 10 explanation and demonstration, 25 guided build and casework, 15 independent practice and 5 verification and repair, with 45 active minutes by design. Not yet timed with learners.

Your result: A checked AI formula proposal and evidence-based findings.

> **Status:** author reference with 41 staged application captures through 10.4. Gemini formula proposals and findings were checked; its generated-chart direct-link claim was disproved by a source-change test. Boundary, copied-reference, missing-key and isolated new-row cases are verified. Independent PO025 pivot/chart coverage, reviewer and learner timing remain pending.

What You Will Learn

- Ask AI for a bounded formula proposal.
- Verify a generated finding.
- Distinguish a source-linked result from a generated snapshot.

Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use the native checked workbook and usable Gemini in Sheets access. If unavailable, critique the supplied examples manually and record the AI objective as incomplete.

10.1 Request a Formula Proposal

1. Open **Ask Gemini** in the checked workbook. Confirm that its prompt box is available. If access is unavailable, use the supplied manual critique route and record the AI objective as incomplete.



gemini available.

2. Use **File > Make a copy** to create **GW - Sheets Advanced - AI Audit** in the practice folder. Leave sharing and comment-copy options unchecked. Use this copy for the remaining tests; keep the maintained workbook intact.



isolated ai audit copy.

3. In a new Gemini conversation, paste the Part 1 prompt. Review the actual entered text before Submit: Orders rows **2:25**, Status **G**, Amount **J**, exact status **Delivered**, bounded ranges, formula/explanation only and **no cell edits**.



bounded formula prompt.

4. Read the response before using Insert. In this run Gemini proposed **=SUMIF(Orders!G2:G25,"Delivered",Orders!J2:J25)** and displayed **1,478**. Inspect the formula's actual bounds, sum field and criterion; its explanation alone is insufficient.



gemini sumif proposal.

5. Create **AI Proposals**, with column A at 250 pixels and B:D at 210. Enter the proposal in **B2**, compare with **='Database Analysis'!D10** in C2 and calculate B2-C2 in D2. Add a Delivered record-count check in row 3. Actual/control values are **1,478 /1,478** and **12 /12**, with both differences 0. Row 4 uses a formula to report whether both controls match.



proposal tested against controls.

10.2 Check an Interpretation

1. Open Dashboard and start a new Gemini conversation. Use the supplied findings prompt, grounding it in **Dashboard A5:D8** and **F5:G8**. Request two descriptive findings with populations, RM units and cell references; exclude web research, cell edits, causes, forecasts and invented benefit percentages.



two findings grounding prompt.

2. Allow the response to finish rendering before judging it. The following image records an early, partial render, not a completed answer or a demonstrated AI error. Do not accept a heading or confident

opening sentence as evidence that all findings are present.



gemini incomplete findings response.

3. Check the first finding against the source: **24 records =12 Delivered +6 Pending +6 Cancelled**; all-orders Amount is **3,158**, Delivered-only Amount **1,478**, and Pending Amount **460**. Confirm the cited summary cells, rather than copying prose without verification.



first finding populations and totals.

4. A follow-up can request a concise Delivered-only project comparison. The captured stage below shows that request while its response is rendering. The completed response, checked against

A6:A8/C6:C8, ranks **PJ-B578**, **PJ-A556**, then **PJ-C344**. These are descriptive amounts, not evidence of efficiency or future performance.



follow-up comparison request while response renders.

5. Create **AI Findings**, with A260/B1040 pixels and wrapping enabled. Write two findings in your own words, their supporting cell addresses and the claims that the source cannot establish. Keep the all-orders and Delivered populations distinct. Do not use the AI response as a substitute for source cells.



findings traced to cells.

10.3 Inspect Generated Visuals

1. From Dashboard, start a new Gemini conversation and request a **column chart** using only **Dashboard A5:B8**, including Cancelled orders. Ask for a preview, an explicit data-source statement and no changes to existing cells or the existing dashboard chart. The reference title is **Generated project amount - incl. Cancelled (RM)**.



generated chart request.

2. Inspect the chart card and proposed category values **980 /1,204 /974** before insertion. A correct preview does not demonstrate a live connection.



generated chart preview and claim.

3. Choose **Preview**. In this actual response Gemini claimed that the chart followed Dashboard A5:B8 directly and used no separate generated data. Treat that as a claim to test. Close the preview before deciding where to retain the result.



preview before insertion.

4. Create a separate **AI Visual Test** tab, reopen Gemini and select the chart card's **Insert**. In this run, Insert created its own new **[Chart 1] Generated project amount - incl. Cancelled (RM)** tab, regardless of the selected blank destination. The app reported that source data was at the bottom of the new sheet. Its generated table is **A3:B6**.



generated chart created new source tab.

5. Double-click the inserted chart and inspect **Chart editor > Setup**. Its actual data range is **A3:B6 on the generated tab**, not Dashboard A5:B8. Inspect generated **B4:B6**: they contain the numbers 980/1204/974 rather than formulas linking to Dashboard. This is already evidence against the direct-link claim, but perform the change test as well.



actual generated chart range.

6. In AI Visual Test A1:B8, record the AI claim, observed table/range and predictions before editing. Changing this copy's **Orders E2 from 2 to 3**, at UnitCost 45, should produce line Amount 135, live PJ-

A1025 and total 3203. Predict that the generated number table and its chart will remain at 980/1204/974.



visual refresh predictions.

7. Change **Orders E2 to 3** in the AI Audit copy. Inspect the PO001 line Amount **135**. Do not alter the maintained workbook.



source quantity three.

8. Inspect the checked **Dashboard**: PJ-A all Amount becomes **1,025**, Week 1 becomes 773 and total Amount becomes **3,203**. The source-linked chart updates.



linked dashboard refreshes.

9. Return to the generated tab. **B4 remains 980** and its chart retains the original values. The observed change test contradicts Gemini's direct-refresh statement. Preserve this transient evidence before restoration.



generated snapshot stays stale.

10. Restore the AI Audit copy's **Orders E2 to 2**, returning PO001 Amount to 90.



source restored.

11. Check Dashboard returns to **24 records /3,158 all Amount /1,938 ActiveAmount /1,478 Delivered**, with all four difference checks 0.



live dashboard restored.

12. Rename the generated tab **AI Generated Snapshot** and label its static nature visibly beside the table. Retain the generated result as a teaching snapshot; use the checked live Dashboard for refreshed analysis. Regenerate and recheck a snapshot after source changes.



snapshot labelled after test.

13. Complete AI Visual Test A10:B11 with the observed live 1025 versus static 980 result and source restoration. Record the actual source range and refresh behaviour, rather than relying on the original AI description.



visual refresh audit result.

10.4 Evaluate AI Proposals Against Known Test Cases

1. Create **AI Test Matrix** before the next formula request. Record expected outcomes: Delivered 1478/12; Pending Amount>=200 gives 0 amount/0 records; missing IT99 is not a confirmed zero rate; rows 2:24 total 3094 rather than 3158; ActiveAmount 1938 differs from Delivered 1478. Plan separate threshold, copied-reference and new-row fixtures. The prompts page supplies the full matrix.



prewritten proposal test matrix.

2. Ask Gemini for SUMIFS and COUNTIFS using actual Orders Status G and Amount J, exact **Pending**, **>=200** and absolute source bounds **$2:$25**. Request formulas/explanation only and no edits. Review the entered prompt before Submit.



pending threshold formula prompt.

3. Inspect the proposed **SUMIFS** and corresponding COUNTIFS. The captured SUMIFS card is visible while the COUNTIFS card continues below it; both complete formulas are provided on the prompts page. Check the actual comparison operator and anchors before testing.

```
=SUMIFS(Orders!$J$2:$J$25,Orders!$G$2:$G$25,"Pending",Orders!$J$2:$J$25,"≥200")
```



gemini fixed threshold formulas.

4. In AI Proposals rows 7:11, execute both proposals and compare with the prewritten expectations. Both threshold results are 0. Separate controls confirm all Pending Amount 460 and maximum Pending Amount 180. A zero threshold result does not, by itself, establish that source coverage is complete.



threshold proposals tested on source.

5. Trace the six Pending records in AI Proposals A14:D21 by linking the actual source cells. IDs are **PO002 /PO006 /PO010 /PO014 /PO018 /PO022**, with amounts **48 /16 /180 /96 /48 /72**. They sum to 460; none meets >=200. This checks the actual contributing population.



six pending records manually traced.

6. Create **AI Boundary Cases**. Enter four explicitly fictional fixtures: Pending 199.99, Pending 200, Pending 200.01 and Delivered 250. Predict TRUE only for the two Pending amounts at/above 200 before adding result formulas.



isolated boundary inputs.

7. Compare the two rules in rows 8:10. Correct **>=200** gives **2 records /400.01 amount**; incorrect **>200** gives **1 /200.01**. The Delivered 250 line is excluded by the status condition. Actual-minus-expected differences for the correct rule are 0.



exact threshold versus greater than.

8. Set up the copied-reference test at A15:E18. Put statuses **Delivered /Delivered /Pending** in A16:A18. Enter anchored and unanchored SUMIF formulas only in B16/C16. Leave the lower actual cells blank initially; their temporary differences are not completed test results.



formula copy before fill.

9. Select **B16:C18** and use **Fill down (Ctrl+D)**. Anchored results remain **1478 /1478 /460**. Unanchored results become **1478 /1388 /412** because the source ranges move. Select C17 and inspect the formula bar: G3:G26/J3:J26 has dropped PO001. Repeating Delivered isolates the source-range drift; the Pending row also loses PO002 after the second shift.



copied reference drift exposed.

10. Create **AI Repairs** and retain the three deliberately flawed examples from the case card. Label them **supplied examples, not Gemini outputs**. Keep original formula text beside executed results: the truncated total returns **3094**, the IT99 error wrapper returns **0**, and the Delivered formula mislabelled Active returns **1478**. Each fails its stated claim.



supplied flaws executed and rejected.

11. Add manual repairs below the originals. Full bounded SUM returns **3158**; exact **IFNA(VLOOKUP(...,FALSE),"Missing rate")** preserves the missing IT99 mapping; Active excluding only Cancelled returns **1938**. Known IT01 returns 45, while ISNA on the missing IT99 lookup is TRUE. A missing mapping is not evidence of a numeric zero. Keep the original and repaired formulas together for comparison.



original and corrected formulas.

12. Duplicate **Orders** within the AI Audit workbook and rename that tab **AI Row Test**. Inspect the duplicated baseline before adding any new record. This fixture is separate from maintained Orders and from the independent PO025 challenge.



isolated orders copy before extension.

13. Create **AI Row Checks** before inserting the test row. Use original bounds **2:25** for all Amount, Delivered Amount and record count. Baseline values are **3158 /1478 /24**, with matching expected values and zero differences. Select B2 to inspect its exact original range.



coverage controls before new row.

14. On AI Row Test select row 26 and **Insert 1 row above**, preserving the totals below it. Enter **TEST025 /PJ-A /Planning /IT01 /2 /45 /Delivered /4 /Author range-coverage fixture**, then line Amount **=E26*F26** and ActiveAmount **=IF(G26="Cancelled",0,J26)**. The new line contributes90. This is authorised guided casework, not the independent PO025 attempt.



new record outside original bounds.

15. Return to AI Row Checks. The original formulas still end at 25 and return 3158/1478/24, omitting the new row. The old difference cells still show 0 because their expected values are also the old baseline.

Matching a stale expected value is not proof of current population coverage.



original bounds omit new record.

16. Add the expanded **2:26** comparisons at A7:F10. Expected current values are **3248 /1568 /25**. Original bounds are short by **90 /90 /1**, while all expanded differences are 0. Independent controls verify old 3158+new90=3248,25 unique IDs, TEST025 at row 26 and maintained Orders still 3158. Retain the isolated fixture; this does not test new-row pivot/chart coverage.



expanded range repairs coverage.

17. Complete AI Test Matrix A12:B21 with pass/fail decisions, corrections, copied-reference evidence, the stale-control warning, the generated snapshot's actual refresh behaviour and validation limits. Keep correct Gemini proposals distinct from the deliberately flawed supplied examples.



	A	B
1	Prewritten test matrix	Expected outcome before casework prompt
2	Delivered population	Orders rows2:25 Status=Delivered: Amount1478, record count12.
3	Pending >=200	Status=Pending AND Amount>=200. Six Pending amounts48/16/180/96/48/72: no qualifying records, Amount0 and count0.
4	Boundary fixture	Pending199.99/200/200.01 and Delivered250: qualifying Pending count2, amount400.01. A >200 rule would wrongly omit200.
5	Unknown ItemCode	IT99 has no mapping in Rates A2:D7. Missing rate must remain distinct from a confirmed numeric zero. IT01 known UnitCost45.
6	Bounds test	Original24-record all Amount3158. Rows2:24 omit PO024 Amount64 and give3094.
7	New-row test	Separate author test row TEST025 at row26, Quantity2*UnitCost45=90, Delivered: expanded all3248/Delivered1568. Original rows2:25 exclude it.
8	Population labels	Active excludes only Cancelled and totals1938; Delivered alone totals1478. A numerically valid formula can answer the wrong question.
9	Copied references	With statuses Delivered/Pending, fixed source ranges and relative criteria should produce1478/460. Verify copied formulas rather than assuming anchors.
10	Scope	Use this isolated AI Audit workbook and separate fixtures. Maintained workbook unchanged; independent PO025 challenge and learner timing pending.
11		
12	Observed casework results	Evidence and decision
13	Gemini threshold proposal	Fixed SUMIFS/COUNTIFS passed: amount0 and count0. Six Pending records sum460, maximum180.
14	Boundary proof	Pending199.99/200/200.01 plus Delivered250: >=200 gives count2 and amount400.01; >200 incorrectly gives1 and200.01.
15	Copy proof	Native Fill down: anchored1478/1478/460; drifting1478/1388/412. Check source bounds and $ anchors after copying.
16	Supplied deliberate flaws	Truncated total3094 versus3158; IT99 wrapper0 masks missing mapping; Delivered1478 mislabelled Active1938. These supplied examples are not Gemini outputs.
17	Manual corrections	All-range3158; exact IFNA lookup Missing rate with knownIT01=45; Active excluding Cancelled1938. All match controls.
18	New-row proof	AI Row Test retains TEST025 at row26, amount90. Original2:25 gives3158/1478/24; expanded2:26 gives3248/1568/25 and zero differences.
19	Stale-control warning	Old baseline differences remain0 after append because expected values are old. Use current population expectations to check coverage.
20	Generated visual proof	Gemini claimed a direct Dashboard link; actual chart uses generated A3:B6 number values. Source2->3 changed live PJ-A980->1025 but snapshot stayed980. Source restored2.
21	Final state and limits	Maintained Orders and Dashboard restored; isolated fixture retained. Use live Dashboard for refreshed values and label generated snapshots. Independent PO025/pivot/chart extension, reviewer and55-minute learner timing pending.
22		
23		
24		
25		
26		
27		
28		
29		
30		
31		

proposal audit handover.

18. Finish with the two source-grounded findings in AI Findings. Native bounded checks confirm the AI Audit copy's maintained Orders/Analysis/Rates/Source Snapshot, earlier pivot definitions and Dashboard are restored to their pre-test state. The isolated TEST025 fixture remains separate. Do not infer causes, forecasts or ROI from the checked amounts.



	A	B
1	Checked findings	Author wording and supporting evidence
2	Finding 1	Across all 24 orders, including Cancelled, the amount is RM3158. Delivered orders alone contribute RM1478 across12 records.
3	Evidence 1	Dashboard B6:B8 sum3158; C6:C8 sum1478; G6:G8 sum24 and G6=12. These are different populations.
4	Finding 2	Among Delivered orders, PJ-B has the largest amount at RM578, compared with PJ-A RM556 and PJ-C RM344.
5	Evidence 2	Dashboard A6:A8 identifies projects; C6:C8 contains556/578/344. Ranking is descriptive, not a cause or forecast.
6	Rejected inference	These figures do not establish efficiency, future delivery performance, cost savings or ROI.
7	Acceptance rule	Retain a finding only when the claimed population, units and cited cells agree. Generated prose is a proposal, not the source.
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
29		
30		
31		
32		

final source grounded findings.

> **Validation boundary:** guided 10.1-10.3 and author casework 10.4 were executed through learner UI, with native read-only evidence. Gemini's formula proposals passed these cases, but its generated-chart direct-link claim was disproved by the actual source-change test. Independent PO025 coverage across pivots/charts, human reviewer and the planned 55-minute learner allocation remain unverified.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Design an independent prompt that includes the population, fields, intended output and tests, then run or manually review its result.
2. Challenge it with IT99 and PO025 in separate test contexts. Keep missing mapping distinct from zero and inspect new-row coverage.
3. Produce a short audit comparing original proposal, correction, evidence and remaining limitation.

Evidence to Hand Over

- Prewritten test matrix and observed proposal results.
- Original/corrected formula trace with independent verification.
- Generated-chart source check or stated unavailable route, and supported final findings.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
The AI explanation sounds right while the formula differs	Audit the actual formula and contributing rows, not its prose description.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

AI can propose analysis; source tests establish whether it is suitable.

Check yourself: What evidence would establish that a generated chart follows the maintained source?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

Part 1: Propose a Delivered Total

Session: new chat | **Grounding:** explicit Orders schema

```
Goal: Propose a formula for delivered order amount.
Context: Fictional Google Sheets analysis.
Source: Orders rows 2 to 25; Status is G and Amount is J. Header row is 1.
Expectations: Reply with a formula and explanation only. Do not edit cells. Include only
Status equal to Delivered. Use bounded ranges. I will test the formula against the source.
```

Part 2: Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Flawed formula proposals to audit if AI is unavailable: `=SUM(Orders!J2:J24)` described as all
24 rows; `=IFERROR(VLOOKUP("IT99",Rates!A2:D7,3,FALSE),0)` described as a confirmed zero rate;
`=SUMIFS(Orders!J2:J25,Orders!G2:G25,"Delivered")` described as active amount excluding only
Cancelled.
```

Part 3: Captured Author-Run Reference

Use the isolated **GW - Sheets Advanced - AI Audit** copy. Build in guide order, record expectations before tests, and retain original proposals separately from manual repairs. Supplied deliberate flaws below are not Gemini outputs. Use the live Dashboard for refreshed values; the inserted **AI Generated Snapshot** uses static number cells.

AI Proposals A1:D4 - Delivered verification

```
Gemini proposal verification    Value   Control Difference
Delivered amount (RM)   =SUMIF(Orders!G2:G25,"Delivered",Orders!J2:J25) ='Database
Analysis'!D10   =B2-C2
Delivered record count  =COUNTIF(Orders!G2:G25,"Delivered")     12      =B3-C3
Acceptance      =IF(AND(D2=0,D3=0),"Matches bounded controls","Review mismatch")
```

AI Proposals A7:D11 - threshold tests

```
Threshold proposal tests        Actual  Expected        Difference
Pending amount ⩾200
=SUMIFS(Orders!$J$2:$J$25,Orders!$G$2:$G$25,"Pending",Orders!$J$2:$J$25,"⩾200")        0
=B8-C8
Pending count ⩾200     =COUNTIFS(Orders!$G$2:$G$25,"Pending",Orders!$J$2:$J$25,"⩾200")
0       =B9-C9
All Pending amount      =SUMIF(Orders!$G$2:$G$25,"Pending",Orders!$J$2:$J$25)   460     =B10-
C10
Max Pending amount      =MAX(FILTER(Orders!J2:J25,Orders!G2:G25="Pending"))     180     =B11-
C11
```

AI Proposals A14:D21 - traced Pending subset

```
Pending subset trace    Amount (RM)     Status  Amount ⩾200
=Orders!A3      =Orders!J3      =Orders!G3      =B15⩾200
=Orders!A7      =Orders!J7      =Orders!G7      =B16⩾200
=Orders!A11     =Orders!J11     =Orders!G11     =B17⩾200
=Orders!A15     =Orders!J15     =Orders!G15     =B18⩾200
=Orders!A19     =Orders!J19     =Orders!G19     =B19⩾200
=Orders!A23     =Orders!J23     =Orders!G23     =B20⩾200
Subset total / qualifying count =SUM(B15:B20)   =COUNTIF(D15:D20,TRUE)
```

AI Findings A1:B7 - checked commentary

```
Checked findings        Author wording and supporting evidence
Finding 1       Across all 24 orders, including Cancelled, the amount is RM3158. Delivered
orders alone contribute RM1478 across 12 records.
Evidence 1      Dashboard B6:B8 sum 3158; C6:C8 sum 1478; G6:G8 sum 24 and G6=12. These are
different populations.
Finding 2       Among Delivered orders, PJ-B has the largest amount at RM578, compared with
PJ-A RM556 and PJ-C RM344.
Evidence 2      Dashboard A6:A8 identifies projects; C6:C8 contains 556/578/344. Ranking is
descriptive, not a cause or forecast.
Rejected inference      These figures do not establish efficiency, future delivery
performance, cost savings or ROI.
Acceptance rule Retain a finding only when the claimed population, units and cited cells
agree. Generated prose is a proposal, not the source.
```

AI Visual Test A1:B11 - actual source and refresh audit

```
Generated visual audit  Prediction before source change
AI claim        Gemini said the generated chart followed Dashboard A5:B8 directly and used no
separate data.
Actual insertion        Insert created a new [Chart 1] tab with chart 1111393157 and a
separate A3:B6 table. The chosen AI Visual Test tab was not used as the destination.
Actual source   Chart editor Setup shows A3:B6 on the generated tab. B4:B6 contain numbers
980/1204/974, not source-link formulas.
Test input      In this AI Audit workbook only, temporarily change Orders E2 Quantity 2 to 3
at cost 45, then restore 2.
Live prediction PO001 Amount 135, Dashboard PJ-A1025 and all amount 3203: +45.
Snapshot prediction     Generated B4 stays 980 and its chart stays at baseline because the
inserted values are static.
Acceptance rule Use the checked live Dashboard for refreshed values; label a generated static
result as a snapshot. AI prose alone cannot prove refresh.

Observed result With Orders E2=3, Dashboard PJ-A=1025 and all amount=3203, but generated
B4=980 and chart unchanged. Static values disproved the direct-link claim.
Restoration     Orders E2 restored to 2 and Dashboard baseline 3158. Generated tab renamed AI
Generated Snapshot and labelled. Regenerate/recheck it after source changes; use the checked
Dashboard as live output.
```

AI Test Matrix A1:B10 - expectations before prompting

```
Prewritten test matrix  Expected outcome before casework prompt
Delivered population    Orders rows 2:25 Status=Delivered: Amount 1478, record count 12.
Pending ⩾200   Status=Pending AND Amount⩾200. Six Pending amounts 48/16/180/96/48/72: no
qualifying records, Amount 0 and count 0.
Boundary fixture        Pending 199.99/200/200.01 and Delivered 250: qualifying Pending count
2, amount 400.01. A >200 rule would wrongly omit 200.
Unknown ItemCode        IT99 has no mapping in Rates A2:D7. Missing rate must remain distinct
from a confirmed numeric zero. IT01 known UnitCost 45.
Bounds test     Original 24-record all Amount 3158. Rows 2:24 omit PO024 Amount 64 and give
3094.
New-row test    Separate author test row TEST025 at row 26, Quantity 2*UnitCost 45=90,
Delivered: expanded all 3248/Delivered1568. Original rows 2:25 exclude it.
Population labels       Active excludes only Cancelled and totals 1938; Delivered alone totals
1478. A numerically valid formula can answer the wrong question.
Copied references       With statuses Delivered/Pending, fixed source ranges and relative
criteria should produce 1478/460. Verify copied formulas rather than assuming anchors.
Scope   Use this isolated AI Audit workbook and separate fixtures. Maintained workbook
unchanged; independent PO025 challenge and learner timing pending.
```

AI Boundary Cases A1:D5 - separate inputs

```
Boundary fixture        Status  Amount (RM)     Expected qualifies
Below threshold Pending 199.99  False
At threshold    Pending 200     True
Above threshold Pending 200.01  True
Wrong status    Delivered       250     False
```

AI Boundary Cases A8:E10 - boundary results

```
Boundary metric Actual ⩾200    Expected        Difference      Incorrect >200
Qualifying count        =COUNTIFS(B2:B5,"Pending",C2:C5,"⩾200")        2       =B9-C9
=COUNTIFS(B2:B5,"Pending",C2:C5,">200")
Qualifying amount       =SUMIFS(C2:C5,B2:B5,"Pending",C2:C5,"⩾200")    400.01  =ROUND(B10-
C10,2)  =SUMIFS(C2:C5,B2:B5,"Pending",C2:C5,">200")
```

AI Boundary Cases A15:E18 - final copied formulas

```
Copy-reference test     Anchored source Drifting source Expected        Anchored difference
Delivered       =SUMIF(Orders!$G$2:$G$25,A16,Orders!$J$2:$J$25)
=SUMIF(Orders!G2:G25,A16,Orders!J2:J25) 1478    =B16-D16
Delivered       =SUMIF(Orders!$G$2:$G$25,A17,Orders!$J$2:$J$25)
=SUMIF(Orders!G3:G26,A17,Orders!J3:J26) 1478    =B17-D17
Pending =SUMIF(Orders!$G$2:$G$25,A18,Orders!$J$2:$J$25)
=SUMIF(Orders!G4:G27,A18,Orders!J4:J27) 460     =B18-D18
```

AI Repairs A1:E4 - deliberately flawed originals

```
Supplied deliberate flaws       Original formula text (not Gemini output)       Actual
Expected claim  Verdict
All 24 records  =SUM(Orders!J2:J24)     =SUM(Orders!J2:J24)     3158
=IF(C2=D2,"Pass","Fail: excludes PO024 amount64")
IT99 confirmed zero rate        =IFERROR(VLOOKUP("IT99",Rates!A2:D7,3,FALSE), 0)
=IFERROR(VLOOKUP("IT99",Rates!A2:D7,3,FALSE), 0)        Missing rate
=IF(C3=D3,"Pass","Fail: missing mapping hidden as zero")
Active amount   =SUMIFS(Orders!J2:J25,Orders!G2:G25,"Delivered")
=SUMIFS(Orders!J2:J25,Orders!G2:G25,"Delivered")        1938    =IF(C4=D4,"Pass","Fail:
Delivered is not Active")
```

AI Repairs A7:E12 - checked manual replacements

```
Manual repairs  Corrected formula text  Actual  Expected        Verdict
All 24 records  =SUM(Orders!$J$2:$J$25) =SUM(Orders!$J$2:$J$25) 3158
=IF(C8=D8,"Pass","Review")
IT99 missing mapping    =IFNA(VLOOKUP("IT99",Rates!$A$2:$D$7,3,FALSE),"Missing rate")
=IFNA(VLOOKUP("IT99",Rates!$A$2:$D$7,3,FALSE),"Missing rate")   Missing rate
=IF(C9=D9,"Pass","Review")
Active excluding Cancelled      =SUMIFS(Orders!$J$2:$J$25,Orders!$G$2:$G$25,"<>Cancelled")
=SUMIFS(Orders!$J$2:$J$25,Orders!$G$2:$G$25,"<>Cancelled")      1938
=IF(C10=D10,"Pass","Review")
Known IT01 rate =VLOOKUP("IT01",Rates!$A$2:$D$7,3,FALSE)
=VLOOKUP("IT01",Rates!$A$2:$D$7,3,FALSE)        45      =IF(C11=D11,"Pass","Review")
Missing-key diagnosis   =ISNA(VLOOKUP("IT99",Rates!$A$2:$D$7,3,FALSE))
=ISNA(VLOOKUP("IT99",Rates!$A$2:$D$7,3,FALSE))  True    =IF(C12=D12,"Missing
confirmed","Review")
```

AI Row Test A26:K26 - isolated TEST025 fixture

```
TEST025 PJ-A    Planning        IT01    2       45      Delivered       4       Author range-
coverage fixture        =E26*F26        =IF(G26="Cancelled",0,J26)
```

AI Row Checks A1:D4 - original bounded controls

```
New-row coverage baseline       Original bound result   Expected baseline       Difference
All Amount      =SUM('AI Row Test'!J2:J25)      3158    =B2-C2
Delivered Amount        =SUMIF('AI Row Test'!G2:G25,"Delivered",'AI Row Test'!J2:J25)   1478
=B3-C3
Record count    =COUNTA('AI Row Test'!A2:A25)   24      =B4-C4
```

AI Row Checks A7:F10 - coverage comparison

```
Coverage after append   Bounded 2:25    Expanded 2:26   Expected 25 records     Bounded
shortfall       Expanded difference
All Amount      =B2     =SUM('AI Row Test'!J2:J26)      3248    =B8-D8  =C8-D8
Delivered Amount        =B3     =SUMIF('AI Row Test'!G2:G26,"Delivered",'AI Row Test'!J2:J26)
1568    =B9-D9  =C9-D9
Record count    =B4     =COUNTA('AI Row Test'!A2:A26)   25      =B10-D10        =C10-D10
```

AI Row Checks A13:B17 - independent controls

```
Independent controls    Value
Old 3158 plus new line  =3158+'AI Row Test'!J26
Unique test IDs =COUNTUNIQUE('AI Row Test'!A2:A26)
Maintained Orders total =SUM(Orders!J2:J25)
New row ID      ='AI Row Test'!A26
```

AI Test Matrix A12:B21 - final audit

```
Observed casework results       Evidence and decision
Gemini threshold proposal       Fixed SUMIFS/COUNTIFS passed: amount 0 and count 0. Six
Pending records sum 460, maximum 180.
Boundary proof  Pending 199.99/200/200.01 plus Delivered 250: ⩾200 gives count 2 and amount
400.01; >200 incorrectly gives 1 and 200.01.
Copy proof      Native Fill down: anchored 1478/1478/460; drifting1478/1388/412. Check source
bounds and $ anchors after copying.
Supplied deliberate flaws       Truncated total 3094 versus 3158; IT99 wrapper 0 masks missing
mapping; Delivered 1478 mislabelled Active 1938. These supplied examples are not Gemini
outputs.
Manual corrections      All-range3158; exact IFNA lookup Missing rate with knownIT01=45;
Active excluding Cancelled 1938. All match controls.
New-row proof   AI Row Test retains TEST025 at row 26, amount 90. Original 2:25 gives
3158/1478/24; expanded 2:26 gives 3248/1568/25 and zero differences.
Stale-control warning   Old baseline differences remain 0 after append because expected values
are old. Use current population expectations to check coverage.
Generated visual proof  Gemini claimed a direct Dashboard link; actual chart uses generated
A3:B6 number values. Source 2→3 changed live PJ-A980→1025 but snapshot stayed 980. Source
restored 2.
Final state and limits  Maintained Orders and Dashboard restored; isolated fixture retained.
Use live Dashboard for refreshed values and label generated snapshots. Independent
PO025/pivot/chart extension, reviewer and 55-minute learner timing pending.
```

Findings prompt

```
Use only Dashboard A5:D8 and F5:G8 in this fictional workbook. A5:D8 has Project, All Amount (RM), Delivered (RM), Pending (RM): PJ-A980/556/64; PJ-B1204/578/276; PJ-C974/344/120. Status counts are Delivered 12/Pending6/Cancelled6. Give two descriptive findings with populations, RM values and supporting cell addresses. Do not use web research, edit cells, infer causes, forecast outcomes or invent ROI/benefit percentages. Distinguish all orders including Cancelled from Delivered only.
```

Generated-chart prompt

```
Generate a column chart comparing All Amount (RM), including Cancelled orders, by Project using only Dashboard A5:B8 in this fictional workbook. Show a chart preview first; do not change existing cells or the existing Dashboard chart. Title: Generated project amount - incl. Cancelled (RM). Tell me whether the chart follows Dashboard A5:B8 or uses separate generated data. I will test source refresh before accepting it.
```

The captured response claimed a direct Dashboard link, but actual Insert created its own tab/table A3:B6 with static numbers. Source E2:2→3 changed live PJ-A980→1025 and all 3158→3203; generated B4 stayed 980. Restore E2=2. The result is retained as **AI Generated Snapshot**. This observed behaviour is specific to the captured output; inspect and test future outputs rather than assuming their refresh mode.

Pending threshold prompt

```
Fictional training analysis. Propose formulas and a brief explanation only; do not edit cells. Orders has header row 1, Status in G, Amount in J,24 records in rows 2:25. Return SUMIFS for total Amount where Status equals Pending AND Amount is at least 200, and COUNTIFS for the qualifying record count. Fix all source row/column references with $ so copying the formula cannot shift source bounds. Include the exact ⩾ boundary. I will test the proposals against a prewritten source audit and separate boundary fixture. Do not infer that a zero result proves there are no missing records.
```

Native Fill-down setup

Enter A16:A18 as Delivered / Delivered / Pending. Enter only B16 **=SUMIF(Orders!$G$2:$G$25,A16,Orders!$J$2:$J$25)** and C16 **=SUMIF(Orders!G2:G25,A16,Orders!J2:J25)**. Select B16:C18 and Ctrl+D. Do not paste the final lower-row formulas before the copying test. Anchored results 1478/1478/460; drifting1478/1388/412.

Test boundaries

TEST025 is added only to duplicated AI Row Test at row 26 after inserting a row above the copied totals. Keep actual Orders unchanged. Baseline 2:25 gives 3158/1478/24; expanded 2:26 gives 3248/1568/25. Old expected-baseline comparisons can still show 0 while the new row is omitted. This author fixture does not complete the independent PO025 pivot/chart-extension challenge.

Use IFNA to distinguish a missing exact lookup from a numeric zero; the IT99 test does not establish a confirmed zero rate. Supplied flawed formulas are deliberate case inputs, not actual Gemini responses in this run. Final findings are grounded in the maintained 24-record baseline. No causality, forecast or ROI is established.

11

CHAPTER 11

Complete the Analysis Capstone

In this chapter you will answer a new project question, substantiate the finding and deliver a checked dashboard.

> **Prompts:** the prompts page has every value and prompt for this chapter, each with a Copy button.

Estimated time: 80 minutes, planned as 15 explanation and demonstration, 37 guided build and casework, 20 independent practice and 8 verification and repair, with 65 active minutes by design. Not yet timed with learners.

Your result: A source-traceable capstone analysis and checked presentation.

> **Status:** author reference with 32 staged application captures through 11.4. Baseline rankings, independent pivot/ID controls, zero/boundary cases, duplicate/missing keys and a separate PO025 ranking/week scenario are verified. Independent challenge, human review, spoken delivery and learner timing remain pending.

What You Will Learn

- Answer a new analysis question.
- Reconcile a result independently.
- Communicate assumptions and limitations.

Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Create a challenge copy. Use the same 24-order source and six-item Rates table; do not import real purchasing data.

11.1 Define and Calculate

1. In the maintained analysis workbook choose **File > Make a copy**. Name it **GW - Sheets Advanced - Capstone** in the practice folder. Leave sharing and comments unchecked. Work in this isolated copy; retain the original baseline.



isolated capstone copy.

2. Add **Capstone Spec**. Before calculating, write the three populations: Delivered Amount by Project; Pending records with Amount >=200 and their IDs; all-order Amount by numeric practice week. Use Orders A1:K25 (24 records) and Rates A1:D7 (six item keys). Weekly totals include Cancelled; Delivered totals exclude Pending and Cancelled. These are practice periods, not calendar dates. Record the metric, threshold, exclusions, tie rule, source bounds and interpretation limits.



three question specification.

3. Add **Capstone Calculations**. Put PJ-A, PJ-B and PJ-C in A2:A4. Calculate Delivered Amount in B2 and copy down, keeping source ranges fixed:

```
=SUMIFS(Orders!$J$2:$J$25,Orders!$B$2:$B$25,A2,Orders!$G$2:$G$25,"Delivered")
```

Count Delivered records with COUNTIFS using the same Project and Status criteria. The amounts are **556 / 578 / 344**, four records each, total **1,478**. Use MAX with INDEX/MATCH to identify **PJ-B, RM578**. Count ties at the maximum; the baseline has one leader. If a future dataset ties, report all tied projects rather than silently choosing the first match.



delivered project ranking.

4. Use COUNTIFS and SUMIFS for Status=Pending AND Amount>=200. The actual baseline has **0 qualifying records and RM0**, with **No qualifying baseline records** as the ID-list outcome. Keep a genuine empty result distinct from a missing-data or formula error.



pending zero matches explicit.

5. Add **Capstone Trace**. In A2 filter OrderID, Project and Amount for Status=Delivered and the winning project. Retain the contributing IDs **PO009, PO012, PO013 and PO016**; their amounts **240+32+270+36=578**. Check both sum and record count against the ranking. The prompts page supplies exact cells and formulas; do not paste later sections before their stage.



winning project orderid trace.

11.2 Challenge the Result

1. Inspect the existing **Pivot Review** in this copy. Confirm its source is Orders A1:K25, Project rows, Status columns and SUM of Amount. Delivered is column C: **556 / 578 / 344**, total **1,478**. Its all-order grand total is **3,158**. This retained native pivot supplies an independent aggregation method; the new formula table alone is not an independent check.



independent native pivot controls.

2. Link pivot controls into Capstone Calculations. Compare project Delivered amounts and the total, all-order Amount, record count and rate-key count. Differences must be zero: all Amount **3,158**, Delivered **1,478**, **24 records**, **six unique rate keys**. Investigate any difference before interpreting the ranking.



	A	B	C	D	E
1	Project	Delivered Amount (RM)	Delivered records	Native pivot (RM)	Difference
2	PJ-A	556	4	RM 556.00	RM 0.00
3	PJ-B	578	4	RM 578.00	RM 0.00
4	PJ-C	344	4	RM 344.00	RM 0.00
5	Total Delivered	1478	12	RM 1,478.00	RM 0.00
6					
7	Ranking	Project	Amount (RM)		
8	Largest Delivered	PJ-B	578		
9	Number tied at maximum	1			
10					
11	Pending exception test	Baseline result			
12	Matching record count	0			
13	Matching amount (RM)	0			
14	Qualifying OrderIDs	No qualifying baseline records			
15					
16					
17					
18	Baseline controls	Calculation	Independent control	Difference	
19	All Amount	RM 3,158.00	RM 3,158.00	RM 0.00	
20	Delivered Amount	1478	RM 1,478.00	RM 0.00	
21	Record count	24	24	0	
22	Rate key count	6	6	0	

formulas reconcile to native pivot.

3. Add **Capstone Tests**. Inspect baseline **PO010**, Pending Amount **180**. It fails Amount>=200 even though its status is Pending. Both conditions must hold.



	A	B	C	D	E
1	Baseline OrderID	Status	Amount (RM)	Amount>=200	Both criteria
2	PO010		RM 180.00	FALSE	FALSE

baseline nonqualifying record.

4. Below the baseline check, prepare a separate synthetic fixture. Predict outcomes before entering the actual-test formulas: Pending 199.99 FALSE; Pending 200 TRUE; Pending 250 TRUE; Delivered 250 FALSE. These synthetic values stay outside Orders and the baseline totals.



separate synthetic boundary inputs.

5. Calculate the actual AND tests. COUNTIFS should give **2 matches** and SUMIFS **450**, with zero differences from the predictions. This verifies the inclusive boundary and the status condition without manufacturing a positive baseline record.



positive boundary branch verified.

6. Duplicate the **Rates** tab through its tab menu and rename the duplicate **Capstone Key Test**. Keep the baseline Rates tab unchanged.



disposable rate copy.

7. Add a conflicting **IT01** fixture at row 8 with rate 99. Test keys IT01, IT99 and IT02 in F2:F4. Count matches before accepting a lookup result. IT01 has two matches, IT99 none, IT02 one. The raw exact VLOOKUP returns the first IT01 rate 45, **Missing rate** for IT99, and 12 for IT02. A guarded result must show **Review key** whenever the match count is not one. A missing rate is not a confirmed numeric zero.



duplicate and missing key dispositions.

8. On this fixture only, exchange the two conflicting IT01 rate values: C2=99 and C8=45. Observe the raw first-match lookup change **45 to 99** while the guard still reports Review key. A plausible numeric

answer does not resolve a duplicate-key conflict.



conflicting first match changes result.

9. Restore fixture ordering to C2=45 and C8=99. Retain the labelled conflict for discussion, with its duplicate/missing dispositions. Do not choose an authoritative price automatically. The baseline Rates and Orders tables remain unchanged.



restored fixture with key disposition.

11.3 Present the Analysis

1. Extend Capstone Calculations with numeric weeks 1–4. Use SUMIFS on Orders H2:H25 and J2:J25, including all statuses. Compare each result with the existing Dashboard Data weekly control: **728 / 754 / 850 / 826**, total **3,158**. Week **3** is largest at **RM850**. Keep chronological order; these practice periods do not establish a forecast.



	A	B	C	D	E
1	Project	Delivered Amount (RM)	Delivered records	Native pivot (RM)	Difference
2	PJ-A	556	4	RM 556.00	RM 0.00
3	PJ-B	578	4	RM 578.00	RM 0.00
4	PJ-C	344	4	RM 344.00	RM 0.00
5	Total Delivered	1478	12	RM 1,478.00	RM 0.00
6					
7	Ranking	Project	Amount (RM)		
8	Largest Delivered	PJ-B	578		
9	Number tied at maximum	1			
10					
11	Pending exception test	Baseline result			
12	Matching record count	0			
13	Matching amount (RM)	0			
14	Qualifying Order IDs	No qualifying baseline records			
15					
16					
17					
18	Baseline controls	Calculation	Independent control	Difference	
19	All Amount	RM 3,158.00	RM 3,158.00	RM 0.00	
20	Delivered Amount	1478	RM 1,478.00	RM 0.00	
21	Record count	24	24	0	
22	Rate key count	6	6	0	
23					
24					
25	Practice week	All Amount (RM)	Independent weekly control	Difference	
26	1	728	728	0	
27	2	754	754	0	
28	3	850	850	0	
29	4	826	826	0	
30	Weekly total	3158	RM 3,158.00	RM 0.00	
31	Largest week	3	850		
32					

chronological week comparison.

2. Add **Capstone Executive**. Prepare a clear table with project names, Amount in RM, Delivered record counts and the three checked answers. Show source population, a limitation and a refresh contract. The baseline answers are **PJ-B 578**, **Pending>=200 zero**, and **week 3 850**. A table meets this section's presentation requirement.



baseline executive table.

3. Add **Capstone Audit**. Record source bounds, population definitions, pivot reconciliation, source IDs, zero-match and boundary evidence, lookup assumptions and unresolved data issues. Explain that new records require source, formula, pivot, trace, visual and control coverage checks. Order Amount does not establish profit, savings, efficiency or budget approval. Leave independent review, spoken recommendation and the 80-minute classroom target explicitly pending.



baseline audit appendix.

11.4 Complete a Decision Analysis With Independent Evidence

1. Add **PO025 Plan** before changing any source. Predict the supplied case: PJ-A, Planning, IT01, quantity 2, unit cost 45, Delivered, week 4; Amount 90 and ActiveAmount 90. Baseline Delivered project amounts are 556/578/344. Predict **PJ-A 646** becoming the Delivered leader, total Delivered **1,568**, all Amount **3,248**, ActiveAmount **2,028**, **25 records**. Week 4 should become **916**, exceeding week 3 850. Pending>=200 remains zero.



po025 predictions before source edit.

2. Duplicate Orders as **PO025 Orders**. Keep Capstone Calculations and Capstone Executive on the unchanged 24-record baseline. Add **PO025 Analysis** for scenario calculations.



OrderID	Project	Team	ItemCode	Quantity	UnitCost	Status	Week	Description	Amount
PO001	PJ-A	Planning	IT01	2	RM 45.00	Delivered	1	Display adapter for briefing	RM 90.
PO002	PJ-A	Procurement	IT02	4	RM 12.00	Pending	1	Training notebook for pilot team	RM 48.
PO003	PJ-A	Site Coordination	IT03	6	RM 30.00	Cancelled	1	Cable pack for review session	RM 180.
PO004	PJ-A	Planning	IT04	8	RM 18.00	Delivered	1	Marker set for briefing	RM 144.
PO005	PJ-A	Procurement	IT05	10	RM 25.00	Delivered	1	Desk sign for pilot team	RM 250.
PO006	PJ-A	Site Coordination	IT06	2	RM 8.00	Pending	1	Quick guide for review session	RM 16.
PO007	PJ-A	Planning	IT01	4	RM 45.00	Cancelled	2	Display adapter for briefing	RM 180.
PO008	PJ-A	Procurement	IT02	6	RM 12.00	Delivered	2	Training notebook for pilot team	RM 72.
PO009	PJ-B	Site Coordination	IT03	8	RM 30.00	Delivered	2	Cable pack for review session	RM 240.
PO010	PJ-B	Planning	IT04	10	RM 18.00	Pending	2	Marker set for briefing	RM 180.
PO011	PJ-B	Procurement	IT05	2	RM 25.00	Cancelled	2	Desk sign for pilot team	RM 50.
PO012	PJ-B	Site Coordination	IT06	4	RM 8.00	Delivered	2	Quick guide for review session	RM 32.
PO013	PJ-B	Planning	IT01	6	RM 45.00	Delivered	3	Display adapter for briefing	RM 270.
PO014	PJ-B	Procurement	IT02	8	RM 12.00	Pending	3	Training notebook for pilot team	RM 96.
PO015	PJ-B	Site Coordination	IT03	10	RM 30.00	Cancelled	3	Cable pack for review session	RM 300.
PO016	PJ-B	Planning	IT04	2	RM 18.00	Delivered	3	Marker set for briefing	RM 36.
PO017	PJ-C	Procurement	IT05	4	RM 25.00	Delivered	3	Desk sign for pilot team	RM 100.
PO018	PJ-C	Site Coordination	IT06	6	RM 8.00	Pending	3	Quick guide for review session	

separate po025 orders copy.

3. Before appending, record original-bound scenario controls using rows 2:25. They agree with the baseline: all 3158, Delivered 1478, Active 1938, count 24, week 4 826. A zero difference here describes only the original population.



Scenario coverage baseline	Original bound result	Baseline control	Difference
All Amount (RM)	RM 3,158.00	RM 3,158.00	RM 0.00
Delivered Amount (RM)	1478	1478	0
Active Amount (RM)	RM 1,938.00	RM 1,938.00	RM 0.00
Record count	24	24	0
Week4 all Amount (RM)	826	826	0

original bounds before append.

4. In PO025 Orders select row 26 and use **Insert 1 row above** to preserve the copied totals below it. Enter PO025 at A26:K26 using the exact case row on the prompts page. J26=E26*F26 and K26 excludes Cancelled. Check Amount and ActiveAmount are 90. Do not add this record to baseline Orders.



po025 added.

5. Revisit PO025 Analysis without changing its formulas. In the captured run, fixed ranges ending at 25 still returned **3158 / 1478 / 1938 / 24 / 826**. They still matched the old baseline despite omitting PO025. Verify the actual range text in your own run; an old zero-difference control does not prove new-row coverage.



original bounds miss po025.

6. Expand scenario ranges consistently to row 26, including the copied source totals now at J28/K28. Compare scenario results against baseline with expected deltas **90 / 90 / 90 / 1 / 90**. Differences

against these new expectations must be zero. Label baseline comparisons as deltas, rather than treating every legitimate scenario difference as an error.



	A	B	C	D	E	F
1	Scenario coverage - row26 included	Expanded result	Baseline control	Delta vs baseline	Expected delta	Difference
2	All Amount (RM)	RM 3,248.00	RM 3,158.00	RM 90.00	90	RM 0.00
3	Delivered Amount (RM)	1568	1478	90	90	0
4	Active Amount (RM)	RM 2,028.00	RM 1,938.00	RM 90.00	90	RM 0.00
5	Record count	25	24	1	1	0
6	Week4 all Amount (RM)	916	826	90	90	0

expanded scenario controls.

7. Build project Delivered and all-order weekly comparisons. Reconcile SUMIFS with SUM(FILTER) over the same scenario population. Project Delivered amounts are **646 / 578 / 344**; weeks 1–4 are **728 / 754 / 850 / 916**. Calculate the leader and largest week from the checked values. Confirm 25 unique IDs, Pending>=200 count 0 and Amount 0.



	A	B	C	D	E	F
1	Scenario coverage - row26 included	Expanded result	Baseline control	Delta vs baseline	Expected delta	Difference
2	All Amount (RM)	RM 3,248.00	RM 3,158.00	RM 90.00	90	RM 0.00
3	Delivered Amount (RM)	1568	1478	90	90	0
4	Active Amount (RM)	RM 2,028.00	RM 1,938.00	RM 90.00	90	RM 0.00
5	Record count	25	24	1	1	0
6	Week4 all Amount (RM)	916	826	90	90	0
7						
8						
9	Project	Scenario Delivered	Baseline Delivered	Delta	Independent ID sum	
10	PJ-A	646	556	90	RM 646.00	
11	PJ-B	578	578	0	RM 578.00	
12	PJ-C	344	344	0	RM 344.00	
13	Delivered total	1568	1478	90	RM 1,568.00	
14						
15						
16	Practice week	Scenario all Amount	Baseline all Amount	Delta	Independent ID sum	
17	1	728	728	0	RM 728.00	
18	2	754	754	0	RM 754.00	
19	3	850	850	0	RM 850.00	
20	4	916	826	90	RM 916.00	
21						
22						
23	Scenario ranking	Answer	Amount RM			
24	Delivered project leader	PJ-A	646			
25	Highest practice week	4	916			
26						
27	Pending >=200 count	0				
28	Pending >=200 Amount	0				
29	Unique order IDs	25				

scenario ranking week results.

8. Align the comparison columns and use short, readable headers. Formatting must retain the populations and control meaning.



Scenario coverage	Expanded result	Baseline control	Delta vs baseline	Expected delta	Difference
All Amount (RM)	RM 3,248.00	RM 3,158.00	RM 90.00	90	RM 0.00
Delivered Amount (RM)	1568	1478	90	90	0
Active Amount (RM)	RM 2,028.00	RM 1,938.00	RM 90.00	90	RM 0.00
Record count	25	24	1	1	0
Week4 all Amount (RM)	916	826	90	90	0

Project	Scenario Delivered	Baseline Delivered	Delta	Independent ID sum
PJ-A	646	556	90	RM 646.00
PJ-B	578	578	0	RM 578.00
PJ-C	344	344	0	RM 344.00
Delivered total	1568	1478	90	RM 1,568.00

Practice week	Scenario all Amount	Baseline all Amount	Delta	Independent ID sum
1	728	728	0	RM 728.00
2	754	754	0	RM 754.00
3	850	850	0	RM 850.00
4	916	826	90	RM 916.00

Scenario ranking	Answer	Amount RM
Delivered project leader	PJ-A	646
Highest practice week	4	916
Pending >=200 count	0	
Pending >=200 Amount	0	
Unique order IDs	25	

scenario aligned results.

9. Extend Capstone Trace in separate columns E:H. Preserve the baseline trace at A:D. The new PJ-A leader consists of **PO001 / PO004 / PO005 / PO008 / PO025**, amounts **90 / 144 / 250 / 72 / 90**, sum **646**, five contributing records. Check the sum and count independently. These staged views show the new trace beside the unchanged baseline trace.



Delivered leader OrderID	Project	Amount (RM)		Scenario leader OrderID	Project	Amount RM	
PO009		RM 240.00		PO001	PJ-A	RM 90.00	
PO012		RM 32.00		PO004	PJ-A	RM 144.00	
PO013	PJ-B	RM 270.00		PO005	PJ-A	RM 250.00	
PO016	PJ-B	RM 36.00		PO008	PJ-A	RM 72.00	
				PO025	PJ-A	90	
Trace control	Actual	Expected	Difference	Scenario trace control	Actual	Expected	Difference
Contributing amount	RM 578.00	578	RM 0.00	Delivered leader total	RM 646.00	646	RM 0.00
Contributing IDs	4	4	0	Delivered leader count	5	5	0



completed baseline and scenario trace controls.

10. Add **PO025 Comparison**, with linked baseline and scenario values. Report **PJ-B 578 to PJ-A 646** as a change of leader, and **week 3 850 to week 4 916** as a change of period. Those maxima represent different populations; their numeric difference is not a price, performance or profit change. Include all 3158 → 3248, Delivered 1478 → 1568, Active 1938 → 2028 and count 24 → 25.



executive scenario comparison.

11. Add the source populations, fictional-data limitation, row 26 refresh contract and pending review status. Keep the baseline executive output separate.



	A	B	C	D
1	Procurement capstone scenario comparison	Baseline	PO025 scenario	Change
2	All-order Amount (RM)	RM 3,158.00	RM 3,248.00	RM 90.00
3	Delivered Amount (RM)	1478	1568	90
4	Active Amount (RM)	RM 1,938.00	RM 2,028.00	RM 90.00
5	Order count	24	25	1
6	Delivered project leader	PJ-B	PJ-A	PJ-B to PJ-A
7	Leader Delivered Amount (RM)	578	646	Different project populations
8	Highest practice week	3	4	Week 3 to week 4
9	Largest week all Amount (RM)	850	916	Different week populations
10	Pending >=200 record count	0	0	0
11	Pending >=200 Amount (RM)	0	0	0
12	Expanded range checks	Baseline preserved	All scenario checks pass	Row26 included
13				
14	Source populations	Baseline Orders A1:K25; scenario PO025 Orders A1:K26. Delivered uses Status=Delivered; weekly/all totals include Cancelled.		
15	Interpretation limit	Fictional order Amount is not profit, savings, budget approval or evidence of project performance.		
16	Refresh contract	Include row26 in scenario source, project, weekly, trace and control ranges; baseline remains 24 orders.		
17	Review status	Author-prepared source challenge only. Independent reviewer, spoken delivery and learner timing remain pending.		

comparison with populations limits.

12. Complete the audit appendix with observed scenario results and source-backed challenge responses. For example: why PJ-B originally? Four source IDs sum to 578 and the native pivot agrees. Why zero Pending exceptions? Inspect actual baseline rows and the separate inclusive-boundary fixture. Why the week shift? **826+90=916>850**, corroborated by expanded source calculations. These are author-prepared responses; ask a real reviewer to challenge one answer during the class and record their question and your evidence. That human review was not performed in the captured walkthrough.



	A	B
1	Audit appendix - baseline	Evidence, assumptions and boundaries
2	Source bounds	Orders A1:K25,24 fictional records; Rates A1:D7,6 unique item keys. Source values and baseline totals are preserved.
3	Question populations	Delivered-only project ranking; Pending AND Amount>=200 exception IDs; all-status Amount by numeric practice week.
4	Baseline answers	PJ-B Delivered578; no qualifying Pending IDs/count0/amount0; practice week3 highest all-orders amount850.
5	Independent reconciliation	New SUMIFS totals556/578/344 match native Pivot Review Delivered cellsC3:C5. Delivered1478 and all3158 reconcile to pivot/source controls.
6	Source trace	Capstone Trace retains PJ-B Delivered PO009/PO012/PO013/PO016 with amounts240/32/270/36, sum578.
7	Zero-match proof	Source PO010 is Pending180 and does not meet>=200. Separate synthetic Pending200 and250 qualify; synthetic figures are excluded from baseline answers.
8	Lookup assumptions	Exact matching requires one authorised rate per key. Disposable duplicateIT01 and missingIT99 tests return Review key rather than forcing a price.
9	First-match effect	Reversing the two conflicting fixture rates changes raw VLOOKUP45->99; match count stays2 and guarded result stays Review key. Fixture order restored.
10	Interpretation limits	No actual budget/profit/cost-outcome evidence. Order amount alone does not establish profitability, savings, project performance or purchasing approval.
11	Refresh contract	New records require explicit source/formula/pivot/visual bounds, qualifying-ID traces and weekly reconciliation. Check outputs after extension rather than relying on old baseline expectations.
12	PO025 scenario observed	Separate PO025 Orders A1:K26: 25 records, all3248, active2028, Delivered1568. PJ-A646 leads; week4 reaches916 and leads. Baseline unchanged.
13	Review status	Author evidence prepared. No independent human reviewer, spoken recommendation or80-minute learner pilot has been completed.
14		
15	Author challenge - baseline leader	Why PJ-B? PO009/012/013/016 contribute240+32+270+36=578; SUMIFS and native Pivot Review both give578.
16	Author challenge - genuine zero	Pending>=200 has0 baseline records. PO010 isPending180 and fails; separate synthetic Pending200 qualifies, while Delivered250 fails.
17	Author challenge - week shift	Baseline week4 is826; PO025 adds90:916>week3 850. Expanded SUMIFS and SUM(FILTER) agree; source includes row26.
18	Scenario trace	PJ-A orders PO001/004/005/008/025 contribute90+144+250+72+90=646. Compare separately with unchanged baseline leader578.
19	Human review still pending	These are author-prepared source challenge responses. No independent reviewer or spoken delivery was performed; 80-minute classroom target is unmeasured.

final audit appendix.

13. Reopen Capstone Executive and confirm the baseline remains **PJ-B 578 / zero qualifying Pending / week 3 850**, with all baseline checks passing.



baseline preserved executive.

14. Finish with the unobscured source traces: baseline four IDs 578 beside scenario five IDs 646. Retain the baseline, labelled fixture, scenario, controls and audit together. No real purchasing decision, sharing action or budget approval is established.



final unobscured source traces.

Author verification: guided 11.1–11.4 calculations and scenario were executed in the learner UI. Source/formats, previous pivots/dashboard and baseline executive calculations were checked unchanged. New capstone/scenario formulas are error-free. Independent challenge, actual reviewer, spoken delivery and classroom timing remain unperformed.

Zero-Match Check

The supplied baseline has no Pending record with Amount at least 200. Record that result explicitly. Use a separately labelled synthetic case to prove the positive branch; do not edit baseline records just to obtain a highlight.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Independently compare all-orders and active populations and explain how excluding Cancelled changes the question and results.
2. Stress-test an unknown rate key and a duplicate lookup key in a scenario copy. Demonstrate the warning/disposition rather than forcing a numeric answer.
3. Deliver a three-minute recommendation limited to what the data supports, plus one next question requiring additional evidence.

Evidence to Hand Over

- Three-question specification and independently reconciled results.
- Separate added-row and key-quality scenarios with audit evidence.
- Executive output, reviewer challenge response and a bounded recommendation.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
A recommendation claims savings or profitability	Return to dataset meaning and request missing cost/outcome evidence before making that claim.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

The capstone combines reliable data, explicit calculations and a defensible explanation.

Check yourself: Would the same result follow if Cancelled records were included?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

Use the exact staged inputs and formulas below. Predict each test before entering its actual calculation.

Part 1: Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Capstone questions: Largest Delivered amount by project; Pending records with Amount ⩾200 and
their IDs; highest all-orders Amount by practice week. Scenario PO025: PJ-A, Planning, IT01,
Quantity 2, UnitCost 45, Delivered, week 4. No actual budget or profit data is supplied.
```

Part 2: Captured Author-Run Reference

Build the isolated **GW - Sheets Advanced - Capstone** copy in guide order. Source baseline is Orders A1:K25 and Rates A1:D7. Paste only the current stage; later blocks would reveal objects not created yet. Independent reviewer/spoken work and classroom timing remain pending.

Capstone Spec A1:B11 - define before calculating

```
Analysis specification  Fictional training decision analysis
Source and scope        Orders A1:K25: header plus 24 records; Rates A1:D7: header plus 6
items. Amount in RM; practice weeks 1 to 4. No real purchasing data.
Question 1      Which project has the largest Delivered order amount? Sum Amount J by Project
B where Status G equals Delivered; exclude Pending and Cancelled.
Question 2      Which Pending records have Amount⩾200? Require both criteria and retain
OrderIDs. Report zero matches explicitly if none qualify. Threshold200 is inclusive.
Question 3      Which supplied practice week has highest all-orders Amount? Sum J by numeric
Week H, including Cancelled. These are practice periods, not real calendar dates.
Control expectations    Baseline 24 records; all Amount 3158; Delivered Amount 1478. Six
unique item rates; source totals are not profit or approved budget.
Evidence methods        SUMIFS/COUNTIFS and qualifying-ID traces; independent native Pivot
Review/source-row reconciliation; source-cell checks.
Ranking rule    Rank within the specified population. Report ties rather than claiming an
unsupported unique winner.
Scenario isolation      Keep baseline analysis unchanged. PO025 scenario and lookup-key tests
remain separate; label synthetic boundary fixtures.
Limits and audience     Fictional project reporting reviewer. No cost/outcome/budget approval
data, so no profitability, savings, performance or purchasing approval conclusion.
Reviewer boundary       Author source challenges may be prepared; actual independent human
review and 80-minute classroom timing remain unverified.
```

Capstone Calculations A1:C9 - initial ranking

```
Project Delivered Amount (RM)   Delivered records
PJ-A    =SUMIFS(Orders!$J$2:$J$25,Orders!$B$2:$B$25,A2,Orders!$G$2:$G$25,"Delivered")
=COUNTIFS(Orders!$B$2:$B$25,A2,Orders!$G$2:$G$25,"Delivered")
PJ-B    =SUMIFS(Orders!$J$2:$J$25,Orders!$B$2:$B$25,A3,Orders!$G$2:$G$25,"Delivered")
=COUNTIFS(Orders!$B$2:$B$25,A3,Orders!$G$2:$G$25,"Delivered")
PJ-C    =SUMIFS(Orders!$J$2:$J$25,Orders!$B$2:$B$25,A4,Orders!$G$2:$G$25,"Delivered")
=COUNTIFS(Orders!$B$2:$B$25,A4,Orders!$G$2:$G$25,"Delivered")
Total Delivered =SUM(B2:B4)     =SUM(C2:C4)

Ranking Project Amount (RM)
Largest Delivered       =INDEX(A2:A4,MATCH(MAX(B2:B4),B2:B4,0)) =MAX(B2:B4)
Number tied at maximum  =COUNTIF(B2:B4,MAX(B2:B4))
```

Capstone Calculations A11:B14 - actual Pending exceptions

```
Pending exception test  Baseline result
Matching record count   =COUNTIFS(Orders!$G$2:$G$25,"Pending",Orders!$J$2:$J$25,"⩾200")
Matching amount (RM)
=SUMIFS(Orders!$J$2:$J$25,Orders!$G$2:$G$25,"Pending",Orders!$J$2:$J$25,"⩾200")
Qualifying OrderIDs
=IFNA(FILTER(Orders!A2:A25,Orders!G2:G25="Pending",Orders!J2:J25⩾200),"No qualifying baseline
records")
```

Capstone Trace A1:C2 - baseline spill formula

```
Delivered leader OrderID        Project Amount (RM)
=FILTER({Orders!A2:A25,Orders!B2:B25,Orders!J2:J25},Orders!G2:G25="Delivered",Orders!B2:B25='C
apstone Calculations'!B8)
```

Capstone Calculations D1:E5 - native pivot comparison

```
Native pivot (RM)       Difference
='Pivot Review'!C3      =B2-D2
='Pivot Review'!C4      =B3-D3
='Pivot Review'!C5      =B4-D4
='Pivot Review'!C6      =B5-D5
```

Capstone Calculations A18:D22 - baseline controls

```
Baseline controls       Calculation     Independent control     Difference
All Amount      =SUM(Orders!J2:J25)     ='Pivot Review'!E6      =B19-C19
Delivered Amount        =B5     ='Pivot Review'!C6      =B20-C20
Record count    =COUNTA(Orders!A2:A25)  ='Pivot Counts'!E6      =B21-C21
Rate key count  =COUNTUNIQUE(Rates!A2:A7)       =COUNTA(Rates!A2:A7)    =B22-C22
```

Capstone Tests A1:E2 - actual nonqualifier

```
Baseline OrderID        Status  Amount (RM)     Amount⩾200      Both criteria
=Orders!A11     =Orders!G11     =Orders!J11     =C2⩾200         =AND(B2="Pending",C2⩾200)
```

Capstone Tests A6:D10 - predict synthetic outcomes first

```
Synthetic case only     Status  Amount (RM)     Expected qualifies
Below threshold Pending 199.99  False
At threshold    Pending 200     True
Above threshold Pending 250     True
Wrong status    Delivered       250     False
```

Capstone Tests E6:E10 - actual boundary tests afterward

```
Actual qualifies
=AND(B7="Pending",C7⩾200)
=AND(B8="Pending",C8⩾200)
=AND(B9="Pending",C9⩾200)
=AND(B10="Pending",C10⩾200)
```

Capstone Tests A13:D15 - synthetic controls

```
Synthetic control       Actual  Expected        Difference
Qualifying records      =COUNTIF(E7:E10,TRUE)   2       =B14-C14
Qualifying amount (RM)  =SUMIFS(C7:C10,B7:B10,"Pending",C7:C10,"⩾200") 450     =B15-C15
```

Capstone Key Test A8:D8 - conflicting fixture after duplicating Rates

```
IT01    Conflicting training fixture    99      Equipment
```

Capstone Key Test F1:J4 - guarded lookup tests

```
Test key        Match count     Raw exact lookup        Guarded rate    Disposition
IT01    =COUNTIF($A$2:$A$8,F2)  =IFNA(VLOOKUP(F2,$A$2:$D$8,3,FALSE),"Missing rate")
=IF(G2<>1,"Review key",VLOOKUP(F2,$A$2:$D$8,3,FALSE))   =IF(G2=1,"Use mapped
rate",IF(G2=0,"Missing mapping","Duplicate/conflict"))
IT99    =COUNTIF($A$2:$A$8,F3)  =IFNA(VLOOKUP(F3,$A$2:$D$8,3,FALSE),"Missing rate")
=IF(G3<>1,"Review key",VLOOKUP(F3,$A$2:$D$8,3,FALSE))   =IF(G3=1,"Use mapped
rate",IF(G3=0,"Missing mapping","Duplicate/conflict"))
IT02    =COUNTIF($A$2:$A$8,F4)  =IFNA(VLOOKUP(F4,$A$2:$D$8,3,FALSE),"Missing rate")
=IF(G4<>1,"Review key",VLOOKUP(F4,$A$2:$D$8,3,FALSE))   =IF(G4=1,"Use mapped
rate",IF(G4=0,"Missing mapping","Duplicate/conflict"))
```

Capstone Key Test F7:F10 - observed first-match test notes

```
Fixture only: baseline Rates and Orders unchanged.
Reversing conflicting IT01 rates changed the raw lookup from 45 to 99.
Match count stayed 2; the guarded result remained Review key.
Fixture order restored 45 then 99. Keep the conflict visible for resolution; do not choose a
rate automatically.
```

Capstone Calculations A25:D31 - chronological baseline weeks

```
Practice week   All Amount (RM) Independent weekly control      Difference
1       =SUMIFS(Orders!$J$2:$J$25,Orders!$H$2:$H$25,A26)        ='Dashboard Data'!B16   =B26-
C26
2       =SUMIFS(Orders!$J$2:$J$25,Orders!$H$2:$H$25,A27)        ='Dashboard Data'!C16   =B27-
C27
3       =SUMIFS(Orders!$J$2:$J$25,Orders!$H$2:$H$25,A28)        ='Dashboard Data'!D16   =B28-
C28
4       =SUMIFS(Orders!$J$2:$J$25,Orders!$H$2:$H$25,A29)        ='Dashboard Data'!E16   =B29-
C29
Weekly total    =SUM(B26:B29)   =B19    =B30-C30
Largest week    =INDEX(A26:A29,MATCH(MAX(B26:B29),B26:B29,0))   =MAX(B26:B29)
```

Capstone Executive A1:D21 - baseline output

```
Procurement capstone - baseline

Delivered-only comparison       Amount (RM)     Records
='Capstone Calculations'!A2     ='Capstone Calculations'!B2     ='Capstone Calculations'!C2
='Capstone Calculations'!A3     ='Capstone Calculations'!B3     ='Capstone Calculations'!C3
='Capstone Calculations'!A4     ='Capstone Calculations'!B4     ='Capstone Calculations'!C4

Audience question       Answer  Amount (RM)
Largest Delivered project       ='Capstone Calculations'!B8     ='Capstone Calculations'!C8
Pending records ⩾200   ='Capstone Calculations'!B12    ='Capstone Calculations'!B13
Highest practice week   ='Capstone Calculations'!B31    ='Capstone Calculations'!C31

Population controls     Value           Live checks
All Amount (RM) ='Capstone Calculations'!B19            =IF(AND(COUNTIF('Capstone
Calculations'!E2:E5,0)=4,COUNTIF('Capstone Calculations'!D19:D22,0)=4,COUNTIF('Capstone
Calculations'!D26:D30,0)=5),"All baseline checks pass","Review mismatch")
Delivered Amount (RM)   ='Capstone Calculations'!B5
All record count        ='Capstone Calculations'!B21

Source population       24 fictional Orders, rows 2:25. RM. All-orders includes Cancelled;
Delivered comparison excludes Pending and Cancelled.
Interpretation limit    Order amount is not profit, efficiency, savings or budget approval. No
outcome/cost evidence supports those conclusions.
Future refresh  Extend source/formula/pivot/visual bounds for new records; check qualifying
IDs and weekly totals. Keep scenario results separate.
```

PO025 Plan A1:B9 - write predictions before adding source row

```
PO025 scenario plan     Predictions before adding the new source record
Isolation       Duplicate Orders as PO025 Orders. Keep baseline Orders, Capstone Calculations
and Capstone Executive unchanged. Use separate scenario analysis/results.
Exact scenario record   PO025; PJ-A; Planning; IT01; Quantity 2; UnitCost 45; Delivered;
practice week 4. New Amount 90 and ActiveAmount 90.
Baseline comparison     Delivered projects 556/578/344: PJ-B578 leads. All-week totals
728/754/850/826: week 3 at 850 leads.
Predicted new totals    25 records; all Amount 3248; Delivered 1568; Active 2028. Pending ⩾ 200
remains 0 matches.
Predicted ranking       PJ-A Delivered 646 becomes largest, ahead of PJ-B578/PJ-C344. Week 4
becomes 916 and exceeds week 3 at 850.
Coverage and controls   Add row 26 before copied totals. Check all relevant source/formula
bounds 2:26; reconcile source totals, project sums, ID traces and practice weeks.
Interpretation  An extra fictional Delivered order changes the descriptive ranking, not
profit, efficiency or a purchasing approval decision.
Review boundary Author source challenges will be documented; independent human reviewer and
spoken recommendation remain pending.
```

PO025 Orders A26:K26 - insert a row above 26 first

```
PO025   PJ-A    Planning        IT01    2       45      Delivered       4       Capstone PO025
scenario - fictional    =E26*F26        =IF(G26="Cancelled",0,J26)
```

PO025 Orders J27:K28 - repaired scenario totals

```
Scenario All Amount     Scenario Active Amount
=SUM(J2:J26)    =SUM(K2:K26)
```

PO025 Analysis A1:F6 - expanded coverage after stale-bound test

```
Scenario coverage       Expanded result Baseline control        Delta vs baseline
Expected delta  Difference
All Amount (RM) =SUM('PO025 Orders'!J2:J26)     ='Capstone Calculations'!B19    =B2-C2  90
=D2-E2
Delivered Amount (RM)   =SUMIF('PO025 Orders'!G2:G26,"Delivered",'PO025 Orders'!J2:J26)
='Capstone Calculations'!B5     =B3-C3  90      =D3-E3
Active Amount (RM)      =SUM('PO025 Orders'!K2:K26)     =Analysis!C15   =B4-C4  90      =D4-E4
Record count    =COUNTA('PO025 Orders'!A2:A26)  ='Capstone Calculations'!B21    =B5-C5  1
=D5-E5
Week 4 all Amount (RM)  =SUMIFS('PO025 Orders'!J2:J26,'PO025 Orders'!H2:H26,4)  ='Capstone
Calculations'!B29       =B6-C6  90      =D6-E6
```

PO025 Analysis A9:E13 - scenario projects

```
Project Scenario Delivered      Baseline Delivered      Delta   Independent ID sum
PJ-A    =SUMIFS('PO025 Orders'!J2:J26,'PO025 Orders'!B2:B26,A10,'PO025
Orders'!G2:G26,"Delivered")     ='Capstone Calculations'!B2     =B10-C10
=SUM(FILTER('PO025 Orders'!J2:J26,'PO025 Orders'!G2:G26="Delivered",'PO025
Orders'!B2:B26=A10))
PJ-B    =SUMIFS('PO025 Orders'!J2:J26,'PO025 Orders'!B2:B26,A11,'PO025
Orders'!G2:G26,"Delivered")     ='Capstone Calculations'!B3     =B11-C11
=SUM(FILTER('PO025 Orders'!J2:J26,'PO025 Orders'!G2:G26="Delivered",'PO025
Orders'!B2:B26=A11))
PJ-C    =SUMIFS('PO025 Orders'!J2:J26,'PO025 Orders'!B2:B26,A12,'PO025
Orders'!G2:G26,"Delivered")     ='Capstone Calculations'!B4     =B12-C12
=SUM(FILTER('PO025 Orders'!J2:J26,'PO025 Orders'!G2:G26="Delivered",'PO025
Orders'!B2:B26=A12))
Delivered total =SUM(B10:B12)   =SUM(C10:C12)   =B13-C13        =SUM(E10:E12)
```

PO025 Analysis A16:E20 - scenario weeks

```
Practice week   Scenario all Amount     Baseline all Amount     Delta   Independent ID sum
1       =SUMIFS('PO025 Orders'!J2:J26,'PO025 Orders'!H2:H26,A17)        ='Capstone
Calculations'!B26       =B17-C17        =SUM(FILTER('PO025 Orders'!J2:J26,'PO025
Orders'!H2:H26=A17))
2       =SUMIFS('PO025 Orders'!J2:J26,'PO025 Orders'!H2:H26,A18)        ='Capstone
Calculations'!B27       =B18-C18        =SUM(FILTER('PO025 Orders'!J2:J26,'PO025
Orders'!H2:H26=A18))
3       =SUMIFS('PO025 Orders'!J2:J26,'PO025 Orders'!H2:H26,A19)        ='Capstone
Calculations'!B28       =B19-C19        =SUM(FILTER('PO025 Orders'!J2:J26,'PO025
Orders'!H2:H26=A19))
4       =SUMIFS('PO025 Orders'!J2:J26,'PO025 Orders'!H2:H26,A20)        ='Capstone
Calculations'!B29       =B20-C20        =SUM(FILTER('PO025 Orders'!J2:J26,'PO025
Orders'!H2:H26=A20))
```

PO025 Analysis A23:C29 - ranking and exception controls

```
Scenario ranking        Answer  Amount RM
Delivered project leader        =INDEX(A10:A12,MATCH(MAX(B10:B12),B10:B12,0))   =MAX(B10:B12)
Highest practice week   =INDEX(A17:A20,MATCH(MAX(B17:B20),B17:B20,0))   =MAX(B17:B20)

Pending ⩾200 count      =COUNTIFS('PO025 Orders'!G2:G26,"Pending",'PO025
Orders'!J2:J26,"⩾200")
Pending ⩾200 Amount     =SUMIFS('PO025 Orders'!J2:J26,'PO025 Orders'!G2:G26,"Pending",'PO025
Orders'!J2:J26,"⩾200")
Unique order IDs        =COUNTUNIQUE('PO025 Orders'!A2:A26)
```

Capstone Trace E1:G2 - scenario source-ID spill

```
Scenario leader OrderID Project Amount RM
=FILTER({'PO025 Orders'!A2:A26,'PO025 Orders'!B2:B26,'PO025 Orders'!J2:J26},'PO025
Orders'!G2:G26="Delivered",'PO025 Orders'!B2:B26='PO025 Analysis'!B24)
```

Capstone Trace E8:H10 - scenario trace controls

```
Scenario trace control  Actual  Expected        Difference
Delivered leader total  =SUM(G2:G6)     ='PO025 Analysis'!C24   =F9-G9
Delivered leader count  =COUNTA(E2:E6)  5       =F10-G10
```

PO025 Comparison A1:D17 - executive comparison

```
Procurement capstone scenario comparison        Baseline        PO025 scenario  Change
All-order Amount (RM)   ='Capstone Calculations'!B19    ='PO025 Analysis'!B2    =C2-B2
Delivered Amount (RM)   ='Capstone Calculations'!B5     ='PO025 Analysis'!B3    =C3-B3
Active Amount (RM)      =Analysis!C15   ='PO025 Analysis'!B4    =C4-B4
Order count     ='Capstone Calculations'!B21    ='PO025 Analysis'!B5    =C5-B5
Delivered project leader        ='Capstone Calculations'!B8     ='PO025 Analysis'!B24   PJ-B
to PJ-A
Leader Delivered Amount (RM)    ='Capstone Calculations'!C8     ='PO025 Analysis'!C24
Different project populations
Highest practice week   ='Capstone Calculations'!B31    ='PO025 Analysis'!B25   Week 3 to week
4
Largest week all Amount (RM)    ='Capstone Calculations'!C31    ='PO025 Analysis'!C25
Different week populations
Pending ⩾200 record count       ='Capstone Calculations'!B12    ='PO025 Analysis'!B27   =C10-
B10
Pending ⩾200 Amount (RM)        ='Capstone Calculations'!B13    ='PO025 Analysis'!B28   =C11-
B11
Expanded range checks   Baseline preserved      =IF(COUNTIF('PO025 Analysis'!F2:F6,0)=5,"All
scenario checks pass","Review mismatch")        Row 26 included

Source populations      Baseline Orders A1:K25; scenario PO025 Orders A1:K26. Delivered uses
Status=Delivered; weekly/all totals include Cancelled.
Interpretation limit    Fictional order Amount is not profit, savings, budget approval or
evidence of project performance.
Refresh contract        Include row 26 in scenario source, project, weekly, trace and control
ranges; baseline remains 24 orders.
Review status   Author-prepared source challenge only. Independent reviewer, spoken delivery
and learner timing remain pending.
```

Capstone Audit A1:B19 - final audit, add scenario observations only after testing

```
Audit appendix - baseline       Evidence, assumptions and boundaries
Source bounds   Orders A1:K25,24 fictional records; Rates A1:D7,6 unique item keys. Source
values and baseline totals are preserved.
Question populations    Delivered-only project ranking; Pending AND Amount⩾200 exception IDs;
all-status Amount by numeric practice week.
Baseline answers        PJ-B Delivered 578; no qualifying Pending IDs/count 0/amount 0;
practice week 3 highest all-orders amount 850.
Independent reconciliation      New SUMIFS totals 556/578/344 match native Pivot Review
Delivered cellsC3:C5. Delivered 1478 and all 3158 reconcile to pivot/source controls.
Source trace    Capstone Trace retains PJ-B Delivered PO009/PO012/PO013/PO016 with amounts
240/32/270/36, sum 578.
Zero-match proof        Source PO010 is Pending 180 and does not meet⩾200. Separate synthetic
Pending 200 and 250 qualify; synthetic figures are excluded from baseline answers.
Lookup assumptions      Exact matching requires one authorised rate per key. Disposable
duplicateIT01 and missingIT99 tests return Review key rather than forcing a price.
First-match effect      Reversing the two conflicting fixture rates changes raw VLOOKUP45→99;
```

```
match count stays 2 and guarded result stays Review key. Fixture order restored.
Interpretation limits   No actual budget/profit/cost-outcome evidence. Order amount alone does
not establish profitability, savings, project performance or purchasing approval.
Refresh contract        New records require explicit source/formula/pivot/visual bounds,
qualifying-ID traces and weekly reconciliation. Check outputs after extension rather than
relying on old baseline expectations.
PO025 scenario observed Separate PO025 Orders A1:K26: 25 records, all 3248, active 2028,
Delivered 1568. PJ-A646 leads; week 4 reaches 916 and leads. Baseline unchanged.
Review status   Author evidence prepared. No independent human reviewer, spoken recommendation
or 80-minute learner pilot has been completed.

Author challenge - baseline leader      Why PJ-B? PO009/012/013/016
contribute240+32+270+36=578; SUMIFS and native Pivot Review both give 578.
Author challenge - genuine zero Pending⩾200 has 0 baseline records. PO010 isPending180 and
fails; separate synthetic Pending 200 qualifies, while Delivered 250 fails.
Author challenge - week shift   Baseline week 4 is 826; PO025 adds 90:916>week 3 850. Expanded
SUMIFS and SUM(FILTER) agree; source includes row 26.
Scenario trace  PJ-A orders PO001/004/005/008/025 contribute90+144+250+72+90=646. Compare
separately with unchanged baseline leader 578.
Human review still pending      These are author-prepared source challenge responses. No
independent reviewer or spoken delivery was performed; 80-minute classroom target is
unmeasured.
```

Intermediate experiments - do these in order

Before PO025 is added, build PO025 Analysis A1:D6 with the same final controls but source bounds ending at 25, labels Original bound result and Difference, and no expected-scenario delta columns. Baseline results 3158/1478/1938/24/826. After inserting row 26, inspect these unchanged ranges before expanding to 26. They still match the old baseline while omitting PO025. Only then paste the expanded control block and expected deltas 90/90/90/1/90.

On the duplicated Capstone Key Test only, reverse conflicting IT01 values C2=99 and C8=45 after recording initial 45. Raw H2 changes 99; guarded I2 stays Review key. Then restore C2=45 and C8=99. Keep the conflict labelled; do not repair actual Rates automatically.

For the baseline audit at 11.3, write rows 1:13 with row 12 describing the planned isolated PO025 test. After actual scenario testing, update row 12 to observed results and add the author-prepared challenge responses at 15:19. These are not evidence of an independent human review.

Baseline Delivered leader PJ-B 578 has IDs PO009/012/013/016. Scenario leader PJ-A 646 has PO001/004/005/008/025. Weekly source includes Cancelled: baseline 728/754/850/826; scenario 728/754/850/916. Amount is not profit, savings or approval. A tie needs explicit handling rather than choosing the first INDEX/MATCH result.

12

CHAPTER 12

Review and Handover

In this chapter you will explain assumptions, refresh steps and known data limitations.

> **Prompts:** the prompts page has every value and prompt for this chapter, each with a Copy button.

Estimated time: 50 minutes, planned as 10 explanation and demonstration, 20 guided build and casework, 15 independent practice and 5 verification and repair, with 40 active minutes by design. Not yet timed with learners.

Your result: A restored baseline and an update-tested workbook handover.

> **Status:** author reference with 37 staged application captures through 12.4. Recovery baseline, runbook/range inventory, whole-workbook PO025 extension, committed native pivots, chart/sparkline, unresolved-key route and release manifest are verified. Independent PO026, actual partner review, spoken delivery and learner timing remain pending.

What You Will Learn

- Explain the workbook update path.
- Identify future maintenance work.
- Leave a checked final state.

Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use your baseline workbook and separate capstone copy.

12.1 Review the Baseline

1. Open **GW - Sheets Advanced - Analysis** and inspect Orders. Restore any temporary source edits from your exercises. In this author run, the maintained source was already restored; no source values needed changing. Keep the 24 supplied records and six-key Rates mapping intact. Labelled historical test tabs remain teaching evidence.



OrderID	Project	Team	ItemCode	Quantity	UnitCost	Status	Week	Description	Amount
PO001	PJ-A	Planning	IT01	2	RM 45.00	Delivered		1 Display adapter for briefing	RM 90.
PO002	PJ-A	Procurement	IT02	4	RM 12.00	Pending		1 Training notebook for pilot team	RM 48.
PO003	PJ-A	Site Coordination	IT03	6	RM 30.00	Cancelled		1 Cable pack for review session	RM 180.
PO004	PJ-A	Planning	IT04	8	RM 18.00	Delivered		1 Marker set for briefing	RM 144.
PO005	PJ-A	Procurement	IT05	10	RM 25.00	Delivered		1 Desk sign for pilot team	RM 250.
PO006	PJ-A	Site Coordination	IT06	2	RM 8.00	Pending		1 Quick guide for review session	RM 16.
PO007	PJ-A	Planning	IT01	4	RM 45.00	Cancelled		2 Display adapter for briefing	RM 180.
PO008	PJ-A	Procurement	IT02	6	RM 12.00	Delivered		2 Training notebook for pilot team	RM 72.
PO009	PJ-B	Site Coordination	IT03	8	RM 30.00	Delivered		2 Cable pack for review session	RM 240.
PO010	PJ-B	Planning	IT04	10	RM 18.00	Pending		2 Marker set for briefing	RM 180.
PO011	PJ-B	Procurement	IT05	2	RM 25.00	Cancelled		2 Desk sign for pilot team	RM 50.
PO012	PJ-B	Site Coordination	IT06	4	RM 8.00	Delivered		2 Quick guide for review session	RM 32.
PO013	PJ-B	Planning	IT01	6	RM 45.00	Delivered		3 Display adapter for briefing	RM 270.
PO014	PJ-B	Procurement	IT02	8	RM 12.00	Pending		3 Training notebook for pilot team	RM 96.
PO015	PJ-B	Site Coordination	IT03	10	RM 30.00	Cancelled		3 Cable pack for review session	RM 300.
PO016	PJ-B	Planning	IT04	2	RM 18.00	Delivered		3 Marker set for briefing	RM 36.
PO017	PJ-C	Procurement	IT05	4	RM 25.00	Delivered		3 Desk sign for pilot team	RM 100.
PO018	PJ-C	Site Coordination	IT06	6	RM 8.00	Pending		3 Quick guide for review session	RM 48.
PO019	PJ-C	Planning	IT01	8	RM 45.00	Cancelled		4 Display adapter for briefing	RM 360.
PO020	PJ-C	Procurement	IT02	10	RM 12.00	Delivered		4 Training notebook for pilot team	

baseline source unfiltered.

2. Inspect **Filter views**. The captured workbook has named views **DB8 - Delivered** and **DB8 - Delivered AND PJ-A**, both inactive. Keep these recognisable teaching views. Close an active view before interpreting all-order totals; do not delete a named view just because it exists.



OrderID	Project	Team	ItemCode	Quantity	UnitCost	Status	Week	Desc	Amount
PO001	PJ-A	Planning	IT01	2	RM 45.00	Delivered		1 Displ	RM 90.
PO002	PJ-A	Procurement	IT02	4	RM 12.00	Pending		1 Traini	RM 48.
PO003	PJ-A	Site Coordination	IT03	6	RM 30.00	Cancelled		1 Cable pack for review session	RM 180.
PO004	PJ-A	Planning	IT04	8	RM 18.00	Delivered		1 Marker set for briefing	RM 144.
PO005	PJ-A	Procurement	IT05	10	RM 25.00	Delivered		1 Desk sign for pilot team	RM 250.
PO006	PJ-A	Site Coordination	IT06	2	RM 8.00	Pending		1 Quick guide for review session	RM 16.
PO007	PJ-A	Planning	IT01	4	RM 45.00	Cancelled		2 Display adapter for briefing	RM 180.
PO008	PJ-A	Procurement	IT02	6	RM 12.00	Delivered		2 Training notebook for pilot team	RM 72.
PO009	PJ-B	Site Coordination	IT03	8	RM 30.00	Delivered		2 Cable pack for review session	RM 240.
PO010	PJ-B	Planning	IT04	10	RM 18.00	Pending		2 Marker set for briefing	RM 180.
PO011	PJ-B	Procurement	IT05	2	RM 25.00	Cancelled		2 Desk sign for pilot team	RM 50.
PO012	PJ-B	Site Coordination	IT06	4	RM 8.00	Delivered		2 Quick guide for review session	RM 32.
PO013	PJ-B	Planning	IT01	6	RM 45.00	Delivered		3 Display adapter for briefing	RM 270.
PO014	PJ-B	Procurement	IT02	8	RM 12.00	Pending		3 Training notebook for pilot team	RM 96.
PO015	PJ-B	Site Coordination	IT03	10	RM 30.00	Cancelled		3 Cable pack for review session	RM 300.
PO016	PJ-B	Planning	IT04	2	RM 18.00	Delivered		3 Marker set for briefing	RM 36.
PO017	PJ-C	Procurement	IT05	4	RM 25.00	Delivered		3 Desk sign for pilot team	RM 100.
PO018	PJ-C	Site Coordination	IT06	6	RM 8.00	Pending		3 Quick guide for review session	RM 48.
PO019	PJ-C	Planning	IT01	8	RM 45.00	Cancelled		4 Display adapter for briefing	RM 360.
PO020	PJ-C	Procurement	IT02	10	RM 12.00	Delivered		4 Training notebook for pilot team	

named filter views inactive.

3. On Dashboard verify **24 records / all Amount 3,158 / Active 1,938 / Delivered 1,478**. Status counts are **12 Delivered /6 Pending /6 Cancelled**. The four control differences are zero and status reads **All checks pass**. Record these baseline values before any extension. The baseline chart shows project all-order amounts **980 /1,204 /974**; practice weeks are **728 /754 /850 /826**.



baseline dashboard controls.

12.2 Write the Handover

1. Choose **File > Make a copy**, name it **GW - Sheets Advanced - Handover Baseline**, and retain it as a recovery copy. Leave sharing and comments unchecked. The maintained original and earlier capstone output remain separate.



isolated handover baseline copy.

2. Add a **Runbook** sheet. Record source location and grain: Orders A1:K25 is one fictional order line per unique OrderID; Rates A1:D7 is one authoritative row per ItemCode. List accepted inputs, editable A:I fields, formula columns J:K, population definitions, pre-update controls and exception handling. Quantity must be a whole nonnegative number; weeks are numeric practice periods 1–4. Check a supplied UnitCost against its unique mapping; that check does not approve a purchase.

The prompts page contains the staged version 1 text. Read it before testing and record instructions that need interpretation. Keep missing or conflicting keys visibly unresolved rather than forcing a numeric answer.



runbook before extension.

3. Add **Range Inventory**. Map the actual active refresh path: **Orders → Analysis / Database Analysis / Pivot Review / Pivot Counts → Dashboard Data → Dashboard**. Record exact source bounds, dependent formula cells, database header/criteria rectangles, both pivots, chart and weekly sources. The existing chart follows a fixed project summary; extending the underlying orders does not require adding a fourth project to that summary.

Distinguish live source checks from historical practice. Validation Practice has whole-number Quantity rules on E2:E25, a Status list on G2:G25 and a Pending AND Amount>=200 format rule on A2:K25. These rules belong to that separate practice sheet. Do not claim Orders has that dropdown/format protection. Orders requires the documented manual input checks. Source Snapshot, drill-through detail, old test tabs, Dashboard Contract and Dashboard Data rows 22:28 remain fixed earlier-lab evidence.



range inventory before test.

12.3 Demonstrate One Update

1. Make a whole-workbook copy of Handover Baseline called **GW - Sheets Advanced - PO025 Extension Test**. This carries the runbook and native workbook structures into a separate test. Do not overwrite the recovery baseline or combine this exercise with the independent PO026 challenge.



whole workbook extension copy.

2. Add **Extension Checks** before editing Orders. Write predictions: **25 unique records, all 3,248, Active 2,028, Delivered 1,568, PJ-A Delivered 646, week 4 all Amount 916, Pending>=200 count 0**. Keep

the original 2:25 calculations separate from the predicted and observed extension columns.



controls and predictions before append.

3. In this extension copy only, select Orders row 26 and **Insert 1 row above**. This preserves the copied total labels and totals below the new order. Enter **PO025 / PJ-A / Planning / IT01 / quantity 2 / UnitCost 45 / Delivered / week 4 / fictional handover description**. Use J26=E26*F26 and K26=IF(G26="Cancelled",0,J26). The new Amount and ActiveAmount are both 90.



po025 entered in extension only.

4. Inspect the formula cells and copied totals. The total labels now sit at row 27 and total formulas at row 28. Check actual formula bounds before assuming the row is included. This screenshot selects J26:K28, including both the new line and copied totals. Use the individual formula cells and defined population controls; the selection sum combines different measures.



	rderID	Project	Team	ItemCode	Quantity	UnitCost	Status	Week	Description	Amount
8	0007	PJ-A	Planning	IT01	4	RM 45.00	Cancelled	2	Display adapter for briefing	RM 180.00
9	0008	PJ-A	Procurement	IT02	6	RM 12.00	Delivered	2	Training notebook for pilot team	RM 72.00
10	0009	PJ-B	Site Coordination	IT03	8	RM 30.00	Delivered	2	Cable pack for review session	RM 240.00
11	0010	PJ-B	Planning	IT04	10	RM 18.00	Pending	2	Marker set for briefing	RM 180.00
12	0011	PJ-B	Procurement	IT05	2	RM 25.00	Cancelled	2	Desk sign for pilot team	RM 50.00
13	0012	PJ-B	Site Coordination	IT06	4	RM 8.00	Delivered	2	Quick guide for review session	RM 32.00
14	0013	PJ-B	Planning	IT01	6	RM 45.00	Delivered	3	Display adapter for briefing	RM 270.00
15	0014	PJ-B	Procurement	IT02	8	RM 12.00	Pending	3	Training notebook for pilot team	RM 96.00
16	0015	PJ-B	Site Coordination	IT03	10	RM 30.00	Cancelled	3	Cable pack for review session	RM 300.00
17	0016	PJ-B	Planning	IT04	2	RM 18.00	Delivered	3	Marker set for briefing	RM 36.00
18	0017	PJ-C	Procurement	IT05	4	RM 25.00	Delivered	3	Desk sign for pilot team	RM 100.00
19	0018	PJ-C	Site Coordination	IT06	6	RM 8.00	Pending	3	Quick guide for review session	RM 48.00
20	0019	PJ-C	Planning	IT01	8	RM 45.00	Cancelled	4	Display adapter for briefing	RM 360.00
21	0020	PJ-C	Procurement	IT02	10	RM 12.00	Delivered	4	Training notebook for pilot team	RM 120.00
22	0021	PJ-C	Site Coordination	IT03	2	RM 30.00	Delivered	4	Cable pack for review session	RM 60.00
23	0022	PJ-C	Planning	IT04	4	RM 18.00	Pending	4	Marker set for briefing	RM 72.00
24	0023	PJ-C	Procurement	IT05	6	RM 25.00	Cancelled	4	Desk sign for pilot team	RM 150.00
25	0024	PJ-C	Site Coordination	IT06	8	RM 8.00	Delivered	4	Quick guide for review session	RM 64.00
26	025	PJ-A	Planning	IT01	2	45	Delivered	4	Handover PO025 extension test - fictional	90

new line formulas and old source totals.

5. Reopen Dashboard **before** extending dependencies. In the captured run, the old source ranges still returned 24 records/all 3,158, old chart values and **All checks pass**. Both summaries and controls omitted PO025. This is a deliberately observed coverage failure: internal agreement is insufficient when all participating ranges are stale.



stale dashboard before range update.

6. Follow the inventory. Extend Orders total SUM bounds through 26 at J28/K28. In Analysis extend source endpoints to 26 for B4:D6, B9:D11, C14:D18 and B28, preserving criteria and absolute anchors. Update scenario population wording. Check the all/status/active reconciliations; the expected all-order total is 3,248, not the old baseline total.



extended source and conditional analysis.

7. Extend the database rectangle to **Orders A1:J26**, retaining its header and criteria ranges. Update Database Analysis D10:D12, D15, D18:D20, D24:D26 and D29 using the supplied formulas. DSUM

Delivered must become **1,568** and Delivered AND PJ-A **646**; their independent SUMIF/SUMIFS comparisons remain zero.



Status	Project	Delivered amount	1568		
Delivered	PJ-A	Delivered numeric quantity records	13		
		Average delivered unit cost	24.69230769		
		Control	Source SUMIF	Difference	
		Delivered amount	1568	0	
		Count comparison	Result		
		DCOUNT text OrderID	0		
		DCOUNTA populated OrderID	13		
		COUNTIF Delivered source rows	13		
		Delivered AND PJ-A	Result		
		Amount	646		
		Numeric quantity records	5		
		Average unit cost	29		
		AND comparison	SUMIFS	Difference	
		Delivered AND PJ-A	646	0	

database rectangle includes new row.

8. Extend Dashboard Data B8:B10 status-count bounds, B16:E16 weekly bounds and B19 source-total bounds. The project table continues to link to the updated Analysis summary. Confirm statuses **13 /6 /6**, weeks **728 /754 /850 /916**, and weekly/source total 3,248. Rows 22:28 are historical Lab 9 predictions; they are not refreshed scenario results.



Project	All Amount incl Cancelled (RM)	Delivered Amount (RM)	Pending Amount (RM)	
PJ-A	RM 1,070.00	RM 646.00	RM 64.00	
PJ-B	RM 1,204.00	RM 578.00	RM 276.00	
PJ-C	RM 974.00	RM 344.00	RM 120.00	
Status	Record count			
Delivered	13			
Pending	6			
Cancelled	6			
Practice week	1	2	3	4
All orders Amount (RM)	728	754	850	916
Control	Source all Amount	Weekly sum	Difference	
Week coverage	RM 3,248.00	3248	RM 0.00	
Refresh test	Baseline	Predicted quantity3	Restore target	
PO001 Quantity	2	3	2	
PO001 Amount	90	135	90	
PJ-A all Amount	980	1025	980	
Week1 Amount	728	773	728	
All Amount	3158	3203	3158	
Record count	24	24	24	

status and weekly summary refresh.

9. Extend Dashboard B19 record-count, B21 Active and E20 source-check bounds to 26. Keep the existing links to the updated summaries and database calculation. Label the view **PO025 extension test, 25 orders**. The chart and sparkline now show the refreshed summaries, but the count control still reports **1** and **Review mismatch** until its independent pivot is updated. Do not remove the control to make the output look complete.



dashboard exposes unextended count pivot.

10. Inspect **Pivot Review**. Click inside the native pivot and use the pencil/**Edit pivot table** control. Its old source is **Orders!A1:K25**; Project rows, Status columns and SUM Amount remain appropriate.



amount pivot old source range.

11. Inspect **Pivot Counts** as well. It has a separate source range and uses COUNTA OrderID. Updating only the amount pivot cannot repair the dashboard count comparison.



count pivot old source range.

12. In Pivot Counts choose **Select data range**, enter **Orders!A1:K26** and click **OK**. Exclude the total rows 27:28 from the pivot source. The suggested larger rectangle may include totals, so verify the exact endpoint.



count pivot range picker confirmation.

13. Confirm the committed count pivot now has **25** total records, **13 Delivered**,6 Pending and 6 Cancelled. Reopen the editor if necessary to confirm the saved source. Merely seeing26 typed in an uncommitted field is not success.



count pivot committed 25 records.

14. Repeat **Select data range → Orders!A1:K26 → OK** for Pivot Review, keeping SUM Amount and the existing row/column fields.



amount pivot range picker confirmation.

15. Verify the committed amount pivot: PJ-A all **1,070**, Delivered **646**; grand all **3,248**, Delivered **1,568**. The new record must appear in both amount and count populations.



amount pivot committed 3248 total.

16. Return to Dashboard. All four differences must now be zero and status **All checks pass**, alongside the independently predicted 25-record totals. The all-order chart is **1,070 /1,204 /974**; the Delivered leader is **PJ-A646**; the largest practice week is **4 at 916**. These are fictional Amount comparisons, not profit, savings or project-performance conclusions.



verified extension dashboard.

17. Inspect **Chart editor > Setup**. Its data range remains **A5:B8** on Dashboard, using the fixed three-project summary. Confirm actual refreshed values rather than assuming the chart is linked. Dashboard B15 SPARKLINE follows Dashboard Data B16:E16, whose week 4 value is now 916.



chart fixed summary source verified.

18. Complete Extension Checks observed columnD with expanded 2:26 calculations and compare with predictions inC. All eight differences inE must be zero. Retain a second arithmetic check: baseline 3,158+new90=3,248 and baseline Delivered 1,478+90=1,568; compare with the native pivots. Keep original-bound calculations inB labelled as such rather than relabelling them current.



extension controls and independent reconciliation.

12.4 Make the Analysis Operable by Another Analyst

1. Add **Key Handover**. Test IT01, unknown IT99 and IT02 against unchanged Rates A2:A7. Count exact matches before accepting a price: **1 /0 /1**. This separate fixture is outside Orders and all scenario totals.



key route inputs before lookup.

2. Guard the exact lookup: when match count is not one, return **Unresolved rate**. IT99 must display **Open - unmapped key** and **Hold - no numeric amount**. Known keys yield45 and 12. Record open issueK01 and the evidence needed to resolve it. Do not add an invented Rates mapping or convert the missing rate to 0. No source-owner response was requested during this walkthrough.



unmapped key visible unresolved.

3. Add **Handover Issues**. Record what failed, the evidence and the repair. Version 1 needed an explicit pivot confirmation action and a separate count-pivot check. The stale green dashboard also justified a release gate based on independently predicted totals. Clarify historical-tab and manual-validation boundaries. Keep K01 open; a numeric-looking fallback would conceal it.

In this author attempt, typing a range in the sidebar and pressing Enter did not persist. The author corrected the interaction using the range picker and OK, then verified actual totals. This is an automation correction, not evidence that a student made an error or that every future interface behaves identically. Uncommitted captures are excluded from the lesson.



	A	B	C
1	Issue / observation	State	Evidence and disposition
2	K01 - IT99 mapping	Open - unresolved	Key Handover B3=0/C3=Unresolved rate. Hold numeric amount; obtain authoritative mapping evidence before any real use. No Rates changes made.
3	R01 - pivot commit instruction	Runbook repaired v2	Version1 said extend pivots but omitted explicit confirmation. Added Select data range -> Orders!A1:K26 -> OK, then reopen and verify both pivots. Count25 and amount3248 prove saved coverage.
4	R02 - historical practice coverage	Scope clarified	Validation Practice rules apply only there, not Orders. Historical snapshots/tests/old Lab9 prediction rows/old Dashboard Contract remain fixed evidence; release manifest identifies active scenario tabs.
5	R03 - independently expected controls	Added release gate	Stale Dashboard initially showed All checks pass at24/3158. Require predicted count25/all3248 plus independent source deltas and pivot reconciliation, not only internal zeros.
6	Automation note	Corrected before release	Typing a range into sidebar and pressing Enter did not persist in this attempt. Uncommitted captures excluded. Explicit picker + OK used and totals rechecked. This is not evidence of a learner error.
7	Independent checks	Pending	Real partner/reviewer, independent PO026 update, spoken handover and50-minute learner pilot have not been performed.

handover issues and range confirmation repair.

4. Revise Runbook to **version 2** in both retained copies. Add exact pivot actions, saved-range verification, chart/sparkline checks and the predicted-total release gate. The initial added instructions may need wrapping to remain readable.



	A	B	C	D
1	Runbook v2 - tested PO025 procedure	Use Release Manifest to distinguish the preserved24-order baseline from the25-order extension test. Never append the scenario to the baseline.		
2	Source and grain	':K25: one fictional order line per unique OrderID. Rates A1:D7: one authoritative row per ItemCode. RM amounts; numeric practice weeks1-4.		
3	Accepted inputs	J-A/PJ-B/PJ-C; Teams Planning/Procurement/Site Coordination; ItemCode must match exactly one Rates key; Quantity numeric >=0; Status Delivered/Pending/Cancelled; Week numeric1-4.		
4	Editable fields	Orders A:I are inputs. F UnitCost is an evidenced input, not an automatic approval. Verify it against Rates. Do not type over formula columns J:K.		
5	Formula columns	J=Quantity*UnitCost; K=IF(Status="Cancelled",0,Amount). Copy formulas to an added row and verify their actual references.		
6	Populations	All Amount includes Cancelled. Active excludes Cancelled. Delivered excludes Pending and Cancelled. Pending>=200 requires BOTH conditions and inclusive >=.		
7	Before update	Confirm24 unique IDs, all3158, active1938, Delivered1478, Pending460; 12/6/6 Delivered/Pending/Cancelled records. Close active filter view before interpreting all-source totals.		
8	Source extension	On named extension copy only, insert a row above26 before totals; add PO025 PJ-A/Planning/IT01/2/45/Delivered/week4, Amount90. Extend input/formula bounds to26 and totals now at row28.		
9	Dependent update	Use Range Inventory. Extend source-dependent analysis, weekly/count/DB ranges and both pivots. Fixed summary chart follows Dashboard A5:B8; sparkline follows weekly summary. Check source coverage rather than assuming refresh.		
10	Expected scenario	25 unique IDs; all3248; active2028; Delivered1568; Pending460; PJA all1070/Delivered646. Week4 916; Delivered leader PJA646. Baseline remains unchanged.		
11	Unknown/duplicate key route	Count exact Rates matches before using a rate. Count0=unmapped; count>1=conflict. Preserve unresolved warning; never replace missing with0 or overwrite Rates to hide the issue.		
12	Exceptions and release	Resolve formula/range mismatches first. Record unknown keys as open issues. Release only a clearly labelled, checked training scenario; no purchasing/budget/performance decision is implied.		
13	Historical practice scope	Source Snapshot and earlier Lookup/Validation/Logic/Text/Database test tabs are fixed lab evidence, not live dashboard inputs. Do not treat their old rows as updated source.		
14	Review boundary	Author checks only. Partner review, independent PO026 challenge, spoken handover and50-minute classroom pilot remain pending.		
15	Runbook test record	Version1 prepared before PO025 extension. Record unclear instructions and actual checks during the separate test; revise after evidence.		
16				
17	Exact pivot update	Click inside Pivot Review -> pencil/Edit pivot table -> Select data range -> Orders!A1:K26 -> OK. Repeat for Pivot Counts. Reopen each editor to verify saved bounds. Expected totals3248 and25.		
18	Chart check	Dashboard Chart editor Setup must still show A5:B8; data now1070/1204/974. Sparkline source Dashboard Data B16:E16 must now include916 at week4.		
19	Independent release gate	Compare against predicted25/3248/2028/1568 before accepting zero differences. Old mutually stale summaries may show All checks pass while omitting the added row.		
20	Version2 repair record	Added explicit range-picker confirmation, separate count-pivot check, accepted-input/manual-validation scope and historical-tab boundaries after the author extension test. No partner review or PO026 test is implie		

revised runbook instructions before wrapping new rows.

5. Apply **Text wrapping > Wrap** to the authored instructions and inspect them at normal zoom. Preserve the rest of the workbook formatting.



runbook repair wrapped and readable.

6. Retain the revised runbook in Handover Baseline as well. Its source remains the 24-record recovery population. Keep the role distinction visible; a scenario procedure is not a reason to append PO025 to that baseline.



baseline runbook updated source preserved.

7. In the extension add **Release Summary**. ColumnB is a dated, fixed snapshot of the checked PO025 results. ColumnsC:D are live comparisons to Dashboard. Label these roles explicitly: a later update requires regenerating snapshotB. Do not present a fixed snapshot as another live data source.



labelled fixed release summary.

8. Issue a **Release Manifest** in both copies. Name the maintained recovery baseline, separate PO025 test and the fixed summary located in the extension workbook. Identify the active refresh path, exact range contract, open K01 and historical evidence. Mark actual partner review, independent PO026, spoken handover and the 50-minute learner pilot pending.



release manifest roles and open issue.

9. Return to the recovery Dashboard and confirm **24 /3,158 /1,938 /1,478**, zero differences and unchanged original chart/weekly values. The recovery baseline must not acquire PO025 through the

handover process.



recovery baseline still 24 orders.

10. If working alone, open a fresh workbook view on Runbook, close the previous extension working browser tab and read the instructions again before navigating. This author did a fresh-view read-through; it is not an independent cold test or a substitute for another analyst's review. Unrelated existing browser tabs were left alone.



fresh view runbook read through.

11. Use the runbook to locate Orders and inspect PO025 source/formula cells. Confirm the line is present once, IT01 maps uniquely, and J/K each equal 90. Keep baseline and scenario sources distinct.



runbook source check in fresh view.

12. Locate Key Handover and explain why IT99 remains unresolved. A correct handover includes an understandable failure route as well as successful totals.



runbook unmapped key explanation check.

13. Finish on the fixed Release Summary with its live comparisons. Numeric differences must be zero and leader/week comparisons **Match**. Keep the live Dashboard, snapshot, runbook, inventory, issues and

manifest together. No external handover or sharing was performed.



	A	B	C	D
1	FIXED SNAPSHOT - PO025 test	27 October2026	B fixed; C:D live checks	Regenerate snapshot B after update
2	Population	25 fictional Orders A1:K26	All includes Cancelled	Source baseline preserved separately
3	Metric	Snapshot value	Checked live value	Difference
4	Order count	25	25	0
5	All Amount (RM)	3248	RM 3,248.00	RM 0.00
6	Active Amount (RM)	2028	RM 2,028.00	RM 0.00
7	Delivered Amount (RM)	1568	RM 1,568.00	RM 0.00
8	PJ-A all Amount (RM)	1070	RM 1,070.00	RM 0.00
9	Delivered leader	PJ-A	PJ-A	Match
10	Delivered leader Amount (RM)	646	RM 646.00	RM 0.00
11	Peak practice week	4	4	Match
12	Peak week Amount (RM)	916	916	0

final fixed summary with live checks.

Author verification: guided 12.1–12.4 was executed in the learner UI. Recovery baseline values/formats and original source rows/Rates are preserved; active extension/new formulas are error-free; native amount/count pivots and refreshed chart/sparkline were checked. Independent PO026, actual partner review, spoken delivery and classroom timing remain unperformed.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Use the different PO026 line on the card in another disposable copy and update the analysis without returning to the lesson steps.
2. Verify how Pending amount and exception flags change, including any new-row coverage failure. Record and repair the cause.
3. Hand over the runbook, controls, open issues and manifest. Another analyst must be able to reproduce both a successful update and an unresolved-key outcome.

Evidence to Hand Over

- Complete range inventory and a runbook tested on PO025.
- Independent PO026 update with reconciled controls and exception coverage.
- Recorded handover repair, open-issue route and clear scenario manifest.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
The next analyst must guess a range extension	Record exact current bounds, the new-row action and the expected checks in the runbook.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

You can maintain and hand over a checked analysis rather than a collection of unexplained formulas.

Check yourself: Which assumption would you check first if a future total unexpectedly drops?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

Use the staged runbook text, exact formula blocks and native pivot actions below. Preserve the recovery baseline.

Part 1: Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Independent PO026, separate baseline-derived copy: PJ-B | Procurement | IT03 | Quantity 10 | UnitCost 30 | Pending | week 4 | Handover exception test. Do not combine it with PO025 unless you explicitly define and reconcile that additional scenario.
```

Part 2: Captured Author-Run Reference

Build the recovery copy **GW - Sheets Advanced - Handover Baseline** first. Copy it as a whole workbook for **GW - Sheets Advanced - PO025 Extension Test**. Paste only the current stage. Final formulas below are for the extension copy; do not overwrite the preserved 24-order baseline.

Runbook A1:B15 - version 1 before extension

```
Runbook v1 - fictional procurement      Maintained 24-order baseline; extension work must use a separately named whole-workbook copy.
Source and grain        Orders A1:K25: one fictional order line per unique OrderID. Rates A1:D7: one authoritative row per ItemCode. RM amounts; numeric practice weeks 1-4.
Accepted inputs Projects PJ-A/PJ-B/PJ-C; Teams Planning/Procurement/Site Coordination; ItemCode must match exactly one Rates key; Quantity whole numeric ⩾0; Status Delivered/Pending/Cancelled; Week numeric 1-4. Orders inputs require manual checks; validation practice is a separate fixed lab.
Editable fields Orders A:I are inputs. F UnitCost is an evidenced input, not an automatic approval. Verify it against Rates. Do not type over formula columns J:K.
Formula columns J=Quantity*UnitCost; K=IF(Status="Cancelled",0,Amount). Copy formulas to an added row and verify their actual references.
Populations     All Amount includes Cancelled. Active excludes Cancelled. Delivered excludes Pending and Cancelled. Pending⩾200 requires BOTH conditions and inclusive ⩾.
Before update   Confirm 24 unique IDs, all 3158, active 1938, Delivered 1478, Pending 460; 12/6/6 Delivered/Pending/Cancelled records. Close active filter view before interpreting all-source totals.
Source extension        On named extension copy only, insert a row above 26 before totals; add PO025 PJ-A/Planning/IT01/2/45/Delivered/week 4, Amount 90. Extend input/formula bounds to 26 and totals now at row 28.
Dependent update        Use Range Inventory. Extend source-dependent analysis, weekly/count/DB ranges and both pivots. Fixed summary chart follows Dashboard A5:B8; sparkline follows weekly summary. Check source coverage rather than assuming refresh.
Expected scenario       25 unique IDs; all 3248; active 2028; Delivered 1568; Pending 460; PJA all 1070/Delivered646. Week 4 916; Delivered leader PJA646. Baseline remains unchanged.
Unknown/duplicate key route     Count exact Rates matches before using a rate. Count 0=unmapped; count>1=conflict. Preserve unresolved warning; never replace missing with 0 or overwrite Rates to hide the issue.
Exceptions and release  Resolve formula/range mismatches first. Record unknown keys as open
```

issues. Release only a clearly labelled, checked training scenario; no purchasing/budget/performance decision is implied.
Historical practice scope Source Snapshot and earlier Lookup/Validation/Logic/Text/Database test tabs are fixed lab evidence, not live dashboard inputs. Do not treat their old rows as updated source.
Review boundary Author checks only. Partner review, independent PO026 challenge, spoken handover and 50-minute classroom pilot remain pending.
Runbook test record Version 1 prepared before PO025 extension. Record unclear instructions and actual checks during the separate test; revise after evidence.

Range Inventory A1:C14 - exact baseline bounds and update contract

Component Baseline bounds / role Required extension action / verification
Source inputs + formulas Orders A1:K25; J2:K25 formulas; J27/K27 totals Insert above row 26; add PO025 A26:K26; totals shift to 28. Extend total SUM bounds to 26. Check 25 unique IDs and 90 line amount.
Conditional amounts/counts Analysis B4:D6/B9:D11; C14:D18; B28; source rows 2:25 Extend all source endpoints25 to 26 in active Analysis formulas; retain criteria and absolute anchors. Update population notes to 25-order scenario.
Database functions Database Analysis D10:D12/D15/D18:D20/D24:D26/D29; DB Orders A1:J25 Extend database rectangle toA1:J26 and source ranges to 26; keep header/criteria rectangles unchanged. DSUM Delivered 1568.
Native amount pivot Pivot Review; source Orders A1:K25 Extend pivot source to Orders A1:K26, retain Project rows/Status columns/SUM Amount. Verify all 3248/Delivered1568.
Native count pivot Pivot Counts; source Orders A1:K25 Extend pivot source to Orders A1:K26, retain COUNTA OrderID. Verify 25 total, Delivered 13/Pending6/Cancelled6.
Summary source Dashboard Data A1:D4 links Analysis; B8:B10 COUNTIF; B16:E16 weekly; B19:D19 controls Source-dependent bounds end 26. Fixed project/status/week summary shape stays; weekly 728/754/850/916 and all 3248. Rows 22:28 are historical Lab 9 predictions, not live results.
Dashboard controls Dashboard B19/B21 and E20 source bounds 2:25; summary links elsewhere Extend source endpoints26; keep links to updated Analysis/Database Analysis/pivots. E19:E22 all 0. E23 All checks pass.
Chart + sparkline Dashboard chart uses A5:B8, sparkline B15 uses Dashboard Data B16:E16 Fixed summary ranges stay; verify chart PJA1070/PJB1204/PJC974 and weekly sparkline refresh. Update visible 25-order scenario label.
Lookup mapping Rates A2:D7 exact mapping; six unique ItemCodes Do not extend Rates for PO025 IT01. Verify matchcount1/rate 45. Unmapped IT99 stays unresolved on separate Key Handover tab.
Validation practice Validation Practice E2:E25 whole-number Quantity ⩾ 0; G2:G25 Status list; separate fixed lab copy Not the Orders input range. Do not claim source dropdown protection. Check accepted source inputs manually before release; document future validation deployment separately.
Conditional format practice Validation Practice A2:K25; AND($G2="Pending",$J2 ⩾ 200) Fixed lab evidence. No Orders exception flag is implied. Active exception check is Analysis B28; separate Pending ⩾ 200 count must remain 0 for PO025.
Filter views Orders DB8 - Delivered and DB8 - Delivered AND PJ-A; inactive baseline Keep named teaching views, close active view for all-source controls. In extension do not assume old saved-view range includes row 26; verify its range if using it.
Historical snapshots/tests Source Snapshot, drill-through Detail1, earlier Lookup/Logic/Text/Validation/Database test tabs Preserve as fixed teaching evidence. They are outside maintained Dashboard refresh path; label release manifest accordingly, do not present old snapshots as current scenario.

Extension Checks A1:C9 - predictions before appending

```
PO025 extension controls        Original bounds 2:25    Expected after PO025
Order count     =COUNTA(Orders!A2:A25)  25
All Amount (RM) =SUM(Orders!J2:J25)     3248
Active Amount (RM)      =SUM(Orders!K2:K25)     2028
Delivered Amount (RM)   =SUMIF(Orders!G2:G25,"Delivered",Orders!J2:J25) 1568
PJ-A Delivered (RM)     =SUMIFS(Orders!J2:J25,Orders!B2:B25,"PJ-A",Orders!G2:G25,"Delivered")
646
Week 4 all Amount (RM)  =SUMIFS(Orders!J2:J25,Orders!H2:H25,4)  916
Pending ⩾ 200 count     =COUNTIFS(Orders!G2:G25,"Pending",Orders!J2:J25,"⩾200")        0
Unique IDs      =COUNTUNIQUE(Orders!A2:A25)     25
```

Orders A26:K26 - extension only, insert above 26 first

```
PO025   PJ-A    Planning        IT01    2       45      Delivered       4       Handover PO025
extension test - fictional      =E26*F26        =IF(G26="Cancelled",0,J26)
```

Orders J27:K28 - extended total bounds

```
Scenario All Amount     Scenario Active Amount
=SUM(J2:J26)    =SUM(K2:K26)
```

Analysis B4:D6 - project/status amounts

```
=SUMIFS(Orders!$J$2:$J$26,Orders!$B$2:$B$26,$A4,Orders!$G$2:$G$26,B$3)
=SUMIFS(Orders!$J$2:$J$26,Orders!$B$2:$B$26,$A4,Orders!$G$2:$G$26,C$3)
=SUMIFS(Orders!$J$2:$J$26,Orders!$B$2:$B$26,$A4,Orders!$G$2:$G$26,D$3)
=SUMIFS(Orders!$J$2:$J$26,Orders!$B$2:$B$26,$A5,Orders!$G$2:$G$26,B$3)
=SUMIFS(Orders!$J$2:$J$26,Orders!$B$2:$B$26,$A5,Orders!$G$2:$G$26,C$3)
=SUMIFS(Orders!$J$2:$J$26,Orders!$B$2:$B$26,$A5,Orders!$G$2:$G$26,D$3)
=SUMIFS(Orders!$J$2:$J$26,Orders!$B$2:$B$26,$A6,Orders!$G$2:$G$26,B$3)
=SUMIFS(Orders!$J$2:$J$26,Orders!$B$2:$B$26,$A6,Orders!$G$2:$G$26,C$3)
=SUMIFS(Orders!$J$2:$J$26,Orders!$B$2:$B$26,$A6,Orders!$G$2:$G$26,D$3)
```

Analysis B9:D11 - project/status counts

```
=COUNTIFS(Orders!$B$2:$B$26,$A9,Orders!$G$2:$G$26,B$8)
=COUNTIFS(Orders!$B$2:$B$26,$A9,Orders!$G$2:$G$26,C$8)
=COUNTIFS(Orders!$B$2:$B$26,$A9,Orders!$G$2:$G$26,D$8)
=COUNTIFS(Orders!$B$2:$B$26,$A10,Orders!$G$2:$G$26,B$8)
=COUNTIFS(Orders!$B$2:$B$26,$A10,Orders!$G$2:$G$26,C$8)
=COUNTIFS(Orders!$B$2:$B$26,$A10,Orders!$G$2:$G$26,D$8)
=COUNTIFS(Orders!$B$2:$B$26,$A11,Orders!$G$2:$G$26,B$8)
=COUNTIFS(Orders!$B$2:$B$26,$A11,Orders!$G$2:$G$26,C$8)
=COUNTIFS(Orders!$B$2:$B$26,$A11,Orders!$G$2:$G$26,D$8)
```

Analysis C14:D18 - population amounts/counts

```
=SUM(Orders!J2:J26)     =COUNTA(Orders!A2:A26)
=SUM(Orders!K2:K26)     =COUNTIF(Orders!G2:G26,"<>Cancelled")
=SUMIF(Orders!G2:G26,"Delivered",Orders!J2:J26) =COUNTIF(Orders!G2:G26,"Delivered")
=SUMIF(Orders!G2:G26,"Cancelled",Orders!J2:J26) =COUNTIF(Orders!G2:G26,"Cancelled")
=SUMIF(Orders!G2:G26,"Pending",Orders!J2:J26)   =COUNTIF(Orders!G2:G26,"Pending")
```

Analysis B28 - Pending threshold count

```
=COUNTIFS(Orders!G2:G26,"Pending",Orders!J2:J26,"⩾200")
```

Analysis B30 - current scenario population note

```
PO025 scenario all 3248 includes Cancelled 1220. Active 2028 equals Delivered 1568 plus
Pending 460. Original baseline 3158/1938/1478 remains separate.
```

Database Analysis D10:D12 - delivered database calculations

```
=DSUM(Orders!A1:J26,"Amount",A10:A11)
=DCOUNT(Orders!A1:J26,"Quantity",A10:A11)
=DAVERAGE(Orders!A1:J26,"UnitCost",A10:A11)
```

Database Analysis D15 - delivered independent control

```
=SUMIF(Orders!G2:G26,"Delivered",Orders!J2:J26)
```

Database Analysis D18:D20 - numeric/text counts

```
=DCOUNT(Orders!A1:J26,"OrderID",A10:A11)
=DCOUNTA(Orders!A1:J26,"OrderID",A10:A11)
=COUNTIF(Orders!G2:G26,"Delivered")
```

Database Analysis D24:D26 - Delivered AND PJ-A

```
=DSUM(Orders!A1:J26,"Amount",A10:B11)
=DCOUNT(Orders!A1:J26,"Quantity",A10:B11)
=DAVERAGE(Orders!A1:J26,"UnitCost",A10:B11)
```

Database Analysis D29 - AND independent control

```
=SUMIFS(Orders!J2:J26,Orders!G2:G26,"Delivered",Orders!B2:B26,"PJ-A")
```

Dashboard Data B8:B10 - status counts

```
=COUNTIF(Orders!$G$2:$G$26,A8)
=COUNTIF(Orders!$G$2:$G$26,A9)
=COUNTIF(Orders!$G$2:$G$26,A10)
```

Dashboard Data B16:E16 - numeric weeks

```
=SUMIFS(Orders!$J$2:$J$26,Orders!$H$2:$H$26,B$15)
=SUMIFS(Orders!$J$2:$J$26,Orders!$H$2:$H$26,C$15)
=SUMIFS(Orders!$J$2:$J$26,Orders!$H$2:$H$26,D$15)
=SUMIFS(Orders!$J$2:$J$26,Orders!$H$2:$H$26,E$15)
```

Dashboard Data B19 - source total control

```
=SUM(Orders!J2:J26)
```

Dashboard B19 - source count

```
=COUNTA(Orders!A2:A26)
```

Dashboard B21 - Active Amount

```
=SUM(Orders!K2:K26)
```

Dashboard E20 - all-source comparison

```
=B20-SUM(Orders!J2:J26)
```

Dashboard A2 - labelled scenario population

```
PO025 extension test: all 25 orders including Cancelled. Amount in RM; no dashboard filter.
Historical practice tabs remain fixed.
```

Extension Checks D2:E9 - observed values after refresh

```
=COUNTA(Orders!A2:A26)  =D2-C2
=SUM(Orders!J2:J26)     =D3-C3
=SUM(Orders!K2:K26)     =D4-C4
=SUMIF(Orders!G2:G26,"Delivered",Orders!J2:J26) =D5-C5
=SUMIFS(Orders!J2:J26,Orders!B2:B26,"PJ-A",Orders!G2:G26,"Delivered")   =D6-C6
=SUMIFS(Orders!J2:J26,Orders!H2:H26,4)  =D7-C7
=COUNTIFS(Orders!G2:G26,"Pending",Orders!J2:J26,"⩾200")        =D8-C8
=COUNTUNIQUE(Orders!A2:A26)     =D9-C9
```

Extension Checks A12:B17 - independent reconciliation

```
Independent cross-check Result
All baseline 3158 + new 90      =3158+Orders!J26
Delivered baseline 1478 + new 90        =1478+Orders!J26
Native amount pivot total       ='Pivot Review'!E6
Native count pivot total        ='Pivot Counts'!E6
Dashboard status        =Dashboard!E23
```

Key Handover A1:B4 - exact keys and match counts first

```
Exact key test  Rates match count
IT01    =COUNTIF(Rates!$A$2:$A$7,A2)
IT99    =COUNTIF(Rates!$A$2:$A$7,A3)
IT02    =COUNTIF(Rates!$A$2:$A$7,A4)
```

Key Handover C1:E4 - guarded rate/disposition afterward

```
Guarded rate    Disposition     Amount allowed?
=IF(B2<>1,"Unresolved rate",VLOOKUP(A2,Rates!$A$2:$D$7,3,FALSE))
=IF(B2=1,"Mapped",IF(B2=0,"Open - unmapped key","Open - duplicate key"))        =IF(B2=1,"Use
checked rate","Hold - no numeric amount")
=IF(B3<>1,"Unresolved rate",VLOOKUP(A3,Rates!$A$2:$D$7,3,FALSE))
=IF(B3=1,"Mapped",IF(B3=0,"Open - unmapped key","Open - duplicate key"))        =IF(B3=1,"Use
checked rate","Hold - no numeric amount")
=IF(B4<>1,"Unresolved rate",VLOOKUP(A4,Rates!$A$2:$D$7,3,FALSE))
=IF(B4=1,"Mapped",IF(B4=0,"Open - unmapped key","Open - duplicate key"))        =IF(B4=1,"Use
checked rate","Hold - no numeric amount")
```

Key Handover A7:B10 - unresolved issue and source boundary

```
Open issue K01  IT99 has no supplied Rates mapping. Fixture stays outside Orders and scenario
totals.
Required evidence       A source owner must confirm the item/key/rate before a real mapping or
monetary calculation. No owner response was requested in this walkthrough.
Baseline preservation   Rates A1:D7 unchanged; no invented 0, no added mapping and no source
order with IT99.
Limits  This guard tests exact mapping cardinality, not real purchasing authority or semantic
correctness of a supplied price.
```

Handover Issues A1:C7 - actual findings and repair

```
Issue / observation     State   Evidence and disposition
K01 - IT99 mapping      Open - unresolved       Key Handover B3=0/C3=Unresolved rate. Hold
numeric amount; obtain authoritative mapping evidence before any real use. No Rates changes
made.
R01 - pivot commit instruction  Runbook repaired v2     Version 1 said extend pivots but
omitted explicit confirmation. Added Select data range → Orders!A1:K26 → OK, then reopen and
verify both pivots. Count 25 and amount 3248 prove saved coverage.
R02 - historical practice coverage      Scope clarified Validation Practice rules apply only
there, not Orders. Historical snapshots/tests/old Lab 9 prediction rows/old Dashboard Contract
remain fixed evidence; release manifest identifies active scenario tabs.
R03 - independently expected controls   Added release gate      Stale Dashboard initially
showed All checks pass at 24/3158. Require predicted count 25/all 3248 plus independent source
deltas and pivot reconciliation, not only internal zeros.
Automation note Corrected before release        Typing a range into sidebar and pressing Enter
did not persist in this attempt. Uncommitted captures excluded. Explicit picker + OK used and
totals rechecked. This is not evidence of a learner error.
Independent checks      Pending Real partner/reviewer, independent PO026 update, spoken
handover and 50-minute learner pilot have not been performed.
```

Runbook A17:B20 - version 2 repair after testing

```
Exact pivot update      Click inside Pivot Review → pencil/Edit pivot table → Select data
range → Orders!A1:K26 → OK. Repeat for Pivot Counts. Reopen each editor to verify saved
bounds. Expected totals 3248 and 25.
Chart check     Dashboard Chart editor Setup must still show A5:B8; data now 1070/1204/974.
Sparkline source Dashboard Data B16:E16 must now include 916 at week 4.
Independent release gate        Compare against predicted 25/3248/2028/1568 before accepting
zero differences. Old mutually stale summaries may show All checks pass while omitting the
added row.
Version 2 repair record Added explicit range-picker confirmation, separate count-pivot check,
accepted-input/manual-validation scope and historical-tab boundaries after the author
extension test. No partner review or PO026 test is implied.
```

Runbook A1:B3 - final version/accepted inputs clarification

```
Runbook v2 - tested PO025 procedure     Use Release Manifest to distinguish the preserved 24-
order baseline from the 25-order extension test. Never append the scenario to the baseline.
Source and grain        Orders A1:K25: one fictional order line per unique OrderID. Rates
A1:D7: one authoritative row per ItemCode. RM amounts; numeric practice weeks 1-4.
Accepted inputs Projects PJ-A/PJ-B/PJ-C; Teams Planning/Procurement/Site Coordination;
ItemCode must match exactly one Rates key; Quantity whole numeric ⩾0; Status
Delivered/Pending/Cancelled; Week numeric 1-4. Orders inputs require manual checks; validation
practice is a separate fixed lab.
```

Release Summary A1:D12 - fixed columnB with live comparisons C:D

```
FIXED SNAPSHOT - PO025 test     46322   B fixed; C:D live checks        Regenerate snapshot B
after update
Population      25 fictional Orders A1:K26      All includes Cancelled  Source baseline
preserved separately
Metric  Snapshot value  Checked live value      Difference
Order count     25      =Dashboard!B19  =B4-C4
All Amount (RM) 3248    =Dashboard!B20  =B5-C5
Active Amount (RM)      2028    =Dashboard!B21  =B6-C6
Delivered Amount (RM)   1568    =Dashboard!B22  =B7-C7
PJ-A all Amount (RM)    1070    =Dashboard!B6   =B8-C8
Delivered leader        PJ-A    =Dashboard!B25  =IF(B9=C9,"Match","Review")
Delivered leader Amount (RM)    646     =Dashboard!C25  =B10-C10
Peak practice week      4       =Dashboard!B27  =IF(B11=C11,"Match","Review")
Peak week Amount (RM)   916     =Dashboard!C27  =B12-C12
```

Release Manifest A1:B11 - retained role manifest

```
Release manifest - training handover    27 October 2026; author-checked PO025 extension. No
real project approval or external handover is implied.
Maintained recovery baseline    GW - Sheets Advanced - Handover Baseline: Orders 24/all
3158/active 1938/Delivered1478; Runbook v2 and Range Inventory. Original GW - Sheets Advanced
- Analysis remains unchanged.
Scenario test   GW - Sheets Advanced - PO025 Extension Test: Orders 25/all 3248/active
2028/Delivered1568. PO025 included exactly once; no PO026. Keep separate from recovery
baseline.
Active refresh path     Orders → Analysis / Database Analysis / Pivot Review / Pivot Counts -
> Dashboard Data → Dashboard. Extension Checks independently compares predictions, source
deltas and pivot totals.
Current fixed summary   In GW - Sheets Advanced - PO025 Extension Test, Release Summary
columnB holds fixed values dated27October2026; C:D are live comparison checks. Regenerate the
snapshot after later updates. It is not a new live data source.
Range contract  Active source ends row 26; database header rectangle A1:J26; both pivots
Orders!A1:K26 confirmed with picker+OK. Chart remains Dashboard A5:B8; weekly sparkline
follows Dashboard Data B16:E16.
Open issue      K01 IT99 stays Unresolved rate/Open-unmapped/Hold. It is a separate fixture,
excluded from Orders and totals. Rates six-key mapping is unchanged.
Historical evidence     All other practice/test tabs including Source Snapshot, drill-through
Detail1, Dashboard Contract and Dashboard Data rows 22:28 remain fixed earlier-lab evidence.
They are not refreshed scenario outputs.
Review state    Author walkthrough and fresh runbook read-through only. Independent PO026,
actual partner/reviewer, spoken handover and 50-minute classroom pilot remain pending.
Repair record   Handover Issues records the explicit pivot confirmation repair, stale-control
release gate and manual-validation boundary. Baseline/scenario count and exact source names
must be checked before reuse.
Next class recovery     Open Handover Baseline and confirm 24/3158/1938/1478 with inactive
named views. Do not merge PO025 or unresolved keys into that baseline.
```

Native objects - do not replace pivots with pasted output

In BOTH native Pivot Review and Pivot Counts: click inside the pivot, use the pencil/Edit pivot table, choose Select data range, type **Orders!A1:K26**, then **OK**. Reopen to confirm saved bounds. The amount pivot keeps SUM Amount; count pivot keeps COUNTA OrderID. Both retain Project rows and Status columns. Do not include the copied total rows 27:28. Merely typing a different sidebar value did not persist in the author attempt; the picker+OK path was verified.

Chart Setup stays Dashboard A5:B8. Verify the bars change 980/1204/974 →1070/1204/974. Weekly source Dashboard Data B16:E16 changes 728/754/850/826 →728/754/850/916; Dashboard B15 SPARKLINE follows it. Update source/formula/pivot coverage, not the fixed three-project chart shape.

Before adding PO025, Extension Checks B2:B9 uses original rows 2:25 and D is blank. Keep that original-bound column after adding the record. Predictions inC are 25/3248/2028/1568/646/916/0/25. After refresh paste D2:E9, label E1 Difference. In the recorded stale state Dashboard was green at 24/3158 despite PO025 already existing at row 26. Require independently expected counts and totals as well as zero differences.

Quantity must be a whole nonnegative number; validate Orders inputs manually. Native Quantity/Status rules and conditional formatting on Validation Practice belong to that fixed practice tab and do not protect Orders. Existing historical test/snapshot tabs stay outside the current scenario refresh path. Keep this boundary in the manifest.

Release Summary B4:B12 contains literals forming a dated fixed snapshot; C:D are live comparisons. That sheet is in the PO025 Extension Test workbook. The recovery copy contains the same role manifest, not a second scenario source. Keep K01 open until authoritative key/rate evidence is provided. No external sharing or owner contact was performed.

The fresh-view runbook navigation was an author read-through after closing the previous extension working browser tab. It does not establish independent partner success. The separate PO026 challenge remains unperformed; do not combine PO026 with PO025 without defining and reconciling another scenario.

Google Sheets Advanced

A practical 2-day course with step-by-step draft labs, copy-ready prompts, fictional inputs and expected-result checks. Use the supplied practice pack. Full lab execution, screenshots and classroom timing validation remain required before participant release.

Asraf Jaafar Sidik · Microsoft Certified Trainer ·