GOOGLE WORKSPACE TRAINING

Google Docs

One-day course review draft

Build and check practical workplace outputs with fictional project data. Labs 1-8 include 165 real stage captures. Independent reader review, challenges and learner timing remain pending.

Delivered by Asraf · Microsoft Certified Trainer

Google Docs

One-day course review draft · Review draft, version 0.4

© 2026 Asraf Jaafar Sidik. All rights reserved.

Resources: Use the practice files supplied with this review package.

Google, Google Workspace, Gmail, Google Drive, Google Docs, Google Sheets, Google Slides, Google Sites, Gemini and NotebookLM are names associated with Google. This independent training guide is not published or endorsed by Google.

Screenshots show the product at the time of writing. Google updates its apps often, so labels, availability and layouts in your account may differ. This review draft still requires full lab validation.

About the author

Asraf is a Microsoft Certified Trainer and HRD Corp-certified IT trainer based in Malaysia. He has been teaching working professionals since 2008, helping teams at banks, pharmaceutical companies, construction firms, and retailers get real work done with Microsoft 365, Power Platform, Excel, Google Workspace, and, more recently, AI tools like Copilot.

He holds a Bachelor of Information Technology (Multimedia) from the University of Malaya, along with Microsoft certifications in Power BI (PL-300) and AI for business (AB-730). Outside the classroom he writes his own automation tools in Python and Node.js, mostly to save himself from doing the same task twice.

He runs his training practice solo, which means he has personally felt every inefficiency this book tries to fix.

Contents

Before you begin 5

1 Prepare the Document and Sources 6
1.1 Prepare a Working Copy 6
1.2 Separate Facts and Requirements 7
1.3 Check the File 8
1.4 Build a Source and Requirements Register 9

2 Plan and Draft with Gemini 19
2.1 Define the Reader and Task 19
2.2 Review the Draft 20
2.3 Insert the Checked Text 22
2.4 Develop an Executable Procedure and Test Its Logic 24

3 Apply Styles and Navigation 31
3.1 Apply the Heading Hierarchy 32
3.2 Insert and Refresh the Contents 33
3.3 Create a Bookmark Link 35
3.4 Organise a Longer Document and Repair Its Navigation 36

4 Prepare a Professional Page Layout 48
4.1 Choose the Document Format 48
4.2 Add Page Elements 51
4.3 Check Page Breaks 53
4.4 Lay Out a Usable Multi-Page Procedure 57

5 Review and Collaborate 70
5.1 Practise Suggestions 71
5.2 Handle a Comment 74
5.3 Keep a Review Milestone 76
5.4 Run a Controlled Editorial Review 78

6 Adapt and Check the Document 92
6.1 Adapt for the Sponsor 92
6.2 Check Translation 94
6.3 Inspect Accessibility 97
6.4 Adapt for Two Readers and Audit Meaning 97

7 Export and Check Interoperability 102
7.1 Export Two Formats 102
7.2 Inspect the Copies 103
7.3 Choose the Handover 104
7.4 Test Conversion and Issue a Reproducible Release 105

8 Complete the Procedure Challenge 118
8.1 Revise the Procedure 118
8.2 Run the Review 120
8.3 Demonstrate the Handover 122
8.4 Complete an Unfamiliar Revision and Reader Test 124

INTRODUCTION

Before you begin

This review book accompanies Google Docs. Work through its chapters in order and keep the original practice inputs unchanged. The same notes and prompts also appear in the local course website.

Current Status

All chapters in this book are written drafts. Most have not yet been executed end to end in the application. The masterclass's reference brief chapter has a tested core path with a recorded recovery prompt; that does not validate the other exercises. Treat VERIFY notes and draft notices as production work still to complete.

What You Need

Use a desktop browser and the Google account approved for the class. Confirm app and AI access beforehand. Edition, administrator controls and language can affect availability.

Download the supplied fictional practice pack. No real client or personnel record is needed. Dataset week fields are relative practice weeks, not an agreed pilot start date.

How to Use the Exercises

Follow the numbered steps, attempt the output and then open the expected-result box. AI wording can vary; source facts and approval conditions must remain correct.

Values and prompts appear directly beneath the steps that use them. Replace source placeholders before submitting. Inspect proposed edits before applying them. Drafting does not authorise sending, inviting people or publishing.

Course Timing

This course is planned for 1 day, with 390 teaching minutes per day, excluding breaks and lunch. Estimates include practice, checks and discussion and need a classroom pilot.

Each course supplies independent starting inputs. Use a stated recovery file if an earlier output is missing.

Expanded Casework

Revision 0.4 adds casework, independent challenges and evidence gates to every chapter. The original short guided path alone is insufficient. Timings are targets, not measured learner results. Read each case input and keep baseline and scenario files separate.

01

CHAPTER 1

Prepare the Document and Sources

You are preparing a reporting procedure for a project team. Before writing it, you need to know which files to trust and which decisions are still open. In this lab, you will organise the working document, check the supplied evidence and write an accurate introduction for its readers.

Estimated time: 40 minutes including explanation, guided work and independent checks.

Your result: One Google Doc with a reader-facing purpose statement at the top and an Authoring Log containing the supporting evidence below it. Keep this file for Lab 02.

> **Skills you will demonstrate:** create and find a named Google Doc; select and underline text; insert a formatted table; create and test descriptive links; distinguish a supplied fact from a proposed rule or an unresolved decision.

What You Will Learn

- **Organise a working file:** save it in the right folder and reopen it.
- **Make evidence easy to find:** use tables and descriptive links.
- **Write accurately:** keep the budget proposed and the start date unresolved.

Before You Begin

Download project facts, checked brief and reporting guidance. Save the three unchanged files in one folder on your computer. These are fictional training inputs. You can take this course without attending the masterclass.

How to follow this guide: finish one small task in Google Docs, then return to its **Check** before continuing. Short names can be typed. Use one Copy button for each supplied block; it includes all the lines needed for that task. Each **Copy heading and table** button includes its heading and every table cell. Paste tables on a blank line outside an existing table with **Ctrl+V**.

What needs your thinking? The tables are supplied to save typing. Your work is to verify their claims, test the links and explain the unresolved decisions. You do not need to recreate the reference screenshots exactly.

1.1 Prepare a Working Copy

Why: you need a clearly named working document while keeping the supplied brief unchanged.

A. Create the practice folder

1. Open Google Drive.
2. Click **New** → **New folder**. Name it `GW - Docs - Practice` and click **Create**.
3. Double-click the folder to open it.



The folder name appears in the path at the top. It is still empty.

Check: the folder name appears above an empty file area.

B. Put the brief in a new document

1. Open your downloaded `checked-brief.txt` in a text editor. Press **Ctrl+A**, then **Ctrl+C**.
2. Return to your practice folder. Click **New** → **Google Docs** → **Blank document**.
3. Click **Untitled document**. Type `GW - Reporting Procedure - Working` and press **Enter**.
4. Click in the page and press **Ctrl+V** once.



The title box shows the document name. Only the supplied brief is in the body at this stage.

Check: the document has the correct name and contains the brief. The original `.txt` file is unchanged. Keep this document open.

1.2 Separate Facts and Requirements

Why: the brief explains the project. The requirements explain what your future procedure must help a reader do. Mixing them up can turn a proposal into an apparent approval.

A. Add the supplied requirements in one paste

1. Click at the end of the brief and press **Enter** twice.
2. Copy the complete block below once. Return to the document and press **Ctrl+V**.

```
Procedure Requirements
Reader: team members submitting a weekly report.
Required topics: prepare the update; check statuses; submit for review; handle unresolved
questions.

Working source notes:
Budget: proposed ceiling RM 12000, not approved.
Start date: not yet agreed; do not substitute a calendar date.
```

B. Identify the facts that must survive later editing

1. Open `project-facts.txt` and find its budget and start-date statements.
2. Return to your Google Doc. Select the two lines beginning **Budget:** and **Start date:**.
3. Press **Ctrl+U** to underline the selected lines. Click elsewhere to clear the selection.



The requirements describe the reader and topics. The underlined notes are the source facts the procedure must preserve.

Check: both lines are underlined. Explain to a partner: “RM 12000 is proposed; the start date is not agreed.” These meanings must remain true when you draft with Gemini in Lab 02.

1.3 Check the File

Why: a document is useful only if you can find it again and know who can open it.

A. Reopen your saved work

1. Wait until **Saving…** disappears beside the document title.
2. Close the document tab. In **GW - Docs - Practice**, double-click your working document.
3. Check its title and the two underlined lines.



Double-click the document in its practice folder to reopen it.

B. Inspect access

1. Click **Share**.
2. Under **General access**, check that it says **Restricted**. Do not add anyone.
3. Click **Done**.



Restricted means only people you add can open the file. Close the dialog with Done without inviting anyone.

Check: you reopened the correct file and confirmed its access. Restricted means that only people explicitly given access can open it.

1.4 Build a Source and Requirements Register

This part creates your **Authoring Log**: the evidence behind the procedure. Work through 1.4.1 to 1.4.7 in order. Each Check is a stopping point; finish it before changing tabs again.

1.4.1 Add the source register

Why: each source has a different job. This register records what you can—and cannot—claim from it.

1. In your working document, go to the end and press **Enter** twice to make a blank line.

2. Click **Copy heading and table** below. In Google Docs, click that blank line and press **Ctrl+V** once. The two headings and complete table paste together.
3. Read the last column. Find the row that warns against treating guidance as approved company policy.

Authoring Log
Source register - fictional training inputs

Source	Version label	What it establishes	What it does not establish
project-facts.txt	Supplied training facts	Purpose; teams; Friday reporting; proposed RM 12000; four relative weeks.	No approved budget, agreed start date or purchasing authority.
checked-brief.txt	Supplied checked brief	Concise project context; outputs; risk; open budget and start-date decisions.	No approved reporting procedure or resolved decisions.
reporting-guidance.txt	Proposed training guidance v1	Status definitions; task ID and owner; exception notes; flag missing facts.	No approved company policy, calendar start, budget or purchases.



Each source has its own row. None of them supplies an approved budget or a calendar start date.

Check: both headings and all three source rows are present. The policy warning belongs to `reporting-guidance.txt`. You have inserted and read a formatted evidence table.

1.4.2 Check the reader questions

Why: a useful procedure answers the questions a contributor will actually ask. The evidence column is already filled in so you can concentrate on checking the answers.

1. Click below the source register, outside the table, and create a blank line.
2. Use **Copy heading and table** below, then paste once with **Ctrl+V**.
3. Open `reporting-guidance.txt`. Find the statements supporting the Friday deadline and the missing-information rule. Return to your document and compare them with the last two rows.

Reader questions and evidence

Reader question	Evidence or unresolved item
What should I submit?	reporting-guidance.txt: a weekly update containing task ID, owner, status and a short exception note when needed. Submission channel and review recipient: Unresolved.
Which task must I identify?	reporting-guidance.txt: report the task ID and owner. If either is missing, flag it for clarification.
Which status should I use?	reporting-guidance.txt: Not Started, In Progress or Complete, using the proposed definitions in version 1.
When should I prepare it?	project-facts.txt and reporting-guidance.txt: every Friday during the four-week pilot. Calendar start date and cut-off time: Unresolved.
How do I handle missing information?	reporting-guidance.txt: flag missing owners, facts or decisions for clarification; do not invent values. Clarification response deadline: Unresolved.



Five reader questions, each answered from a named source or marked Unresolved.

Check: both columns contain text. Explain why “Friday” can be stated while an exact start date cannot. The screenshot shows an earlier reference wording; use the completed table above for this task.

1.4.3 Record the proposed status definitions

Why: contributors need a shared meaning for status. These definitions are proposed training guidance; the label prevents a reader from mistaking them for approved policy.

1. Below the questions table, outside it, leave a blank line.
2. Copy and paste this entire block once.
3. Read the difference between work beginning and the owner confirming completion.

```
Proposed training guidance - status definitions
Complete: the task owner has confirmed that the agreed task output is ready for review.
In Progress: work has begun but the owner has not confirmed completion.
These are proposed operational definitions for training, not approved project commitments.
```

Check: the proposed-guidance label and both definitions are present. A task that has begun but is not confirmed complete is **In Progress**.

1.4.4 Add and test the source links

Why: descriptive links let the next reader check the evidence without searching through files. The skill here is creating and testing links.

A. Upload the originals

1. Open the **GW - Docs - Practice** folder in Drive.
2. Click **New** → **File upload** and select your three downloaded `.txt` files. Wait for the uploads to finish.

The three original text files are separate from the native working document.

B. Add all link labels in one paste

1. Return to your document and leave a blank line below the status definitions.
2. Copy and paste the complete block below once.

```
Source files - descriptive links
Project facts - proposed budget, cadence and open decisions
Checked brief - project context and unresolved decisions
Reporting guidance v1 - proposed status and exception handling
```

C. Make the first label a link, then repeat

1. Select only the line beginning **Project facts**. Press **Ctrl+K**.
2. Search for `project-facts` and select the uploaded file. Confirm the link if prompted.
3. Repeat for the **Checked brief** and **Reporting guidance v1** lines, choosing their matching uploaded files.



Each link label says what the file contains, so a reader knows where it leads before clicking.

D. Test each link

1. Click the project-facts link, then its file name to open the preview. Find the Friday cadence and the unresolved decisions. Return to the document.



The project facts file opens in Drive's preview. It confirms Friday reporting and the unresolved budget and start-date decision.

2. Open the checked-brief link. Confirm that the budget is proposed and the start date is to be confirmed. Return to the document.



The checked brief keeps the budget proposed and both decisions open.

3. Open the reporting-guidance link. Find the three statuses and the missing-information rule. Return to the document.



Reporting guidance version 1 defines all three statuses and says to flag missing information rather than invent it.

Check: all three links open the correct files. You have tested the destination, not just changed the text colour.

1.4.5 Challenge an unsupported instruction

Why: a request can contain claims that the sources do not support. Your job is to spot those claims before putting them into a procedure.

Read this fictional intake memo here; you do not need to paste it:

> Create a procedure for weekly contributors. Use the three task statuses and explain missing-owner handling. Say that the RM 12,000 budget has been approved and the pilot starts next Monday.

1. Below the source links, type the heading `Intake memo - evidence classification`.
2. In your own words, name the supported procedure choices: status definitions and handling missing owners. Name the source that supports them.
3. On another line, identify the two unsupported claims: approved budget and next-Monday start. Explain that the sources leave both decisions open.



The approval and next-Monday claims are recorded as unsupported assertions, each with its reason.

Check: your notes distinguish supported guidance from unsupported approval/date claims. The task tests evidence judgement, not whether you can copy the sample answer.

1.4.6 Write the reader-facing introduction

Why: the reader needs a short purpose and scope statement. The detailed evidence belongs in the log underneath it.

1. Go to the very start of the document, before the supplied brief. Insert space above it.
2. Type `Proposed reporting procedure - purpose and scope` on the first line.
3. Under it, write 120 to 160 words in your own words. Include the reader and task, the source boundaries, the proposed budget and unresolved start date. Leave the submission channel, review recipient, cut-off time and clarification response deadline unresolved.
4. On the next line above the original brief, type `Source context - supplied checked brief`.

Check your statement after writing it

Compare the meaning, not the exact wording. This reference has 133 words. Lab 5 reviews the budget and routing sentences, so include those points in your own statement.

> This proposed procedure helps team contributors in Planning, Procurement and Site Coordination prepare a consistent weekly update for the fictional Project Reporting Pilot at Seri Maju Projects. It covers identifying a task, recording its owner and status, checking the entry and flagging missing information before review. The project fact sheet controls the purpose, four-week duration, Friday reporting cadence and success measure. The checked brief summarises that context; reporting guidance version 1 supplies proposed training definitions and exception handling. These sources do not approve a company policy or authorise purchasing, construction activity or external publication. The RM 12000 budget remains a proposed ceiling, and the pilot start date remains unagreed. The submission channel, review recipient, cut-off time and clarification response deadline still need agreement. Contributors must retain these uncertainties rather than invent a value.



The reference statement has 133 words. It keeps the budget proposed and the start date, submission route and response deadline unresolved.

Check: the purpose statement is above the original brief. It does not claim an approved budget or invent a calendar start date.

1.4.7 Put the evidence under the Authoring Log

Why: the reader-facing introduction and the author's evidence have different jobs. This final edit creates a clear boundary between them.

1. Find the **Authoring Log** heading above the source register. Select that line and press **Ctrl+X**.
2. Click at the end of your new purpose statement, create a new line and press **Ctrl+V**. The log heading should now be above **Source context - supplied checked brief**.
3. Read from the top: purpose heading → your statement → Authoring Log → source context and supporting evidence.



The arrow marks the moved Authoring Log heading. The source context and evidence follow it.

4. Wait for the file to save. Close it and reopen it from your practice folder. Check that the log and three links are still there.



Reopening from the folder keeps the links and the classified memo.

Check: your introduction comes first; the source context, requirements, tables, links and memo notes follow under Authoring Log. Keep this document for Lab 02.

Independent Practice

What is being tested: explain a source boundary and retrieve evidence without following the earlier clicks. The supplied tables are reference material, not a test of typing speed.

1. Give a partner only your document. Ask them to use its links to find evidence for Friday reporting and the unresolved budget/start date. If working alone, close the source tabs and do the same retrieval yourself.
2. Write a two-sentence reply to the intake memo correcting its budget and start-date claims. Use your own words and do not invent a decision-maker or date.
3. Create six observable acceptance checks for the future procedure. For example: “A reader can find the status definitions.” Test one check now and record whether it passes.

Evidence to Hand Over

- A correctly named document that you can reopen, with restricted access checked.
- Two underlined source facts, two completed evidence tables and three tested source links.
- Your own purpose statement and memo response, preserving unresolved decisions.
- Six acceptance checks and the result of one check you performed.

Be ready to explain one claim that is supported and one that remains unresolved. A completed document alone does not show that you understood the source boundaries.

Troubleshooting

Symptom	What to check
I lost my place after switching tabs	Return to the last **Check**. Confirm that result in your document, then do the next small task.

My pasted table appeared inside another cell	Undo once. Click a blank paragraph outside the existing table and paste with Ctrl+V.
I see two headings above a table	Both belong to the source register. **Copy heading and table** includes them in the same paste.
A source file is not found in the link search	Check that all three .txt files finished uploading to your practice folder.
A proposal sounds like an approval	Reopen project-facts.txt. Preserve the proposed budget and unresolved start date.

Lesson Summary

You organised a working document, inserted evidence tables and created links that a reader can test. You also checked the meaning of the sources before drafting. In Lab 02, you will use these requirements and source boundaries to plan a procedure with Gemini.

Check yourself: Why can you write “updates every Friday” but not “the pilot starts next Monday”?

02

CHAPTER 2

Plan and Draft with Gemini

In this chapter you will generate an outline, draft from supplied evidence and record unsupported claims.

Estimated time: 55 minutes, planned as 10 explanation and demonstration, 25 guided build and casework, 15 independent practice and 5 verification and repair. Not yet timed with learners.

Your result: A checked proposed procedure with outstanding sponsor questions.

> **Status:** real-app reference route captured with 13 stage images. Gemini response reviewed, eight-step table verified and normal/missing-owner paper routes checked. Independent late/incomplete challenge and reviewer pilot remain pending.

What You Will Learn

- Specify a useful drafting task.
- Review an AI proposal before using it.
- Preserve unresolved facts in a procedure.

Before You Begin

Read the case input beside the relevant steps. Use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use your `GW - Reporting Procedure - Working` document from Lab 1, the supplied project facts, reporting guidance and Tasks.csv. If Gemini isn't available in your account, follow the **No Gemini?** notes: you'll use the reference draft provided below instead and still do every check.

2.1 Define the Reader and Task

> **No Gemini?** Skip 2.1 and step 1 of 2.2. Copy the **Reference Checked Draft** in section 2.3, paste it at the end of your document and review it in 2.2 step 2 exactly as you would a Gemini response.

1. In your working document, click **Ask Gemini** (the star button at the top right). The Gemini panel opens on the right.
2. Copy the prompt below and paste it into the **Ask Gemini** box at the bottom of the panel. Replace `[paste project-facts.txt]` with the whole text of `project-facts.txt`. Don't submit yet.

Copy: Draft a Procedure

Session: new Gemini panel chat | **Grounding:** pasted project-facts.txt

```
Goal: Propose a weekly reporting procedure for team members.
Context: Fictional Seri Maju Projects training exercise.
Source: Only the facts pasted below.
Expectations: Reply in the panel only, without editing my document. Use headings Prepare,
Check, Submit for Review and Resolve Questions, with numbered steps. Label operational steps
as proposed training practice. Preserve the proposed budget and unresolved start date. Do not
invent approval authorities, deadlines or systems.

FACTS:
[paste project-facts.txt]
```

3. Read the prompt again before submitting. It asks for an answer in the panel and a proposed procedure, not a change to your document or to company policy.



The prompt includes the actual fact sheet. It is still in the box, waiting to be submitted.

What should you see?

The request names the reader, source and output format. No source placeholder remains.

2.2 Review the Draft

1. Click **Submit** (the arrow at the bottom right of the panel) and read the whole response, scrolling down the panel. If Gemini offers to edit your document instead, click **Reject all**: this lab only uses the panel.



This is still an unreviewed proposal. Its Check section mentions Complete and In Progress but leaves out Not Started.



"Route submissions according to the project structure" doesn't tell a reader where to send anything.

2. Compare every instruction in the response with `project-facts.txt` and `reporting-guidance.txt`. At the end of the document, type `AI draft review` and today's date, then record what the response got right and each repair it needs. Check at least these three things: does Check list all three statuses, is the submission route specific, and did it use anything other than the pasted facts?

Copy: Typed Values

```
AI draft review
```



The review records the missing status, the vague routing instruction and the source-boundary issue.

> **What should you see?**
>
> The draft distinguishes known project facts from a proposed training procedure. The budget and start date remain unresolved.

2.3 Insert the Checked Text

1. Open `project-facts.txt` in another tab and keep it open while you write, so you (and later a reviewer) can compare every commitment with the source.
2. Click at the end of the purpose statement at the top of the document (above **Authoring Log**) and press **Enter** twice. Type `Weekly reporting procedure - proposed training practice`, then write the checked procedure under four labels: Prepare, Check, Submit for Review and Resolve Questions, with eight numbered steps. Use the response only where your review in 2.2 found it correct, and fix the repairs you recorded. Leave step 4's missing status for now: in 2.4 the procedure plan checks every step against the guidance, and you repair step 4 there. The reference wording is provided below if you want to compare.

Copy: Typed Values

```
Weekly reporting procedure - proposed training practice
```

Copy: Reference Checked Draft

Use this in section 2.3 to compare with your own checked procedure, or as the draft to review if Gemini isn't available. Step 4 is repaired later, in section 2.4.

```
Weekly reporting procedure - proposed training practice
Prepare
1. Identify your task in Planning, Procurement or Site Coordination. Preserve the source task ID and owner; flag missing information for clarification rather than inventing it.
2. Gather the current task update and a short exception note. Use fictional training data only; exclude live construction records and purchasing commitments.
Check
3. Compare project context with the fact sheet: the pilot runs four weeks from an agreed start date and requires a Friday update. RM 12000 remains proposed, not approved.
4. Confirm that operational instructions are labelled proposed training practice. If a fact or instruction has no evidence, retain an unresolved question.
Submit for Review
5. Prepare the weekly status update for Friday review. The submission channel, review recipient and cut-off time are unresolved; request agreement before treating a draft route as operational.
6. Check that the brief, task register, weekly update and project hub remain the four intended outputs. This training draft does not authorise sending or publication.
Resolve Questions
7. Record ambiguous statuses, missing owners and unsupported commitments as questions requiring clarification. Do not turn uncertainty into a completed task or an approved decision.
8. Recheck the entry against its sources after clarification. Until evidence is supplied, preserve the unresolved value and keep the draft distinguishable from an approved record.
```



The checked procedure sits in the reader-facing part of the document. The Gemini response and your review stay in the Authoring Log.

3. Under step 8, type `Questions for the Sponsor` and the two unresolved decisions provided below.

Copy: Typed Values

```
Questions for the Sponsor
- Is the proposed RM 12000 budget approved? Open decision; sponsor approval is not evidenced.
- What is the agreed pilot start date? Open decision; no calendar date or approval authority is inferred.
```



The draft ends with two open sponsor questions. It doesn't invent an approval or a calendar date.

What should you see?

The procedure and its outstanding questions are readable without the Gemini conversation.

2.4 Develop an Executable Procedure and Test Its Logic

1. At the end of the document (in the Authoring Log), type `Procedure plan - eight steps across four sections` and the sources line provided below. Click **Copy table** above the procedure-plan table below, then paste it on a blank line outside any table in Google Docs using **Ctrl+V**. This inserts the 5-column, 9-row scaffold at once. Fill one row for each of the eight procedure steps.

Copy: Procedure Plan

Section 2.4, step 1. Type the label and sources line, then build the table and fill the Input, Action, Output and Check cells yourself.

```
Procedure plan - eight steps across four sections
Sources: project-facts.txt (facts); reporting-guidance.txt v1 (proposed guidance). Workflow details below are proposed practice.
```

Step	Input	Action	Output	Check
1 Prepare				
2 Prepare				
3 Check				
4 Check				
5 Submit				
6 Submit				

7 Resolve

8 Resolve



Step	Input	Action	Output	Check
1 Prepare	Task record	Identify task ID and recorded owner. (guidance)	Identified task	No invented ID or owner.
2 Prepare	Task update	Collect status and exception note. (guidance)	Draft entry	Fictional inputs only.
3 Check	Recorded status	Compare all three guidance definitions.	Valid category or query	Not Started / In Progress / Complete.
4 Check	Facts and draft	Keep Friday cadence; budget proposed; start unresolved. (facts)	Checked context	No approval or date invented.
5 Submit	Checked entry	Prepare weekly update for Friday review. (facts + proposed workflow)	Review-ready draft	Task ID, owner, status, exception.
6 Submit	Routing questions	Request channel, recipient and cut-off agreement. (proposed)	Open routing query	No real send or assumed system.
7 Resolve	Missing information	Flag missing owner; retain status and ask clarification. (guidance)	Exception record	No guessed assignment.
8 Resolve	Clarification evidence	Recheck s…	Checked revision	Budget and start decisions

Each step has an input, an action, an output and a check. Source labels in brackets show where each action comes from.



6 Submit	Routing questions	Request channel, recipient and cut-off agreement. (proposed)	Open routing query	No real send or assumed system.
7 Resolve	Missing information	Flag missing owner; retain status and ask clarification. (guidance)	Exception record	No guessed assignment.
8 Resolve	Clarification evidence	Recheck sources; record evidence or retain unresolved. (proposed)	Checked revision	Budget and start decisions stay open.

Steps 6 to 8 cover routing questions, missing information and rechecking after clarification.

2. Check the plan against `reporting-guidance.txt` and the fact sheet. Mark each factual instruction with its source in brackets, such as `(facts)` or `(guidance)`, and mark workflow details you designed as `(proposed)`. Then fix procedure step 4 so that it lists all three statuses (Not Started, In Progress and Complete), the repair your AI draft review asked for.

Copy: Reference Step 4

```
4. Check the three proposed guidance categories: Not Started means work has not begun; In Progress means work has begun without owner-confirmed completion; Complete means the owner has confirmed the agreed output is ready for review. Preserve an unfamiliar label as a clarification query rather than inventing a mapping.
```



The arrow marks the repaired step 4. An unfamiliar label becomes a clarification query rather than a guessed status.

3. Below the plan, type `Example weekly submission - fictional supplied record` and write a submission for task T001 from `Tasks.csv`: its TaskID, owner, status and exception note.

Copy: Typed Values

```
Example weekly submission - fictional supplied record
```

4. Below the example, type `Missing-owner route - proposed practice` and describe what happens for test card T-TEST-A provided below . The route must stop anyone from guessing an owner and say what needs clarifying.

Case input to analyse

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Walkthrough A: TaskID T-TEST-A, owner missing, status In Progress, exception “awaiting owner confirmation”. Walkthrough B: TaskID T-TEST-B, owner Siti Aminah, status Blocked. These are separate fictional procedure test cases; do not add them to the task workbook.
```

Copy: Typed Values

```
Missing-owner route - proposed practice
```



The supplied T001 record and the missing-owner test card are kept separate. No owner is invented.

5. Do two paper walkthroughs. Type `Paper walkthrough A - normal supplied T001` and follow the procedure with T001, noting where it gives a clear next action. Then type `Paper walkthrough B - incomplete card T-TEST-A` and do the same with the missing-owner card. Note any step where a reader wouldn't know what to do next.

Copy: Walkthrough Labels

```
Paper walkthrough A - normal supplied T001
```

```
Paper walkthrough B - incomplete card T-TEST-A
```

6. Repair the ambiguity you found. Rewrite procedure step 5 (Submit for Review) to make it clearer, using Gemini or by hand. Above `Paper walkthrough A`, type `Before:` and `After:` lines with the old and new wording, and a `Preserved checks:` line listing what the rewrite kept.

Copy: Before and After Labels

```
Before:
After:
Preserved checks:
```

Copy: Reference Step 5

```
5. Prepare a review-ready draft containing task ID, recorded owner, one supported status and
an exception note when needed. The fact sheet requires Friday reporting. Before sending,
obtain agreement on the submission channel, review recipient and cut-off time; if any is
missing, retain the draft and record a routing query. This exercise sends nothing.
```



The new step 5 keeps the draft and records a routing query while the channel, recipient and cut-off are unresolved.

7. Under each walkthrough, record the ambiguity and the repair you made, then follow the repaired step again to check it now gives a clear next action.



Walkthrough A found that "request agreement" didn't say what to do with the draft while waiting. Step 5 was repaired.

8. Type `Submission distinction`, then click **Copy table** above the table below and paste it on a blank line. It has the headings Record type and Observable distinction. Fill the rows Complete submission and Unresolved question. Keep both project decisions unresolved.

Copy: Submission Distinction

```
Submission distinction
```

Record type	Observable distinction

Complete submission
Unresolved question



A complete submission can be review-ready while its route is unresolved. An unresolved question keeps the draft and asks for evidence.

What should you see?

An eight-step plan with inputs, outputs and checks, a repaired step 4, a T001 example, a missing-owner route, two walkthroughs with a recorded repair, and the submission distinction table. The result must be supported by the recorded checks; an attractive output or an AI assurance is insufficient.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Write a new **Late or Incomplete Submission** subsection without using the earlier drafting prompt. Give a reader a clear action, an exception record and a review check.
2. Test it with both card examples, one containing a missing owner and one an unfamiliar status. Do not silently convert “Blocked” into Complete or invent a new reporting deadline.
3. Ask a reviewer to execute the written steps verbally. Revise one ambiguity and save the source comparison in the Authoring Log.

Evidence to Hand Over

- Eight-step procedure with inputs, outputs and checks.
- Normal and exception walkthroughs with a recorded repair.
- Independent late/incomplete subsection that preserves uncertainty.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
A shorter rewrite loses a required check	Compare the before-and-after input/action/output table and restore the missing check.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

You created a source-constrained draft. Structure and navigation will make it usable as a longer document.

Check yourself: Can you identify one instruction that is a proposed procedure step rather than a source fact?

03

CHAPTER 3

Apply Styles and Navigation

In this chapter you will use heading styles, a contents list and bookmarks to make a long document navigable.

Estimated time: 55 minutes, planned as 10 explanation and demonstration, 25 guided build and casework, 15 independent practice and 5 verification and repair. Not yet timed with learners.

Your result: A styled procedure with a contents list and working internal links.

> **Status:** real-app reference route captured with 24 stage images. Heading hierarchy, refreshed contents, bookmark, three shortcuts, separate Examples tab, cross-tab links and moved/renamed subsection checked. Retrieval was an author check; independent challenge, partner test and export scope remain pending.

What You Will Learn

- Apply heading styles consistently.
- Insert and refresh a contents list.
- Link to a section with a bookmark.

Before You Begin

Read the case input beside the relevant steps. Use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use your `GW - Reporting Procedure - Working` document from Lab 2. If you did not do Lab 2, place the following reference draft under your purpose statement before starting.

Copy the prerequisite procedure draft if you skipped Lab 2

This is the supplied draft from Lab 2. If you skipped that lab, review it against the source files before using it.

```
Weekly reporting procedure - proposed training practice
Prepare
1. Identify your task in Planning, Procurement or Site Coordination. Preserve the source task ID and owner; flag missing information for clarification rather than inventing it.
2. Gather the current task update and a short exception note. Use fictional training data only; exclude live construction records and purchasing commitments.
Check
3. Compare project context with the fact sheet: the pilot runs four weeks from an agreed start date and requires a Friday update. RM 12000 remains proposed, not approved.
4. Confirm that operational instructions are labelled proposed training practice. If a fact or instruction has no evidence, retain an unresolved question.
Submit for Review
5. Prepare the weekly status update for Friday review. The submission channel, review recipient and cut-off time are unresolved; request agreement before treating a draft route as operational.
6. Check that the brief, task register, weekly update and project hub remain the four intended outputs. This training draft does not authorise sending or publication.
Resolve Questions
7. Record ambiguous statuses, missing owners and unsupported commitments as questions requiring clarification. Do not turn uncertainty into a completed task or an approved decision.
8. Recheck the entry against its sources after clarification. Until evidence is supplied, preserve the unresolved value and keep the draft distinguishable from an approved record.
```

3.1 Apply the Heading Hierarchy

1. Click anywhere in the first line, `Proposed reporting procedure - purpose and scope`. Open the style list in the toolbar (it shows **Normal text**) and choose **Title**.



The style list now shows Title. The line is the document's title, not just larger text.

2. Click in the word **Prepare** and choose **Heading 1** from the style list. Do the same for Check, Submit for Review, Resolve Questions and Questions for the Sponsor. Click **Show tabs and outlines** (the list icon at the top left) to see the outline.
3. Click at the end of the **Check** heading and press **Enter**. Type `Status Definitions` and choose **Heading 2**. Press **Enter** and type the explanation line provided below in normal text.

Copy: Typed Values

Section 3.1, step 3, and section 3.2, step 3:

```
Status Definitions
```

Copy: Typed Values

```
Use reporting-guidance.txt version 1 for these proposed training definitions. The status check below preserves all three categories.
```



The outline is built from heading styles. Status Definitions is indented because it is Heading 2.

What should you see?

The outline lists the main sections and nests Status Definitions beneath Check.

3.2 Insert and Refresh the Contents

1. Click at the end of the purpose paragraph and press **Enter**. Click **Insert**, **Table of contents** and choose the style with blue links.



Each entry is a link generated from a heading style. Nothing in this list is typed by hand.

2. Click the **Status Definitions** entry and check that the document jumps to that heading.
3. Click in the **Check** heading and change it to `Check the Update`. Scroll back up: the contents still says Check. Click inside the contents list, then click the **Update table of contents** button (the circular arrow at its top left).

Copy: Typed Values

```
Check the Update
```



The arrow marks the out-of-date entry. The contents doesn't change until you update it.



After clicking the update button, the entry matches the renamed heading.

What should you see?

The contents shows the revised heading. It is generated from styles rather than a manually typed list.

3.3 Create a Bookmark Link

1. Click at the start of the **Status Definitions** heading. Click **Insert**, **Bookmark**. A small Bookmark box appears under the heading.



The blue marker shows where the bookmark is. The box has a copy-link button and a remove button.

2. Click at the end of the purpose paragraph (above the contents) and press **Enter**. Type `Review the status definitions` and select it. Click **Insert link** (or press **Ctrl+K**), click **Headings and bookmarks**

and choose the **Status Definitions** bookmark.



The shortcut sits outside the contents list, so refreshing the contents doesn't remove it.

3. Click the link and choose its address in the pop-up. Check that the document jumps to Status Definitions.

What should you see?

The internal link reaches the definitions without exposing or changing file permissions.

3.4 Organise a Longer Document and Repair Its Navigation

1. Add three subsections, each as **Heading 2** with the text provided below underneath in normal text: **Required Fields** under Prepare, **Submission Example** under Submit for Review (use your T001 example from Lab 2) and **Missing Information** under Resolve Questions. Update the contents.

Copy: Subsections

Section 3.4, step 1. Type each heading as Heading 2, then its text in normal text. For Submission Example, move or retype your T001 example from Lab 2.

```
Required Fields
```

```
Prepare the task ID, recorded owner, one supported status and a short exception note when
needed. Preserve the task source and relative DueWeek; do not convert it to an unagreed
calendar date.
```

```
Submission Example
```

```
Missing Information
```

```
If the owner is missing, retain the task ID and recorded status, flag the absent owner for clarification and keep an exception note. Do not guess an assignment. Until the submission channel, recipient and cut-off are agreed, keep the record as a draft.
```



Each new subsection appears in the outline and the contents at the second level.

2. Above the bookmark link, type `Quick Start`. Under the bookmark link, add two more lines provided below: `Find the missing-owner route` and `Review the open sponsor decisions`. Link them with **Insert link**, **Headings and bookmarks** to the **Missing Information** and **Questions for the Sponsor** headings. Click each link to test it.

Copy: Quick Start Links

Sections 3.3 and 3.4, step 2.

```
Quick Start
```

```
Review the status definitions
```

```
Find the missing-owner route
```

```
Review the open sponsor decisions
```



Three shortcuts answer the three retrieval questions provided below.



The outline highlights Missing Information when the link lands there.



Both open decisions are visible as soon as the link lands.

3. Click **File**, **Make a copy**. Name it `GW - Reporting Procedure - Navigation Practice`, keep it in your practice folder and click **Make a copy**. Do the rest of this section in the copy, so your Working document stays as it is. In the copy, open **Show tabs and outlines**, click **+** next to **Document tabs**, then click the new tab's three dots, choose **Rename** and type `Examples`. In the Examples tab, type the worked submission provided below.

Copy: Navigation Practice Copy

Section 3.4, steps 3 to 6.

```
GW - Reporting Procedure - Navigation Practice
```

Copy: Navigation Practice Copy

```
Examples
```

Copy: Navigation Practice Copy

```
Worked submission - fictional example
T001 | Planning | Confirm reporting fields
Owner: Aina Rahman
Relative DueWeek: 1
Status: Complete
Exception note: none recorded for this practice example.
Check: under guidance v1, Complete requires the owner to confirm that the agreed output is ready for review. Budget approval and calendar start remain unresolved.
```



The title bar shows the copy's name. The Working document is unchanged.



The Examples tab holds one worked submission, kept apart from the main procedure.

4. Under the worked submission, type `Return to the main procedure` and link it with **Insert link**, **Tabs**, **Tab 1**. Then switch to Tab 1, go to the end of the procedure (above the Authoring Log), type `Examples navigation` and `Open the Examples tab`, and link the second line to the **Examples** tab. Test both links.

Copy: Navigation Practice Copy

```
Return to the main procedure
```

Copy: Navigation Practice Copy

```
Examples navigation
```

Copy: Navigation Practice Copy

> Open the Examples tab



This link takes the reader back to Tab 1.



Tab 1 is highlighted in the tab list after the link is clicked.



The main tab has its own link to Examples.

5. In the Examples tab, set the `Worked submission - fictional example` line to **Heading 1**. Under the return link, type `Examples contents` and click **Insert**, **Table of contents**. Then go to Tab 1 and update its contents.

Copy: Navigation Practice Copy

```
Examples contents
```



The Examples contents lists only the heading in this tab.



Each tab's contents only lists headings in that tab, so cross-tab links are needed.

6. Still in the copy, select the **Missing Information** heading and its paragraph, press **Ctrl+X**, click at the start of the **Required Fields** heading under Prepare and press **Ctrl+V**. Rename the heading `Clarify Missing Information`. Update the contents, then click **Find the missing-owner route** in Quick Start to check that it still arrives.

Copy: Navigation Practice Copy

```
Clarify Missing Information
```



Select the heading and its paragraph together so they move as one block.



Contributors now meet the missing-owner route while preparing their update.



The heading is still Heading 2 after renaming.



Update the contents with its button to pick up the new name and position.



A heading link follows the heading when it moves or is renamed.

7. Give the copy to a reviewer with the three retrieval questions provided below. Record which route they used and fix any misleading link or heading. If you're working alone, do the retrieval yourself and label it an author check. At the end of the copy, type `Navigation author check` and today's date, then record what you tested.

Copy: Navigation Practice Copy

```
Navigation author check
```

Case input to analyse

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

> Retrieval questions: Where is Complete defined? What should I do when an owner is missing? Which decisions still need confirmation? Find each from the opening without scrolling through the whole document.



The record lists the contents scope, the cross-tab tests, the retrieval routes and what is still pending.

What should you see?

A two-level heading hierarchy, three tested Quick Start links, working links between the tabs and a moved subsection whose shortcut still works. The result must be supported by the recorded checks; an attractive output or an AI assurance is insufficient.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Add a separate **Before You Submit** checklist and link to it from the opening. Do not manually type a fake contents entry.
2. Change one heading and deliberately remove one bookmark only on the practice copy. Diagnose which incoming link fails and repair it with the appropriate destination.
3. Check main-tab and Examples navigation independently, then write a short note explaining the contents list's observed scope and the remaining download-scope check.

Evidence to Hand Over

- A two-level heading hierarchy and three tested Quick Start links.
- Examples tab or appendix with a working return link.
- Navigation fault, diagnosis and repair with a retrieval record.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
The contents list misses another tab	Inspect the current tab's outline and provide explicit cross-tab navigation rather than assuming global contents.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

Named styles support the outline, contents and navigation. Next, prepare the page layout.

Check yourself: What happens to the contents if a heading is only bold rather than styled?

04

CHAPTER 4

Prepare a Professional Page Layout

In this chapter you will set up pages, headers, footers and page numbering; compare pages and pageless use.

Estimated time: 50 minutes, planned as 10 explanation and demonstration, 20 guided build and casework, 15 independent practice and 5 verification and repair. Not yet timed with learners.

Your result: An A4 document with checked headers, footers and page numbers.

> **Status:** core sections 4.1-4.4 executed as an author reference run. Thirty-five staged images cover page setup, real headers/footers and page numbers, table/checklist casework, a separate Pageless comparison and checked PDF repairs. Full captured frames are retained for editing. The escalation-table independent challenge and learner timings remain pending.

What You Will Learn

- Choose pages or pageless for the intended output.
- Add consistent page elements.
- Check a multi-page document visually.

Before You Begin

Read the case input beside the relevant steps. Use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Continue with your maintained `GW - Reporting Procedure - Working` document from Labs 1-3. Keep the Navigation Practice copy separate. The existing procedure and authoring evidence already make this a multi-page document; do not add filler or blank paragraphs to force more pages.

4.1 Choose the Document Format

1. Click **File**, **Page setup**. Inspect **Pages** and **Pageless**. You can inspect the Pageless tab, then return to Pages before applying anything.



The original Pages settings use A4 portrait and 2.54 cm margins.



Inspect Pageless without applying it to the maintained print document.

2. On the **Pages** tab, set **Apply to** to **Whole document**, **Orientation** to **Portrait** and **Paper size** to **A4**. Type **2** in each of Top, Bottom, Left and Right, then click **OK**. Don't click **Set as default**.



Whole document, Pages, A4 portrait and four matching 2 cm margins before applying.

3. Inspect the first page and its visible page boundary. Discuss when a wide collaborative working document might use Pageless instead.



The maintained document has page boundaries before headers and footers are added.

What should you see?

The document has visible page boundaries. Page headers and page numbers are being tested in Pages mode.

4.2 Add Page Elements

1. Click **Insert**, **Page elements**, **Header** and type `Project Reporting Procedure`. Leave **Different first page** unchecked for this exercise. Press **Esc** to return to the body.

Copy: Typed Values

```
Project Reporting Procedure
```



Insert > Page elements contains Header, Footer and Page numbers.



The repeating header is present before adding the footer or page number.

2. Click **Insert**, **Page elements**, **Footer**. Type `Fictional training material`, then press **Esc**.

Copy: Typed Values

```
Fictional training material
```



The fictional-material footer is present before automatic numbering.

3. Click **Insert**, **Page elements**, **Page numbers**, then the footer option starting on page one. A separate right-aligned page-number paragraph can appear below the footer label. Inspect a later page to confirm the number changes automatically.



The footer contains a live page-number field rather than a typed number.



The boundary shows page one's footer and the repeated header on page two.

What should you see?

The repeated elements are consistent and page numbering changes automatically across pages.

4.3 Check Page Breaks

1. Inspect every page for an isolated heading, split row or avoidable blank gap. Remove accidental heading formatting from empty paragraphs without deleting real headings or their navigation targets.
2. Click in a real heading and click **Format**, **Line & paragraph spacing**. Inspect **Keep with next** and **Keep lines together**; leave an already checked option on. Use **Add page break before** only for a genuine new section, such as the Authoring Log.



The selected real heading already has Keep with next and Keep lines together enabled.



A deliberate page break starts the evidence log separately from the reader-facing procedure.



The Authoring Log starts on a new page; source wording is retained.

3. Click **File**, **Download**, **PDF document (.pdf)**. Open the downloaded file and inspect every page.



File > Download offers PDF document for a print-layout snapshot.



Project Reporting Procedure

Proposed reporting procedure - purpose and scope

This proposed procedure helps team contributors in Planning, Procurement and Site Coordination prepare a consistent weekly update for the fictional Project Reporting Pilot at Seri Maju Projects. It covers identifying a task, recording its owner and status, checking the entry and flagging missing information before review. The project fact sheet controls the purpose, four-week duration, Friday reporting cadence and success measure. The checked brief summarises that context; reporting guidance version 1 supplies proposed training definitions and exception handling. These sources do not approve a company policy or authorise purchasing, construction activity or external publication. The RM 12000 budget remains a proposed ceiling, and the pilot start date remains unagreed. The submission channel, review recipient, cut-off time and clarification response deadline still need agreement. Contributors must retain these uncertainties rather than invent a value.

Quick Start

Review the status definitions
Find the missing-owner route
Review the open sponsor decisions
Prepare
  Required Fields
Check the Update
  Status Definitions
Submit for Review
  Submission Example

The first native export is checked before adding the field table and submission checklist.

If a table continues on another page without its headings, select a cell, open **Table options**, expand **Row**, then enable **Pin header row(s)** with a count of **1**. Inspect the actual continuation page.



The split procedure-plan table initially has no pinned header row.



Pin header row(s) is enabled with a count of one.



The continuation page now repeats Step, Input, Action, Output and Check.

What should you see?

Every page has usable content, legible page elements and no avoidable blank page.

4.4 Lay Out a Usable Multi-Page Procedure

1. Under **Required Fields**, add `Field reference - proposed training template`. Click **Copy table** above the field-reference table below. Paste on a blank line outside any table in Google Docs with **Ctrl+V**. The whole table is inserted at once: **7 rows by 4 columns**, including the header.

Case input to analyse

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

> Print brief: A4 portrait, readable body text, visible fictional-material footer and automatic page numbers. Readers must be able to read all field examples. Do not satisfy the brief by shrinking the whole document until it fits one page.

Copy: Field Reference Table

Create these four columns in a native table. The examples are fictional. The table layout, source-link field and exception wording are proposed procedure design.

Field	Meaning	Example	Check
TaskID	Recorded task identifier.	T001	Match the source row; do not invent an ID.
Owner	Recorded person responsible.	Aina Rahman	Preserve the recorded owner; flag a missing owner.
Status	Proposed guidance category.	Complete	Use the owner-confirmed ready-for-review definition.
DueWeek	Relative practice week, 1 to 4.	1	Keep the source week; do not infer a calendar date.
Exception note	Short note when information is missing.	Awaiting owner confirmation	Proposed wording; retain uncertainty and request clarification.
Source link	Proposed traceability field.	Tasks.csv: record T001	Open the supplied source and verify the record.

Use the supplied task data. For the online source-link example:

> https://github.com/Asraf-JS/Google-Workspace/blob/main/shared/sample-files/Tasks.csv

Manual table-entry fallback

If formatted copying is unavailable, use **Insert**, **Table** to start with four columns. Press **Tab** in the final cell to add rows until there are seven, then enter the supplied values.



The native table starts with four columns; Tab in the last cell adds the remaining rows.



Field, Meaning, Example and Check are entered before populating the six field rows.



All six fields are populated before adjusting widths and reviewing pagination.

2. Place the cursor in each column and open **Table options**, **Column**. Enable **Column width** and use **3 cm**, **4.5 cm**, **4.5 cm** and **5 cm** respectively. Inspect **Cell padding** for the selected cell; the reference run tests **0.15 cm** there. Keep the table editable. Add a descriptive link to the supplied Tasks.csv example and verify T001 against the original input.



The Check column is 5 cm wide; 0.15 cm padding is tested on the selected cell.

3. Under **Submission Example**, type the label `Submission checklist - proposed training practice`, press **Enter** and add the six submission-check paragraphs provided below. Select those six paragraphs and click **Numbered list**. Confirm you see **1** through **6**; pasted paragraphs may remain plain until you apply the list formatting. Keep the checklist label outside the list. Do not renumber the earlier eight-step procedure. Avoid filler.

Copy: Submission Checklist

Type the label first, then paste the six paragraphs under it, select only them and click Numbered list.

```
Submission checklist - proposed training practice
```

Keep the label outside the list. These checks do not authorise a real submission.

```
Confirm the task ID against its supplied source record.
Preserve the recorded owner; flag a missing owner for clarification.
Check the status against the three proposed guidance definitions; retain unclear meaning as a query.
Keep the relative DueWeek and add a short exception note where needed.
Open the source link and check Friday reporting; preserve the proposed budget and unagreed start.
Request agreement on channel, recipient and cut-off; retain the draft while unresolved. This exercise sends nothing.
```



Formatting verification confirms six real numbered-list items, preserving unresolved routing details.

4. Inspect the table and headings across page boundaries. Pin one header row for the reference table too, and keep real headings with the following explanation.



The new reference table also has one pinned header row.

5. Click **File**, **Make a copy**, name it `GW - Reporting Procedure - Layout Practice` and keep it in your Docs practice folder. Leave **Share it with the same people** unchecked. On that copy click **File**, **Page setup**, **Pageless**, **OK**. Compare the continuous table with the printed layout and record your decision. Headers, footers and page numbers are hidden in Pageless mode.

Copy: Comparison Copy Name

> `GW - Reporting Procedure - Layout Practice`



Create the named layout-practice copy without copying sharing permissions.



Pageless warns that headers, footers, columns and watermarks will not be visible.



The separate Pageless copy shows the complete four-column field table in a continuous view.

6. Return to the maintained **Working** document. Confirm **Pages**, **A4 portrait** and the equal margins for the **Whole document**. Keep the comparison copy separate. Check the header, footer and automatic numbering again.



The maintained version remains Pages, A4 portrait, with matching 2 cm margins.

7. Export a fresh PDF and inspect every page. Record page numbers for defects, repair them in the native document, then export again.

In the reference draft, the first field row split between pages **1 and 2**. A deliberate break before **Prepare** moved the complete reference table onto page **2**. This leaves the introduction and navigation as the first page.



A deliberate break before Prepare moves the field-reference section to a clean page.



Prepare and Required Fields start together after the intentional introduction-and-navigation page.



The print table retains all six field rows and a descriptive source link after the page-break repair.

Project Reporting Procedure

Prepare

Required Fields

Prepare the task ID, recorded owner, one supported status and a short exception note when needed. Preserve the task source and relative DueWeek; do not convert it to an unagreed calendar date.
Field reference - proposed training template

Field	Meaning	Example	Check
TaskID	Recorded task identifier.	T001	Match the source row; do not invent an ID.
Owner	Recorded person responsible.	Aina Rahman	Preserve the recorded owner; flag a missing owner.
Status	Proposed guidance category.	Complete	Use the owner-confirmed ready-for-review definition.
DueWeek	Relative practice week, 1 to 4.	1	Keep the source week; do not infer a calendar date.
Exception note	Short note when information is missing.	Awaiting owner confirmation	Proposed wording; retain uncertainty and request clarification.
Source link	Proposed traceability field.	Tasks.csv: record T001	Open the supplied source and verify the record.

Final native PDF page two keeps the complete field table readable on one page.

Remove accidental heading styles from empty paragraphs where they create oversized gaps. Preserve the real headings and internal links.



Accidental heading styles on empty paragraphs are removed without changing real heading targets.

A later draft also left the **Paper walkthrough B** label alone on page **8**. **Keep with next** moved it with its explanation onto page **9**. The final nine-page export was inspected page by page; the original text and all ten nonempty heading targets were retained. Purposeful section breaks are distinct from unwanted empty

pages.



Keep with next is applied to the isolated walkthrough label found on draft PDF page eight.



The label moves to the next page with its following explanation.



Project Reporting Procedure

Paper walkthrough B - incomplete card T-TEST-A
Input: owner missing; In Progress; awaiting owner confirmation. Prepare flags the missing owner. Check retains In Progress without claiming completion. Resolve Questions records the missing-owner query. No owner is guessed, no record is added to the workbook, and the submission is retained pending clarification.
Outcome: both routes have a next action; neither resolves budget approval or the calendar start date. This is an author reference walkthrough, not an independent learner or partner test.

Submission distinction

Record type	Observable distinction
Complete submission	Task ID and owner present; one supported status; exception recorded when needed. It may be review-ready while the submission route is still unresolved.
Unresolved question	Owner, status meaning, fact or routing detail lacks evidence. Retain the question and draft; do not invent a value or claim approval.

Final native PDF page nine keeps the walkthrough label with its explanation.

What should you see?

Populated six-field reference table and real submission checklist. The result must be supported by the recorded checks; an attractive output or an AI assurance is insufficient.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. The reader now needs an escalation table containing Issue, Evidence, Proposed next action and Confirmation needed. Create at least three meaningful rows from missing owner, unclear status and unapproved budget cases.
2. Fit the new material without reducing the entire document to tiny text. Choose sensible breaks and inspect both the native pages and a fresh PDF.
3. Write a brief layout decision explaining the chosen mode, table widths and one pagination repair.

Evidence to Hand Over

- Populated six-field reference table and real submission checklist.
- Three-case escalation table placed in a readable multi-page document.
- Page-by-page layout record and inspected PDF after the change.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
A wide table is clipped in the PDF	Adjust widths and source page layout, then re-export; inspect the final column on every affected page.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

The document now has a considered print layout. Collaboration will add a review trail.

Check yourself: Why should page numbers be inserted fields rather than typed text?

05

CHAPTER 5

Review and Collaborate

In this chapter you will practise suggestions, comments and version history with a trainer-approved partner.

Estimated time: 55 minutes, planned as 10 explanation and demonstration, 25 guided build and casework, 15 independent practice and 5 verification and repair. Not yet timed with learners.

Your result: A reviewed procedure with a comment trail and named version.

> **Status:** core sections 5.1-5.4 executed as an author reference run with 34 staged images and retained full-window sources. Four decisions, source-based comment handling, baseline/current milestones and a manual document comparison are recorded. Tools > Compare documents was present, but its picker stayed blank; no generated comparison suggestions were verified. Partner review, independent challenge and learner timings remain pending.

What You Will Learn

- Use suggestions and comments for different purposes.
- Resolve a review point after checking the change.
- Inspect and name a version.

Before You Begin

Read the case input beside the relevant steps. Use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use your own procedure. A partner exercise requires a trainer-approved test account and explicit classroom sharing instructions.

This lab reviews three sentences from your earlier work. Find the budget and routing sentences in the purpose statement, and the Friday sentence in procedure step 5. If your wording differs, use these reference sentences before starting:

```
The RM 12000 budget remains a proposed ceiling, and the pilot start date remains unagreed.
```

```
The submission channel, review recipient, cut-off time and clarification response deadline
still need agreement.
```

```
The fact sheet requires Friday reporting.
```

5.1 Practise Suggestions

1. Open the editing-mode menu at the upper right and choose **Suggesting**. Edits now become proposals.



The mode menu separates Editing, Suggesting and Viewing.

2. Under **Required Fields**, replace the first long instruction with the two clearer sentences provided below. Inspect the pending replacement and its accept/reject controls.

Copy: Guided Clarity Edit

Replace only this sentence under Required Fields:

```
Prepare the task ID, recorded owner, one supported status and a short exception note when needed.
```

With:

```
Record the task ID, recorded owner and one supported status. Add a short exception note when needed.
```



The pending suggestion shows the original instruction and the clearer replacement.

3. Compare meaning with the source facts, then click the suggestion's **Accept** tick. The task ID, recorded owner, supported status and exception note must remain.



After acceptance, the two clearer instructions retain the source facts.

Next, suggest the deliberately unsupported budget approval sentence provided below. Inspect it, then click **Reject**, the cross. The budget must remain a proposed ceiling; the start date remains unagreed.

Copy: Budget Rejection Reason

```
Reject: the project fact sheet gives a proposed ceiling of RM 12000. No sponsor approval is evidenced; keep the budget proposed and the start date unagreed.
```

Copy: Deliberately Incorrect Suggestion (Reject It)

In the purpose statement, select `The RM 12000 budget remains a proposed ceiling, and the pilot start date remains unagreed.` and suggest the following replacement. It is unsupported practice wording and must be rejected.

> `The RM 12000 budget is approved, and the pilot start date remains unagreed.`



The deliberately incorrect approval wording is still a pending suggestion.



Rejecting the change retains the proposed budget and unresolved start date.

What should you see?

The correct revision is accepted and the incorrect budget change is rejected.

5.2 Handle a Comment

1. Select the words **the pilot start date remains unagreed.** Choose **Add comment** or press **Ctrl+Alt+M**. Enter the question provided below and choose **Post Comment**.

Copy: Start-Date Comment and Reply

```
Does the pilot start date still need sponsor agreement? Please check the project fact sheet before changing this wording.
```

```
The project fact sheet says the start date is to be confirmed. Keep the date unresolved and obtain sponsor agreement before recording a calendar start. This closes the wording check only; it does not approve a date.
```



The comment draft asks whether sponsor agreement is still needed.

2. If a partner is assigned, follow the trainer's specific sharing instructions and ask them to review that sentence. Otherwise use your own comment for the exercise.
3. Open the posted comment and use **Reply**. Enter the source-based response, then click **Reply** to post it. Confirm that the reply appears in the thread; a filled draft is not a posted reply.



The reply is drafted with a source fact and a limit on editorial closure.



The posted discussion records the fact that the start date remains to be confirmed.

Only after checking the retained wording, choose **Mark as resolved and hide discussion**. This closes the editorial question and does not approve the start date.



Resolving the wording discussion leaves the project decision unresolved.

What should you see?

The comment discussion records a reason for the decision. Resolving it did not approve the start date.

5.3 Keep a Review Milestone

1. Return to **Editing**. Choose **File**, **Version history**, **Name current version**.



File > Version history offers Name current version and See version history.

2. Enter `Procedure reviewed against project facts`, then choose **Save**. Use **See version history**, or the last-edit indicator, and verify that the saved name appears.

Copy: Typed Values

```
Procedure reviewed against project facts
```



The milestone name is entered before saving.



Version history displays the saved review milestone.

3. Select an older version to inspect it. Leave **Restore this version** unused. Choose **Back** at the top left to return to the current document.



An older version is inspected with Restore this version left unused.

What should you see?

A named milestone is present and the current checked wording remains intact.

5.4 Run a Controlled Editorial Review

Reference-run result: the four requests have accept/reject/defer or verified-no-change decisions. The comparison used the documented manual fallback after the native picker remained blank.

1. Type **Review Log**, press **Enter**, then use **Copy table** above the review-log template below. Paste it on the blank line with **Ctrl+V** to create all five rows and four columns. Use all four review requests provided below.

Copy: Review log template

Change request	Evidence	Accept/reject/defer	Reason
Split a long sentence into two clear instructions			
Change proposed budget ceiling to approved budget			
Add a real escalation contact not named in the sources			
Check whether the reporting cadence is Friday			

Complete the evidence, decision and reason columns yourself after reviewing each request.

Case input to analyse

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Review requests: (1) Replace a long sentence with two clear instructions. (2) Replace
“proposed budget ceiling” with “approved budget”. (3) Insert the name of the real escalation
contact, which the sources do not supply. (4) Check whether the reporting cadence is Friday.
```

2. Name the current version `Procedure editorial review - baseline` before applying the controlled-review edits. Record that name and `project-facts.txt`, with the checked brief and reporting guidance as supporting inputs.

Copy: Controlled Review (Names)

```
Procedure editorial review - baseline
Procedure editorial review - checked
GW - Reporting Procedure - Review Comparison
GW - Reporting Procedure - Editorial Baseline
```



Name current version is used to save the pre-edit baseline.

3. In **Suggesting**, split the long missing-owner instruction into the two sentences provided below. Confirm all source facts remain, then accept.

Copy: Controlled Clarity Split

Original:

```
If the owner is missing, retain the task ID and recorded status, flag the absent owner for
clarification and keep an exception note.
```

Replacement:

```
If the owner is missing, retain the task ID and recorded status. Flag the absent owner for clarification and keep an exception note.
```



The missing-owner instruction is a pending two-sentence replacement.



The accepted wording preserves the task ID, recorded status, clarification and exception note.

Make the budget approval request as a separate suggestion. Post the source-based rejection reason in its reply, confirm the reply appears, then reject the suggestion.



A posted source-based reply explains why the approval suggestion must be rejected.



The maintained procedure retains proposed wording after rejection.

4. Select the routing sentence in the purpose statement (it starts `The submission channel, review recipient`) and add the missing-contact comment provided below. Ask for the responsible role and authorised contact to be confirmed. Keep this comment **open**; no contact is supplied by the sources.

Copy: Missing-Contact Comment (Leave Open)

```
Defer the contact request. The supplied sources do not identify a real escalation contact.
Confirm the responsible role and authorised contact through the agreed project route before
adding a name. Keep this evidence question open.
```



The missing-contact question remains open and asks for role confirmation.

5. In procedure step 5, select **The fact sheet requires Friday reporting.** and post the cadence question, then reply from the source. The reference sentence already matches, so record **no change**. Resolve only that editorial check; budget, start date and routing questions remain open.

Copy: Friday-Cadence Discussion

```
Is Friday the reporting cadence in the supplied project fact sheet? Check the source before
changing this sentence.
```

```
Confirmed from project-facts.txt: the update is required every Friday. The existing sentence
already matches, so no wording change is needed. Resolve this editorial cadence check only;
the budget approval, calendar start and routing decisions remain open.
```



A separate editorial comment asks whether Friday matches the fact sheet.



The posted reply confirms Friday and records a reasoned no-change decision.



Resolving the cadence discussion retains the correct Friday sentence.

6. Use **File**, **Make a copy** to create `GW - Reporting Procedure - Review Comparison` from the checked working text. Do not copy sharing permissions or comments. This input already contains the accepted clarity split. Change the budget sentence to the deliberately incorrect approval proposal **only in this comparison input**.



The comparison input is a separate named copy with sharing and comment-copy boxes unchecked.



Only the comparison input contains the deliberately unsupported approval proposal.

For an exact pre-edit reference, open the maintained document's version history, select `Procedure editorial review - baseline`, then use its **More actions**, **Make a copy**. Name it `GW - Reporting Procedure - Editorial Baseline`; leave sharing unchecked. Do not restore the old version over the working document.



The named pre-edit baseline is inspected without using Restore this version.



Make a copy from version history preserves the historical baseline separately.

On the baseline copy, choose **Tools**, **Compare documents**, select the comparison input and inspect any generated suggestions. In the reference run, the file picker stayed blank, so no report was generated. If the command or picker is unavailable, inspect the two documents manually and record that fallback; the reference author switched between their open tabs.



Tools includes the native Compare documents command.

Check the long instruction against the two-sentence version, then check proposed versus approved budget wording. Record why the clarity split is acceptable and the approval claim is not. Treat review metadata as metadata.



The historical baseline retains the original long missing-owner instruction.



The comparison input contains the accepted two-instruction version.



The baseline copy preserves proposed budget wording and the unresolved start date.

7. Return to the maintained **Working** document. Complete all four Review Log decisions with evidence and reasons. Record the comparison method, its two findings and the remaining uncertainties. Keep the missing-contact comment open.



The completed Review Log records accept, reject, defer and verified-no-change decisions.



The comparison record documents the blank picker, manual checks and preserved uncertainties.

Name the working milestone `Procedure editorial review - checked`. Inspect both baseline and checked entries in history, then use **Back** to return without restoring a version.



The checked working milestone is named after the four decisions are recorded.



History contains both the baseline and checked milestones; no old version is restored.

What should you see?

Four reasoned review decisions and visible suggestion/comment handling. The result must be supported by the recorded checks; an attractive output or an AI assurance is insufficient.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Review a partner's two proposed edits, or write two new requests yourself: one harmless clarity edit and one unsupported commitment. Decide independently, with a source reason for each.
2. Perform the accepted edit and leave an actionable comment on the deferred request. Do not resolve a missing-evidence issue merely to clear the comment count.
3. Hand over the Review Log and demonstrate the baseline, current version and outstanding question.

Evidence to Hand Over

- Four reasoned review decisions and visible suggestion/comment handling.
- Document comparison result or a logged manual comparison.
- Named baseline/current milestones and unresolved evidence requirements.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check

A clean comment list is mistaken for approval	Inspect each resolution reason and distinguish editorial closure from a project decision.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

Review actions preserve a discussion and revision trail. Next, adapt the document for different readers.

Check yourself: How does accepting a suggestion differ from resolving a comment?

06

CHAPTER 6

Adapt and Check the Document

In this chapter you will rewrite for an audience, check a translation against a supplied glossary and inspect accessibility.

Estimated time: 50 minutes, planned as 10 explanation and demonstration, 20 guided build and casework, 15 independent practice and 5 verification and repair. Not yet timed with learners.

Your result: An audience-specific summary, reviewed translation practice and accessibility checks.

> **Status:** core sections 6.1-6.4 executed as an author reference run, with eight staged images and retained full-window sources. The 100-word sponsor summary, native numbered checklist and four-condition table were checked against source facts. Malay terminology received an author glossary check only. Competent language review, partner navigation, independent challenge and learner timing remain pending.

What You Will Learn

- Rewrite a section for a different audience.
- Check a translation against a glossary.
- Inspect document accessibility.

Before You Begin

Read the case input beside the relevant steps. Use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use the checked procedure and the training glossary. Gemini is optional for the rewrite.

6.1 Adapt for the Sponsor

1. In your Working document, select the whole purpose-and-scope paragraph under the title. Click **Ask Gemini** (the star at the top right) and use the sponsor prompt provided below. Request a proposal **in the panel only**; do not accept an automatic document edit.

Copy: Panel Prompts

Session: Gemini side panel in your Working document | **Grounding:** the section you have selected

```
Propose a plain-English sponsor summary of the selected purpose-and-scope section in this
panel only. Do not edit the document. Preserve four weeks from an agreed start, every Friday,
RM 12000 as a proposed ceiling rather than approved funding, start to be confirmed, missing-
owner handling and draft status until submission details are agreed. Do not invent a date,
approval or contact.
```



The selected source and Gemini panel preserve the proposal and unresolved start.

2. Keep the proposed budget and missing start date explicit. Compare all numbers and conditions with the source.
3. Go to the very end of the document, type `Sponsor Summary` on its own line and choose **Heading 1** from the style list. Below it, type or paste the checked 100-word summary (the reference wording is provided below). Check the outline: larger text alone is insufficient. If AI is unavailable, write the summary manually and perform the same fact checks.

Copy: Headings

Type each as Heading 1 at the end of the document where the chapter says.

```
Sponsor Summary
```

Copy: Checked Sponsor Summary (100 Words)

```
The fictional Seri Maju Projects pilot will test weekly reporting across Planning, Procurement
and Site Coordination. It lasts four weeks from an agreed start date, which is to be
confirmed. Updates are due every Friday. RM 12000 is a proposed budget ceiling, not an
approved allocation. Contributors record task IDs, owners and supported statuses. If an owner
is missing, retain the task ID and recorded status, flag the gap and keep an exception note;
never guess an assignment. Keep records as drafts until the submission channel, recipient and
cut-off are agreed. Confirm unresolved details before treating the procedure as approved.
```



The checked 100-word sponsor summary sits under a real heading.

What should you see?

The wording suits a sponsor while preserving the source facts.

6.2 Check Translation

1. Before translating, use **File**, **Make a copy** and name it `GW - Reporting Procedure - Adaptation Practice`. Leave sharing and comment-copy boxes unchecked. Keep the English summary. Select it and use **Ask Gemini** with the glossary-constrained Malay prompt; a translation tool is an alternative.

Copy: Panel Prompts

Session: Gemini side panel in your Working document | **Grounding:** the section you have selected

```
Translate the selected English sponsor summary into Malay in this panel only. Do not edit the document. Use the training glossary: proposed = dicadangkan; approved = diluluskan; budget ceiling = had bajet; to be confirmed = akan disahkan; weekly update = kemas kini mingguan. Keep all numbers, conditions and uncertainties. Return a training draft awaiting competent language review.
```



The English source stays selected while Gemini drafts Malay in the panel.

2. In the practice copy, go to the end of the document, type `Malay Practice Summary` as **Heading 1** and insert the Malay draft below it. Under that, type `Translation Review - Training Only` and record your checks. Compare every condition with the English source and the supplied glossary. Record author edits and unresolved terms. The reference author clarified owner assignment and submission cut-off; those choices still require language review.

Copy: Headings

```
Malay Practice Summary
```

Copy: Headings

```
Translation Review - Training Only
```

Copy: Malay Practice Draft (Language Review Pending)

This author-edited practice draft is not approved for external use. Compare it with the English source and glossary; review full-sentence meaning with a competent language reviewer.

```
Projek rintis rekaan Seri Maju Projects akan menguji pelaporan mingguan merentas Perancangan, Perolehan dan Penyelarasan Tapak. Ia berlangsung selama empat minggu dari tarikh mula yang dipersetujui, yang akan disahkan. Kemas kini mingguan perlu diserahkan setiap Jumaat. RM 12000 ialah had bajet yang dicadangkan, bukannya peruntukan yang diluluskan. Penyumbang merekodkan ID tugasan, pemilik dan status yang disokong. Jika pemilik tiada, kekalkan ID tugasan dan status yang direkodkan, tandakan jurang tersebut dan simpan nota pengecualian; jangan meneka siapa pemiliknya. Simpan rekod sebagai draf sehingga saluran penyerahan, penerima dan waktu akhir penyerahan dipersetujui. Sahkan butiran yang belum selesai sebelum menganggap prosedur itu diluluskan.
```



English and Malay remain together in the separate practice copy.

3. Record **Language-review status: PENDING** unless a competent reviewer has actually checked the text. Keep the author glossary check separate from that review. A reviewer must check full-sentence meaning and terminology before external use; no reviewer was assigned in this reference run.



The author flags wording choices and the pending competent language review.

What should you see?

The practice copy keeps its original meaning. A generated translation is not treated as a verified publication.

6.3 Inspect Accessibility

1. Use heading styles to inspect structure. Check link text describes the destination rather than saying click here.
2. If your document has an image, open its alternative-text control and describe the information it conveys.
3. Inspect contrast, readable size and instructions that rely only on colour. In the reference document, body text was black at 11 pt, links were underlined, and status rules used text. Use the outline and **Ctrl+F** (Find) to locate the missing-owner rule. Record what you actually tested; this is a limited author check. No instructional image existed, so image alternative-text editing was not applicable.



The outline and quick links describe the exception route.

What should you see?

The document can be followed through structure and text, with meaningful image descriptions where needed.

6.4 Adapt for Two Readers and Audit Meaning

1. Retain the checked **100-word Sponsor Summary**. Add **Contributor Checklist** as Heading 1, then add the seven actions provided below. Select only those action paragraphs and apply the native **Numbered list** control. Preserve proposed budget, unconfirmed start, Friday cadence and missing-owner handling in both versions.

Copy: Headings

```
Contributor Checklist
```

Copy: Contributor Checklist

Apply native numbering to these seven separate paragraphs.

```
Confirm the pilot runs four weeks from an agreed start date; the start is to be confirmed.
Prepare the weekly update every Friday.
Record RM 12000 as a proposed budget ceiling, not an approved allocation.
Record the task ID, recorded owner and one supported status; Complete requires owner-confirmed output ready for review.
If an owner is missing, retain the task ID and recorded status, flag the gap and keep an exception note; never guess an assignment.
Keep records as drafts until the submission channel, recipient and cut-off are agreed.
Recheck unresolved details against the source after clarification.
```

2. Add **Meaning Audit** as Heading 1 and a short adjacent description of what the table shows. Use **Copy table** above the blank audit template below, then paste it on a blank line outside any table in Google Docs with **Ctrl+V**. The scaffold has **3 columns by 5 rows**. Quote the corresponding wording from your two versions in its blank columns. Read the labels and text rather than colour.

Copy: Headings

```
Meaning Audit
```

Copy: Meaning audit template

Source condition	Sponsor phrase	Contributor phrase
Budget status		
Date uncertainty		
Reporting cadence		
Missing information		

Compare with the reference after completing your audit

Copy: Meaning Audit Columns and Conditions

Source condition	Sponsor phrase	Contributor phrase
Budget status	"RM 12000 is a proposed budget ceiling, not an approved allocation."	"Record RM 12000 as a proposed budget ceiling, not an approved allocation."
Date uncertainty	"four weeks from an agreed start date, which is to be confirmed"	"four weeks from an agreed start date; the start is to be confirmed"
Reporting cadence	"Updates are due every Friday."	"Prepare the weekly update every Friday."
Missing information	"retain the task ID and recorded status, flag the gap and keep an exception note; never guess an assignment"; "Keep records as drafts until the submission channel, recipient and cut-off are agreed."	"retain the task ID and recorded status, flag the gap and keep an exception note; never guess an assignment"; "Keep records as drafts until the submission channel, recipient and cut-off are agreed."



A native table quotes both versions for all four source conditions.

3. Check that the Malay practice summary from 6.2 is still in the Adaptation Practice copy, next to its English source, with **Language-review status: PENDING**. Don't add it to the Working document.
4. Inspect the deliberately flawed adaptation provided below. Explain why approved and scheduled change meaning even if the prose reads smoothly.

Case input to analyse

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

> `Flawed adaptation: “The approved RM 12,000 pilot begins next Monday. Everyone can mark work complete when convenient.” Compare this with the fact sheet and the proposed status definition before rewriting it.`

5. Inspect link labels before changing them. Replace a vague label if found; otherwise record source-supported no change. The reference document already used descriptive quick links. Repair any new audience/audit section that lacks a real heading style, then confirm it appears in the outline. Do not rely on red/green alone.
6. For an informative visual or table, write a short text description of what a reader needs to understand. If you use an image, set meaningful alternative text; if no image exists, describe the table in adjacent text.
7. At the end of the Working document, type `Adaptation and Accessibility Checks` as **Heading 1** and record steps 4 to 6 there. If an assigned partner is available, ask them to locate and explain the exception route using headings and links; record the observed barrier and repair. Otherwise mark **partner test pending**. The reference author checked the outline and keyboard Find, repaired heading styles and recorded the limited scope; no partner test or accessibility certification is claimed.

Copy: Headings

> `Adaptation and Accessibility Checks`



The final record explains factual defects, checks and pending tests.

What should you see?

Two audience versions with a four-invariant meaning audit. The result must be supported by the recorded checks; an attractive output or an AI assurance is insufficient.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Rewrite the missing-information route for a reader who has not attended the course. Limit each step to one main action and retain the verification requirement.
2. Compare the contributor, sponsor and translated versions for four factual invariants. Correct one defect or record source support for each if none is found.
3. Retest navigation without relying on colour and leave any unverified language issue visibly marked for review.

Evidence to Hand Over

- Two audience versions with a four-invariant meaning audit.
- Glossary-based translation review with verification status.
- A repaired usability barrier and independently rewritten exception route.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
The adapted summary sounds confident but changes meaning	Audit approvals, dates and status conditions phrase by phrase rather than scoring fluency alone.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

Audience adaptation and translation need meaning checks. Accessibility improves how people find and follow the procedure.

Check yourself: Which translation term could accidentally turn a proposal into an approval?

07

CHAPTER 7

Export and Check Interoperability

In this chapter you will export a copy and inspect headings, page breaks and tables after conversion.

Estimated time: 40 minutes, planned as 10 explanation and demonstration, 10 guided build and casework, 15 independent practice and 5 verification and repair. Not yet timed with learners.

Your result: Checked Word and PDF export copies of the maintained procedure.

> **Status:** sections 7.1-7.4 have an author reference run with 17 staged images and retained sources. Word/PDF scope, a connected-Drive round trip, native comparison, an instruction revision and a checked r2 export are recorded. Browser upload, interactive PDF-viewer checks, Microsoft Word desktop rendering, independent challenge and learner timing remain unverified. PDF pages were rendered offline; that is not an interactive viewer test.

What You Will Learn

- Export a document to Word and PDF.
- Check conversion effects.
- Choose a distribution format deliberately.

Before You Begin

Read the case input beside the relevant steps. Use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use your checked procedure. This chapter creates local export copies; it does not publish or email them.

7.1 Export Two Formats

1. In the checked native **Working** document, click **File**, **Download**, **Microsoft Word (.docx)**.



File > Download offers separate Word and PDF formats.

2. Download **PDF document (.pdf)** separately. Keep identifiable local names such as `Procedure-practice-r1.docx` and `Procedure-practice-r1.pdf`; retain these as prior working snapshots.
3. Keep the native Google Doc as the working source. Downloads are snapshots and do not follow later source edits.

What should you see?

Two local practice exports and the unchanged maintained native source.

7.2 Inspect the Copies

1. Open both exports in approved available viewers. Inspect all pages, including the last. In this reference run, browser controls blocked local PDF URLs, so the PDF was rendered and inspected offline. DOCX heading/table structure was inspected before the native Docs round trip in 7.4. **Microsoft Word desktop rendering was not tested.**


Project Reporting Procedure

Proposed reporting procedure - purpose and scope

This proposed procedure helps team contributors in Planning, Procurement and Site Coordination prepare a consistent weekly update for the fictional Project Reporting Pilot at Seri Maju Projects. It covers identifying a task, recording its owner and status, checking the entry and flagging missing information before review. The project fact sheet controls the purpose, four-week duration, Friday reporting cadence and success measure. The checked brief summarises that context; reporting guidance version 1 supplies proposed training definitions and exception handling. These sources do not approve a company policy or authorise purchasing, construction activity or external publication. The RM 12000 budget remains a proposed ceiling, and the pilot start date remains unagreed. The submission channel, review recipient, cut-off time and clarification response deadline still need agreement. Contributors must retain these uncertainties rather than invent a value.

Quick Start

Review the status definitions
Find the missing-owner route
Review the open sponsor decisions
Prepare
Required Fields
Check the Update
Status Definitions
Submit for Review
Submission Example

The initial PDF reader copy is inspected offline from the first page to the last.

2. Check title, contents links, heading hierarchy, page numbers, tables, images where present and final paragraph. Record the viewer and exactly what was checked. The initial PDF had 11 pages with no blank pages or text outside page bounds. Its six tables and final training paragraph were present; no instructional image existed.
3. Record actual differences. Correct the native scenario source when appropriate and export again; keep prior snapshots. Do not infer interactive link behaviour from a picture or document text alone.

What should you see?

A check through the final page, with viewer limitations and real defects recorded separately from no-difference findings.

7.3 Choose the Handover

1. Choose an editable Word file when the recipient needs to revise it, or PDF for a fixed reader handout. Keep the native source for future controlled changes.
2. Inspect comments and tracked content before distribution. The first working DOCX retained an open review comment, even though the rendered PDF did not show it. Retain the prior snapshot; make a separate release practice copy with comment copying unchecked. Do not resolve the maintained source's evidence question merely to clean an export.
3. Confirm filenames, revision and fictional labels. No sharing, publishing or email is performed in this exercise.

7.4 Test Conversion and Issue a Reproducible Release

1. Click **File**, **Make a copy** to create `GW - Reporting Procedure - Release Practice`. Leave sharing and comment-copy boxes unchecked. This is the native **scenario release source**; the maintained Working document stays separate. Add a Release Checklist with Native source, Revision, Export scope, Filename, Viewer and Result. Use `Practice release r1`, distinct r1 filenames and a pending result until checked.

Case input to analyse

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Release scenario: One reader needs an editable procedure; another needs a fixed complete
handout including Examples. A previous PDF is already in the practice folder. Make the current
revision and included scope unambiguous without deleting the maintained source.
```

Copy: Source and Revision Names

```
GW - Reporting Procedure - Release Practice
```

Copy: Source and Revision Names

```
Practice release r1
```

Copy: Source and Revision Names

```
Practice release r2
```

Copy: Release Checklist Fields

```
Native source:
Revision:
Export scope:
Filename:
Viewer:
Result:
```



The separate release practice copy excludes sharing and review comments.

2. Rename the main tab **Procedure** (click the three dots on the tab, then **Rename**). Add a separate **Examples** tab with the supplied fictional appendix and scope marker. Name the baseline version `Practice release r1`. Select **Procedure** before exporting the main-only file. With multiple tabs, the Download dialog offers **Current Tab** and **All Tabs**. Inspect the setting for **every** export; the reference dialog reset to Current Tab.

Copy: Source and Revision Names

```
Procedure
```

Copy: Source and Revision Names

```
Examples
```

Copy: Examples Tab

Apply Heading 1 to the first line only. Keep the scope marker unchanged so prior/current PDFs can be checked consistently.

```
Examples for Release Practice
FICTIONAL TRAINING MATERIAL - APPENDIX
Example scope marker: COMPLETE-HANDOUT-EXAMPLES-R1
Task T001 - Planning - Aina Rahman - recorded status Complete. This recorded sample does not
itself approve the budget or pilot date. Complete requires owner-confirmed output ready for
review.
Missing-owner example: retain the task ID and recorded status, flag the owner gap and add an
exception note. Never invent an assignment. Keep the entry as a draft until the submission
channel, recipient and cut-off are agreed.
Final appendix checkpoint: proposed RM 12000 ceiling; start to be confirmed; every Friday;
source uncertainty retained.
```



A separate Examples tab has a recognisable complete-handout marker.

Export `Procedure-r1-main.pdf` with **Current Tab**, then `Procedure-r1-complete.pdf` and `Procedure-r1-complete.docx` with **All Tabs**. If tabs are unavailable, state which appendix content is included instead of claiming an all-tabs test.



Current Tab exports only the selected Procedure tab.



All Tabs includes Procedure and Examples in the complete handout.



The editable Word handover also deliberately includes all tabs.

3. Inspect the files through their final page. The reference main-only PDF had **12 pages without the Examples marker**; the complete PDF had **13 pages with it**. The clean Word export contained no comment metadata or tracked insertions/deletions. Check three internal links, the contents list, a table and the final procedure/appendix paragraphs. PDF structural checks resolved the three quick-link destinations to the expected pages; interactive PDF viewing remained pending.

Copy: Filename and Scope Manifest

Filename	Revision	Scope	Purpose
Procedure-practice-r1.docx	Earlier maintained working snapshot	Original single tab and training appendices	Prior evidence; includes the open review comment
Procedure-practice-r1.pdf	Earlier maintained working snapshot	Original single tab and training appendices	Prior fixed snapshot
Procedure-r1-main.pdf	Practice release r1	Procedure, Current Tab	Prior main-only copy
Procedure-r1-complete.pdf	Practice release r1	Procedure plus Examples, All Tabs	Prior complete reader copy
Procedure-r1-complete.docx	Practice release r1	Procedure plus Examples, All Tabs	Prior editable copy and round-trip input
Procedure-r2-main.pdf	Practice release r2	Procedure, Current Tab	Current main-only practice copy
Procedure-r2-complete.pdf	Practice release r2	Procedure plus Examples, All Tabs	Current complete reader handout

Procedure-r2-complete.docx	Practice release r2	Procedure plus Examples, All Tabs	Current editable handover

4. Add a native defect table with **Source location**, **Format**, **Observed difference**, **Severity/action**. Record no-difference findings for elements actually checked. The reference record includes the initial Word comment, unnumbered Examples page, preserved heading hierarchy/table dimensions and tab flattening after import. A PDF parser also reported a duplicate title destination key: retain that warning rather than claiming every PDF link is validated.

Copy: Defect Table Columns

```
Source location
Format
Observed difference
Severity / action
```

Record actual findings and the viewer used. A native comparison report can contain expected source-record additions as well as conversion differences; do not count every suggestion as a defect.

5. Upload `Procedure-r1-complete.docx` as a distinct practice file and open/convert it in Docs, named `GW - Procedure r1 - Round Trip Practice`. Do not replace the scenario or maintained source. The browser upload required an unavailable extension permission in this run, so connected Drive imported only this authorised fictional DOCX. **Browser upload was not verified.**

Copy: Source and Revision Names

```
GW - Procedure r1 - Round Trip Practice
```



The imported round-trip copy retains headings and quick links in one tab.

6. Compare heading hierarchy, table dimensions, links and final content. The reference import retained **six table structures and 16 heading targets**, including Examples, but flattened two native tabs into one. Follow the three quick links and a contents entry; the reference reached Status Definitions, Missing Information, Questions for the Sponsor and Submission Example. Find/select the link label and use **Alt+Enter**, or use its link popup.



The imported bookmark lands at Status Definitions.



The second imported quick link reaches Missing Information.



A converted contents entry reaches Submission Example.

Use **Tools**, **Compare documents** if available. Choose the observed source, exclude comments and inspect the generated report. Prefer the matching frozen r1 reference for an exact wording comparison. In this run the current source already contained later review-record additions, so those expected additions were distinguished from conversion effects. The generated report flagged margins, styles, sections and headers/footers. Do not accept all suggestions or interpret the report's comment count as a defect count.



Native comparison generates suggestions for structure and formatting; these are inspected rather than accepted together.

7. Repair the actual source issue and change a real instruction in the **scenario** source. In **Examples**, use **Insert**, **Page elements**, **Page numbers** to add a first-page footer field; prefix it `Examples - page` . This makes the appendix's own sequence explicit. In **Procedure**, append the supplied post-clarification source-recheck action to the exact missing-owner paragraph. Confirm the selected tab and a unique search match before replacing text.

Copy: R2 Instruction Revision

Find the exact existing missing-owner paragraph in the Procedure tab. Confirm one match and append this action without changing its existing conditions:

```
After clarification, recheck the retained entry against the source before requesting review.
```



A native page field adds an explicit Examples page sequence.



The r2 source explicitly requires a source recheck after clarification.

Update the source checklist to r2 filenames and record the inspected comparison, repair and viewer limitations. Name the revision `Practice release r2`. Export `Procedure-r2-main.pdf` with Current Tab, then the complete PDF and Word with All Tabs. Keep all r1 files and check that they are unchanged (same file size and modified time in your downloads folder).



The r2 source record distinguishes conversion evidence and pending viewer checks.



The revised native source receives a distinct release milestone.

Check the new files and record results in an external release manifest. The reference r2 main-only PDF had **13 pages** and excluded Examples; the complete PDF had **14 pages**, included Examples and displayed **Examples - page 1**. The revised instruction was present in both scopes, and the earlier working snapshots retained their original hashes. These are fictional training copies, not project approval or a distributed release.



The final complete PDF includes the fictional Examples appendix and its repaired page number.

What should you see?

Distinct prior/current filenames, checked export scopes, a separate round trip, recorded conversion differences and a revised source/export pair. Browser upload, interactive PDF viewing and Word desktop compatibility are not claimed from the fallback checks.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Prepare a distribution manifest for an editable handover and a fixed reader copy. State exactly which source revision and tabs/appendices each contains.
2. Have a reviewer identify the current release using only your filenames and manifest. If they choose the wrong one, repair the naming or status label.
3. Demonstrate that the earlier downloaded copy does not change after a native edit, and explain which format would suit each reader.

Evidence to Hand Over

- Scope-checked PDF/Word copies and a round-trip comparison.
- Element-by-element conversion record, including no-defect findings where observed.
- Release manifest and a checked revised export with an unambiguous current version.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
Examples disappear from the complete handout	Check current-tab versus all-tabs export scope, then inspect the end of the new file.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

Conversion is complete only after checking the exported files. Next, demonstrate the complete procedure workflow.

Check yourself: Which file remains the maintained source after export?

08

CHAPTER 8

Complete the Procedure Challenge

In this chapter you will independently revise a section and demonstrate that its facts and navigation remain correct.

Estimated time: 45 minutes, planned as 10 explanation and demonstration, 15 guided build and casework, 15 independent practice and 5 verification and repair. Not yet timed with learners.

Your result: A revised procedure with tested navigation and a checked handover.

> **Status:** sections 8.1-8.3 and the author work in 8.4 have a real reference run with 18 staged images and retained sources. The three-case route, native links, 100-word summary and complete PDF were checked. Section 8.4 step 7 (independent reader), the Independent Practice tasks, interactive PDF navigation and classroom timing remain pending. Author walkthroughs do not establish independent learner success.

What You Will Learn

- Revise a procedure independently.
- Verify navigation and factual conditions.
- Explain a checked handover.

Before You Begin

Read the case input beside the relevant steps. Use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use the procedure and source facts. Close the earlier step-by-step instructions for the first attempt.

8.1 Revise the Procedure

1. In the maintained **Working** document, add the supplied owner-clarification instruction under **Resolve Questions**, **Missing Information**. Preserve the task ID and recorded status, flag the missing owner, request clarification and keep an exception note. Never invent a person or contact.

Copy: Owner Clarification Instruction

Apply Heading 3 to the first line only.

```
Request Owner Clarification
Draft a clarification request that records the task ID, recorded status and the missing-owner gap. Ask for the responsible owner to be confirmed; do not invent a name. Keep an exception note with the source reference.
Keep the request and task record as drafts until the submission channel, review recipient and cut-off are agreed. Recheck the entry against its source after clarification before requesting review. This training exercise sends nothing.
```

2. Apply **Heading 3** to `Request Owner Clarification`, beneath the existing Heading 2. Keep the request and task as drafts until routing is agreed; recheck the source after clarification.



Add the owner clarification instruction beneath its own Heading 3.

3. Under **Quick Start**, below the existing shortcut links, add a link labelled `Draft an owner-clarification request`. Use **Insert link** and select the actual heading destination rather than typing a private document URL into the course notes.



Add an opening link to the new instruction.

What should you see?

A clear response to missing information, with no fabricated assignment or sent request.

8.2 Run the Review

1. Click inside the table of contents and click its **Update table of contents** button (the circular arrow at its left). The reference review found that the contents also omitted earlier audience/audit headings; refreshing repaired that real issue.



Refresh the native contents to include current headings.

2. Test the new opening link. It must reach **Request Owner Clarification**, not merely resemble a link. In the reference run, selecting the link and pressing **Alt+Enter** followed it.



Follow the opening link to Request Owner Clarification.

3. Check all budget, approval and start-date references against `project-facts.txt` and `reporting-guidance.txt`. Retain **RM 12000 proposed ceiling**, **unagreed start**, **four weeks from the agreed start**

3. Check all budget, approval and start-date references against `project-facts.txt` and `reporting-guidance.txt`. Retain **RM 12000 proposed ceiling**, **unagreed start**, **four weeks from the agreed start** and **every Friday**. Distinguish labelled flawed examples or rejected assertions from accepted facts; do not silently rewrite historical evidence.
4. Inspect the entire print layout and sponsor summary. The reference core PDF had **11 pages**: all pages were rendered and visually reviewed offline, with no blank pages or text outside page bounds. The existing sponsor summary remained 100 words. This does not establish interactive PDF-link behaviour.



Project Reporting Procedure

Request Owner Clarification

Draft a clarification request that records the task ID, recorded status and the missing-owner gap. Ask for the responsible owner to be confirmed; do not invent a name. Keep an exception note with the source reference.
Keep the request and task record as drafts until the submission channel, review recipient and cut-off are agreed. Recheck the entry against its source after clarification before requesting review. This training exercise sends nothing.

7. Record ambiguous statuses, missing owners and unsupported commitments as questions requiring clarification. Do not turn uncertainty into a completed task or an approved decision.
8. Recheck the entry against its sources after clarification. Until evidence is supplied, preserve the unresolved value and keep the draft distinguishable from an approved record.

Questions for the Sponsor

- Is the proposed RM 12000 budget approved? Open decision; sponsor approval is not evidenced.
- What is the agreed pilot start date? Open decision; no calendar date or approval authority is inferred.

Inspect the core native-export PDF offline through its final page.

What should you see?

A navigable procedure that retains the source conditions, with the actual repair recorded.

8.3 Demonstrate the Handover

1. At the end of the document, add a **Challenge Review Record** heading (Heading 1) showing the new instruction's source context, the contents repair and the decision to retain unresolved budget/date conditions. Keep the earlier contact-evidence question open; a tidy comment count is not evidence of resolution.



Record source context, a review decision and the maintained source versus snapshot.

2. Click **File**, **Version history**, **Name current version** and save `Procedure challenge checked`.

Copy: Typed Values

```
Procedure challenge checked
```



Name the checked core revision.

3. Explain that **Working** is the maintained native source. PDF/Word files are dated snapshots and must be regenerated after source changes. The separate Lab 7 release scenario remains distinct; it is not replaced by this exercise.

What should you see?

A checked milestone and an honest handover that identifies the maintained source, snapshots and open decisions.

8.4 Complete an Unfamiliar Revision and Reader Test

1. Click **File**, **Make a copy** to create `GW - Reporting Procedure - Capstone Practice`. Leave sharing and comment copying unchecked. Write a **Capstone Change-Impact List** before editing: route, headings, contents, opening links, proposed checklist, audience wording, examples, export scope and reader evidence.

Case input to analyse

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Final change brief: Contributors must be able to report an unknown owner, an unfamiliar status and a request that asserts approval without evidence. Keep these uncertainties visible and provide a review route. You may design proposed practice, but must not add a real contact, deadline, approval or pilot start date.
```

Copy: Names and Opening Links

```
GW - Reporting Procedure - Capstone Practice
Procedure capstone checked
Procedure-capstone-complete-r1.pdf
Draft an owner-clarification request
Review unresolved owner, status and approval evidence
```



Create the capstone practice copy without copying sharing or comments.



Write the change-impact list before editing the route.

2. Under **Resolve Questions**, add Heading 2 **Escalation and Evidence Gaps**, with Heading 3 branches **Missing Owner**, **Unfamiliar Status** and **Approval Evidence Missing**. Give each branch an action, a record to retain and a condition that remains unresolved. Preserve an unfamiliar raw label; do not map it to Complete without evidence. Treat asserted approval without a decision reference as unsupported.



Add distinct actions for missing owner, unfamiliar status and missing approval evidence.

3. Add Heading 3 **Proposed Review Checklist** with the six actions provided below. Label this proposed training practice. Do not add a real recipient, deadline, approval policy or authority to spend.

Copy: Proposed Review Checklist

```
1. Confirm the task ID and source reference are recorded.
2. Preserve the reported owner and raw status; flag gaps or unclear meaning.
3. Check any approval claim against evidence; retain proposed budget and unagreed start
without approval.
4. Record an exception note and the pending clarification.
5. Confirm the review channel, recipient and cut-off before requesting review; otherwise
retain the draft.
6. After clarification, recheck against the source and retain the review decision with its
evidence.
```



Label the six-action checklist proposed practice.

4. Under **Quick Start**, add the link `Review unresolved owner, status and approval evidence`, targeting the new Heading 2. Retain and retest the earlier owner-clarification link. Refresh the contents and follow its escalation entry. Both opening links and the contents destination were tested natively in the reference run.
5. Update the sponsor summary, contributor checklist and open decision questions to match the route. The checked sponsor version is **100 words**. Keep the original budget/date caveats and the canonical T001 source example. Add a separate **Capstone Incoming-Report Examples** table for the three supplied scenarios, with columns **Case**, **Incoming report**, **Author route and recorded action**, **Unresolved / stop condition**.



Check the 100-word sponsor summary and contributor checklist against the new route.



Record the three fictional incoming-report cases as author checks.



The refreshed contents entry reaches the escalation heading.

6. Add a **Reader-Test Status and Release Record**. Record the three author checks separately from an independent reader result. Name the checked revision `Procedure capstone checked`, export the complete single **Tab 1** including appendices to `Procedure-capstone-complete-r1.pdf`, and inspect every page. The reference PDF had **16 pages**. A page break kept the reader record together; an empty heading left by that break was changed to Normal text, the contents refreshed and the final PDF regenerated. Final readback confirmed **24 nonempty heading targets and seven native tables**. All final pages were rendered and visually inspected; no blank/out-of-page text was found. Native navigation was tested; interactive PDF navigation remains pending.

Copy: Author Walkthrough Cases

These are fictional incoming reports, not replacements for the canonical T001 source example. Record the route, next action and unresolved stop condition for each.

Case	Incoming report	Reference route
CASE-01	Owner blank; recorded status In Progress	Missing Owner: retain the case ID/status, flag the absent owner, draft a clarification request; owner/routing remain unresolved
CASE-02	Owner supplied as training contributor; raw status Nearly done	Unfamiliar Status: retain the label, compare guidance, request meaning/evidence; do not infer Complete
CASE-03	Claims RM 12000 approved and next Monday start; no decision evidence	Approval Evidence Missing: retain the unsupported assertion, request a decision reference through an agreed route, preserve proposed ceiling/unagreed start and Friday cadence



Name the checked capstone revision before its complete export.

Project Reporting Procedure

Reader-Test Status and Release Record

Author acceptance check: CASE-01 keeps its task ID and recorded status, flags the absent owner and retains a draft; CASE-02 preserves Nearly done as an unresolved raw label rather than mapping it to Complete; CASE-03 retains the approval assertion as unsupported while the proposed ceiling and unagreed start remain. All three have a recorded question, next action and stop condition.

Navigation author check: the direct owner link and the three-case Quick Start link reach their respective headings. The refreshed contents entry reaches the new route. Sponsor summary remains 100 words; budget, date, Friday cadence and missing-information invariants were checked. The canonical T001 source example remains unchanged.

Independent reader test: PENDING. No reviewer is assigned or contacted, and no hesitation, repair or success is attributed to an independent reader.

Prepared unfamiliar test card - fictional input only: CASE-R1 reports no owner, raw status Ready for release and an approval assertion with no decision reference. Ask the reviewer to start from the opening, identify the applicable branches, record the values and uncertainties, and state the next action and stop condition without spoken coaching. Record their observed path only when the test is actually run.

Release to verify: Procedure capstone checked, single Tab 1 including the full procedure and training appendices. Planned fixed snapshot: Procedure-capstone-complete-r1.pdf. The maintained GW - Reporting Procedure - Working source remains separate from this capstone scenario. Regenerate the snapshot after any change; this exercise sends nothing.

The complete 16-page capstone PDF retains the pending reader-test record.



Record author acceptance evidence and leave the independent reader test pending.



The refreshed contents includes the new route and capstone records.

7. **Pending until an independent reviewer is assigned:** give that person the document and unfamiliar CASE-R1 card. Ask them to follow it without coaching and record their actual decision path, hesitation and result. The reference run prepared the card but contacted nobody. Do not fill this result with the author's own walkthrough.

Copy: Independent Reviewer Card (Result Pending)

```
CASE-R1: A report has no owner, uses status Ready for release and asserts approval without a
decision reference.
Find the appropriate route without coaching. State what you record, the next action and what
prevents release.
Reviewer:
Observed path:
Hesitation or error:
Evidence-based repair or second-case result:
Status: PENDING until an independent reviewer actually completes the test.
```

What should you see?

An integrated three-case route with tested native navigation and a checked complete export. Independent reader evidence remains visibly pending until it actually exists.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Use the reviewer's hesitation or error to revise one instruction. If no hesitation occurs, challenge them with a second case containing two missing fields.
2. Produce a one-page handover with source link, current release, outstanding review questions and three acceptance-test results.
3. Demonstrate a complete path from opening link to exception handling to review record. Your explanation must show why the procedure does not authorise spending.

Evidence to Hand Over

- Integrated three-case escalation route with working navigation.
- A reader test, an evidence-based repair or a tested second case, and fresh complete export.
- One-page handover that distinguishes maintained source, snapshot and open decisions.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
The capstone only adds a new heading	Check for executable actions, worked examples, tested links and an independent reader result.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

You have drafted, structured, reviewed and checked a professional procedure.

Check yourself: Can a new reader find the missing-information instruction from the opening?

Google Docs

A practical one-day course with step-by-step draft labs, copy-ready prompts, fictional inputs and expected-result checks. All eight Labs have author reference captures, including a three-case capstone and a checked complete export. Independent challenges, reader/partner and language review, interactive PDF checks and classroom timing validation remain required before participant release.

Asraf Jaafar Sidik · Microsoft Certified Trainer ·