GOOGLE WORKSPACE TRAINING

Google Docs

One-day course review draft

Build and check practical workplace outputs with fictional project data. Labs 1-8 include 165 real stage captures. Independent reader review, challenges and learner timing remain pending.

Delivered by Asraf · Microsoft Certified Trainer

Google Docs

One-day course review draft · Review draft, version 0.4

© 2026 Asraf Jaafar Sidik. All rights reserved.

Resources: Use the practice files supplied with this review package.

Google, Google Workspace, Gmail, Google Drive, Google Docs, Google Sheets, Google Slides, Google Sites, Gemini and NotebookLM are names associated with Google. This independent training guide is not published or endorsed by Google.

Screenshots show the product at the time of writing. Google updates its apps often, so labels, availability and layouts in your account may differ. This review draft still requires full lab validation.

About the author

Asraf is a Microsoft Certified Trainer and HRD Corp-certified IT trainer based in Malaysia. He has been teaching working professionals since 2008, helping teams at banks, pharmaceutical companies, construction firms, and retailers get real work done with Microsoft 365, Power Platform, Excel, Google Workspace, and, more recently, AI tools like Copilot.

He holds a Bachelor of Information Technology (Multimedia) from the University of Malaya, along with Microsoft certifications in Power BI (PL-300) and AI for business (AB-730). Outside the classroom he writes his own automation tools in Python and Node.js, mostly to save himself from doing the same task twice.

He runs his training practice solo, which means he has personally felt every inefficiency this book tries to fix.

Contents

Before you begin 5

1 Prepare the Document and Sources 6
1.1 Prepare a Working Copy 6
1.2 Separate Facts and Requirements 7
1.3 Check Saving and Access 9
1.4 Build a Source and Requirements Register 10

2 Plan and Draft with Gemini 20
2.1 Define the Reader and Task 20
2.2 Review the Draft 22
2.3 Insert the Checked Text 25
2.4 Develop an Executable Procedure and Test Its Logic 27

3 Apply Styles and Navigation 35
3.1 Apply the Heading Hierarchy 36
3.2 Insert and Refresh the Contents 38
3.3 Create a Bookmark Link 40
3.4 Organise a Longer Document and Repair Its Navigation 42

4 Prepare a Professional Page Layout 54
4.1 Choose the Document Format 54
4.2 Add Page Elements 57
4.3 Check Page Breaks 60
4.4 Lay Out a Usable Multi-Page Procedure 64

5 Review and Collaborate 76
5.1 Practise Suggestions 77
5.2 Handle a Comment 80
5.3 Keep a Review Milestone 83
5.4 Run a Controlled Editorial Review 85

6 Adapt and Check the Document 100
6.1 Adapt for the Sponsor 100
6.2 Check Translation 102
6.3 Inspect Accessibility 105
6.4 Adapt for Two Readers and Audit Meaning 106

7 Export and Check Interoperability 112
7.1 Export Two Formats 112
7.2 Inspect the Copies 113
7.3 Choose the Handover 115
7.4 Test Conversion and Issue a Reproducible Release 115

8 Complete the Procedure Challenge 128
8.1 Revise the Procedure 128
8.2 Run the Review 130
8.3 Demonstrate the Handover 133
8.4 Complete an Unfamiliar Revision and Reader Test 135

INTRODUCTION

Before you begin

This review book accompanies Google Docs. Work through its chapters in order and keep the original practice inputs unchanged. The same notes and prompts also appear in the local course website.

Current Status

All chapters in this book are written drafts. Most have not yet been executed end to end in the application. The masterclass's reference brief chapter has a tested core path with a recorded recovery prompt; that does not validate the other exercises. Treat VERIFY notes and draft notices as production work still to complete.

What You Need

Use a desktop browser and the Google account approved for the class. Confirm app and AI access beforehand. Edition, administrator controls and language can affect availability.

Download the supplied fictional practice pack. No real client or personnel record is needed. Dataset week fields are relative practice weeks, not an agreed pilot start date.

How to Use the Exercises

Follow the numbered steps, attempt the output and then open the expected-result box. AI wording can vary; source facts and approval conditions must remain correct.

Values and prompts appear directly beneath the steps that use them. Replace source placeholders before submitting. Inspect proposed edits before applying them. Drafting does not authorise sending, inviting people or publishing.

Course Timing

This course is planned for 1 day, with 390 teaching minutes per day, excluding breaks and lunch. Estimates include practice, checks and discussion and need a classroom pilot.

Each course supplies independent starting inputs. Use a stated recovery file if an earlier output is missing.

Expanded Casework

Revision 0.4 adds casework, independent challenges and evidence gates to every chapter. The original short guided path alone is insufficient. Timings are targets, not measured learner results. Read each case input and keep baseline and scenario files separate.

Follow one small task at a time

Read the purpose, confirm which file to use, complete a numbered task, and perform its Check before continuing. Supplied reference material saves transcription; it does not replace the learner's source check, formatting action, tested navigation or review decision. Page counts and AI replies can differ from the examples. Record only results actually observed.

01

CHAPTER 1

Prepare the Document and Sources

You are preparing a reporting procedure for a project team. Before writing it, you need to know which files to trust and which decisions are still open. In this lab, you will organise the working document, check the supplied evidence and write an accurate introduction for its readers.

Estimated time: 40 minutes including explanation, guided work and independent checks.

Your result: One Google Doc with a reader-facing purpose statement at the top and an Authoring Log containing the supporting evidence below it. Keep this file for Lab 02.

> **Skills you will demonstrate:** create and find a named Google Doc; select and underline text; insert a formatted table; create and test descriptive links; distinguish a supplied fact from a proposed rule or an unresolved decision.

What You Will Learn

- **Organise a working file:** save it in the right folder and reopen it.
- **Make evidence easy to find:** use tables and descriptive links.
- **Write accurately:** keep the budget proposed and the start date unresolved.

Before You Begin

Download these three source files: project-facts.txt, checked-brief.txt and reporting-guidance.txt. Save the three unchanged files in one folder on your computer. These are fictional training inputs. You can take this course without attending the masterclass.

How to follow this guide: finish one small task in Google Docs, then return to its **Check** before continuing. Short names can be typed. Use one Copy button for each supplied block; it includes all the lines needed for that task. Each **Copy heading and table** button includes its heading and every table cell. Paste tables on a blank line outside an existing table with **Ctrl+V**.

What needs your thinking? The tables are supplied to save typing. Your work is to verify their claims, test the links and explain the unresolved decisions. You do not need to recreate the reference screenshots exactly.

1.1 Prepare a Working Copy

Why: you need a clearly named working document while keeping the supplied brief unchanged.

A. Create the practice folder

1. Open Google Drive.
2. Click **New** → **New folder**. Name it `GW - Docs - Practice` and click **Create**.
3. Double-click the folder to open it.



The folder name appears in the path at the top. It is still empty.

Check: the folder name appears above an empty file area.

B. Put the brief in a new document

1. Open your downloaded `checked-brief.txt` in a text editor. Press **Ctrl+A**, then **Ctrl+C**.
2. Return to your practice folder. Click **New** → **Google Docs** → **Blank document**.
3. Click **Untitled document**. Type `GW - Reporting Procedure - Working` and press **Enter**.
4. Click in the page and press **Ctrl+V** once.



The title box shows the document name. Only the supplied brief is in the body at this stage.

Check: the document has the correct name and contains the brief. The original `.txt` file is unchanged. Keep this document open.

1.2 Separate Facts and Requirements

Why: the brief explains the project. The requirements explain what your future procedure must help a reader do. Mixing them up can turn a proposal into an apparent approval.

A. Add the supplied requirements in one paste

1. Click at the end of the brief and press **Enter** twice.
2. Copy the complete block below once. Return to the document and press **Ctrl+V**.

```
Procedure Requirements
Reader: team members submitting a weekly report.
Required topics: prepare the update; check statuses; submit for review; handle unresolved
questions.

Working source notes:
Budget: proposed ceiling RM 12000, not approved.
Start date: not yet agreed; do not substitute a calendar date.
```

B. Compare and mark the two source notes

What are you doing? You have just pasted two source notes into your Google Doc. Check that they preserve the original budget amount, approval status and start-date meaning. Then underline them so they are easy to recheck when you rewrite the document later.

Keep this guide beside your **Working** document. The three original lines needed for this check are shown here:

> **Source: project-facts.txt** — the project-facts file downloaded under Before You Begin.
>
> Budget ceiling: RM 12000
>
> Budget status: proposed, not approved
>
> Start date: not yet agreed

You do not need to open another file for this check. This box reproduces the relevant lines from project-facts.txt; the link is available if you want to inspect the full source.

1. In your Google Doc, find **Working source notes**, just below **Procedure Requirements**. This is the text you pasted in part A.
2. Compare its **Budget:** line with the source box above. Does it keep both **RM 12000** and **proposed, not approved**? The amount alone is not enough: “approved RM 12000” would change the meaning.
3. Compare its **Start date:** line with the box. It must still say the date is **not yet agreed**; a date such as “next Monday” would be an unsupported addition. If either note differs in meaning, correct it using the source box.
4. Select the two complete lines beginning **Budget:** and **Start date:**. Press **Ctrl+U** once to underline them, then click elsewhere to clear the selection. Underline the notes in your Google Doc, not the text in this guide.



The requirements describe the reader and topics. The underlined notes are the source facts the procedure must preserve.

Check: both notes match the source box and are underlined. The budget is RM 12000, proposed and not approved; the start date is not yet agreed. Exact wording can differ, but these meanings must stay the same in Lab 02.

1.3 Check Saving and Access

Why: Google Docs saves your edits automatically while you work. Check the save status and who can open the file, then continue building the document. You will practise finding and reopening it once at the end of the lab.

A. Check the save status

1. Look beside the document title. If **Saving...** is shown, wait until your changes have saved.
2. Keep the document open and continue to the access check.

B. Inspect access

1. Click **Share**.
2. Under **General access**, check that it says **Restricted**. Do not add anyone.
3. Click **Done**.



Restricted means only people you add can open the file. Close the dialog with Done without inviting anyone.

Check: your changes have saved and you have checked the document's access. Restricted means that only people explicitly given access can open it. Keep the document open for the next task.

1.4 Build a Source and Requirements Register

This part creates your **Authoring Log**: the evidence behind the procedure. Work through 1.4.1 to 1.4.7 in order. Each Check is a stopping point; finish it before changing tabs again.

1.4.1 Add the source register

Why: each source has a different job. This register records what you can—and cannot—claim from it.

1. In your working document, go to the end and press **Enter** twice to make a blank line.
2. Click **Copy heading and table** below. In Google Docs, click that blank line and press **Ctrl+V** once. The two headings and complete table paste together.
3. Read the last column. Find the row that warns against treating guidance as approved company policy.

Authoring Log

Source register - fictional training inputs

Source	Version label	What it establishes	What it does not establish
project-facts.txt	Supplied training facts	Purpose; teams; Friday reporting; proposed RM 12000; four relative weeks.	No approved budget, agreed start date or purchasing authority.
checked-brief.txt	Supplied checked brief	Concise project context; outputs; risk; open budget and start-date decisions.	No approved reporting procedure or resolved decisions.
reporting-guidance.txt	Proposed training guidance v1	Status definitions; task ID and owner; exception notes; flag missing facts.	No approved company policy, calendar start, budget or purchases.



Each source has its own row. None of them supplies an approved budget or a calendar start date.

Check: both headings and all three source rows are present. The policy warning belongs to `reporting-guidance.txt`. You have inserted and read a formatted evidence table.

1.4.2 Check the reader questions

Why: a useful procedure answers the questions a contributor will actually ask. The evidence column is already filled in so you can concentrate on checking the answers.

1. Click below the source register, outside the table, and create a blank line.
2. Use **Copy heading and table** below, then paste once with **Ctrl+V**.
3. Open `reporting-guidance.txt`. Find the statements supporting the Friday deadline and the missing-information rule. Return to your document and compare them with the last two rows.

Reader questions and evidence

Reader question	Evidence or unresolved item
What should I submit?	reporting-guidance.txt: a weekly update containing task ID, owner, status and a short exception note when needed. Submission channel and review recipient: Unresolved.
Which task must I identify?	reporting-guidance.txt: report the task ID and owner. If either is missing, flag it for clarification.
Which status should I use?	reporting-guidance.txt: Not Started, In Progress or Complete, using the proposed definitions in version 1.
When should I prepare it?	project-facts.txt and reporting-guidance.txt: every Friday during the four-week pilot. Calendar start date and cut-off time: Unresolved.
How do I handle missing information?	reporting-guidance.txt: flag missing owners, facts or decisions for clarification; do not invent values. Clarification response deadline: Unresolved.



Five reader questions, each answered from a named source or marked Unresolved.

Check: both columns contain text. Explain why “Friday” can be stated while an exact start date cannot. The screenshot shows an earlier reference wording; use the completed table above for this task.

1.4.3 Record the proposed status definitions

Why: contributors need a shared meaning for status. These definitions are proposed training guidance; the label prevents a reader from mistaking them for approved policy.

1. Below the questions table, outside it, leave a blank line.
2. Copy and paste this entire block once.
3. Read the difference between work beginning and the owner confirming completion.

```
Proposed training guidance - status definitions
Complete: the task owner has confirmed that the agreed task output is ready for review.
In Progress: work has begun but the owner has not confirmed completion.
These are proposed operational definitions for training, not approved project commitments.
```

Check: the proposed-guidance label and both definitions are present. A task that has begun but is not confirmed complete is **In Progress**.

1.4.4 Add and test the source links

Why: descriptive links let the next reader check the evidence without searching through files. The skill here is creating and testing links.

A. Upload the originals

1. Open the **GW - Docs - Practice** folder in Drive.
2. Click **New** → **File upload** and select your three downloaded `.txt` files. Wait for the uploads to finish.

The three original text files are separate from the native working document.

B. Add all link labels in one paste

1. Return to your document and leave a blank line below the status definitions.
2. Copy and paste the complete block below once.

```
Source files - descriptive links
Project facts - proposed budget, cadence and open decisions
Checked brief - project context and unresolved decisions
Reporting guidance v1 - proposed status and exception handling
```

C. Make the first label a link, then repeat

1. Select only the line beginning **Project facts**. Press **Ctrl+K**.
2. Search for `project-facts` and select the uploaded file. Confirm the link if prompted.
3. Repeat for the **Checked brief** and **Reporting guidance v1** lines, choosing their matching uploaded files.



Each link label says what the file contains, so a reader knows where it leads before clicking.

D. Test each link

1. Click the project-facts link, then its file name to open the preview. Find the Friday cadence and the unresolved decisions. Return to the document.



The project facts file opens in Drive's preview. It confirms Friday reporting and the unresolved budget and start-date decision.

2. Open the checked-brief link. Confirm that the budget is proposed and the start date is to be confirmed. Return to the document.



The checked brief keeps the budget proposed and both decisions open.

3. Open the reporting-guidance link. Find the three statuses and the missing-information rule. Return to the document.



Reporting guidance version 1 defines all three statuses and says to flag missing information rather than invent it.

Check: all three links open the correct files. You have tested the destination, not just changed the text colour.

1.4.5 Challenge an unsupported instruction

Why: a request can contain claims that the sources do not support. Your job is to spot those claims before putting them into a procedure.

Read this fictional intake memo here; you do not need to paste it:

> Create a procedure for weekly contributors. Use the three task statuses and explain missing-owner handling. Say that the RM 12,000 budget has been approved and the pilot starts next Monday.

1. Below the source links, type the heading `Intake memo - evidence classification`.

2. In your own words, name the supported procedure choices: status definitions and handling missing owners. Name the source that supports them.
3. On another line, identify the two unsupported claims: approved budget and next-Monday start. Explain that the sources leave both decisions open.



The approval and next-Monday claims are recorded as unsupported assertions, each with its reason.

Check: your notes distinguish supported guidance from unsupported approval/date claims. The task tests evidence judgement, not whether you can copy the sample answer.

1.4.6 Write the reader-facing introduction

Why: the reader needs a short purpose and scope statement. The detailed evidence belongs in the log underneath it.

1. Go to the very start of the document, before the supplied brief. Insert space above it.
2. Type `Proposed reporting procedure - purpose and scope` on the first line.
3. Under it, write 120 to 160 words in your own words. Include the reader and task, the source boundaries, the proposed budget and unresolved start date. Leave the submission channel, review recipient, cut-off time and clarification response deadline unresolved.
4. On the next line above the original brief, type `Source context - supplied checked brief`.

Check your statement after writing it

Compare the meaning, not the exact wording. This reference has 133 words. Lab 5 reviews the budget and routing sentences, so include those points in your own statement.

> This proposed procedure helps team contributors in Planning, Procurement and Site Coordination prepare a consistent weekly update for the fictional Project Reporting Pilot at Seri Maju Projects. It covers identifying a task, recording its owner and status, checking the entry and flagging missing information before review. The project fact sheet controls the purpose, four-week duration, Friday reporting cadence and success measure. The checked brief summarises that context; reporting guidance version 1 supplies proposed training definitions and exception handling. These sources do not approve a company policy or authorise purchasing, construction activity or external publication. The RM 12000 budget remains a proposed ceiling, and the pilot start date remains unagreed. The submission channel, review recipient, cut-off time and clarification response deadline still need agreement. Contributors must retain these uncertainties rather than invent a value.



The reference statement has 133 words. It keeps the budget proposed and the start date, submission route and response deadline unresolved.

Check: the purpose statement is above the original brief. It does not claim an approved budget or invent a calendar start date.

1.4.7 Put the evidence under the Authoring Log

Why: the reader-facing introduction and the author's evidence have different jobs. This final edit creates a clear boundary between them.

1. Find the **Authoring Log** heading above the source register. Select that line and press **Ctrl+X**.
2. Click at the end of your new purpose statement, create a new line and press **Ctrl+V**. The log heading should now be above **Source context - supplied checked brief**.
3. Read from the top: purpose heading → your statement → Authoring Log → source context and supporting evidence.



The arrow marks the moved Authoring Log heading. The source context and evidence follow it.

Check: your introduction comes first; the source context, requirements, tables, links and memo notes follow under Authoring Log. Keep the document open for Independent Practice.

Independent Practice

What is being tested: explain a source boundary and retrieve evidence without following the earlier clicks. The supplied tables are reference material, not a test of typing speed.

1. Give a partner only your document. Ask them to use its links to find evidence for Friday reporting and the unresolved budget/start date. If working alone, close the source tabs and do the same retrieval yourself.
2. Write a two-sentence reply to the intake memo correcting its budget and start-date claims. Use your own words and do not invent a decision-maker or date.
3. Create six observable acceptance checks for the future procedure. For example: “A reader can find the status definitions.” Test one check now and record whether it passes.

Find and reopen the finished file

Why: this is a one-time practice for finding your document in Drive and returning to it later. Google Docs saves while you work; closing and reopening is not needed after each edit.

1. Finish your independent work in the document. Wait for **Saving…** to disappear if it is shown.
2. Close only the **GW - Reporting Procedure - Working** document tab; keep this guide open.
3. In Google Drive, open your **GW - Docs - Practice** folder. Double-click **GW - Reporting Procedure - Working**. You may also see the three source files in the folder.
4. Check the document title, your underlined budget and start-date notes, and the Authoring Log with its source links. Keep this document for Lab 02.



Example after reopening: the source links and memo are visible. Your document may also include your Independent Practice work.

Check: you found the correct document and your completed work is still there.

Evidence to Hand Over

- A correctly named document that you can reopen, with restricted access checked.
- Two underlined source facts, two completed evidence tables and three tested source links.
- Your own purpose statement and memo response, preserving unresolved decisions.
- Six acceptance checks and the result of one check you performed.

Be ready to explain one claim that is supported and one that remains unresolved. A completed document alone does not show that you understood the source boundaries.

Troubleshooting

Symptom	What to check
I lost my place after switching tabs	Return to the last **Check**. Confirm that result in your document, then do the next small task.
My pasted table appeared inside another cell	Undo once. Click a blank paragraph outside the existing table and paste with Ctrl+V.
I see two headings above a table	Both belong to the source register. **Copy heading and table** includes them in the same paste.
A source file is not found in the link search	Check that all three .txt files finished uploading to your practice folder.
A proposal sounds like an approval	Reopen project-facts.txt. Preserve the proposed budget and unresolved start date.

Lesson Summary

You organised a working document, inserted evidence tables and created links that a reader can test. You also checked the meaning of the sources before drafting. In Lab 02, you will use these requirements and source boundaries to plan a procedure with Gemini.

Check yourself: Why can you write “updates every Friday” but not “the pilot starts next Monday”?

02

CHAPTER 2

Plan and Draft with Gemini

In this chapter you will generate an outline, draft from supplied evidence and record unsupported claims.

Estimated time: 55 minutes, planned as 10 explanation and demonstration, 25 guided build and casework, 15 independent practice and 5 verification and repair. Not yet timed with learners.

Your result: A checked proposed procedure with outstanding sponsor questions.

> **Skills you will demonstrate:** write a source-grounded AI request; review its claims; insert a checked draft; test a procedure with normal and missing-information cases.

What You Will Learn

- Specify a useful drafting task.
- Review an AI proposal before using it.
- Preserve unresolved facts in a procedure.

Before You Begin

Which file? Work in **GW - Reporting Procedure - Working** throughout. Keep review notes and walkthroughs in its Authoring Log.

Keep your place: complete one small task, check its result, then move on. Type short names where shown. Supplied blocks include related lines in one paste; **Copy heading and table** buttons include the labels too. Use **Ctrl+V** on a blank paragraph outside existing tables. Screenshot wording and page counts are examples; check your own result.

Use your `GW - Reporting Procedure - Working` document from Lab 1, the supplied project facts, reporting guidance and Tasks.csv. If Gemini is unavailable, skip 2.1 and 2.2.1. Start at **2.2.2**, reviewing the supplied draft in 2.3 instead of an AI reply, then continue all checks.

2.1 Define the Reader and Task

Why: A useful AI request names the reader, evidence and output. You are learning to constrain a proposal before using it.

2.1.1 Open the drafting panel

1. In your working document, click **Ask Gemini** (the star button at the top right).
2. The Gemini panel opens on the right.

Check: The panel is open beside your Working document.

2.1.2 Paste one grounded request

1. Copy the complete prompt below once into the **Ask Gemini** box.
2. It already includes the supplied fictional fact sheet.
3. Read its output instructions before submitting; no placeholder replacement is needed.

Session: new Gemini panel chat | **Grounding:** pasted project-facts.txt

```
Goal: Propose a weekly reporting procedure for team members.
Context: Fictional Seri Maju Projects training exercise.
Source: Only the facts pasted below.
Expectations: Reply in the panel only, without editing my document. Use headings Prepare,
Check, Submit for Review and Resolve Questions, with numbered steps. Label operational steps
as proposed training practice. Preserve the proposed budget and unresolved start date. Do not
invent approval authorities, deadlines or systems.

FACTS:
FICTIONAL TRAINING MATERIAL
All organisations, people and project details below are fictional.

Organisation: Seri Maju Projects
Location: Petaling Jaya, Malaysia
Project: Project Reporting Pilot
Project coordinator: Aina Rahman
Project sponsor: Farid Hassan
Pilot teams: Planning, Procurement and Site Coordination
Pilot duration: four weeks from an agreed start date
Start date: not yet agreed
Budget ceiling: RM 12000
Budget status: proposed, not approved
Purpose: test a consistent weekly project reporting process
Required outputs: a project brief, task register, weekly status update and project hub
Reporting cadence: one status update every Friday during the pilot
Known risk: teams may use different definitions of task status
Known constraint: use fictional training data only
Success measure: all three teams submit their weekly update on time for the final two weeks
Unresolved decision: sponsor approval of the budget and the pilot start date
Out of scope: live construction records, purchasing commitments and external publication
```

The fact sheet is included to ground the task. Review the reply yourself before using any wording in the document.

Check: The prompt includes real fact-sheet text; no placeholder remains.

2.1.3 Read before submitting

1. Read the prompt again before submitting.
2. It asks for an answer in the panel and a proposed procedure, not a change to your document or to company policy.



The prompt includes the actual fact sheet. It is still in the box, waiting to be submitted.

> **What should you see?**
>
> The request names the reader, source and output format. No source placeholder remains.

Check: The request asks for a panel reply and preserves unresolved decisions.

2.2 Review the Draft

Why: AI output is a draft to inspect. A fluent answer can still omit a status or invent a usable-looking workflow.

2.2.1 Read the response

1. Click **Submit** (the arrow at the bottom right of the panel) and read the whole response, scrolling down the panel.
2. If Gemini offers to edit your document instead, click **Reject all**: this lab only uses the panel.

Example response: two views of the same answer

The two screenshots below show one example Gemini reply. The panel was scrolled to show different parts of that reply. They illustrate what to look for during a review; they are not two separate tasks or answers to copy. Your own reply may use different wording and may not contain these problems.

View 1 of 2 — check the status definitions



In this example, Check leaves out Not Started. In your own reply, check whether all three statuses are covered; record an omission only if you find one.

View 2 of 2 — the same reply, scrolled down to submission instructions



In this example, "Route submissions according to the project structure" gives no usable destination. In your reply, check that missing channel, recipient and cut-off details remain unresolved rather than being invented.

Your next action: return to your own Gemini reply and review it in 2.2.2. You do not need to reproduce the example's wording or errors.

Check: The response is still a proposal; your document has not been automatically replaced.

2.2.2 Record your source checks

What are you doing? You are checking an AI-written draft before using it. Compare what Gemini wrote with the original source files, then record whether the wording needs changing. You are not checking against the screenshots or another learner's answer.

A. Open the two files you will check against

1. Open project-facts.txt and reporting-guidance.txt in separate tabs or text-editor windows. Keep your Gemini reply available in the Working document.
2. Read the matching source information below before judging the reply. The fact sheet supplies project facts; the guidance supplies proposed status definitions and missing-information rules.

What to check in Gemini's reply	Open this source	What the source actually establishes
Status definitions	reporting-guidance.txt	Not Started: work has not begun. In Progress: work has begun without owner-confirmed completion. Complete: the owner has confirmed the agreed output is ready for review.
Submission details	Both files	Friday reporting is known. Neither file supplies the submission channel, review recipient or cut-off time. Keep those details unresolved; do not invent an email address, person or time.
Project facts	project-facts.txt	RM 12000 is proposed, not approved. The start date is not agreed. The pilot lasts four weeks from an agreed start, with an update every Friday.

This table is a reading guide; you do not need to paste it into your document. The fact sheet alone does not provide the status definitions. Use the proposed guidance to check and repair that part of the procedure.

B. Work through one example together

Suppose an AI reply says:

> "The RM 12000 budget is approved."

Open **project-facts.txt** and find **Budget status: proposed, not approved**. The AI sentence changes the meaning, so the review note would be:

> **Gemini wrote:** The RM 12000 budget is approved.
>
> **Source says:** project-facts.txt records the budget as proposed, not approved.
>
> **Decision:** Change the sentence to "The RM 12000 budget is proposed, not approved."

This is an invented example for practice. If your reply already says the budget is proposed, your decision is **no repair needed**, with the same source as evidence.

C. Now check your own reply

1. At the end of the Working document, in the Authoring Log, type `AI draft review` and today's date.

2. Write three short findings: **statuses**, **submission details** and **project facts**. For each, use the example's three labels: **Gemini wrote**, **Source says**, **Decision**. Name the source file and the change needed, or write **no repair needed** if the wording already matches.
3. Keep the reply as a proposal while you review it. You will insert the supplied procedure and apply the checked repairs in 2.3–2.4.



This example review records the issues found in the illustrated reply. Your review should record your own findings, including source-supported points that need no repair.

No Gemini? Review the reference draft in 2.3 against the sources. Record the same three checks and label your notes a reference-draft review. You still practise evidence judgement.

> **What should you see?**
>
> The draft distinguishes known project facts from a proposed training procedure. The budget and start date remain unresolved.

Check: Your AI draft review has three findings. Each names what Gemini wrote, what the relevant source file says, and a repair or a source-supported no-repair decision.

2.3 Insert the Checked Text

Why: The reader needs a usable procedure without reading an AI conversation. The checked text belongs above the evidence log.

2.3.1 Insert the supplied draft once

1. Above **Authoring Log**, click at the end of the purpose statement and create a blank paragraph.
2. Paste the complete reference draft below once; its title and four section labels are included.
3. Compare it with your reviewed AI response. Explain a repair if one is needed, or identify a source-supported point that is already correct.
4. Keep step 4 as supplied for now; you will add the missing status definitions in 2.4.

Paste this complete reference once, then compare its meaning with your reviewed response. Without Gemini, review this reference against the sources. Step 4 is deliberately incomplete until the repair in 2.4.2.

```
Weekly reporting procedure - proposed training practice
Prepare
1. Identify your task in Planning, Procurement or Site Coordination. Preserve the source task ID and owner; flag missing information for clarification rather than inventing it.
2. Gather the current task update and a short exception note. Use fictional training data only; exclude live construction records and purchasing commitments.
Check
3. Compare project context with the fact sheet: the pilot runs four weeks from an agreed start date and requires a Friday update. RM 12000 remains proposed, not approved.
4. Confirm that operational instructions are labelled proposed training practice. If a fact or instruction has no evidence, retain an unresolved question.
Submit for Review
5. Prepare the weekly status update for Friday review. The submission channel, review recipient and cut-off time are unresolved; request agreement before treating a draft route as operational.
6. Check that the brief, task register, weekly update and project hub remain the four intended outputs. This training draft does not authorise sending or publication.
Resolve Questions
7. Record ambiguous statuses, missing owners and unsupported commitments as questions requiring clarification. Do not turn uncertainty into a completed task or an approved decision.
8. Recheck the entry against its sources after clarification. Until evidence is supplied, preserve the unresolved value and keep the draft distinguishable from an approved record.
```



The checked procedure sits in the reader-facing part of the document. The Gemini response and your review stay in the Authoring Log.

Check: The procedure has four section labels and eight steps above Authoring Log.

2.3.2 Keep the fact sheet available

1. Keep `project-facts.txt` open in another tab so a reviewer can compare commitments.

Check: You can open the fact sheet for comparison.

2.3.3 Add the open decisions

1. Under procedure step 8, paste the Questions for the Sponsor block below once; the heading and both decisions are included.

```
Questions for the Sponsor
- Is the proposed RM 12000 budget approved? Open decision; sponsor approval is not evidenced.
- What is the agreed pilot start date? Open decision; no calendar date or approval authority is inferred.
```



The draft ends with two open sponsor questions. It doesn't invent an approval or a calendar date.

> **What should you see?**
>
> The procedure and its outstanding questions are readable without the Gemini conversation.

Check: Both budget approval and start date remain open questions.

2.4 Develop an Executable Procedure and Test Its Logic

Why: A procedure must tell a person what to do and how to check the result. Test it with a normal record and an incomplete one.

2.4.1 Read the supplied plan

1. At the end of the Authoring Log, leave a blank paragraph outside any table.
2. Click **Copy heading and table** below and paste once with **Ctrl+V**.
3. Read across row 1: what comes in, what the contributor does, what they produce, and how they check it.
4. Verify the other rows against your procedure and sources.

The plan is supplied to save transcription. Verify the source labels and action/check pairs; change a row if your checked procedure differs.

Procedure plan - eight steps across four sections

Sources: project-facts.txt (facts); reporting-guidance.txt v1 (proposed guidance). Workflow details are proposed practice.

Step	Input	Action	Output	Check
1 Prepare	Supplied task record	Identify task; retain ID and owner (guidance)	Task or clarification query	No invented ID or owner
2 Prepare	Current task information	Gather status and exception note (guidance)	Draft update	Fictional data only; gaps retained
3 Check	Fact sheet	Check duration, cadence and budget (facts)	Context checked	Four relative weeks; Friday; RM 12000 proposed; start unagreed
4 Check	Guidance v1	Check all three status meanings (guidance)	Supported status or meaning query	No guessed mapping of unfamiliar labels
5 Submit	Draft and unresolved routing	Prepare Friday review; request routing agreement (facts / proposed)	Review-ready draft retained	Channel, recipient and cut-off agreed before sending
6 Submit	Intended project outputs	Check brief, register, update and hub (facts)	Scope check	No sending or publication authority
7 Resolve	Missing or unsupported information	Record gap and ask for clarification (guidance / proposed)	Query and exception note	No invented decision
8 Resolve	Evidence after clarification	Recheck entry against its source (proposed)	Checked entry or open query	Unresolved values stay visible



Each step has an input, an action, an output and a check. Source labels in brackets show where each action comes from.



Steps 6 to 8 cover routing questions, missing information and rechecking after clarification.

Check: The eight rows each have an input, action, output and check.

2.4.2 Repair the status check

1. Check the plan against `reporting-guidance.txt` and the fact sheet.
2. Mark each factual instruction with its source in brackets, such as `(facts)` or `(guidance)`, and mark workflow details you designed as `(proposed)`.
3. The supplied reference draft deliberately leaves the status definitions out of procedure step 4. Replace that step with the checked wording below. This repairs the supplied reference; your own Gemini reply may already have included all three statuses.

> `4. Check the three proposed guidance categories: Not Started means work has not begun; In Progress means work has begun without owner-confirmed completion; Complete means the owner has confirmed the agreed output is ready for review. Preserve an unfamiliar label as a clarification query rather than inventing a mapping.`



The arrow marks the repaired step 4. An unfamiliar label becomes a clarification query rather than a guessed status.

Check: Step 4 contains all three meanings and keeps unfamiliar labels unresolved.

2.4.3 Write a normal submission

1. Below the plan, type `Example weekly submission - fictional supplied record` and write a submission for task T001 from `Tasks.csv`: its TaskID, owner, status and exception note.

Check: T001 matches Tasks.csv; no new task data was invented.

2.4.4 Trace a missing owner

1. Below the example, type `Missing-owner route - proposed practice` and describe what happens for test card T-TEST-A provided below .
2. The route must stop anyone from guessing an owner and say what needs clarifying.

Case input to analyse

Read this fictional case here; you do not need to paste the case itself. Record your own check or decision where instructed.

> Walkthrough A: TaskID T-TEST-A, owner missing, status In Progress, exception “awaiting owner confirmation”. Walkthrough B: TaskID T-TEST-B, owner Siti Aminah, status Blocked. These are separate fictional procedure test cases; do not add them to the task workbook.



The supplied T001 record and the missing-owner test card are kept separate. No owner is invented.

Check: The missing-owner route asks for clarification rather than assigning someone.

2.4.5 Clarify the submission action

1. Rewrite procedure step 5 (Submit for Review) to make it clearer, using Gemini or by hand.
2. In the Authoring Log, type `Before:` and `After:` lines with the old and new wording, and a `Preserved checks:` line listing what the rewrite kept.

```
5. Prepare a review-ready draft containing task ID, recorded owner, one supported status and an exception note when needed. The fact sheet requires Friday reporting. Before sending, obtain agreement on the submission channel, review recipient and cut-off time; if any is missing, retain the draft and record a routing query. This exercise sends nothing.
```



The new step 5 keeps the draft and records a routing query while the channel, recipient and cut-off are unresolved.

Check: The rewrite keeps the draft while routing is unresolved.

2.4.6 Walk through both routes

1. Do two paper walkthroughs.
2. Under `Paper walkthrough A - normal supplied T001`, follow the procedure with T001 and note where it gives a clear next action.
3. Under `Paper walkthrough B - incomplete card T-TEST-A`, do the same with the missing-owner card.
4. Record any ambiguity and the repair you made.



Walkthrough A found that "request agreement" didn't say what to do with the draft while waiting. Step 5 was repaired.

Check: Both walkthroughs record what happened and any repair.

2.4.7 Compare submission and question

1. Paste the distinction table and its heading below the walkthroughs once.
2. Verify both descriptions against your walkthroughs.
3. Explain why a review-ready draft is not necessarily ready to send.
4. Keep both project decisions unresolved.

Submission distinction

Record type	Observable distinction
Complete submission	ID, recorded owner, supported status and any exception note are checked. Keep the draft unsent until channel, recipient and cut-off are agreed.
Unresolved question	Record the gap, source and clarification needed. Retain the draft; do not guess a missing value.



A complete submission can be review-ready while its route is unresolved. An unresolved question keeps the draft and asks for evidence.

> **What should you see?**
>
> An eight-step plan with inputs, outputs and checks, a repaired step 4, a T001 example, a missing-owner route, two walkthroughs with a recorded repair, and the submission distinction table. The result must be supported by the recorded checks; an attractive output or an AI assurance is insufficient.

Check: You can explain the difference without turning an open question into a completed submission.

Independent Practice

What is being tested: perform the chapter skills without following the earlier clicks. Use the supplied material to reduce typing; explain your decisions and show the actual result. If you need a hint, record it and repeat that check independently.

1. Write a new **Late or Incomplete Submission** subsection without using the earlier drafting prompt. Give a reader a clear action, an exception record and a review check.
2. Test it with both card examples, one containing a missing owner and one an unfamiliar status. Do not silently convert “Blocked” into Complete or invent a new reporting deadline.
3. Ask a reviewer to execute the written steps verbally. Revise one ambiguity and save the source comparison in the Authoring Log.

Evidence to Hand Over

- Eight-step procedure with inputs, outputs and checks.
- Normal and exception walkthroughs with a recorded repair.
- Independent late/incomplete subsection that preserves uncertainty.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
A shorter rewrite loses a required check	Compare the before-and-after input/action/output table and restore the missing check.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

You created a source-constrained draft. Structure and navigation will make it usable as a longer document.

Check yourself: Can you identify one instruction that is a proposed procedure step rather than a source fact?

03

CHAPTER 3

Apply Styles and Navigation

In this chapter you will use heading styles, a contents list and bookmarks to make a long document navigable.

Estimated time: 55 minutes, planned as 10 explanation and demonstration, 25 guided build and casework, 15 independent practice and 5 verification and repair. Not yet timed with learners.

Your result: A styled procedure with a contents list and working internal links.

> **Skills you will demonstrate:** apply Title and heading styles; generate and refresh contents; create bookmark/heading/tab links; repair navigation after moving text.

What You Will Learn

- Apply heading styles consistently.
- Insert and refresh a contents list.
- Link to a section with a bookmark.

Before You Begin

Which file? Start in **Working**. From 3.4.3 onward, use **Navigation Practice**. Return to Working when starting Lab 04.

Keep your place: complete one small task, check its result, then move on. Type short names where shown. Supplied blocks include related lines in one paste; **Copy heading and table** buttons include the labels too. Use **Ctrl+V** on a blank paragraph outside existing tables. Screenshot wording and page counts are examples; check your own result.

Use your `GW - Reporting Procedure - Working` document from Lab 2. If you did not do Lab 2, place the following reference draft under your purpose statement before starting.

Copy the prerequisite procedure draft if you skipped Lab 2

This is the supplied draft from Lab 2. If you skipped that lab, review it against the source files before using it.

```
Weekly reporting procedure - proposed training practice
Prepare
1. Identify your task in Planning, Procurement or Site Coordination. Preserve the source
task ID and owner; flag missing information for clarification rather than inventing it.
2. Gather the current task update and a short exception note. Use fictional training data
only; exclude live construction records and purchasing commitments.
Check
3. Compare project context with the fact sheet: the pilot runs four weeks from an agreed
start date and requires a Friday update. RM 12000 remains proposed, not approved.
4. Check the three proposed guidance categories: Not Started means work has not begun; In
Progress means work has begun without owner-confirmed completion; Complete means the
owner has confirmed the agreed output is ready for review. Preserve an unfamiliar label
as a clarification query rather than inventing a mapping.
Submit for Review
5. Prepare a review-ready draft containing task ID, recorded owner, one supported status
and an exception note when needed. The fact sheet requires Friday reporting. Before
sending, obtain agreement on the submission channel, review recipient and cut-off time;
if any is missing, retain the draft and record a routing query. This exercise sends
nothing.
6. Check that the brief, task register, weekly update and project hub remain the four
intended outputs. This training draft does not authorise sending or publication.
Resolve Questions
7. Record ambiguous statuses, missing owners and unsupported commitments as questions
requiring clarification. Do not turn uncertainty into a completed task or an approved
decision.
8. Recheck the entry against its sources after clarification. Until evidence is supplied,
preserve the unresolved value and keep the draft distinguishable from an approved record.
Questions for the Sponsor
- Is the proposed RM 12000 budget approved? Open decision; sponsor approval is not
evidenced.
- What is the agreed pilot start date? Open decision; no calendar date or approval
authority is inferred.
```

3.1 Apply the Heading Hierarchy

Why: Heading styles give a document structure that the outline and contents can use. Larger or bold text alone does not do that.

3.1.1 Style the title

1. Click anywhere in the first line, `Proposed reporting procedure - purpose and scope`.
2. Open the style list in the toolbar (it shows **Normal text**) and choose **Title**.



The style list now shows Title. The line is the document's title, not just larger text.

Check: The style menu says Title for the first line.

3.1.2 Style the main sections

1. Click in the word **Prepare** and choose **Heading 1** from the style list.
2. Do the same for Check, Submit for Review, Resolve Questions and Questions for the Sponsor.
3. Click **Show tabs and outlines** (the list icon at the top left) to see the outline.

Check: The main sections appear at one level in the outline.

3.1.3 Add a nested subsection

1. Click at the end of **Check** and press **Enter**.
2. Paste the two-line block below once.
3. Set only **Status Definitions** to **Heading 2**.
4. Set the explanation paragraph to **Normal text**, so it does not become a navigation entry.

```
Status Definitions
Use reporting-guidance.txt version 1 for these proposed training definitions. The status check below preserves all three categories.
```



The outline is built from heading styles. Status Definitions is indented because it is Heading 2.

What should you see?

The outline lists the main sections and nests Status Definitions beneath Check.

Check: Status Definitions is nested under Check; its explanation is normal text.

3.2 Insert and Refresh the Contents

Why: A generated contents list follows heading structure, but it needs refreshing after a change.

3.2.1 Generate the contents

1. Click at the end of the purpose paragraph and press **Enter**.
2. Click **Insert**, **Table of contents** and choose the style with blue links.



Each entry is a link generated from a heading style. Nothing in this list is typed by hand.

Check: The contents is generated, not a manually typed list.

3.2.2 Test an entry

1. Click the **Status Definitions** entry and check that the document jumps to that heading.

Check: The entry reaches Status Definitions.

3.2.3 Rename and refresh

1. Click in the **Check** heading and change it to `Check the Update`.
2. Scroll back up: the contents still says Check.
3. Click inside the contents list, then click the **Update table of contents** button (the circular arrow at its top left).



The arrow marks the out-of-date entry. The contents doesn't change until you update it.



After clicking the update button, the entry matches the renamed heading.

What should you see?

The contents shows the revised heading. It is generated from styles rather than a manually typed list.

Check: The refreshed entry says Check the Update.

3.3 Create a Bookmark Link

Why: A bookmark marks a precise place. A descriptive link gives the reader a shortcut to that place.

3.3.1 Place a bookmark

1. Click at the start of the **Status Definitions** heading.
2. Click **Insert**, **Bookmark**.
3. A small Bookmark box appears under the heading.



The blue marker shows where the bookmark is. The box has a copy-link button and a remove button.

Check: A bookmark marker is at Status Definitions.

3.3.2 Create the shortcut

1. Click at the end of the purpose paragraph (above the contents) and press **Enter**.
2. Type `Review the status definitions` and select it.
3. Click **Insert link** (or press **Ctrl+K**), click **Headings and bookmarks** and choose the **Status Definitions** bookmark.



The shortcut sits outside the contents list, so refreshing the contents doesn't remove it.

Check: The link label describes its destination.

3.3.3 Follow the shortcut

1. Click the link and choose its address in the pop-up.
2. Check that the document jumps to Status Definitions.

> **What should you see?**
>
> The internal link reaches the definitions without exposing or changing file permissions.

Check: The shortcut lands at the definitions.

3.4 Organise a Longer Document and Repair Its Navigation

Why: Long documents need clear subsections and tested routes between tabs. Practise moving content on a separate copy.

3.4.1 Add three subsections

1. Under **Prepare**, paste the Required Fields block once.
2. Set its first line to **Heading 2** and its paragraph to **Normal text**.
3. Under **Submit for Review**, type **Submission Example** as Heading 2 and move your T001 example underneath it.
4. Under **Resolve Questions**, paste the Missing Information block once and style it the same way.
5. Update the contents after all three subsections are in place.

Each block includes its heading and explanation. Apply styles after pasting; formatting and navigation are the skills being practised.

```
Required Fields
Prepare the task ID, recorded owner, one supported status and a short exception note when
needed. Preserve the task source and relative DueWeek; do not convert it to an unagreed
calendar date.
```

```
Missing Information
If the owner is missing, retain the task ID and recorded status, flag the absent owner for
clarification and keep an exception note. Do not guess an assignment. Until the submission
channel, recipient and cut-off are agreed, keep the record as a draft.
```



Each new subsection appears in the outline and the contents at the second level.

Check: The three Heading 2 subsections appear in outline and contents.

3.4.2 Finish Quick Start

1. Above the bookmark link, type `Quick Start`.
2. Under the bookmark link, add two more lines provided below: `Find the missing-owner route` and `Review the open sponsor decisions`.
3. Link them with **Insert link**, **Headings and bookmarks** to the **Missing Information** and **Questions for the Sponsor** headings.
4. Click each link to test it.

Keep the existing status shortcut. Paste only these two new labels together, then create their links.

```
Find the missing-owner route
Review the open sponsor decisions
```



Three shortcuts answer the three retrieval questions provided below.



The outline highlights Missing Information when the link lands there.



Both open decisions are visible as soon as the link lands.

Check: All three Quick Start links reach the intended headings.

3.4.3 Create the navigation copy

1. Click **File**, **Make a copy**.
2. Name it `GW - Reporting Procedure - Navigation Practice`, keep it in your practice folder and click **Make a copy**.
3. Do the rest of this section in the copy, so your Working document stays as it is.
4. In the copy, open **Show tabs and outlines**, click **+** next to **Document tabs**, then click the new tab's three dots, choose **Rename** and type `Examples`.
5. In the Examples tab, type the worked submission provided below.

```
Worked submission - fictional example
T001 | Planning | Confirm reporting fields
Owner: Aina Rahman
Relative DueWeek: 1
Status: Complete
Exception note: none recorded for this practice example.
Check: under guidance v1, Complete requires the owner to confirm that the agreed output is
ready for review. Budget approval and calendar start remain unresolved.
```



The title bar shows the copy's name. The Working document is unchanged.



The Examples tab holds one worked submission, kept apart from the main procedure.

Check: The title says Navigation Practice and its Examples tab has the supplied example.

3.4.4 Link between tabs

1. Under the worked submission, type `Return to the main procedure` and link it with **Insert link**, **Tabs**, **Tab 1**.
2. Then switch to Tab 1, go to the end of the procedure (above the Authoring Log), type `Examples navigation` and `Open the Examples tab`, and link the second line to the **Examples** tab.
3. Test both links.



This link takes the reader back to Tab 1.



Tab 1 is highlighted in the tab list after the link is clicked.



The main tab has its own link to Examples.

Check: Both directions work between Tab 1 and Examples.

3.4.5 Check contents scope

1. In the Examples tab, set the `Worked submission - fictional example` line to **Heading 1**.
2. Under the return link, type `Examples contents` and click **Insert**, **Table of contents**.
3. Then go to Tab 1 and update its contents.



The Examples contents lists only the heading in this tab.



Each tab's contents only lists headings in that tab, so cross-tab links are needed.

Check: Each contents list includes its own tab; cross-tab links provide the other route.

3.4.6 Move and rename a subsection

1. Still in the copy, select the **Missing Information** heading and its paragraph, press **Ctrl+X**, click at the start of the **Required Fields** heading under Prepare and press **Ctrl+V**.
2. Rename the heading `Clarify Missing Information`.
3. Update the contents, then click **Find the missing-owner route** in Quick Start to check that it still arrives.



Select the heading and its paragraph together so they move as one block.



Contributors now meet the missing-owner route while preparing their update.



The heading is still Heading 2 after renaming.



Update the contents with its button to pick up the new name and position.



A heading link follows the heading when it moves or is renamed.

Check: The moved heading is still Heading 2 and its incoming shortcut still works.

3.4.7 Test retrieval

1. Give the copy to a reviewer with the three retrieval questions provided below.
2. Record which route they used and fix any misleading link or heading.
3. If you're working alone, do the retrieval yourself and label it an author check.
4. At the end of the copy, type `Navigation author check` and today's date, then record what you tested.

Case input to analyse

Read this fictional case here; you do not need to paste the case itself. Record your own check or decision where instructed.

> Retrieval questions: Where is Complete defined? What should I do when an owner is missing? Which decisions still need confirmation? Find each from the opening without scrolling through the whole document.



The record lists the contents scope, the cross-tab tests, the retrieval routes and what is still pending.

What should you see?

A two-level heading hierarchy, three tested Quick Start links, working links between the tabs and a moved subsection whose shortcut still works. The result must be supported by the recorded checks; an attractive output or an AI assurance is insufficient.

Check: Your record distinguishes a reviewer test from your own author check.

Independent Practice

What is being tested: perform the chapter skills without following the earlier clicks. Use the supplied material to reduce typing; explain your decisions and show the actual result. If you need a hint, record it and repeat that check independently.

1. Add a separate **Before You Submit** checklist and link to it from the opening. Do not manually type a fake contents entry.
2. Change one heading and deliberately remove one bookmark only on the practice copy. Diagnose which incoming link fails and repair it with the appropriate destination.
3. Check main-tab and Examples navigation independently, then write a short note explaining the contents list's observed scope and the remaining download-scope check.

Evidence to Hand Over

- A two-level heading hierarchy and three tested Quick Start links.
- Examples tab or appendix with a working return link.

- Navigation fault, diagnosis and repair with a retrieval record.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
The contents list misses another tab	Inspect the current tab's outline and provide explicit cross-tab navigation rather than assuming global contents.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

Named styles support the outline, contents and navigation. Next, prepare the page layout.

Check yourself: What happens to the contents if a heading is only bold rather than styled?

04

CHAPTER 4

Prepare a Professional Page Layout

In this chapter you will set up pages, headers, footers and page numbering; compare pages and pageless use.

Estimated time: 50 minutes, planned as 10 explanation and demonstration, 20 guided build and casework, 15 independent practice and 5 verification and repair. Not yet timed with learners.

Your result: An A4 document with checked headers, footers and page numbers.

> **Skills you will demonstrate:** set A4 page layout; add headers, footers and automatic numbering; format a table and list; repair pagination after checking a PDF.

What You Will Learn

- Choose pages or pageless for the intended output.
- Add consistent page elements.
- Check a multi-page document visually.

Before You Begin

Which file? Use **Working** for print edits. Only the comparison in 4.4.5 uses **Layout Practice**; then return to Working.

Keep your place: complete one small task, check its result, then move on. Type short names where shown. Supplied blocks include related lines in one paste; **Copy heading and table** buttons include the labels too. Use **Ctrl+V** on a blank paragraph outside existing tables. Screenshot wording and page counts are examples; check your own result.

Continue with your maintained `GW - Reporting Procedure - Working` document from Labs 1-3. Keep the Navigation Practice copy separate. The existing procedure and authoring evidence already make this a multi-page document; do not add filler or blank paragraphs to force more pages.

4.1 Choose the Document Format

Why: Pages mode supports a print layout with repeated headers and page numbers. Pageless serves a different reading experience.

4.1.1 Inspect the two modes

1. Click **File**, **Page setup**.
2. Inspect **Pages** and **Pageless**.
3. You can inspect the Pageless tab, then return to Pages before applying anything.



The original Pages settings use A4 portrait and 2.54 cm margins.



Inspect Pageless without applying it to the maintained print document.

Check: Return to Pages before applying settings.

4.1.2 Apply A4 page settings

1. On the **Pages** tab, set **Apply to** to **Whole document**, **Orientation** to **Portrait** and **Paper size** to **A4**.
2. Type **2** in each of Top, Bottom, Left and Right, then click **OK**.
3. Don't click **Set as default**.



Whole document, Pages, A4 portrait and four matching 2 cm margins before applying.

Check: Whole document uses A4 portrait and matching 2 cm margins.

4.1.3 Inspect the result

1. Inspect the first page and its visible page boundary.
2. Discuss when a wide collaborative working document might use Pageless instead.



The maintained document has page boundaries before headers and footers are added.

What should you see?

The document has visible page boundaries. Page headers and page numbers are being tested in Pages mode.

Check: Page boundaries are visible; you can explain why this version uses Pages.

4.2 Add Page Elements

Why: Headers and footers repeat automatically. A page-number field changes with pagination; a typed number does not.

4.2.1 Add the repeating header

1. Click **Insert**, **Page elements**, **Header** and type `Project Reporting Procedure`.
2. Leave **Different first page** unchecked for this exercise.
3. Press **Esc** to return to the body.



Insert > Page elements contains Header, Footer and Page numbers.



The repeating header is present before adding the footer or page number.

Check: The header repeats and Different first page is off.

4.2.2 Add the footer label

1. Click **Insert**, **Page elements**, **Footer**.
2. Type `Fictional training material`, then press **Esc**.



The fictional-material footer is present before automatic numbering.

Check: The footer identifies fictional training material.

4.2.3 Insert automatic numbering

1. Click **Insert**, **Page elements**, **Page numbers**, then the footer option starting on page one.
2. A separate right-aligned page-number paragraph can appear below the footer label.
3. Inspect a later page to confirm the number changes automatically.



The footer contains a live page-number field rather than a typed number.



The boundary shows page one's footer and the repeated header on page two.

What should you see?

The repeated elements are consistent and page numbering changes automatically across pages.

Check: A later page shows a different automatic number.

4.3 Check Page Breaks

Why: Inspect real page boundaries so headings, rows and explanations stay usable when exported.

4.3.1 Find a pagination issue

1. Inspect every page for an isolated heading, split row or avoidable blank gap.
2. Remove accidental heading formatting from empty paragraphs without deleting real headings or their navigation targets.

Check: You identified a real issue or recorded no issue after inspection.

4.3.2 Keep related content together

1. Click in a real heading and click **Format**, **Line & paragraph spacing**.
2. Inspect **Keep with next** and **Keep lines together**; leave an already checked option on.
3. Use **Add page break before** only for a genuine new section, such as the Authoring Log.



The selected real heading already has Keep with next and Keep lines together enabled.



A deliberate page break starts the evidence log separately from the reader-facing procedure.



The Authoring Log starts on a new page; source wording is retained.

Check: Real headings stay with their text; the Authoring Log can start deliberately on a new page.

4.3.3 Export and check continuation

1. Click **File**, **Download**, **PDF document (.pdf)**.
2. Open the downloaded file and inspect every page.



File > Download offers PDF document for a print-layout snapshot.



The first native export is checked before adding the field table and submission checklist.

If a table continues on another page without its headings, select a cell, open **Table options**, expand **Row**, then enable **Pin header row(s)** with a count of **1**. Inspect the actual continuation page.



The split procedure-plan table initially has no pinned header row.



Pin header row(s) is enabled with a count of one.



The continuation page now repeats Step, Input, Action, Output and Check.

> **What should you see?**
>
> Every page has usable content, legible page elements and no avoidable blank page.

Check: You inspected the PDF and any continued table repeats its header row.

4.4 Lay Out a Usable Multi-Page Procedure

Why: The supplied text saves typing. Your task is to format an editable table/list and verify that the print layout stays readable.

4.4.1 Insert the reference table

1. Under **Required Fields**, leave a blank paragraph outside any table.
2. Click **Copy heading and table** below and paste once with **Ctrl+V**.
3. The label and all seven rows are included.
4. Read the Check column: these conditions must stay readable after you adjust the layout.

Case input to analyse

Read this fictional case here; you do not need to paste the case itself. Record your own check or decision where instructed.

> Print brief: A4 portrait, readable body text, visible fictional-material footer and automatic page numbers. Readers must be able to read all field examples. Do not satisfy the brief by shrinking the whole document until it fits one page.

The table is supplied. Adjust its widths and check pagination instead of typing its cells. Its fictional examples and exception wording are proposed practice.

Field reference - proposed training template

Field	Meaning	Example	Check
TaskID	Recorded task identifier.	T001	Match the source row; do not invent an ID.
Owner	Recorded person responsible.	Aina Rahman	Preserve the recorded owner; flag a missing owner.
Status	Proposed guidance category.	Complete	Use the owner-confirmed ready-for-review definition.
DueWeek	Relative practice week, 1 to 4.	1	Keep the source week; do not infer a calendar date.
Exception note	Short note when information is missing.	Awaiting owner confirmation	Proposed wording; retain uncertainty and request clarification.
Source link	Proposed traceability field.	Tasks.csv: record T001	Open the supplied source and verify the record.

Use the supplied task data. For the online source-link example:

Tasks.csv source address. Right-click it and choose **Copy link**, then use that address in **Insert link** in your document.

Manual table-entry fallback

If formatted copying is unavailable, use **Insert**, **Table** to start with four columns. Press **Tab** in the final cell to add rows until there are seven, then enter the supplied values.



The native table starts with four columns; Tab in the last cell adds the remaining rows.



Field, Meaning, Example and Check are entered before populating the six field rows.



All six fields are populated before adjusting widths and reviewing pagination.

Check: The heading and all six field rows are present.

4.4.2 Adjust widths and source link

1. Place the cursor in each column and open **Table options**, **Column**.
2. Enable **Column width** and use **3 cm**, **4.5 cm**, **4.5 cm** and **5 cm** respectively.
3. Inspect **Cell padding** for the selected cell; the reference run tests **0.15 cm** there.
4. Keep the table editable.
5. Add a descriptive link to the supplied Tasks.csv example and verify T001 against the original input.



The Check column is 5 cm wide; 0.15 cm padding is tested on the selected cell.

Check: The final column is readable and the source link opens the T001 input.

4.4.3 Apply a real numbered list

1. Under **Submission Example**, paste the complete checklist block once.
2. Select only its six action paragraphs, leaving the label unselected.
3. Click **Numbered list** and confirm numbers **1–6** appear.
4. Apply a real list rather than typing numbers.
5. Keep the earlier procedure unchanged.

The first line is the label. After one paste, apply numbering only to the six action paragraphs below it.

```
Submission checklist - proposed training practice
Confirm the task ID against its supplied source record.
Preserve the recorded owner; flag a missing owner for clarification.
Check the status against the three proposed guidance definitions; retain unclear meaning as a
query.
Keep the relative DueWeek and add a short exception note where needed.
Open the source link and check Friday reporting; preserve the proposed budget and unagreed
start.
Request agreement on channel, recipient and cut-off; retain the draft while unresolved. This
exercise sends nothing.
```

Keep the label outside the list. These checks do not authorise a real submission.



Formatting verification confirms six real numbered-list items, preserving unresolved routing details.

Check: Only the six action paragraphs are numbered 1–6.

4.4.4 Repeat the table header

1. Inspect the table and headings across page boundaries.
2. Pin one header row for the reference table too, and keep real headings with the following explanation.



The new reference table also has one pinned header row.

Check: A continuation page has the header and headings stay with their explanations.

4.4.5 Create the Pageless comparison

1. Click **File**, **Make a copy**, name it `GW - Reporting Procedure - Layout Practice` and keep it in your Docs practice folder.
2. Leave **Share it with the same people** unchecked.
3. On that copy click **File**, **Page setup**, **Pageless**, **OK**.
4. Compare the continuous table with the printed layout and record your decision.
5. Headers, footers and page numbers are hidden in Pageless mode.



Create the named layout-practice copy without copying sharing permissions.



Pageless warns that headers, footers, columns and watermarks will not be visible.



The separate Pageless copy shows the complete four-column field table in a continuous view.

Check: Only Layout Practice is Pageless; its hidden print elements are understood.

4.4.6 Return to the maintained source

1. Return to the maintained **Working** document.
2. Confirm **Pages**, **A4 portrait** and the equal margins for the **Whole document**.
3. Keep the comparison copy separate.
4. Check the header, footer and automatic numbering again.



The maintained version remains Pages, A4 portrait, with matching 2 cm margins.

Check: Working remains Pages/A4 with its header, footer and numbering.

4.4.7 Inspect and repair the final PDF

1. Export a fresh PDF and inspect every page.
2. Record page numbers for defects, repair them in the native document, then export again.

In the reference draft, the first field row split between pages **1 and 2**. A deliberate break before **Prepare** moved the complete reference table onto page **2**. This leaves the introduction and navigation as the first page.



A deliberate break before Prepare moves the field-reference section to a clean page.



Prepare and Required Fields start together after the intentional introduction-and-navigation page.



The print table retains all six field rows and a descriptive source link after the page-break repair.

Project Reporting Procedure

Prepare

Required Fields

Prepare the task ID, recorded owner, one supported status and a short exception note when needed. Preserve the task source and relative DueWeek; do not convert it to an unagreed calendar date.
Field reference - proposed training template

Field	Meaning	Example	Check
TaskID	Recorded task identifier.	T001	Match the source row; do not invent an ID.
Owner	Recorded person responsible.	Aina Rahman	Preserve the recorded owner; flag a missing owner.
Status	Proposed guidance category.	Complete	Use the owner-confirmed ready-for-review definition.
DueWeek	Relative practice week, 1 to 4.	1	Keep the source week; do not infer a calendar date.
Exception note	Short note when information is missing.	Awaiting owner confirmation	Proposed wording; retain uncertainty and request clarification.
Source link	Proposed traceability field.	Tasks.csv: record T001	Open the supplied source and verify the record.

Final native PDF page two keeps the complete field table readable on one page.

Remove accidental heading styles from empty paragraphs where they create oversized gaps. Preserve the real headings and internal links.



Accidental heading styles on empty paragraphs are removed without changing real heading targets.

A later draft also left the **Paper walkthrough B** label alone on page **8**. **Keep with next** moved it with its explanation onto page **9**. The final nine-page export was inspected page by page; the original text and all ten nonempty heading targets were retained. Purposeful section breaks are distinct from unwanted empty pages.



Keep with next is applied to the isolated walkthrough label found on draft PDF page eight.



The label moves to the next page with its following explanation.



Project Reporting Procedure

Paper walkthrough B - incomplete card T-TEST-A
Input: owner missing; In Progress; awaiting owner confirmation. Prepare flags the missing owner. Check retains In Progress without claiming completion. Resolve Questions records the missing-owner query. No owner is guessed, no record is added to the workbook, and the submission is retained pending clarification.
Outcome: both routes have a next action; neither resolves budget approval or the calendar start date. This is an author reference walkthrough, not an independent learner or partner test.

Submission distinction

Record type	Observable distinction
Complete submission	Task ID and owner present; one supported status; exception recorded when needed. It may be review-ready while the submission route is still unresolved.
Unresolved question	Owner, status meaning, fact or routing detail lacks evidence. Retain the question and draft; do not invent a value or claim approval.

Final native PDF page nine keeps the walkthrough label with its explanation.

What should you see?

Populated six-field reference table and real submission checklist. The result must be supported by the recorded checks; an attractive output or an AI assurance is insufficient.

Check: Every exported page was checked; record your actual page numbers rather than matching the sample.

Independent Practice

What is being tested: perform the chapter skills without following the earlier clicks. Use the supplied material to reduce typing; explain your decisions and show the actual result. If you need a hint, record it and repeat that check independently.

1. The reader now needs an escalation table containing Issue, Evidence, Proposed next action and Confirmation needed. Create at least three meaningful rows from missing owner, unclear status and unapproved budget cases.
2. Fit the new material without reducing the entire document to tiny text. Choose sensible breaks and inspect both the native pages and a fresh PDF.
3. Write a brief layout decision explaining the chosen mode, table widths and one pagination repair.

Evidence to Hand Over

- Populated six-field reference table and real submission checklist.
- Three-case escalation table placed in a readable multi-page document.
- Page-by-page layout record and inspected PDF after the change.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
A wide table is clipped in the PDF	Adjust widths and source page layout, then re-export; inspect the final column on every affected page.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

The document now has a considered print layout. Collaboration will add a review trail.

Check yourself: Why should page numbers be inserted fields rather than typed text?

05

CHAPTER 5

Review and Collaborate

In this chapter you will practise suggestions, comments and version history with a trainer-approved partner.

Estimated time: 55 minutes, planned as 10 explanation and demonstration, 25 guided build and casework, 15 independent practice and 5 verification and repair. Not yet timed with learners.

Your result: A reviewed procedure with a comment trail and named version.

> **Skills you will demonstrate:** accept/reject suggestions using evidence; post and reply to comments; defer unresolved questions; name versions and compare copies.

What You Will Learn

- Use suggestions and comments for different purposes.
- Resolve a review point after checking the change.
- Inspect and name a version.

Before You Begin

Which file? Use **Working** for the editorial review. The two comparison copies are test inputs; do not leave the false approval in Working.

Keep your place: complete one small task, check its result, then move on. Type short names where shown. Supplied blocks include related lines in one paste; **Copy heading and table** buttons include the labels too. Use **Ctrl+V** on a blank paragraph outside existing tables. Screenshot wording and page counts are examples; check your own result.

Use your own procedure. A partner exercise requires a trainer-approved test account and explicit classroom sharing instructions.

This lab reviews three sentences from your earlier work. Find the budget and routing sentences in the purpose statement, and the Friday sentence in procedure step 5. If your wording differs, use these reference sentences before starting:

> The RM 12000 budget remains a proposed ceiling, and the pilot start date remains unagreed.

> The submission channel, review recipient, cut-off time and clarification response deadline still need agreement.

> The fact sheet requires Friday reporting.

5.1 Practise Suggestions

Why: Suggesting separates a proposed edit from an accepted change. A clearer sentence can be accepted; an unsupported approval must be rejected.

5.1.1 Enter Suggesting mode

1. Open the editing-mode menu at the upper right and choose **Suggesting**.
2. Edits now become proposals.



The mode menu separates Editing, Suggesting and Viewing.

Check: The mode menu says Suggesting.

5.1.2 Propose the clarity edit

1. Under **Required Fields**, replace the first long instruction with the two clearer sentences provided below.
2. Inspect the pending replacement and its accept/reject controls.

Replace only this sentence under Required Fields:

> Prepare the task ID, recorded owner, one supported status and a short exception note when needed.

With:

```
Record the task ID, recorded owner and one supported status. Add a short exception note when needed.
```



The pending suggestion shows the original instruction and the clearer replacement.

Check: The replacement is pending and the original meaning is visible.

5.1.3 Accept one change and reject another

1. Compare meaning with the source facts, then click the suggestion's **Accept** tick.
2. The task ID, recorded owner, supported status and exception note must remain.



After acceptance, the two clearer instructions retain the source facts.

Next, suggest the deliberately unsupported budget approval sentence provided below. Inspect it, then click **Reject**, the cross. The budget must remain a proposed ceiling; the start date remains unagreed.

> Reject: the project fact sheet gives a proposed ceiling of RM 12000. No sponsor approval is evidenced; keep the budget proposed and the start date unagreed.

In the purpose statement, select `The RM 12000 budget remains a proposed ceiling, and the pilot start date remains unagreed.` and suggest the following replacement. It is unsupported practice wording and must be rejected.

```
The RM 12000 budget is approved, and the pilot start date remains unagreed.
```



The deliberately incorrect approval wording is still a pending suggestion.



Rejecting the change retains the proposed budget and unresolved start date.

> **What should you see?**
>
> The correct revision is accepted and the incorrect budget change is rejected.

Check: The clarity edit is accepted; proposed budget and unagreed start are retained.

5.2 Handle a Comment

Why: Comments ask a question without replacing text. A reply should cite evidence; resolving a wording check does not settle a project decision.

5.2.1 Post a source question

1. Select the words **the pilot start date remains unagreed.** Choose **Add comment** or press **Ctrl+Alt+M**.
2. Enter the question provided below and choose **Post Comment**.

```
Does the pilot start date still need sponsor agreement? Please check the project fact sheet
before changing this wording.
```



The comment draft asks whether sponsor agreement is still needed.

Check: The question is posted, not just typed in a draft.

5.2.2 Choose the review route

1. If a partner is assigned, follow the trainer's specific sharing instructions and ask them to review that sentence.
2. Otherwise use your own comment for the exercise.

Check: Use the trainer-approved partner route or work in your own thread.

5.2.3 Reply and close the editorial check

1. Open the posted comment and use **Reply**.
2. Enter the source-based response, then click **Reply** to post it.
3. Confirm that the reply appears in the thread; a filled draft is not a posted reply.

Reply after the question is posted:

> The project fact sheet says the start date is to be confirmed. Keep the date unresolved and obtain sponsor agreement before recording a calendar start. This closes the wording check only; it does not approve a date.



The reply is drafted with a source fact and a limit on editorial closure.



The posted discussion records the fact that the start date remains to be confirmed.

Only after checking the retained wording, choose **Mark as resolved and hide discussion**. This closes the editorial question and does not approve the start date.



Resolving the wording discussion leaves the project decision unresolved.

What should you see?

The comment discussion records a reason for the decision. Resolving it did not approve the start date.

Check: The posted source reply is visible; only the wording discussion is resolved.

5.3 Keep a Review Milestone

Why: A named version is a recoverable review milestone. Inspecting history is different from restoring an old version.

5.3.1 Open version naming

1. Return to **Editing**.
2. Choose **File**, **Version history**, **Name current version**.



File > Version history offers Name current version and See version history.

Check: You are back in Editing before naming the version.

5.3.2 Save and verify the milestone

1. Enter `Procedure reviewed against project facts`, then choose **Save**.
2. Use **See version history**, or the last-edit indicator, and verify that the saved name appears.



The milestone name is entered before saving.



Version history displays the saved review milestone.

Check: Procedure reviewed against project facts appears in history.

5.3.3 Inspect without restoring

1. Select an older version to inspect it.
2. Leave **Restore this version** unused.
3. Choose **Back** at the top left to return to the current document.



An older version is inspected with Restore this version left unused.

> **What should you see?**
>
> A named milestone is present and the current checked wording remains intact.

Check: Back returns to the current checked document without restoration.

5.4 Run a Controlled Editorial Review

Why: Practise four distinct decisions: accept a clarity edit, reject a false approval, defer missing evidence and verify a correct statement without changing it.

Reference-run result: the four requests have accept/reject/defer or verified-no-change decisions. The comparison used the documented manual fallback after the native picker remained blank.

5.4.1 Read the supplied decision log

1. In the Authoring Log, leave a blank paragraph.
2. Use **Copy heading and table** below and paste once with **Ctrl+V**.
3. Read each supplied reason before performing the four review actions.
4. Afterwards, amend any row that differs from your actual observations.

Review Log

Change request	Evidence	Accept/reject/defer	Reason
Split a long sentence into two clear instructions	Required fields / missing-owner guidance	Accept if meaning is preserved	Retain task ID, owner/status, clarification and exception-note conditions.
Change proposed budget ceiling to approved budget	project-facts.txt: RM 12000 proposed, not approved	Reject	No approval evidence is supplied.

Add a real escalation contact absent from the sources	No contact is identified in the supplied sources	Defer	Obtain responsible role and authorised contact; keep the evidence question open.
Check Friday reporting cadence	project-facts.txt: every Friday	No change if wording already matches	Close the editorial check only; other project decisions remain open.

The reference log saves transcription. Your evidence of skill is the actual suggestion decision, posted comment/reply and retained open question—not the copied table alone.

Check: The four rows are supplied; you understand what action each reason calls for.

5.4.2 Save the pre-edit baseline

1. Name the current version `Procedure editorial review - baseline` before applying the controlled-review edits.
2. Record that name and `project-facts.txt`, with the checked brief and reporting guidance as supporting inputs.



Name current version is used to save the pre-edit baseline.

Check: The named baseline exists before these controlled edits.

5.4.3 Perform the clarity and budget reviews

1. In **Suggesting**, split the long missing-owner instruction into the two sentences provided below.
2. Confirm all source facts remain, then accept.

Original:

> If the owner is missing, retain the task ID and recorded status, flag the absent owner for clarification and keep an exception note.

Replacement:

```
If the owner is missing, retain the task ID and recorded status. Flag the absent owner for clarification and keep an exception note.
```



The missing-owner instruction is a pending two-sentence replacement.



The accepted wording preserves the task ID, recorded status, clarification and exception note.

Make the budget approval request as a separate suggestion in the purpose statement: replace **remains a proposed ceiling** with **is approved**. This is deliberately unsupported test wording and must be rejected. In its reply, write: **The fact sheet says RM 12000 is proposed; no approval is supplied.** Post the reply, confirm it appears, then reject the suggestion.



A posted source-based reply explains why the approval suggestion must be rejected.



The maintained procedure retains proposed wording after rejection.

Check: Clarity is accepted; the posted budget reply explains rejection.

5.4.4 Leave the contact question open

1. Select the routing sentence in the purpose statement (it starts `The submission channel, review recipient`) and add the missing-contact comment provided below.
2. Ask for the responsible role and authorised contact to be confirmed.
3. Keep this comment **open**; no contact is supplied by the sources.

```
Defer the contact request. The supplied sources do not identify a real escalation contact. Confirm the responsible role and authorised contact through the agreed project route before adding a name. Keep this evidence question open.
```



The missing-contact question remains open and asks for role confirmation.

Check: The contact question remains open because the source does not answer it.

5.4.5 Verify the Friday statement

1. In procedure step 5, select **The fact sheet requires Friday reporting.** and post the cadence question, then reply from the source.
2. The reference sentence already matches, so record **no change**.
3. Resolve only that editorial check; budget, start date and routing questions remain open.

> `Is Friday the reporting cadence in the supplied project fact sheet? Check the source before changing this sentence.`



A separate editorial comment asks whether Friday matches the fact sheet.

Reply to the posted Friday question, then verify it appears:

```
Confirmed from project-facts.txt: the update is required every Friday. The existing sentence
already matches, so no wording change is needed. Resolve this editorial cadence check only;
the budget approval, calendar start and routing decisions remain open.
```



The posted reply confirms Friday and records a reasoned no-change decision.



Resolving the cadence discussion retains the correct Friday sentence.

Check: Friday is verified; only this editorial question is resolved.

5.4.6 Compare separate copies

1. Use **File**, **Make a copy** to create `GW - Reporting Procedure - Review Comparison` from the checked working text.
2. Do not copy sharing permissions or comments.
3. This input already contains the accepted clarity split.
4. Change the budget sentence to the deliberately incorrect approval proposal **only in this comparison input**.



The comparison input is a separate named copy with sharing and comment-copy boxes unchecked.



Only the comparison input contains the deliberately unsupported approval proposal.

For an exact pre-edit reference, open the maintained document's version history, select `Procedure editorial review - baseline`, then use its **More actions**, **Make a copy**. Name it `GW - Reporting Procedure - Editorial Baseline`; leave sharing unchecked. Do not restore the old version over the working document.



The named pre-edit baseline is inspected without using Restore this version.



Make a copy from version history preserves the historical baseline separately.

On the baseline copy, choose **Tools**, **Compare documents**, select the comparison input and inspect any generated suggestions. In the reference run, the file picker stayed blank, so no report was generated. If the command or picker is unavailable, inspect the two documents manually and record that fallback; the reference author switched between their open tabs.



Tools includes the native Compare documents command.

Check the long instruction against the two-sentence version, then check proposed versus approved budget wording. Record why the clarity split is acceptable and the approval claim is not. Treat review metadata as metadata.



The historical baseline retains the original long missing-owner instruction.



The comparison input contains the accepted two-instruction version.



The baseline copy preserves proposed budget wording and the unresolved start date.

Check: Both comparison copies are distinct; the maintained Working file has no unsupported approval.

5.4.7 Record results and current milestone

1. Return to the maintained **Working** document.
2. Complete all four Review Log decisions with evidence and reasons.

3. Record the comparison method, its two findings and the remaining uncertainties.
4. Keep the missing-contact comment open.



The completed Review Log records accept, reject, defer and verified-no-change decisions.



The comparison record documents the blank picker, manual checks and preserved uncertainties.

Name the working milestone `Procedure editorial review - checked`. Inspect both baseline and checked entries in history, then use **Back** to return without restoring a version.



The checked working milestone is named after the four decisions are recorded.



History contains both the baseline and checked milestones; no old version is restored.

What should you see?

Four reasoned review decisions and visible suggestion/comment handling. The result must be supported by the recorded checks; an attractive output or an AI assurance is insufficient.

Check: The log matches actual actions; baseline and checked names exist and the contact question stays open.

Independent Practice

What is being tested: perform the chapter skills without following the earlier clicks. Use the supplied material to reduce typing; explain your decisions and show the actual result. If you need a hint, record it and repeat that check independently.

1. Review a partner's two proposed edits, or write two new requests yourself: one harmless clarity edit and one unsupported commitment. Decide independently, with a source reason for each.
2. Perform the accepted edit and leave an actionable comment on the deferred request. Do not resolve a missing-evidence issue merely to clear the comment count.
3. Hand over the Review Log and demonstrate the baseline, current version and outstanding question.

Evidence to Hand Over

- Four reasoned review decisions and visible suggestion/comment handling.
- Document comparison result or a logged manual comparison.
- Named baseline/current milestones and unresolved evidence requirements.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
A clean comment list is mistaken for approval	Inspect each resolution reason and distinguish editorial closure from a project decision.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

Review actions preserve a discussion and revision trail. Next, adapt the document for different readers.

Check yourself: How does accepting a suggestion differ from resolving a comment?

06

CHAPTER 6

Adapt and Check the Document

In this chapter you will rewrite for an audience, check a translation against a supplied glossary and inspect accessibility.

Estimated time: 50 minutes, planned as 10 explanation and demonstration, 20 guided build and casework, 15 independent practice and 5 verification and repair. Not yet timed with learners.

Your result: An audience-specific summary, reviewed translation practice and accessibility checks.

> **Skills you will demonstrate:** adapt wording for two audiences; check preserved meaning; apply heading/list structure; review a translation and record accessibility checks.

What You Will Learn

- Rewrite a section for a different audience.
- Check a translation against a glossary.
- Inspect document accessibility.

Before You Begin

Which file? English sponsor/contributor versions belong in **Working**. Malay and translation review belong only in **Adaptation Practice**.

Keep your place: complete one small task, check its result, then move on. Type short names where shown. Supplied blocks include related lines in one paste; **Copy heading and table** buttons include the labels too. Use **Ctrl+V** on a blank paragraph outside existing tables. Screenshot wording and page counts are examples; check your own result.

Use the checked procedure and the training glossary. **No Gemini?** Skip 6.1.1 and check the supplied English summary in 6.1.3. In 6.2, still create the practice copy, then use the supplied Malay draft in 6.2.2 instead of generating one. Complete the same glossary and meaning checks.

6.1 Adapt for the Sponsor

Why: A sponsor needs a concise overview. Changing the audience must not change facts or uncertainty.

6.1.1 Request a panel proposal

1. In your Working document, select the whole purpose-and-scope paragraph under the title.
2. Click **Ask Gemini** (the star at the top right) and use the sponsor prompt provided below.
3. Request a proposal **in the panel only**; do not accept an automatic document edit.

Session: Gemini side panel in your Working document | **Grounding:** the section you have selected

```
Propose a plain-English sponsor summary of the selected purpose-and-scope section in this panel only. Do not edit the document. Preserve four weeks from an agreed start, every Friday, RM 12000 as a proposed ceiling rather than approved funding, start to be confirmed, missing-owner handling and draft status until submission details are agreed. Do not invent a date, approval or contact.
```



The selected source and Gemini panel preserve the proposal and unresolved start.

Check: The selected source remains unchanged while the panel proposes text.

6.1.2 Check conditions against sources

1. Keep the proposed budget and missing start date explicit.
2. Compare all numbers and conditions with the source.

Check: Budget, duration, Friday cadence and unresolved start survive.

6.1.3 Insert the checked summary

1. At the end of the Working document, paste the Sponsor Summary block once, or insert your own checked version with the same heading.
2. Set only its first line to **Heading 1** and its body to **Normal text**.
3. Check the outline.
4. If AI is unavailable, use the reference and perform the same meaning checks.
5. Its body has 100 words; the heading is excluded from the count.

Type each as Heading 1 at the end of the document where the chapter says.

```
Sponsor Summary
The fictional Seri Maju Projects pilot will test weekly reporting across Planning, Procurement
and Site Coordination. It lasts four weeks from an agreed start date, which is to be
confirmed. Updates are due every Friday. RM 12000 is a proposed budget ceiling, not an
approved allocation. Contributors record task IDs, owners and supported statuses. If an owner
is missing, retain the task ID and recorded status, flag the gap and keep an exception note;
never guess an assignment. Keep records as drafts until the submission channel, recipient and
cut-off are agreed. Confirm unresolved details before treating the procedure as approved.
```



The checked 100-word sponsor summary sits under a real heading.

What should you see?

The wording suits a sponsor while preserving the source facts.

Check: Sponsor Summary is a real Heading 1; the body is normal text.

6.2 Check Translation

Why: A translation can sound smooth and still alter approval or date meaning. Keep its English source beside it for checking.

6.2.1 Create the translation practice copy

1. Before translating, use **File**, **Make a copy** and name it `GW - Reporting Procedure - Adaptation Practice`.
2. Leave sharing and comment-copy boxes unchecked.
3. Keep the English summary.

4. Select it and use **Ask Gemini** with the glossary-constrained Malay prompt; a translation tool is an alternative.

Session: Gemini side panel in your Adaptation Practice copy | **Grounding:** the selected English summary

```
Translate the selected English sponsor summary into Malay in this panel only. Do not edit the document. Use the training glossary: proposed = dicadangkan; approved = diluluskan; budget ceiling = had bajet; to be confirmed = akan disahkan; weekly update = kemas kini mingguan. Keep all numbers, conditions and uncertainties. Return a training draft awaiting competent language review.
```



The English source stays selected while Gemini drafts Malay in the panel.

Check: Only Adaptation Practice receives the translation.

6.2.2 Insert and compare the draft

1. In the practice copy, go to the end.
2. Paste the Malay Practice Summary block once, or insert your generated draft with that heading.
3. Set only the first line to **Heading 1**.
4. Below the draft, type `Translation Review - Training Only` and record your checks.
5. Compare every condition with the English source and the supplied glossary.
6. Record author edits and unresolved terms.
7. The reference author clarified owner assignment and submission cut-off; those choices still require language review.

This author-edited practice draft is not approved for external use. Compare it with the English source and glossary; review full-sentence meaning with a competent language reviewer.

```
Malay Practice Summary
Projek rintis rekaan Seri Maju Projects akan menguji pelaporan mingguan merentas Perancangan, Perolehan dan Penyelarasan Tapak. Ia berlangsung selama empat minggu dari tarikh mula yang dipersetujui, yang akan disahkan. Kemas kini mingguan perlu diserahkan setiap Jumaat. RM 12000 ialah had bajet yang dicadangkan, bukannya peruntukan yang diluluskan. Penyumbang merekodkan ID tugasan, pemilik dan status yang disokong. Jika pemilik tiada, kekalkan ID tugasan dan status yang direkodkan, tandakan jurang tersebut dan simpan nota pengecualian; jangan meneka siapa pemiliknya. Simpan rekod sebagai draf sehingga saluran penyerahan, penerima dan waktu akhir penyerahan dipersetujui. Sahkan butiran yang belum selesai sebelum menganggap prosedur itu diluluskan.
```



English and Malay remain together in the separate practice copy.

Check: English, Malay and your glossary checks remain together.

6.2.3 Record language-review status

1. Record **Language-review status: PENDING** unless a competent reviewer has actually checked the text.
2. Keep the author glossary check separate from that review.
3. A reviewer must check full-sentence meaning and terminology before external use; no reviewer was assigned in this reference run.



The author flags wording choices and the pending competent language review.

What should you see?

The practice copy keeps its original meaning. A generated translation is not treated as a verified publication.

Check: Language review is PENDING unless a competent reviewer actually completed it.

6.3 Inspect Accessibility

Why: Structure, descriptive links and readable text help people find and understand content. Record the checks you actually performed.

6.3.1 Inspect structure and links

1. Use heading styles to inspect structure.
2. Check link text describes the destination rather than saying click here.

Check: Headings are real styles and links describe destinations.

6.3.2 Check informative visuals if present

1. If your document has an image, open its alternative-text control and describe the information it conveys.

Check: Informative images have meaningful alt text, or image checks are marked not applicable.

6.3.3 Test reading and retrieval

1. Inspect contrast, readable size and instructions that rely only on colour.

2. In the reference document, body text was black at 11 pt, links were underlined, and status rules used text.
3. Use the outline and **Ctrl+F** (Find) to locate the missing-owner rule.
4. Record what you actually tested; this is a limited author check.
5. No instructional image existed, so image alternative-text editing was not applicable.



The outline and quick links describe the exception route.

What should you see?

The document can be followed through structure and text, with meaningful image descriptions where needed.

Check: You can locate the missing-owner rule and have recorded the limits of this author check.

6.4 Adapt for Two Readers and Audit Meaning

Why: Two versions can use different wording while preserving the same meaning. Use the supplied audit as a comparison aid, not proof of your own check.

6.4.1 Build the contributor checklist

1. Return to the maintained **Working** document and retain its Sponsor Summary.
2. Paste the Contributor Checklist block once.
3. Set the first line to **Heading 1**.
4. Select only the seven action paragraphs and apply **Numbered list**; leave the heading outside the list.
5. Preserve proposed budget, unconfirmed start, Friday cadence and missing-owner handling in both versions.

Apply native numbering to these seven separate paragraphs.

```
Contributor Checklist
Confirm the pilot runs four weeks from an agreed start date; the start is to be confirmed.
Prepare the weekly update every Friday.
Record RM 12000 as a proposed budget ceiling, not an approved allocation.
Record the task ID, recorded owner and one supported status; Complete requires owner-confirmed output ready for review.
If an owner is missing, retain the task ID and recorded status, flag the gap and keep an exception note; never guess an assignment.
Keep records as drafts until the submission channel, recipient and cut-off are agreed.
Recheck unresolved details against the source after clarification.
```

Check: Working has the Sponsor Summary and a real seven-item Contributor Checklist.

6.4.2 Verify the meaning table

1. At the end of the Working document, paste the supplied Meaning Audit heading and completed table once.
2. Set the heading to **Heading 1**.
3. Read each row across the two versions and confirm that its meaning is unchanged.
4. If your own summary differs, replace the reference quotation with your actual wording.
5. Add a sentence beside the table explaining what it compares.
6. Use text and labels, not colour alone.

Meaning Audit

Source condition	Sponsor phrase	Contributor phrase
Budget status	"RM 12000 is a proposed budget ceiling, not an approved allocation."	"Record RM 12000 as a proposed budget ceiling, not an approved allocation."
Date uncertainty	"four weeks from an agreed start date, which is to be confirmed"	"four weeks from an agreed start date; the start is to be confirmed"
Reporting cadence	"Updates are due every Friday."	"Prepare the weekly update every Friday."
Missing information	"retain the task ID and recorded status, flag the gap and keep an exception note; never guess an assignment"; "Keep records as drafts until the submission channel, recipient and cut-off are agreed."	"retain the task ID and recorded status, flag the gap and keep an exception note; never guess an assignment"; "Keep records as drafts until the submission channel, recipient and cut-off are agreed."



A native table quotes both versions for all four source conditions.

Check: Each table quotation matches your actual text and preserves the source condition.

6.4.3 Confirm translation location

1. Check that the Malay practice summary from 6.2 is still in the Adaptation Practice copy, next to its English source, with **Language-review status: PENDING**.
2. Don't add it to the Working document.

Check: The Malay draft and review status remain in Adaptation Practice.

6.4.4 Challenge the flawed adaptation

1. Inspect the deliberately flawed adaptation provided below.
2. Explain why approved and scheduled change meaning even if the prose reads smoothly.

Case input to analyse

Read this fictional case here; you do not need to paste the case itself. Record your own check or decision where instructed.

> Flawed adaptation: “The approved RM 12,000 pilot begins next Monday. Everyone can mark work complete when convenient.” Compare this with the fact sheet and the proposed status definition before rewriting it.

Check: You can explain the false approval, invented date and unsupported completion rule.

6.4.5 Check links and heading styles

1. Inspect link labels before changing them.
2. Replace a vague label if found; otherwise record source-supported no change.
3. The reference document already used descriptive quick links.
4. Repair any new audience/audit section that lacks a real heading style, then confirm it appears in the outline.
5. Do not rely on red/green alone.

Check: Audience/audit sections appear in the outline; link labels are meaningful.

6.4.6 Describe a table or visual

1. For an informative visual or table, write a short text description of what a reader needs to understand.
2. If you use an image, set meaningful alternative text; if no image exists, describe the table in adjacent text.

Check: A text description conveys the important information without colour alone.

6.4.7 Record scope and remaining checks

1. At the end of the Working document, type `Adaptation and Accessibility Checks` as **Heading 1** and record the findings from 6.4.4–6.4.6 there.
2. If an assigned partner is available, ask them to locate and explain the exception route using headings and links; record the observed barrier and repair.
3. Otherwise mark **partner test pending**.
4. The reference author checked the outline and keyboard Find, repaired heading styles and recorded the limited scope; no partner test or accessibility certification is claimed.



The final record explains factual defects, checks and pending tests.

> **What should you see?**
>
> Two audience versions with a four-invariant meaning audit. The result must be supported by the recorded checks; an attractive output or an AI assurance is insufficient.

Check: Your record separates completed author checks from pending partner/language checks.

Independent Practice

What is being tested: perform the chapter skills without following the earlier clicks. Use the supplied material to reduce typing; explain your decisions and show the actual result. If you need a hint, record it and repeat that check independently.

1. Rewrite the missing-information route for a reader who has not attended the course. Limit each step to one main action and retain the verification requirement.
2. Compare the contributor, sponsor and translated versions for four factual invariants. Correct one defect or record source support for each if none is found.
3. Retest navigation without relying on colour and leave any unverified language issue visibly marked for review.

Evidence to Hand Over

- Two audience versions with a four-invariant meaning audit.
- Glossary-based translation review with verification status.
- A repaired usability barrier and independently rewritten exception route.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
The adapted summary sounds confident but changes meaning	Audit approvals, dates and status conditions phrase by phrase rather than scoring fluency alone.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

Audience adaptation and translation need meaning checks. Accessibility improves how people find and follow the procedure.

Check yourself: Which translation term could accidentally turn a proposal into an approval?

07

CHAPTER 7

Export and Check Interoperability

In this chapter you will export a copy and inspect headings, page breaks and tables after conversion.

Estimated time: 40 minutes, planned as 10 explanation and demonstration, 10 guided build and casework, 15 independent practice and 5 verification and repair. Not yet timed with learners.

Your result: Checked Word and PDF export copies of the maintained procedure.

> **Skills you will demonstrate:** export Word and PDF; choose current-tab/all-tabs scope; inspect a conversion; track source revisions and checked snapshots.

What You Will Learn

- Export a document to Word and PDF.
- Check conversion effects.
- Choose a distribution format deliberately.

Before You Begin

Which file? Start with exports from **Working**. In 7.4 use **Release Practice**; import into a separate **Round Trip Practice** file and return to Release Practice for r2.

Keep your place: complete one small task, check its result, then move on. Type short names where shown. Supplied blocks include related lines in one paste; **Copy heading and table** buttons include the labels too. Use **Ctrl+V** on a blank paragraph outside existing tables. Screenshot wording and page counts are examples; check your own result.

Use your checked procedure. This chapter creates local export copies; it does not publish or email them.

7.1 Export Two Formats

Why: A download is a snapshot. Keep the Google Doc as the maintained source and export different formats for different readers.

7.1.1 Download Word

1. In the checked native **Working** document, click **File**, **Download**, **Microsoft Word (.docx)**.



File > Download offers separate Word and PDF formats.

Check: A Word file was downloaded from the checked source.

7.1.2 Download PDF

1. Download **PDF document (.pdf)** separately.
2. Keep identifiable local names such as `Procedure-practice-r1.docx` and `Procedure-practice-r1.pdf`; retain these as prior working snapshots.

Check: Both identifiable r1 practice files exist locally.

7.1.3 Keep the maintained source

1. Keep the native Google Doc as the working source.
2. Downloads are snapshots and do not follow later source edits.

> **What should you see?**
>
> Two local practice exports and the unchanged maintained native source.

Check: You can identify the native source separately from its snapshots.

7.2 Inspect the Copies

Why: A successful download does not prove a usable result. Open the actual file and inspect through its last page.

7.2.1 Open both files

1. Open both exports in approved available viewers.

2. Inspect all pages, including the last.
3. In this reference run, browser controls blocked local PDF URLs, so the PDF was rendered and inspected offline.
4. DOCX heading/table structure was inspected before the native Docs round trip in 7.4.
5. **Microsoft Word desktop rendering was not tested.**


Project Reporting Procedure

Proposed reporting procedure - purpose and scope

This proposed procedure helps team contributors in Planning, Procurement and Site Coordination prepare a consistent weekly update for the fictional Project Reporting Pilot at Seri Maju Projects. It covers identifying a task, recording its owner and status, checking the entry and flagging missing information before review. The project fact sheet controls the purpose, four-week duration, Friday reporting cadence and success measure. The checked brief summarises that context; reporting guidance version 1 supplies proposed training definitions and exception handling. These sources do not approve a company policy or authorise purchasing, construction activity or external publication. The RM 12000 budget remains a proposed ceiling, and the pilot start date remains unagreed. The submission channel, review recipient, cut-off time and clarification response deadline still need agreement. Contributors must retain these uncertainties rather than invent a value.

Quick Start

Review the status definitions
Find the missing-owner route
Review the open sponsor decisions
Prepare
Required Fields
Check the Update
Status Definitions
Submit for Review
Submission Example

The initial PDF reader copy is inspected offline from the first page to the last.

Check: Record the actual viewers; do not claim a viewer you did not use.

7.2.2 Inspect important elements

1. Check title, contents links, heading hierarchy, page numbers, tables, images where present and final paragraph.
2. Record the viewer and exactly what was checked.
3. The initial PDF had 11 pages with no blank pages or text outside page bounds.
4. Its six tables and final training paragraph were present; no instructional image existed.

Check: Headings, tables, final content and numbering have been inspected.

7.2.3 Record differences and limits

1. Record actual differences.
2. Correct the native scenario source when appropriate and export again; keep prior snapshots.
3. Do not infer interactive link behaviour from a picture or document text alone.

What should you see?

A check through the final page, with viewer limitations and real defects recorded separately from no-difference findings.

Check: Your record distinguishes a real defect from an untested feature.

7.3 Choose the Handover

Why: Choose a format for the recipient and inspect review content before treating a practice copy as releasable.

7.3.1 Match format to reader

1. Choose an editable Word file when the recipient needs to revise it, or PDF for a fixed reader handout.
2. Keep the native source for future controlled changes.

Check: Word suits editable handover and PDF a fixed reader copy.

7.3.2 Inspect comments and tracked content

1. Inspect comments and tracked content before distribution.
2. The first working DOCX retained an open review comment, even though the rendered PDF did not show it.
3. Retain the prior snapshot; make a separate release practice copy with comment copying unchecked.
4. Do not resolve the maintained source's evidence question merely to clean an export.

Check: Source evidence questions remain intact; any clean practice export comes from a separate copy.

7.3.3 Label the practice files

1. Confirm filenames, revision and fictional labels.
2. No sharing, publishing or email is performed in this exercise.

Check: Names identify revision and fictional practice status; nothing was distributed.

7.4 Test Conversion and Issue a Reproducible Release

Why: Scope and revision can change during conversion. Reproduce a complete handout, test a round trip, then make a genuinely revised export.

7.4.1 Create the release source

1. Click **File**, **Make a copy** to create `GW - Reporting Procedure - Release Practice`.
2. Leave sharing and comment-copy boxes unchecked.
3. This is the native **scenario release source**; the maintained Working document stays separate.
4. Add a Release Checklist with Native source, Revision, Export scope, Filename, Viewer and Result.
5. Use `Practice release r1`, distinct r1 filenames and a pending result until checked.

Case input to analyse

Read this fictional case here; you do not need to paste the case itself. Record your own check or decision where instructed.

> Release scenario: One reader needs an editable procedure; another needs a fixed complete handout including Examples. A previous PDF is already in the practice folder. Make the current revision and included scope unambiguous without deleting the maintained source.

```
Release Checklist
Native source: this Release Practice document
Revision: Practice release r1
Export scope: record Current Tab or All Tabs for each file
Filename: record the actual downloaded filename
Viewer: record the viewer you used
Result: PENDING until the file is inspected
```



The separate release practice copy excludes sharing and review comments.

Check: Release Practice is separate from Working and has a pending checklist.

7.4.2 Set tabs and export r1

1. Rename the main tab **Procedure** (click the three dots on the tab, then **Rename**).
2. Add a separate **Examples** tab with the supplied fictional appendix and scope marker.
3. Name the baseline version `Practice release r1`.
4. Select **Procedure** before exporting the main-only file.
5. With multiple tabs, the Download dialog offers **Current Tab** and **All Tabs**.
6. Inspect the setting for **every** export; the reference dialog reset to Current Tab.

Apply Heading 1 to the first line only. Keep the scope marker unchanged so prior/current PDFs can be checked consistently.

```
Examples for Release Practice
FICTIONAL TRAINING MATERIAL - APPENDIX
Example scope marker: COMPLETE-HANDOUT-EXAMPLES-R1
Task T001 - Planning - Aina Rahman - recorded status Complete. This recorded sample does not
itself approve the budget or pilot date. Complete requires owner-confirmed output ready for
review.
Missing-owner example: retain the task ID and recorded status, flag the owner gap and add an
exception note. Never invent an assignment. Keep the entry as a draft until the submission
channel, recipient and cut-off are agreed.
Final appendix checkpoint: proposed RM 12000 ceiling; start to be confirmed; every Friday;
source uncertainty retained.
```



A separate Examples tab has a recognisable complete-handout marker.

Export `Procedure-r1-main.pdf` with **Current Tab**, then `Procedure-r1-complete.pdf` and `Procedure-r1-complete.docx` with **All Tabs**. If tabs are unavailable, state which appendix content is included instead of claiming an all-tabs test.



Current Tab exports only the selected Procedure tab.



All Tabs includes Procedure and Examples in the complete handout.



The editable Word handover also deliberately includes all tabs.

Check: Main-only uses Current Tab; complete PDF/Word deliberately use All Tabs.

7.4.3 Check what the files contain

1. Inspect the files through their final page.
2. The reference main-only PDF had **12 pages without the Examples marker**; the complete PDF had **13 pages with it**.
3. The clean Word export contained no comment metadata or tracked insertions/deletions.
4. Check three internal links, the contents list, a table and the final procedure/appendix paragraphs.
5. PDF structural checks resolved the three quick-link destinations to the expected pages; interactive PDF viewing remained pending.

Check: The complete files contain the Examples marker and you checked their final pages.

7.4.4 Record actual conversion findings

1. Paste the conversion-check table below with its heading.
2. Every result begins **Not yet checked**.
3. Inspect that element in the actual export, then replace the pending text with your observation and viewer.
4. Record a no-difference finding only after checking it.

Conversion Check Record

Source location	Format	Observed difference	Severity / action
Heading hierarchy	DOCX / PDF	Not yet checked	Compare real heading structure, not just bold text. Record viewer and result.

Quick links and contents	DOCX / PDF	Not yet checked	Follow links; distinguish interactive tests from visual inspection.
Tables and final paragraph	DOCX / PDF	Not yet checked	Inspect dimensions, final column and last page.
Examples appendix	Complete exports	Not yet checked	Find COMPLETE-HANDOUT-EXAMPLES-R1 and check numbering.
Comments / tracked changes	DOCX	Not yet checked	Inspect separately; a clean-looking PDF does not establish absence in Word.

Record actual findings and the viewer used. A native comparison report can contain expected source-record additions as well as conversion differences; do not count every suggestion as a defect.

Check: Only inspected results replace Not yet checked; limitations remain visible.

7.4.5 Import a separate round trip

1. Upload `Procedure-r1-complete.docx` as a distinct practice file and open/convert it in Docs, named `GW - Procedure r1 - Round Trip Practice`.
2. Do not replace the scenario or maintained source.
3. The browser upload required an unavailable extension permission in this run, so connected Drive imported only this authorised fictional DOCX.
4. **Browser upload was not verified.**



The imported round-trip copy retains headings and quick links in one tab.

Check: Round Trip Practice is a new file and neither source was overwritten.

7.4.6 Test structure and links

1. Compare heading hierarchy, table dimensions, links and final content.

2. The reference import retained **six table structures and 16 heading targets**, including Examples, but flattened two native tabs into one.
3. Follow the three quick links and a contents entry; the reference reached Status Definitions, Missing Information, Questions for the Sponsor and Submission Example.
4. Find/select the link label and use **Alt+Enter**, or use its link popup.



The imported bookmark lands at Status Definitions.



The second imported quick link reaches Missing Information.



A converted contents entry reaches Submission Example.

Use **Tools**, **Compare documents** if available. Choose the observed source, exclude comments and inspect the generated report. Prefer the matching frozen r1 reference for an exact wording comparison. In this run the current source already contained later review-record additions, so those expected additions were distinguished from conversion effects. The generated report flagged margins, styles, sections and headers/footers. Do not accept all suggestions or interpret the report's comment count as a defect count.



Native comparison generates suggestions for structure and formatting; these are inspected rather than accepted together.

Check: The imported links/structure were tested and comparison flags were assessed individually.

7.4.7 Repair and issue practice r2

1. Repair the actual source issue and change a real instruction in the **scenario** source.
2. In **Examples**, use **Insert**, **Page elements**, **Page numbers** to add a first-page footer field; prefix it `Examples - page` .
3. This makes the appendix's own sequence explicit.
4. In **Procedure**, append the supplied post-clarification source-recheck action to the exact missing-owner paragraph.
5. Confirm the selected tab and a unique search match before replacing text.

Find the exact existing missing-owner paragraph in the Procedure tab. Confirm one match and append this action without changing its existing conditions:

```
After clarification, recheck the retained entry against the source before requesting review.
```



A native page field adds an explicit Examples page sequence.



The r2 source explicitly requires a source recheck after clarification.

Update the source checklist to r2 filenames and record the inspected comparison, repair and viewer limitations. Name the revision `Practice release r2`. Export `Procedure-r2-main.pdf` with Current Tab, then the complete PDF and Word with All Tabs. Keep all r1 files and check that they are unchanged (same file size and modified time in your downloads folder).



The r2 source record distinguishes conversion evidence and pending viewer checks.



The revised native source receives a distinct release milestone.

Check the new files and record results in an external release manifest. Use this naming plan as a reference. Include only files you actually created and identify the current revision yourself.

Filename	Revision	Scope	Purpose
Procedure-practice-r1.docx	Earlier maintained working snapshot	Original single tab and training appendices	Prior evidence; includes the open review comment
Procedure-practice-r1.pdf	Earlier maintained working snapshot	Original single tab and training appendices	Prior fixed snapshot
Procedure-r1-main.pdf	Practice release r1	Procedure, Current Tab	Prior main-only copy
Procedure-r1-complete.pdf	Practice release r1	Procedure plus Examples, All Tabs	Prior complete reader copy
Procedure-r1-complete.docx	Practice release r1	Procedure plus Examples, All Tabs	Prior editable copy and round-trip input
Procedure-r2-main.pdf	Practice release r2	Procedure, Current Tab	Current main-only practice copy
Procedure-r2-complete.pdf	Practice release r2	Procedure plus Examples, All Tabs	Current complete reader handout
Procedure-r2-complete.docx	Practice release r2	Procedure plus Examples, All Tabs	Current editable handover

The reference r2 main-only PDF had **13 pages** and excluded Examples; the complete PDF had **14 pages**, included Examples and displayed **Examples - page 1**. The revised instruction was present in both scopes, and the earlier working snapshots retained their original hashes. These are fictional training copies, not

project approval or a distributed release.



The final complete PDF includes the fictional Examples appendix and its repaired page number.

What should you see?

Distinct prior/current filenames, checked export scopes, a separate round trip, recorded conversion differences and a revised source/export pair. Browser upload, interactive PDF viewing and Word desktop compatibility are not claimed from the fallback checks.

Check: r2 contains the real instruction change; r1 files remain unchanged and the manifest identifies scope.

Independent Practice

What is being tested: perform the chapter skills without following the earlier clicks. Use the supplied material to reduce typing; explain your decisions and show the actual result. If you need a hint, record it and repeat that check independently.

1. Prepare a distribution manifest for an editable handover and a fixed reader copy. State exactly which source revision and tabs/appendices each contains.
2. Have a reviewer identify the current release using only your filenames and manifest. If they choose the wrong one, repair the naming or status label.
3. Demonstrate that the earlier downloaded copy does not change after a native edit, and explain which format would suit each reader.

Evidence to Hand Over

- Scope-checked PDF/Word copies and a round-trip comparison.
- Element-by-element conversion record, including no-defect findings where observed.
- Release manifest and a checked revised export with an unambiguous current version.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
Examples disappear from the complete handout	Check current-tab versus all-tabs export scope, then inspect the end of the new file.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

Conversion is complete only after checking the exported files. Next, demonstrate the complete procedure workflow.

Check yourself: Which file remains the maintained source after export?

08

CHAPTER 8

Complete the Procedure Challenge

In this chapter you will independently revise a section and demonstrate that its facts and navigation remain correct.

Estimated time: 45 minutes, planned as 10 explanation and demonstration, 15 guided build and casework, 15 independent practice and 5 verification and repair. Not yet timed with learners.

Your result: A revised procedure with tested navigation and a checked handover.

> **Skills you will demonstrate:** combine heading/link/editing skills in a new route; check factual conditions; test a handover and distinguish author checks from reader evidence.

What You Will Learn

- Revise a procedure independently.
- Verify navigation and factual conditions.
- Explain a checked handover.

Before You Begin

Which file? Complete 8.1–8.3 in **Working**. Do the unfamiliar revision in **Capstone Practice** in 8.4; keep Working intact.

Keep your place: complete one small task, check its result, then move on. Type short names where shown. Supplied blocks include related lines in one paste; **Copy heading and table** buttons include the labels too. Use **Ctrl+V** on a blank paragraph outside existing tables. Screenshot wording and page counts are examples; check your own result.

Use the procedure and source facts. Close the earlier step-by-step instructions for the first attempt.

8.1 Revise the Procedure

Why: Practise adding a specific missing-owner action and a shortcut to it while keeping the source facts unchanged.

8.1.1 Insert the owner-clarification block

1. In the maintained **Working** document, add the supplied owner-clarification instruction under **Resolve Questions**, **Missing Information**.
2. Preserve the task ID and recorded status, flag the missing owner, request clarification and keep an exception note.
3. Never invent a person or contact.

Apply Heading 3 to the first line only.

```
Request Owner Clarification
Draft a clarification request that records the task ID, recorded status and the missing-owner gap. Ask for the responsible owner to be confirmed; do not invent a name. Keep an exception note with the source reference.
Keep the request and task record as drafts until the submission channel, review recipient and cut-off are agreed. Recheck the entry against its source after clarification before requesting review. This training exercise sends nothing.
```

Check: The supplied instruction sits under Missing Information.

8.1.2 Style the nested heading

1. Apply **Heading 3** to `Request Owner Clarification`, beneath the existing Heading 2.
2. Keep the request and task as drafts until routing is agreed; recheck the source after clarification.



Add the owner clarification instruction beneath its own Heading 3.

Check: Request Owner Clarification is Heading 3 beneath Heading 2.

8.1.3 Link from the opening

1. Under **Quick Start**, below the existing shortcut links, add a link labelled `Draft an owner-clarification request`.
2. Use **Insert link** and select the actual heading destination rather than typing a private document URL into the course notes.



Add an opening link to the new instruction.

What should you see?

A clear response to missing information, with no fabricated assignment or sent request.

Check: The opening shortcut targets the actual heading.

8.2 Run the Review

Why: A new instruction affects navigation and factual consistency. Test the routes and inspect the document after the edit.

8.2.1 Refresh the contents

1. Click inside the table of contents and click its **Update table of contents** button (the circular arrow at its left).
2. The reference review found that the contents also omitted earlier audience/audit headings; refreshing repaired that real issue.



Refresh the native contents to include current headings.

Check: Current headings appear after the contents refresh.

8.2.2 Follow the new shortcut

1. Test the new opening link.
2. It must reach **Request Owner Clarification**, not merely resemble a link.
3. In the reference run, selecting the link and pressing **Alt+Enter** followed it.



Follow the opening link to Request Owner Clarification.

Check: The link reaches Request Owner Clarification.

8.2.3 Check source conditions

1. Check all budget, approval and start-date references against `project-facts.txt` and `reporting-guidance.txt`.
2. Retain **RM 12000 proposed ceiling**, **unagreed start**, **four weeks from the agreed start** and **every Friday**.
3. Distinguish labelled flawed examples or rejected assertions from accepted facts; do not silently rewrite historical evidence.

Check: Proposed budget, unagreed start, relative duration and Friday cadence are preserved.

8.2.4 Inspect layout and summary

1. Inspect the entire print layout and sponsor summary.
2. The reference core PDF had **11 pages**: all pages were rendered and visually reviewed offline, with no blank pages or text outside page bounds.
3. The existing sponsor summary remained 100 words.
4. This does not establish interactive PDF-link behaviour.



Project Reporting Procedure

Request Owner Clarification

Draft a clarification request that records the task ID, recorded status and the missing-owner gap. Ask for the responsible owner to be confirmed; do not invent a name. Keep an exception note with the source reference.
Keep the request and task record as drafts until the submission channel, review recipient and cut-off are agreed. Recheck the entry against its source after clarification before requesting review. This training exercise sends nothing.

7. Record ambiguous statuses, missing owners and unsupported commitments as questions requiring clarification. Do not turn uncertainty into a completed task or an approved decision.
8. Recheck the entry against its sources after clarification. Until evidence is supplied, preserve the unresolved value and keep the draft distinguishable from an approved record.

Questions for the Sponsor

- Is the proposed RM 12000 budget approved? Open decision; sponsor approval is not evidenced.
- What is the agreed pilot start date? Open decision; no calendar date or approval authority is inferred.

Inspect the core native-export PDF offline through its final page.

What should you see?

A navigable procedure that retains the source conditions, with the actual repair recorded.

Check: You checked your actual output; sample page counts are not targets.

8.3 Demonstrate the Handover

Why: A handover explains what changed, what was checked and which file remains the source.

8.3.1 Record the review

1. At the end of the document, add a **Challenge Review Record** heading (Heading 1) showing the new instruction's source context, the contents repair and the decision to retain unresolved budget/date conditions.
2. Keep the earlier contact-evidence question open; a tidy comment count is not evidence of resolution.



Record source context, a review decision and the maintained source versus snapshot.

Check: The review records source support, navigation repair and open questions.

8.3.2 Name the checked revision

1. Click **File**, **Version history**, **Name current version** and save `Procedure challenge checked`.



Name the checked core revision.

Check: Procedure challenge checked is visible in version history.

8.3.3 Explain source versus snapshots

1. Explain that **Working** is the maintained native source.
2. PDF/Word files are dated snapshots and must be regenerated after source changes.
3. The separate Lab 7 release scenario remains distinct; it is not replaced by this exercise.

> **What should you see?**
>
> A checked milestone and an honest handover that identifies the maintained source, snapshots and open decisions.

Check: You can explain why a later source edit requires a new export.

8.4 Complete an Unfamiliar Revision and Reader Test

Why: Apply the earlier skills to a new three-case route. The reference cases save typing; your route and reader evidence must be tested.

8.4.1 Create the capstone copy and impact list

1. Click **File**, **Make a copy** to create `GW - Reporting Procedure - Capstone Practice`.
2. Leave sharing and comment copying unchecked.
3. Write a **Capstone Change-Impact List** before editing: route, headings, contents, opening links, proposed checklist, audience wording, examples, export scope and reader evidence.

Case input to analyse

Read this fictional case here; you do not need to paste the case itself. Record your own check or decision where instructed.

> Final change brief: Contributors must be able to report an unknown owner, an unfamiliar status and a request that asserts approval without evidence. Keep these uncertainties visible and provide a review route. You may design proposed practice, but must not add a real contact, deadline, approval or pilot start date.



Create the capstone practice copy without copying sharing or comments.



Write the change-impact list before editing the route.

Check: Capstone Practice is separate and the impact list exists before editing.

8.4.2 Design three evidence-gap branches

1. Under **Resolve Questions**, add Heading 2 **Escalation and Evidence Gaps**, with Heading 3 branches **Missing Owner**, **Unfamiliar Status** and **Approval Evidence Missing**.

2. Give each branch an action, a record to retain and a condition that remains unresolved.
3. Preserve an unfamiliar raw label; do not map it to Complete without evidence.
4. Treat asserted approval without a decision reference as unsupported.



Add distinct actions for missing owner, unfamiliar status and missing approval evidence.

Check: Each branch gives an action, retained record and unresolved condition.

8.4.3 Format the proposed review checklist

1. Under the evidence-gap section, paste the Proposed Review Checklist block once.
2. Set its first line to **Heading 3** and apply **Numbered list** only to the six action paragraphs.
3. Label the checklist proposed training practice.
4. Do not add a real recipient, deadline, approval policy or authority to spend.

```
Proposed Review Checklist
Confirm the task ID and source reference are recorded.
Preserve the reported owner and raw status; flag gaps or unclear meaning.
Check any approval claim against evidence; retain proposed budget and unagreed start without
approval.
Record an exception note and the pending clarification.
Confirm the review channel, recipient and cut-off before requesting review; otherwise retain
the draft.
After clarification, recheck against the source and retain the review decision with its
evidence.
```



Label the six-action checklist proposed practice.

Check: Only six action paragraphs are native numbered items under Heading 3.

8.4.4 Test the opening routes

1. Under **Quick Start**, add the link `Review unresolved owner, status and approval evidence`, targeting the new Heading 2.
2. Retain and retest the earlier owner-clarification link.
3. Refresh the contents and follow its escalation entry.
4. Both opening links and the contents destination were tested natively in the reference run.

Check: Both opening links and the refreshed contents reach the right headings.

8.4.5 Audit audiences and case routes

1. Update the sponsor summary, contributor checklist and open decision questions to match the route.
2. The checked sponsor version is **100 words**.
3. Keep the original budget/date caveats and the canonical T001 source example.
4. Paste the completed Capstone Incoming-Report Examples table below with its heading.
5. Test these reference routes against your own instructions and update the action column to match what your walkthrough actually did.

Capstone Incoming-Report Examples

Case	Incoming report	Author route and recorded action	Unresolved / stop condition
CASE-01	Owner blank; recorded status In Progress	Missing Owner: retain ID/status; flag owner gap; draft clarification request. Verify this route in your own procedure.	Owner and routing unresolved; do not assign a person or send the draft.

CASE-02	Training contributor supplied; raw status Nearly done	Unfamiliar Status: retain the label; compare guidance and request meaning/evidence. Test without guessing a mapping.	Completion not established; do not infer Complete.
CASE-03	Claims RM 12000 approved and next-Monday start; no decision evidence	Approval Evidence Missing: retain the unsupported assertion and request a decision reference through an agreed route.	Proposed ceiling, unagreed start and Friday cadence retained; no spending or sending authority.



Check the 100-word sponsor summary and contributor checklist against the new route.



Record the three fictional incoming-report cases as author checks.



The refreshed contents entry reaches the escalation heading.

Check: Audience text preserves conditions; case actions reflect your own walkthrough.

8.4.6 Save and inspect the complete export

1. Add a **Reader-Test Status and Release Record**.
2. Record your three author checks separately from an independent reader result. Leave that result pending until a reviewer actually performs it.

3. Name the current version `Procedure capstone checked`.
4. Export the complete single **Tab 1**, including appendices, as `Procedure-capstone-complete-r1.pdf`.
5. Inspect every page. If a heading is isolated or a gap appears, repair the native copy and export again. Check the final file after the repair.

Reference export example — your page count may differ

The reference export had 16 pages. A deliberate break kept the reader record together; an empty heading was changed to Normal text, the contents refreshed and the PDF regenerated. The author checked 24 nonempty heading targets and seven tables. Native navigation was tested; interactive PDF navigation remained pending. Use your own observed results rather than copying these counts.



Name the checked capstone revision before its complete export.

Project Reporting Procedure

Reader-Test Status and Release Record

Author acceptance check: CASE-01 keeps its task ID and recorded status, flags the absent owner and retains a draft; CASE-02 preserves Nearly done as an unresolved raw label rather than mapping it to Complete; CASE-03 retains the approval assertion as unsupported while the proposed ceiling and unagreed start remain. All three have a recorded question, next action and stop condition.
Navigation author check: the direct owner link and the three-case Quick Start link reach their respective headings. The refreshed contents entry reaches the new route. Sponsor summary remains 100 words; budget, date, Friday cadence and missing-information invariants were checked. The canonical T001 source example remains unchanged.
Independent reader test: PENDING. No reviewer is assigned or contacted, and no hesitation, repair or success is attributed to an independent reader.
Prepared unfamiliar test card - fictional input only: CASE-R1 reports no owner, raw status Ready for release and an approval assertion with no decision reference. Ask the reviewer to start from the opening, identify the applicable branches, record the values and uncertainties, and state the next action and stop condition without spoken coaching. Record their observed path only when the test is actually run.
Release to verify: Procedure capstone checked, single Tab 1 including the full procedure and training appendices. Planned fixed snapshot: Procedure-capstone-complete-r1.pdf. The maintained GW - Reporting Procedure - Working source remains separate from this capstone scenario. Regenerate the snapshot after any change; this exercise sends nothing.

The complete 16-page capstone PDF retains the pending reader-test record.



Record author acceptance evidence and leave the independent reader test pending.



The refreshed contents includes the new route and capstone records.

Check: The checked revision and fresh complete export exist; pending reader status is honest.

8.4.7 Run the independent reader test

1. **Pending until an independent reviewer is assigned:** give that person the document and unfamiliar CASE-R1 card.
2. Ask them to follow it without coaching and record their actual decision path, hesitation and result.
3. The reference run prepared the card but contacted nobody.
4. Do not fill this result with the author's own walkthrough.

```
CASE-R1: A report has no owner, uses status Ready for release and asserts approval without a
decision reference.
Find the appropriate route without coaching. State what you record, the next action and what
prevents release.
Reviewer:
Observed path:
Hesitation or error:
Evidence-based repair or second-case result:
Status: PENDING until an independent reviewer actually completes the test.
```

What should you see?

An integrated three-case route with tested native navigation and a checked complete export. Independent reader evidence remains visibly pending until it actually exists.

Check: Record an actual independent result, or leave it PENDING if no reviewer is available.

Independent Practice

What is being tested: perform the chapter skills without following the earlier clicks. Use the supplied material to reduce typing; explain your decisions and show the actual result. If you need a hint, record it and repeat that check independently.

1. Use the reviewer's hesitation or error to revise one instruction. If no hesitation occurs, challenge them with a second case containing two missing fields.
2. Produce a one-page handover with source link, current release, outstanding review questions and three acceptance-test results.
3. Demonstrate a complete path from opening link to exception handling to review record. Your explanation must show why the procedure does not authorise spending.

Evidence to Hand Over

- Integrated three-case escalation route with working navigation.
- A reader test, an evidence-based repair or a tested second case, and fresh complete export.
- One-page handover that distinguishes maintained source, snapshot and open decisions.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
The capstone only adds a new heading	Check for executable actions, worked examples, tested links and an independent reader result.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

You have drafted, structured, reviewed and checked a professional procedure.

Check yourself: Can a new reader find the missing-information instruction from the opening?

Google Docs

A practical one-day course with step-by-step draft labs, copy-ready prompts, fictional inputs and expected-result checks. All eight Labs have author reference captures, including a three-case capstone and a checked complete export. Independent challenges, reader/partner and language review, interactive PDF checks and classroom timing validation remain required before participant release.

Asraf Jaafar Sidik · Microsoft Certified Trainer ·