
GOOGLE WORKSPACE TRAINING



Google Slides

One-day course review draft

Plan a grounded sponsor update, trace evidence and inspect motion, accessibility and distribution. Labs 1–8 include 173 captured stages. Import comparisons, spoken/reviewer checks and independent learner validation remain pending.

Delivered by Asraf · Microsoft Certified Trainer

Google Slides

One-day course review draft · Review draft, version 0.4

© 2026 Asraf Jaafar Sidik. All rights reserved.

Resources: Use the practice files supplied with this review package.

Google, Google Workspace, Gmail, Google Drive, Google Docs, Google Sheets, Google Slides, Google Sites, Gemini and NotebookLM are names associated with Google. This independent training guide is not published or endorsed by Google.

Screenshots show the product at the time of writing. Google updates its apps often, so labels, availability and layouts in your account may differ. This review draft still requires full lab validation.

About the author

Asraf is a Microsoft Certified Trainer and HRD Corp-certified IT trainer based in Malaysia. He has been teaching working professionals since 2008, helping teams at banks, pharmaceutical companies, construction firms, and retailers get real work done with Microsoft 365, Power Platform, Excel, Google Workspace, and, more recently, AI tools like Copilot.

He holds a Bachelor of Information Technology (Multimedia) from the University of Malaya, along with Microsoft certifications in Power BI (PL-300) and AI for business (AB-730). Outside the classroom he writes his own automation tools in Python and Node.js, mostly to save himself from doing the same task twice.

He runs his training practice solo, which means he has personally felt every inefficiency this book tries to fix.

Contents

Before you begin 5

1 Read the Brief and Plan the Story 6
1.1 Read the Decision 6
1.2 Plan the Narrative 7
1.3 Check the Outline 10
1.4 Build an Audience and Evidence Storyboard 11
Prompts and values 19

2 Create and Organise the Deck 21
2.1 Create the Deck 21
2.2 Manage the Sequence 23
2.3 Practise Importing 25
2.4 Create a Reusable Deck Structure and Import Test 26
Prompts and values 32

3 Build Clear Slide Layouts 33
3.1 Build the Core Messages 33
3.2 Arrange the Content 35
3.3 Review Titles and Notes 37
3.4 Redesign Dense Content Without Losing Evidence 40
Prompts and values 47

4 Create and Check Visual Assets 49
4.1 Choose a Useful Visual 49
4.2 Try a Generated Image 50
4.3 Check Media and Provenance 52
4.4 Produce Visuals With a Clear Information Purpose 54
Prompts and values 59

5 Link and Explain Project Data 61
5.1 Prepare the Source Chart 61
5.2 Insert the Linked Chart 64
5.3 Test the Refresh 66
5.4 Extend the Source and Audit Every Representation 70
Prompts and values 78

6 Polish Motion and Review 80
6.1 Add Deliberate Motion 80
6.2 Inspect Accessibility 83
6.3 Review a Milestone 90
6.4 Test Motion, Reading Order and Review Decisions 93
Prompts and values 105

7 Rehearse and Distribute 107
7.1 Rehearse with Notes 107
7.2 Inspect Audience Tools 111
7.3 Compare Distribution Choices 113
7.4 Rehearse an Accessible Delivery and Test Distribution 116
Prompts and values 126

8 Deliver the Project Update 128
8.1 Deliver the Story 128
8.2 Answer and Verify 129
8.3 Improve the Deck 131
8.4 Handle a Last-Minute Sponsor Change 137
Prompts and values 149

INTRODUCTION

Before you begin

This review book accompanies Google Slides. Work through its chapters in order and keep the original practice inputs unchanged. The same notes and prompts also appear in the local course website.

Current Status

All chapters in this book are written drafts. Most have not yet been executed end to end in the application. The masterclass's reference brief chapter has a tested core path with a recorded recovery prompt; that does not validate the other exercises. Treat VERIFY notes and draft notices as production work still to complete.

What You Need

Use a desktop browser and the Google account approved for the class. Confirm app and AI access beforehand. Edition, administrator controls and language can affect availability.

Download the supplied fictional practice pack. No real client or personnel record is needed. Dataset week fields are relative practice weeks, not an agreed pilot start date.

How to Use the Exercises

Follow the numbered steps, attempt the output and then open the expected-result box. AI wording can vary; source facts and approval conditions must remain correct.

Values and prompts follow the notes. Replace source placeholders before submitting. Inspect proposed edits before applying them. Drafting does not authorise sending, inviting people or publishing.

Course Timing

This course is planned for 1 day, with 390 teaching minutes per day, excluding breaks and lunch. Estimates include practice, checks and discussion and need a classroom pilot.

Each course supplies independent starting inputs. Use a stated recovery file if an earlier output is missing.

Expanded Casework

Revision 0.4 adds casework, independent challenges and evidence gates to every chapter. The original short guided path alone is insufficient. Timings are targets, not measured learner results. Read each case input and keep baseline and scenario files separate.

01

CHAPTER 1

Read the Brief and Plan the Story

In this chapter you will choose the audience, decision and evidence; use Gemini to propose an outline.

> **Prompts:** the prompts page has every value and prompt for this chapter, each with a Copy button.

Estimated time: 40 minutes, planned as 10 explanation and demonstration, 10 guided build and casework, 15 independent practice and 5 verification and repair. Not yet timed with learners.

Your result: A six-slide story plan with a decision request and source evidence.

> **Status:** an author reference run covers the written work in 1.1-1.4 with 15 staged images and retained sources. The real Gemini proposal, human revision, native storyboard and task snapshot were checked. Spoken rehearsal (1.3 step 3), partner walkthrough (1.4 step 7), independent challenge and learner timing remain pending. Lab 1 creates a planning Doc; deck creation starts in Lab 2.

What You Will Learn

- Choose a presentation decision.
- Plan evidence before slide decoration.
- Use AI to propose a bounded outline.

Before You Begin


Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Open checked brief and TaskRegister.xlsx. This specialist course supplies its own inputs.

1.1 Read the Decision

1. In Google Drive, click **New**, **Google Docs**, **Blank document**. Click **Untitled document**, type `GW - Sponsor Update - Story Plan` and press **Enter**. Keep it private in your approved practice location. Use the supplied specialist inputs; the masterclass's later task changes are not this course's baseline.
2. Type `Sponsor Decision` and choose **Heading 1** from the style list. Underneath, identify **Farid Hassan, sponsor** as the audience. Write one decision sentence: decide whether to approve the **proposed RM 12000 ceiling** and agree the **pilot start date**. Aina Rahman coordinates the pilot.
3. Separate purpose, future success criterion and unresolved approvals. The purpose is to test a consistent weekly reporting process. Success would mean all three teams submitting on time in the final two weeks; achievement is not yet evidenced.

4. Record the facts the sponsor needs: the three teams, four outputs, four weeks from an agreed start, Friday updates and the status-definition risk. Preserve the exclusions for live construction records, purchasing commitments and external publication.




Record the sponsor decision, purpose, success criterion and open approvals.

What should you see?

A clear budget/start-date decision request, supported project context and visible unresolved conditions.


1.2 Plan the Narrative

1. At the end of the Doc, add the Heading 1 `Six-Slide Narrative - Human Draft` and write your own six-slide outline under it first: **Purpose**, **Pilot Scope**, **Current Tasks**, **Risk**, **Decisions**, **Next Steps**. Give each one main message and a source. Leave task counts unverified until you inspect the supplied workbook; the brief does not contain them.




Write the six-part human outline before asking Gemini.

2. Click **Ask Gemini** (the star at the top right of the Doc). In a new conversation, paste the Part 1 prompt from the prompts page with the complete `checked-brief.txt` replacing the placeholder. Request a panel-only answer. Do not submit an unresolved source placeholder or insert an unchecked generated deck.




Paste the bounded outline prompt and complete checked brief into Gemini.

3. Read all six actual messages. The reference proposal used Purpose and Roles, Scope, Schedule and Success Measure, Reporting Risk, Proposed Budget and Decisions Needed. It retained the proposed budget and unconfirmed date and did not invent task counts or savings. Your response can differ; check its claims against the inputs.




Inspect the actual purpose and scope proposal in the Gemini panel.



The actual proposal retains the proposed budget and unresolved start decision.

4. Add the Heading 1 `AI Proposal Review`. Compare the response with your human plan and record a real revision there. In this run, the first purpose message cited roles as its source fact: the review replaced that mapping with the actual Purpose phrase. It also replaced broad financial-commitment wording with proposed budget ceiling and kept the exact agreed-start condition.
5. Keep the required six-part story: merge budget with Decisions, include schedule and the success criterion in Scope/Next Steps, restore **Current Tasks** using a separately checked workbook, and end with conditional next actions. No unsupported claim was invented merely to demonstrate a correction.




Record the human source-mapping and narrative revision.

What should you see?

An outline with a useful job and identifiable source for every slide, plus a recorded human acceptance or repair decision.

1.3 Check the Outline

1. Add the Heading 1 `Outline Acceptance Check`. Check that no calendar launch date, achieved success or numerical efficiency saving has been invented.
2. Keep **RM 12000 proposed, not approved**, the unagreed start, four weeks from the agreed start and Friday reporting explicit. Confirm that the requested decision does not authorise purchasing.
3. Rehearse the plan aloud for one minute before creating the deck. **Pending in the author run:** a written script or word count does not establish that a person rehearsed aloud.




Check factual conditions and leave spoken rehearsal pending.

What should you see?

A fact-checked outline. Record an actual spoken rehearsal separately when it happens.

1.4 Build an Audience and Evidence Storyboard


1. Add the Heading 1 `Audience and Evidence Storyboard` and a one-line description, then click **Insert**, **Table** and create a 5-column, 7-row table with **Slide**, **Audience question**, **Main message**, **Evidence**, **Visual approach**. Populate all six planned slides before opening the theme gallery. Landscape A4 was used in this reference run to keep the five-column table readable. Use **Format**, **Line & paragraph spacing**, **Add page break before** where needed to keep its heading and table together; inspect the resulting layout.



Slide	Audience question	Main message	Evidence	Visual approach
1 Purpose	Why run this pilot?	Test consistent weekly reporting.	checked-brief.txt: Purpose	One-sentence purpose.
2 Pilot Scope	Who and what is involved?	Three teams, four outputs, four weeks from agreed start; Friday updates.	checked-brief.txt: Scope and Outputs; Schedule	Team/output list; relative timeline.
3 Current Tasks	What is recorded now?	12 tasks: 4 Complete, 4 In Progress, 4 Not Started. Snapshot only.	TaskRegister.xlsx: Tasks!A2:H13; statuses F2:F13	Three status bars labelled dataset snapshot.
4 Risk	What could make updates inconsistent?	Teams may define task status differently.	checked-brief.txt: Risk; reporting-guidance.txt definitions	One definition example with its limit.
5 Decisions	What must the sponsor decide?	Proposed RM 12000 ceiling; start date unagreed.	checked-brief.txt: Budget; Decisions Needed	Two open decision prompts.
6 Next Steps	What follows the decision?	Confirm start, coordinate Friday updates, then test the final-two-weeks criterion.	checked-brief.txt: Schedule; Success Measure. Actions proposed.	Conditional next actions and success criterion.


Complete the native seven-row, five-column storyboard before deck decoration.

2. Add the Heading 1 `Decisions and Claim Inventory`. Record both unresolved sponsor decisions and needed evidence. Budget approval needs an authorised decision identifying amount/conditions; a start date needs a recorded agreement. The supplied sources contain neither. A relative DueWeek value cannot supply a calendar date.
3. Build the claim inventory from `project-facts.txt`, `checked-brief.txt` and the supplied **12-task** workbook. Inspect `Tasks!A2:H13` and statuses `F2:F13`: **4 Complete, 4 In Progress, 4 Not Started**, four tasks per team. Label these as a dataset snapshot. In the reference run, the supplied local XLSX was inspected directly; this does not claim a live Google Sheets test or prove final-two-weeks on-time submissions.




Record the two decisions and verified twelve-task dataset snapshot.

4. Add the Heading 1 `Stakeholder Request Review`. Classify the stakeholder requests as supported, proposed or unsupported. Preserve the source phrase for supported project claims and identify the range for derived counts. The three teams and task snapshot are supported. Saying the budget is approved contradicts the source. A 40% efficiency promise lacks a metric, measured baseline, comparison period and validated result. A shared-definition check can be proposed, with that status explicit.




Classify supported requests and reject unsupported approval and efficiency claims.

5. Add the Heading 1 `Opening and Closing Scripts`. Draft a 60-second opening and 30-second closing request. Preserve the proposed budget and unresolved date. The reference drafts contain **125** and **63 words**; these are preparation, not measured speaking times. Keep actual rehearsal pending until performed.




Draft opening and closing scripts while leaving actual spoken duration pending.

6. Add the Heading 1 `Appendix Plan and Review Status`. Plan one appendix on **source definitions** and a second on **an audience question the evidence cannot answer**. The reference second topic asks what measurable efficiency improvement the pilot will deliver; the inputs cannot answer. Explain why these support questions stay outside the six-slide decision story.




Plan source definitions and an evidence-gap appendix, with partner review pending.


7. **Pending until a partner is assigned:** walk them through the storyboard without decoration. Ask them to identify both decisions and explain why the task snapshot does not establish success. Record their actual confusion and any resulting revision. The reference author run contacted nobody and attributes no hesitation or repair to a partner.
8. Click **File**, **Version history**, **Name current version**, type `Story plan checked` and click **Save**. Inspect the complete planning document and record genuine issues. The initial author PDF had nine pages with one blank page after the storyboard. Removing an extra **Add page break before** setting on the following claim-inventory heading repaired it. The separate final milestone is `Story plan checked - layout repaired`. The final **eight-page** PDF was rendered and visually checked offline, with no blank pages or text outside page bounds. Native readback confirmed **nine nonempty headings and a 7 × 5 native table**. Interactive PDF navigation is not claimed.



Name the initial checked planning revision.



Name a distinct checked revision after the blank-page repair.



Audience and Evidence Storyboard

Six main-story slides. Each row answers one sponsor question and names its source. Visual approaches are plans only; no deck or theme has been created.

Slide	Audience question	Main message	Evidence	Visual approach
1 Purpose	Why run this pilot?	Test consistent weekly reporting.	checked-brief.txt: Purpose	One-sentence purpose.
2 Pilot Scope	Who and what is involved?	Three teams, four outputs, four weeks from agreed start; Friday updates.	checked-brief.txt: Scope and Outputs; Schedule	Team/output list; relative timeline.
3 Current Tasks	What is recorded now?	12 tasks: 4 Complete, 4 In Progress, 4 Not Started. Snapshot only.	TaskRegister.xlsx: Tasks!A2:H13; statuses F2:F13	Three status bars labelled dataset snapshot.
4 Risk	What could make updates inconsistent?	Teams may define task status differently.	checked-brief.txt: Risk; reporting-guidance.txt definitions	One definition example with its limit.
5 Decisions	What must the sponsor decide?	Proposed RM 12000 ceiling; start date unagreed.	checked-brief.txt: Budget; Decisions Needed	Two open decision prompts.
6 Next Steps	What follows the decision?	Confirm start, coordinate Friday updates, then test the final-two-weeks criterion.	checked-brief.txt: Schedule; Success Measure. Actions proposed.	Conditional next actions and success criterion.

The repaired native-export PDF retains the complete storyboard on one page.

What should you see?

A six-slide evidence storyboard, two appendix topics, source-backed claim decisions and draft scripts. Spoken rehearsal, partner results and the independent challenge remain visibly pending until completed.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Independently prepare a three-slide version for a sponsor with only two minutes available. Identify which evidence moves to notes or an appendix and why.
2. Compare the short and full outlines for all required facts. Restore any qualification lost through compression.
3. Write a response to the unsupported request on the card, including what evidence would be needed to make that claim.

Evidence to Hand Over

- Six-slide evidence storyboard with two planned appendix topics.
- Opening, decision request and a justified three-slide alternative.
- Stakeholder-claim classification and one recorded narrative revision.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
A polished outline lacks a decision	Return to the sponsor’s open questions and identify which slide supplies evidence for each.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

The story plan gives the deck a purpose and an evidence base.

Check yourself: What decision should the sponsor understand at the end?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

Part 1: Propose an Outline

Session: new chat | **Grounding:** pasted checked brief

```
Goal: Suggest a six-slide sponsor update.
Context: Fictional reporting pilot.
Source: Only the checked brief below.
Expectations: Reply in the panel only. Give one main message and a source fact per slide.
Preserve unresolved approvals and dates. Do not invent benefits or status counts.

BRIEF:
[paste checked-brief.txt]
```

Part 2: Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Stakeholder requests: Explain the three teams; show current task counts; say the budget is
approved; promise a 40% efficiency gain. The sources support the teams and task snapshot, but
provide no approval or measured gain.
```

Part 3: Planning Names and Decision Sentence

Heading 1 sections in the planning Doc, in order:

```
Sponsor Decision
Six-Slide Narrative - Human Draft
AI Proposal Review
Outline Acceptance Check
Audience and Evidence Storyboard
Decisions and Claim Inventory
Stakeholder Request Review
Opening and Closing Scripts
Appendix Plan and Review Status
```

Names and decision sentence:

```
GW - Sponsor Update - Story Plan
Story plan checked
Story plan checked - layout repaired
Decide whether to approve the proposed RM 12000 budget ceiling and agree the pilot start date.
```

Part 4: Storyboard Columns and Required Sequence

```
Slide
Audience question
Main message
Evidence
Visual approach

Purpose
Pilot Scope
Current Tasks
Risk
Decisions
Next Steps
```

Use a native table with one header row and six story rows. Proposed visuals remain plans until later labs. Keep the checked brief and dataset as separate sources.

Part 5: Source Controls

Input	Check
checked-brief.txt and project-facts.txt	RM 12000 proposed, start unagreed, four weeks from agreed start, Friday updates, three teams and four outputs
TaskRegister.xlsx Tasks!A2:H13	Exactly 12 supplied task rows, T001-T012
TaskRegister.xlsx Tasks!F2:F13	Four Complete, four In Progress, four Not Started; dataset snapshot only
reporting-guidance.txt version 1	Complete requires owner-confirmed output ready for review; DueWeek is relative

The specialist uses its own unchanged 12-task workbook. Do not substitute the masterclass's later 13-task scenario or treat status counts as evidence of successful weekly submissions.

Part 6: Claim Review Fields

```
Stakeholder request:
Classification: Supported / Proposed / Unsupported
Source phrase or exact workbook range:
Limit or missing evidence:
Decision: Keep / Qualify / Omit / Request evidence
```

Part 7: Speaking and Appendix Preparation

Draft a 60-second opening and 30-second closing request. Keep both sponsor decisions visible. Word-count estimates support preparation; record the actual aloud duration separately.

Plan an appendix for source/status definitions and one for an unanswered audience question. Explain why neither belongs in the core six-slide sequence. Leave partner observations blank until a real partner completes the walkthrough.

02

CHAPTER 2

Create and Organise the Deck

In this chapter you will apply a theme, manage slides and import a supplied slide while checking its formatting.

> **Prompts:** the prompts page has every value and prompt for this chapter, each with a Copy button.

Estimated time: 45 minutes, planned as 10 explanation and demonstration, 15 guided build and casework, 15 independent practice and 5 verification and repair. Not yet timed with learners.

Your result: A named deck with a consistent theme and organised delivery sequence.

> **Status:** partial author reference run with 14 staged images and full original-size sources. Sections 2.1-2.2, appendix creation, theme/manual-colour comparison, working-deck navigation and reusable placeholders were checked in the real application. The Import slides picker remained blank after a saved-deck reload; 2.3 import comparisons and 2.4 steps 4-5 remain unverified. Independent challenge and learner timing remain pending.

What You Will Learn

- Create a named deck and theme.
- Organise slides and layouts.
- Compare imported formatting with a destination theme.


Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use the six-slide plan from Chapter 1. If no prior plan is available, use its six named topics.


2.1 Create the Deck

1. In Google Drive, click **New**, **Google Slides**, **Blank presentation**. Click **Untitled presentation** at the top left, type `GW - Slides - Sponsor Update` and press **Enter**.
2. In the **Themes** panel on the right, click **Simple Light**. If the panel isn't open, click **Theme** in the toolbar.



Choose Simple Light before building the deck.

3. Create the planned sequence: **Purpose**, **Pilot Scope**, **Current Tasks**, **Risk**, **Decisions**, **Next Steps**. Use a Title slide for Purpose and Title and body for the other five: click the arrow next to **+** (New slide) in the toolbar and choose the layout. Add the checked messages from your story plan.




Six planned slides in sequence.

What should you see?


The deck has six identifiable slides in the planned sequence.

2.2 Manage the Sequence

1. In the filmstrip on the left, right-click the Risk slide and choose **Duplicate slide**. Change the copy's title to `Risk - alternative` and drag it to just after Decisions.
2. Right-click the duplicate and choose **Skip slide**. The reference keeps **Risk - alternative** immediately after Decisions.




Use the backup slide context menu.



Retain the alternative as skipped backup.

3. Delete only the duplicate after comparing alternatives, or retain it skipped as backup. Start **Slideshow** from Decisions and advance: the reference reaches Next Steps, bypassing the backup.




Slideshow reaches Next Steps after Decisions.

What should you see?

The main delivery sequence remains six slides; optional backup content is clearly handled.

2.3 Practise Importing


1. Create a second disposable deck named `GW - Slides - Import Practice Source`, with one title slide labelled `Fictional training example`.



Create the disposable import source.

2. In the working deck click **File**, **Import slides** and choose that disposable source.
3. Compare keeping the source theme with adopting the destination theme. Remove the extra imported practice slide when finished.

Author-run limitation: the Import slides dialog remained blank, including after saving and reloading the working deck. No slide was imported and neither formatting outcome is claimed. If this occurs in class, retain the source and record the incomplete comparison; continue the appendix and theme steps that do not rely on imports.




Import picker remained blank in the author environment.

What should you see?

You can explain the formatting choice without mixing an unrelated slide into the final story.


2.4 Create a Reusable Deck Structure and Import Test

1. Add **Appendix A - Source Definitions** and **Appendix B - Unanswered Question** after Next Steps. The retained Risk alternative makes nine total slides. Appendix A records the status definition, relative Due Week and source versions; Appendix B retains the missing efficiency baseline/comparison instead of promising an unsupported improvement.




Add the unanswered-question appendix.

2. In the disposable deck click **Slide**, **Edit theme**, then **Colours** in the toolbar. Select **Accent 1** and set a practice hex value `#674ea7`. Close theme editing. Select the source title text and apply Accent 1 from the **theme** row of Text colour. Add subtitle `Manual colour stays fixed` and apply fixed dark red 2 from the standard palette. Return to theme editing and change Accent 1 to `#0b8043`.




Inspect and edit the disposable theme accent.

The title follows the new green accent; the manually formatted subtitle remains red. Native readback confirmed the title uses ACCENT1 and the subtitle a fixed RGB value.




Theme-linked title changes while manual text stays red.

3. Keep Simple Light in the working deck and its consistent Title/Title and body layouts. Record that manual colours need separate inspection after theme changes. The practice accent changes above belong only to the disposable source.
4. Create a deliberately different source slide with a different theme and an informative title. Import it twice: once keeping its original theme and once adopting the destination theme.
5. Compare text, background and object formatting on the two imports. Choose the suitable version and keep only the useful practice result as a skipped appendix slide. **Reference status: steps 4-5 are pending because the import picker is blank. The working deck has no imported practice appendix.**
6. On Decisions add **Review source definitions**, select that text and use **Ctrl+K > Slides in this presentation > Appendix A - Source Definitions**. Add **Return to Decisions** in Appendix A and link it to Decisions. Test both in **Slideshow**, by clicking the links. The reference moved from slide 5 to slide 8 and back to slide 5.




Follow the decision slide link in presentation mode.




Source definitions include a working return link.

7. Click **File**, **Make a copy**, **Entire presentation** and name it `GW - Slides - Reusable Six-Part Structure`. Leave sharing unchecked and remove speaker notes from the copy. Replace every case-specific message, number and source in the copy with descriptive placeholders. Preserve the six main topics, skipped backup and two appendices; restore internal links if text replacement removes them.

The reference copy uses the default linked slide-title labels. Do not treat the earlier project evidence as evidence for a new topic.



Reusable decision placeholders replace case narrative.



Separate reusable structure with nine slides.

What should you see?

Working deck plus clearly separated reusable structure copy. The result must be supported by the recorded checks; an attractive output or an AI assurance is insufficient.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. A new training topic needs the same six-part structure but a different accent colour. Adapt the structure copy without changing the original evidence deck.
2. Import one additional practice slide and repair theme inconsistencies. Demonstrate the retained main sequence and skipped support material.
3. Write a short reuse note identifying what is controlled by the theme and what a future author must inspect manually.

Evidence to Hand Over

- Working deck plus clearly separated reusable structure copy.
- Keep-theme/adopt-theme comparison and checked appendix navigation.
- Independent theme adaptation with the original deck preserved.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
Changing the theme leaves inconsistent objects	Inspect manually formatted elements separately from theme-linked placeholders.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

A consistent deck structure makes content editing and later review easier.

Check yourself: Why can an imported slide look different from the rest of a deck?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

Part 1: Typed Values

```
GW - Slides - Sponsor Update
```

```
Fictional training example
```

Part 2: Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Reuse brief: Keep the six-part story structure, source-note placeholders and appendix
navigation. Use a new accent colour and a new topic title only in the reuse copy. No old
project evidence should accidentally appear as evidence for the new topic.
```

Part 3: Reference Deck Names and Theme Test

```
GW - Slides - Import Practice Source
GW - Slides - Reusable Six-Part Structure
Risk - alternative
Appendix A - Source Definitions
Appendix B - Unanswered Question
Review source definitions
Return to Decisions
Manual colour stays fixed
#674ea7
#0b8043
```

Use a theme-row Accent 1 colour for the source title, and standard-palette dark red 2 for the subtitle. Change Accent 1 from purple to green in the disposable deck. This guided comparison is distinct from the unperformed independent new-topic challenge.

03

CHAPTER 3

Build Clear Slide Layouts

In this chapter you will create a title, progress, risk and decision slide with a consistent visual hierarchy.

> **Prompts:** the prompts page has every value and prompt for this chapter, each with a Copy button.

Estimated time: 55 minutes, planned as 10 explanation and demonstration, 25 guided build and casework, 15 independent practice and 5 verification and repair. Not yet timed with learners.

Your result: Readable core slides with supporting speaker notes.

> **Status:** author reference run with 21 staged real-application images and full original-size sources. The six main slides have checked titles and source notes. Dense/redesigned alternatives, aligned team cards and the output diagram were built and inspected in Slideshow. The 45-second explanation is a written draft; spoken duration, reviewer message-retrieval test (3.4 step 7), independent challenge and learner timing remain pending.

What You Will Learn

- Use a layout hierarchy.
- Align objects and reduce crowded content.
- Write evidence-based slide titles.


Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Open the working deck and checked brief.


3.1 Build the Core Messages

1. Open `GW - Slides - Sponsor Update`. Change the Purpose title to **Test consistent weekly reporting**. Add **A proposed four-week Project Reporting Pilot** and the fictional-training label below it. This describes a purpose, not a measured benefit.




State the reporting-pilot purpose descriptively.

2. On Pilot Scope, name **Planning**, **Procurement** and **Site Coordination**. Name all four outputs: project brief, task register, weekly status update and project hub.



Name the three teams and four outputs.

3. On Decisions, retain **Proposed budget ceiling: RM 12000**, **Budget approval remains unresolved** and **Pilot start date: to be agreed**. Keep the existing appendix navigation link.




Keep proposed budget and unagreed start visible.

What should you see?

Source-backed purpose and scope, with both sponsor decisions still visibly unresolved.


3.2 Arrange the Content

1. Keep the related text in layout placeholders. The reference increases body text on the five main content slides to **22 pt**; check the actual line breaks at your viewing size.
2. Select the related title/body objects and use **Arrange > Align > Left** where needed. Distribution requires at least three objects; the three-card example in 3.4 uses it explicitly.



Align related placeholders through Arrange.

3. Keep concise phrases on the slide and retain full source qualifications in **speaker notes** (click **Click to add speaker notes** under the slide). On Scope, record all three teams and four outputs, exclusions, the four-week duration from an agreed start and Friday updates. The dense-paragraph reduction is demonstrated separately in 3.4, preserving its original for comparison.




Keep the full source qualifications in speaker notes.

What should you see?


Consistent placeholders, readable body text and source details in notes. No text extends off the slide at the checked viewing size.

3.3 Review Titles and Notes

1. Replace topic-only titles with the checked main message. The reference titles are **Three teams will produce four outputs**, **The task snapshot is not a success result**, **Teams may define task status differently**, **Budget and start date need sponsor agreement**, and **Agree the start, then coordinate Friday updates**.
2. Add source notes to each of the six main slides. For the task snapshot, cite `TaskRegister.xlsx`, `Tasks!A2:H13` and status range `F2:F13`. Twelve tasks split four per status do not establish successful final-two-weeks submissions. For Decisions, cite the checked brief's Budget, Schedule and Decisions Needed; retain the proposed/unapproved ceiling and unagreed date.



Give the task snapshot a qualified evidence title.




Keep the sponsor-decision caveats in the notes.


3. Click **Slideshow** at the top right and inspect line breaks, contrast and placement. Check the opening, scope, task snapshot, risk, decisions and conditional next steps. These captures show the author viewing size; they do not establish readability from the back of a classroom.




Inspect the purpose slide in Slideshow.



Inspect the proposed risk response in Slideshow.



Inspect both unresolved decisions in Slideshow.




Inspect the conditional next steps in Slideshow.

What should you see?

Each main slide has a descriptive message and supporting source notes. The proposed definition check remains proposed; success is a future criterion rather than an achieved result.


3.4 Redesign Dense Content Without Losing Evidence

1. In Drive, click **New**, **Google Slides**, **Blank presentation** and name it `GW - Slides - Layout Practice`. Use **Title and body** for the first slide. Title it **Dense draft - full paragraph**, then paste the complete dense draft from the copy-paste card. Preserve it unchanged for comparison.




Preserve the exact dense paragraph in a separate practice deck.

2. Add a second Title and body slide titled **Sponsor decisions are needed before the pilot starts**. Use no more than three main points: three teams/four outputs; four weeks from an agreed start with Friday updates; future success target for the final two weeks. Add a rectangular **Sponsor decisions pending** callout with the proposed RM 12,000 ceiling approval and pilot start-date agreement. The reference uses 18 pt body and 20 pt callout text. Put the full paragraph and meaning audit in notes, retaining organisation/location, names, all numbers and approval qualifications.




Redesign as three points plus a pending-decision callout.

3. Add a **Title only** slide titled **Three teams share one reporting process**. Draw one rectangle, add **Planning** at 20 pt, then duplicate its geometry for **Procurement** and **Site Coordination**. Leave text editing before duplicating a shape. Select all three cards, then use **Arrange > Align > Top** and **Arrange > Distribute > Horizontally**. Do not include the title in that selection.




Use Arrange to distribute matching team cards horizontally.



Three team cards have equal size and deliberate spacing.


4. Add another Title only slide titled **Proposed outputs support a weekly reporting cycle**. Create four equal blocks labelled **1. Project brief**, **2. Task register**, **3. Weekly update**, **4. Project hub**. Align tops and distribute horizontally. Click the arrow next to **Line** in the toolbar, choose **Arrow** and draw one

between each pair of blocks. In notes, label it a proposed teaching sequence, not evidence of approved systems, live automation or a mandated workflow.



Four proposed outputs are connected in a teaching sequence.

5. Inspect the dense alternative, redesign, team layout and diagram in **Slideshow**. In the reference, the long paragraph contains both sponsor requests in one sentence; the redesign makes them visible in a separate callout. Check the smallest labels and dense regions at your actual viewing size. No clipping was observed in the author's 1591-pixel application window; classroom/projector testing remains pending.



Inspect the dense alternative at presentation size.

Sponsor decisions are needed before the pilot starts

Three teams; four reporting outputs

Four weeks from an agreed start; Friday updates

Success target: all three teams on time in the final two weeks


Sponsor decisions pending
Approve proposed RM 12,000 ceiling • Agree pilot start date

Inspect the redesigned alternative at presentation size.

Three teams share one reporting process




Inspect all team labels at presentation size.



Inspect all output labels at presentation size.

6. Draft a **45-second explanation** in notes that adds context, citing the checked brief's budget caveat. Keep the written draft separate from actual spoken timing. Record the meaning audit: four weeks remains relative to an agreed start, RM 12000 remains proposed/unapproved, the date remains unagreed, Friday cadence remains and final-two-weeks submissions remain a target.



Keep the explanation draft, meaning audit and pending reviewer status in notes.

7. Ask a reviewer to state the main message after a brief look; compare the response with your intended message and revise where justified. **Reference status: reviewer unassigned, no response or**

reviewer-driven revision recorded. Do not mark this test passed until a real reviewer completes it.

What should you see?

Dense and redesigned alternatives with a meaning audit, equally spaced team cards, a proposed output diagram and source-backed notes. Written explanation and author layout checks are complete; spoken timing and reviewer retrieval remain pending.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Redesign the Decisions slide independently so budget approval and date agreement are visible as two separate requests.
2. Keep a before-and-after copy and audit every numeric or approval phrase for meaning changes.
3. Test the revised slide with a reviewer or a fresh read-through and document one change made because of that test.

Evidence to Hand Over

- Dense and redesigned alternatives with an explicit meaning audit.
- Aligned team layout, output diagram and useful speaker notes.
- Two-decision slide supported by a recorded message-retrieval test.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
The short version removes “proposed”	Move detail into notes while retaining approval conditions visibly on the decision slide.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

Clear hierarchy and checked titles make the deck easier to follow.

Check yourself: Which information belongs in speaker notes rather than on the slide?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

This chapter uses the supplied files and visible controls. No additional prompt or typed code is required.

Part 1: Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Dense draft: “Seri Maju Projects in Petaling Jaya proposes a four-week Project Reporting Pilot covering Planning, Procurement and Site Coordination, with a brief, task register, weekly update and hub, a proposed RM 12,000 ceiling still awaiting approval, a start date not yet agreed and Friday updates, aiming for all three teams on time in the final two weeks.”
```

Part 2: Practice Deck and Main Messages

```
GW - Slides - Layout Practice
Test consistent weekly reporting
Three teams will produce four outputs
The task snapshot is not a success result
Teams may define task status differently
Budget and start date need sponsor agreement
Agree the start, then coordinate Friday updates
```

Part 3: Redesigned Alternative

```
Sponsor decisions are needed before the pilot starts

Three teams; four reporting outputs
Four weeks from an agreed start; Friday updates
Success target: all three teams on time in the final two weeks

Sponsor decisions pending
Approve proposed RM 12,000 ceiling • Agree pilot start date
```

Part 4: Layout Labels

```
Three teams share one reporting process
Planning
Procurement
Site Coordination

Proposed outputs support a weekly reporting cycle
1. Project brief
2. Task register
3. Weekly update
4. Project hub
```

The arrows are a proposed teaching sequence. They do not prove an approved process or live automation. Use equal-sized native shapes and Arrange alignment/distribution rather than spaces in text.

Part 5: Meaning Audit and Review Record

Source phrase	Retain visibly or in notes
Proposed RM 12000 ceiling, not approved	Visible pending-decision callout and budget-source note
Start date not agreed	Visible date-agreement request; four weeks remains relative
Friday updates	Visible cadence
All three teams on time in final two weeks	Visible future target, not achieved success
Organisation, location, team/output names	Full original paragraph and supporting layouts/notes

Record a written explanation draft, actual spoken duration separately, viewing-size observations, reviewer assignment, actual message recalled and any resulting revision. Leave unperformed checks pending.

04

CHAPTER 4

Create and Check Visual Assets

In this chapter you will insert media, try an AI image where available and document image provenance.

> **Prompts:** the prompts page has every value and prompt for this chapter, each with a Copy button.

Estimated time: 55 minutes, planned as 10 explanation and demonstration, 25 guided build and casework, 15 independent practice and 5 verification and repair. Not yet timed with learners.

Your result: A useful diagram or reviewed image with provenance and alternative text.

> **Status:** author reference run with 12 staged real-application captures and full original-size sources. Guided workflow, native image generation, alternative text, provenance, two compared designs, visual register and proportional image resizing checked. No permitted video was supplied: insertion/playback remain untested. Independent exception design, real reviewer comprehension and learner timing remain pending.

What You Will Learn

- Insert images and media deliberately.
- Review a generated visual.
- Keep provenance and alternative text.


Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use the working deck. Only use supplied, self-created or otherwise permitted media. AI generation is optional where unavailable.

4.1 Choose a Useful Visual

1. Open the working deck, `GW - Slides - Sponsor Update`. On the Scope slide (now titled **Three teams will produce four outputs**), keep the existing team/output text. A diagram explains the sequence; an office illustration provides context only.
2. Click **Shape** in the toolbar, then **Shapes**, **Rectangle**, and draw three boxes labelled **Source register**, **Checked update** and **Project hub**. Click the arrow next to **Line** in the toolbar, choose **Arrow** and connect their edges. Keep all three labels readable without colour. The reference uses 20 pt labels.




Use labelled native shapes and arrows for the reporting workflow.

3. Treat the arrows as proposed manual practice. They do not establish automatic integration or an approved company process.


4.2 Try a Generated Image

1. Where available, click **Image** in the right-hand rail to open **Help me visualise**. Enter the bounded prompt from the prompts page and select **Create**. Availability can differ by account.




Enter the bounded illustration prompt before generating.

2. Inspect the actual result for readable text, logos, identifiable people, distorted details and misleading construction/safety or approval context. The reference result is a flat office illustration with five generic people and a blank grid. It is conceptual, not documentary evidence.



Inspect the actual generated office illustration.

3. Add a separate **Title only** slide titled **AI-generated context - optional illustration**. Select the reviewed result, inspect **Image preview**, then select **Insert**. If the result is unsuitable or generation unavailable, keep the native workflow instead.




Insert the reviewed illustration on a separate optional slide.

4. Keep the illustration outside the main process explanation. The reference marks this optional appendix slide **Skip slide** in its filmstrip context menu; the labelled workflow remains the main explanation.


4.3 Check Media and Provenance

1. Select the informative image. Open **Format options > Alt text** (the image options may expose the same control). Enter a useful description that includes its limited purpose, rather than repeating its filename or claiming it shows real activity.




Give the image a purpose-specific alternative text.

2. In **speaker notes**, identify AI origin, generation date, exact prompt, inspected content and reuse uncertainty. The reference makes no blanket copyright-free claim. Check the applicable permission and service terms before external reuse.



Record the exact prompt, review and untested video dependency.

3. On Scope, add the self-created diagram origin and information purpose to its existing speaker notes. Retain the original checked source qualifications. Confirm the note is in the notes pane, not a text box on the slide.




Keep the native workflow origin and purpose in speaker notes.

4. If a trainer supplies a permitted video link, practise insertion and playback in a casework copy. **Reference status: none supplied; insertion and playback untested.** Use the labelled static workflow

as the fallback. Do not choose an arbitrary external clip.


4.4 Produce Visuals With a Clear Information Purpose

1. In Drive, click **New**, **Google Slides**, **Blank presentation** and name it **GW - Slides - Visual Casework**. Write one purpose sentence for every planned visual. The process designs explain a correction route; the office illustration supplies optional context and is rejected as evidence of that route. Keep the working deck's factual content unchanged.
2. On a Title only slide, build **Collect → Check → Report** using native rectangles and arrow connectors. Label the stages **Collect / Source register**, **Check / With task owner**, and **Report / Checked update → hub**. Below them, show the maintained task register as the source of truth and the complete exception route from the prompts page.




Build the linear design with its source and correction route.

3. On a second Title only slide, build a responsibility layout with three role/action lanes: **Contributor → Correct maintained register**, **Reviewer → Recheck update against source**, and **Coordinator → Report checked update → hub**. These are proposed training roles that need local agreement. Repeat the same source-of-truth and exception route; do not invent a missing owner.



Build a responsibility layout with the same exception route.


4. Compare where a contributor would correct a bad status. The author selects the responsibility layout because **Contributor → Correct maintained register** names the correction point explicitly. Retain the linear alternative in the casework deck and record the reason in notes. **A real reviewer has not completed the comprehension test.**



Record the author comparison and pending reviewer test.

5. Add a native table using **Insert > Table**. Use five columns: **Asset**, **Purpose**, **Origin**, **Rights / reuse**, **Text alternative**. Record the Scope workflow, linear design, selected responsibility design and


optional AI illustration. The reference uses a five-row table with 10 pt text as a detailed register, not a classroom presentation slide; enlarge or split it when presenting to a group. Put full purpose sentences, source qualifications and the untested video dependency in notes.



Register all four assets with origin and reuse uncertainty.

6. Reuse the actual bounded generation from 4.2; record its prompt and inspection rather than generating a second asset merely to fill the register. If unavailable, record the self-created diagram fallback.

7. Resize the retained illustration proportionally with a corner handle. Keep all five figures and the blank grid visible, preserve its alternative text and retain the optional illustration label. The reference enlarges the image without cropping content. This does not crop the original-size screenshots retained in the screenshot library.



Resize the illustration while retaining all figures and the blank grid.

8. Record the media dependency: no permitted video supplied, playback untested, static diagrams available. If a permitted clip becomes available, test it in a copy and verify the static explanation when playback fails.

What should you see?

Two native process designs with the same source-of-truth and correction route, a reasoned author comparison, a four-asset visual register, and a reviewed optional illustration with provenance and alternative text. Independent exception design and real reviewer comprehension remain separate pending tasks. An attractive output or an AI assurance is insufficient.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Design an independent exception diagram for “unclear status → clarify → update source → recheck report”. Use labels that work without colour.
2. Have a reviewer identify the correction point using the diagram alone. Repair an ambiguous connector or label.
3. Record the selected diagram, rejected alternative, origin and fallback in the visual register.

Evidence to Hand Over

- Two compared process designs and one independently built exception diagram.
- Visual register with origin, reuse uncertainty and text alternatives.
- Reader comprehension result plus a media fallback or explicit untested dependency.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
A decorative image is treated as evidence	Keep data and process evidence in labelled charts/diagrams and identify illustrative media explicitly.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

Visuals should support the message and carry a clear source record.

Check yourself: What must you check before treating an AI-generated image as suitable for a real presentation?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

This chapter uses the supplied files and visible controls. No additional prompt or typed code is required.

Part 1: Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Visual brief: Help a new coordinator understand where an unclear task status is corrected. An office photograph may illustrate context but cannot show the correction path. No visual may imply real construction activity, a confirmed launch or an approved purchase.
```

Part 2: Captured Workflow and Casework Values

```
GW - Slides - Visual Casework
Source register
Checked update
Project hub

Collect → Check → Report
Collect / Source register
Check / With task owner
Report / Checked update → hub

Who corrects the status? - proposed roles
Contributor → Correct maintained register
Reviewer → Recheck update against source
Coordinator → Report checked update → hub

Source of truth: maintained task register
Unclear status → ask task owner → correct source → recheck update
Missing owner? Flag for clarification; never guess.
```

Roles are proposed training practice, not approved policy. The same source-of-truth and exception route must appear in both designs.

Part 3: Bounded Prompt Used in the Reference

```
Create a simple flat editorial illustration of a generic office team reviewing a fictional project register on a blank screen. Use faceless silhouettes; no identifiable people, no logos, no brands, no readable text, no construction site, no safety equipment or machinery, no dates, no currency or approval symbols. Clearly conceptual office context, not documentary evidence. Wide 16:9 composition with neutral colours.
```

The actual result contains five generic people and a blank grid. Inspect your own result; the prompt alone does not establish suitability.

Part 4: Image Alternative Text

> AI-generated conceptual office illustration: five generic people review a blank project grid. It illustrates a discussion only; it does not explain the correction path or depict real project activity.

Part 5: Visual Register Reference

Asset	Purpose	Origin	Rights / reuse	Text alternative
Scope workflow	Explain register-to-update-to-hub sequence	Self-created native shapes	Review before external reuse	Register → checked update → hub
Linear workflow	Explain collect/check/report sequence	Self-created; guidance v1	Proposed manual practice	Ask owner; correct source; recheck
Responsibility design, selected	Name the contributor correction point	Self-created proposed roles	Roles need local agreement	Contributor corrects maintained register
Optional office illustration	Illustrate conceptual discussion context	AI-generated in Slides, 21 October 2026	Applicable terms/permission check pending	Five generic people review a blank grid

The responsibility layout is the author's selection; reviewer comprehension remains untested. No permitted video was supplied, so video insertion/playback remain pending and static diagrams are the fallback. Independent exception design remains pending.

05

CHAPTER 5

Link and Explain Project Data

In this chapter you will insert a linked Sheets chart, change source data and explicitly refresh the chart.

> **Prompts:** the prompts page has every value and prompt for this chapter, each with a Copy button.

Estimated time: 55 minutes, planned as 10 explanation and demonstration, 25 guided build and casework, 15 independent practice and 5 verification and repair. Not yet timed with learners.

Your result: A linked status chart whose refresh behaviour has been tested and restored.

> **Status:** guided author reference run completed through 5.4 with 25 staged real-application captures and full original-size sources. COUNTIF/SUMIF formulas, both chart links, two temporary change/refresh/restore cycles and the static comparison checked. Independent challenge and learner timing remain pending.

What You Will Learn

- Create a chart from a supplied register.
- Keep a chart linked across apps.
- Test refresh and restore the baseline.


Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Upload TaskRegister.xlsx and save a native Google Sheets copy. The starter Summary has three status labels with blank count cells.


5.1 Prepare the Source Chart

1. Use the supplied `TaskRegister.xlsx` starter. If it is already uploaded, open that original instead of uploading it again. Click **File**, **Save as Google Sheets** and name the new native file **GW - Slides - Linked Data Source**. Keep earlier lab registers and the original Excel file unchanged. Confirm the new native copy has **Tasks** and **Summary**, with blank Summary count cells.




Start from the native copy with blank summary counts.

2. In **Summary!B2**, enter `=COUNTIF(Tasks!$F$2:$F$13,A2)`. Keep the task range absolute and the status criterion relative.




Enter the COUNTIF formula against the twelve task rows.

3. Select **B2:B4** and use **Ctrl+D** to fill down. Confirm **Complete = 4**, **In Progress = 4**, **Not Started = 4**, totalling twelve task records. The filled formulas must refer to A2, A3 and A4 respectively.



Fill through B4 and confirm four tasks in each category.

4. Select **Summary!A1:B4**, then click **Insert**, **Chart**. In **Chart editor > Setup**, choose **Column chart** if Sheets initially suggests another type. In **Customise > Chart and axis titles**, set the chart title to **Pilot task status**. Check all three status labels and the count axis. The reference uses one series and the imported workbook styling.




Choose a column chart and set Pilot task status.

What should you see?

Three formula-backed counts of four and a column chart accounting for twelve tasks. These counts describe a dataset snapshot; they do not establish pilot success.


5.2 Insert the Linked Chart

1. Open the chart's three-dot menu and choose **Copy chart**. Selecting the chart and pressing **Ctrl+C** is an equivalent learner action.




Use the chart menu to copy the native object.

2. Open **Current Tasks** in `GW - Slides - Sponsor Update` (now titled **The task snapshot is not a success result**). Leave text editing before pasting the chart. Keep **Link to spreadsheet** selected in **Paste chart**, then select **Paste**.



Keep Link to spreadsheet selected when pasting.


3. Resize proportionally with a corner handle and move the chart beside the explanatory text. Keep the title and all category labels visible. The reference narrows the existing text placeholder to a left column and uses **12-task snapshot**, **4 tasks per status**, and **Not evidence of pilot success**; the chart supplies the three named categories. Retain the full source qualifications in notes.



Fit the linked chart beside the qualified twelve-task snapshot.

4. In **speaker notes**, identify **GW - Slides - Linked Data Source**, **Summary!A1:B4** and **Tasks!F2:F13**. Explain the proposed training definitions from reporting guidance v1: Not Started = work has not begun; In Progress = work has begun but the owner has not confirmed completion; Complete = the

owner confirms the agreed output is ready for review. Keep the distinction between dataset status and measured pilot success.



Record source identity, definitions and the pending refresh test.


5. Verify the object is a linked chart and its source is the new native Sheet, rather than a pasted screenshot or an earlier register. **At this stage, source identity and baseline are checked; refresh is tested in 5.3.** Complete 5.3 before describing refresh as tested.

What should you see?

A linked chart with readable labels and qualified commentary. The source has 4/4/4; the chart points to that same native spreadsheet and chart. Refresh behaviour remains a separate test.

5.3 Test the Refresh


1. Record T003's original status, **Not Started**, in **Tasks!F4**. Temporarily replace it with **Complete**. This is a controlled training test; no real owner confirmation is being claimed.



TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost
T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	RM 600	RM 550
T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	RM 800	RM 700
T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	RM 500	RM 0
T004	Planning	Prepare register template	Aina Rahman	2	Complete	RM 900	RM 850
T005	Procurement	Check dropdown choices	Bala Kumar	2	In Progress	RM 1,200	RM 1,050
T006	Procurement	Collect sample update	Siti Aminah	2	Not Started	RM 700	RM 0
T007	Procurement	Review sample chart	Aina Rahman	3	Complete	RM 1,500	RM 1,400
T008	Procurement	Prepare team guidance	Bala Kumar	3	In Progress	RM 600	RM 500
T009	Site Coordination	Check hub navigation	Siti Aminah	3	Not Started	RM 1,000	RM 0
T010	Site Coordination	Rehearse sponsor update	Aina Rahman	4	Complete	RM 800	RM 750
T011	Site Coordination	Review final submissions	Bala Kumar	4	In Progress	RM 1,100	RM 1,000
T012	Site Coordination	Record pilot lessons	Siti Aminah	4	Not Started	RM 700	RM 0

Record T003 original status before testing.


2. Open **Summary**. Check **Complete 5**, **In Progress 4**, **Not Started 3**. The population remains twelve.



Status	TaskCount
Complete	5
In Progress	4
Not Started	3


Source counts change to five four three.

3. Return to the Current Tasks slide. Before updating, compare the cached chart with the changed source. The reference still showed 4/4/4.




Slides still shows the cached four four four chart.

4. Select the linked chart and click **Update**. Check category labels as well as values. The chart should show 5/4/3. Also inspect the written summary: **4 tasks per status** does not change automatically. Treat this temporary mismatch as a repair check, not a presentation-ready result.




Update changes the chart but not the written summary.

5. Restore **Tasks!F4** to **Not Started**. Confirm Summary returns to 4/4/4.



Restore the source counts to four each.

6. Update the Slides chart again. If the update action has not appeared, click **Tools**, **Linked objects** and click **Refresh** (the circular arrow at the top of the panel), then **Update chart**. Check that the chart and written summary agree at 4/4/4. Do not infer freshness merely from a link badge.



Restore the Slides chart and original narrative.


7. Record the change and restoration in speaker notes. Explain that a previously downloaded deck stays a snapshot: update the native chart, check surrounding commentary and export a new copy before distributing current figures.

What should you see?

Both source and linked slide finish at 4/4/4. The test demonstrated that chart data needs an explicit update and surrounding text needs a separate check.


5.4 Extend the Source and Audit Every Representation

1. Before the comparison test, write a private baseline log: twelve tasks, four per status, source chart URL and Slides destination. Use the intended working copies; do not paste private account URLs into a public guide.
2. Add a sheet named **Team Costs**. In A1:B5 enter the team labels, SUMIF formulas and total from the prompts page. The formulas group **Tasks!B2:B13** and sum **Tasks!G2:G13**. Check **Planning 2800**, **Procurement 4000**, **Site Coordination 3600**, **Total 10400**. Label the measure **Planned cost (RM)**; do not include the total as a fourth chart category.




SUMIF reconciles planned costs to RM 10400.

3. Select **Team Costs!A1:B4** and insert a **Bar chart**. Set its title to **Planned cost by team (RM)**. Check all three full team labels and the RM measure. Widen source columns if labels are clipped.




Create the team-cost chart with RM units.

4. Copy the cost chart. In Slides add an evidence appendix titled **Appendix - Planned cost evidence**, paste with **Link to spreadsheet**, resize proportionally below the title and remove unused placeholders. Move the appendix to the end: click **Slide**, **Move slide**, **Move slide to end**, and choose **Slide > Skip slide**. Add a source note: RM 10,400 is the total of supplied planned-cost records, separate from the unapproved RM 12,000 budget proposal.




Insert the linked cost chart in a skipped appendix.

5. Add a separate slide titled **Static comparison only**. Copy the status chart at the 4/4/4 baseline. In **Paste chart**, select **Paste unlinked**, then **Paste**. Keep all labels visible and skip this slide too.




Choose Paste unlinked for the static comparison.

6. Temporarily change **Tasks!F4** to **Complete** again. Confirm the source becomes 5/4/3. Compare the static image before refreshing the linked chart: it remains 4/4/4 and has no chart Update action.




Repeat the source status change for the comparison.




Static image stays at four each without an Update control.

7. Update the linked status chart. Confirm 5/4/3 while the static image stays at 4/4/4. Audit the unchanged written summary separately. Check Team Costs: changing only task status should leave planned costs at 2800/4000/3600, totalling RM 10,400.




Linked chart updates to five four three.



Planned costs stay unchanged during the status test.


8. Restore **Tasks!F4** to **Not Started**. Update the status chart, then use **Linked objects > Refresh** and update any remaining linked chart. Confirm source and status chart are back at 4/4/4 and the cost chart still matches RM 10,400. A refresh badge alone is not proof; compare actual values and labels. Retain the static image only as the clearly labelled, skipped comparison.




Restore the status chart and refresh both linked objects.

9. In speaker notes create and apply this evidence checklist to both charts. Record the observed refresh, frozen-image behaviour and restoration. Preserve the distinction between dataset counts, proposed practice, an unapproved budget and measured pilot success.

Check	Status chart	Planned-cost chart
Category labels	Complete, In Progress, Not Started	Planning, Procurement, Site Coordination
Population	12 task records	Same 12 task records grouped into 3 teams
Units	Task count	RM planned cost
Source identity	Working native Sheet, Summary!A1:B4	Same Sheet, Team Costs!A1:B4
Refresh and final state	5/4/3 tested, restored to 4/4/4	Refreshed; 2800/4000/3600, total 10400



Record cost source units and evidence checklist.



Record the completed static comparison and restoration.

What should you see?

Two checked linked charts and a documented static-versus-linked comparison. Temporary status changes are restored, both linked objects are refreshed, and the static image is labelled and skipped. Independent new-row repair remains a separate learner challenge.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. On a separate source-and-deck challenge copy, append T013: Planning, Check the handover, Aina Rahman, week 4, Not Started, planned 200, actual 0.
2. Diagnose and repair every affected source formula range, then refresh both linked charts. Check whether the copied deck's charts still point to the original spreadsheet; reinsert from the challenge source if needed.
3. Rewrite the task-count and planned-cost commentary to match the new population. Leave the original 12-row source and baseline deck unchanged.

Evidence to Hand Over

- Two checked linked charts and a documented static-versus-linked comparison.
- Separate 13-record source/deck challenge with verified link identity.
- Consistent chart labels and narrative after the new-row change.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
The challenge chart still reads the baseline	Inspect the linked source URL and insert the chart from the intended challenge spreadsheet.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

The source chart controls the data; the presentation needs a deliberate refresh check.

Check yourself: How can you tell whether a chart is stale rather than wrong?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

Part 1: Typed Values

```
=COUNTIF(Tasks!$F$2:$F$13,A2)
```

```
Pilot task status
```

Part 2: Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
New-record challenge: T013 | Planning | Check the handover | Aina Rahman | 4 | Not Started |
200 | 0. This belongs only in the challenge copy. A copied presentation may keep links to its
original source; prove the source identity.
```

Part 3: Source and Destination for the Captured Setup

```
GW - Slides - Linked Data Source
Summary!A1:B4
Tasks!F2:F13
Summary!B2: =COUNTIF(Tasks!$F$2:$F$13,A2)
Summary!B3: =COUNTIF(Tasks!$F$2:$F$13,A3)
Summary!B4: =COUNTIF(Tasks!$F$2:$F$13,A4)
Pilot task status
12-task snapshot
4 tasks per status
Not evidence of pilot success
```

The native source is a separate conversion of the original supplied Excel starter. Keep the absolute task range and relative criterion when filling down. Baseline counts are Complete 4, In Progress 4, Not Started 4. At the setup stage, the source/chart identity is checked. The guided reference then tests refresh/restoration and the extended comparison in 5.3 to 5.4. Independent new-row repair remains pending.

Part 4: Proposed Status Definitions for Notes

```
Not Started: work on the task has not begun.
In Progress: work has begun but the owner has not confirmed completion.
Complete: the task owner has confirmed that the agreed task output is ready for review.
```

These are proposed training definitions from reporting guidance v1, not approved company policy. Counts do not prove on-time final-two-weeks submissions or efficiency savings.

Part 5: Team Costs Summary

Create a sheet named **Team Costs** and paste into A1. The total row reconciles the data; chart only A1:B4.

```
Team    Planned cost (RM)
Planning        =SUMIF(Tasks!$B$2:$B$13,A2,Tasks!$G$2:$G$13)
Procurement     =SUMIF(Tasks!$B$2:$B$13,A3,Tasks!$G$2:$G$13)
Site Coordination       =SUMIF(Tasks!$B$2:$B$13,A4,Tasks!$G$2:$G$13)
Total   =SUM(B2:B4)
```

Expected: Planning 2800, Procurement 4000, Site Coordination 3600, total 10400. These supplied row-level planned costs are separate from the unapproved RM 12000 proposed budget ceiling.

Part 6: Comparison and Restoration Log

```
Source: GW - Slides - Linked Data Source
Status range: Summary!A1:B4; COUNTIF over Tasks!F2:F13
Cost range: Team Costs!A1:B4; SUMIF over Tasks!B2:B13 and Tasks!G2:G13
Baseline: 12 tasks; Complete 4; In Progress 4; Not Started 4
Temporary input: T003, Tasks!F4, Complete
Changed status counts: 5 / 4 / 3
Linked chart: changes after Update; surrounding text needs a separate check
Static comparison only: Paste unlinked; remains 4 / 4 / 4; no Update
Costs during status-only test: 2800 / 4000 / 3600; total RM 10400
Restore T003: Not Started; source and linked status return to 4 / 4 / 4
Refresh both linked objects; retain labelled static comparison in a skipped slide
```

Privately record the actual source and destination URLs before testing. Do not infer pilot success, approved spending or savings from these charts. The independent 13-record challenge is not part of the guided baseline.

06

CHAPTER 6

Polish Motion and Review

In this chapter you will apply restrained transitions and animations; inspect contrast, reading order and version history.

> **Prompts:** the prompts page has every value and prompt for this chapter, each with a Copy button.

Estimated time: 45 minutes, planned as 10 explanation and demonstration, 15 guided build and casework, 15 independent practice and 5 verification and repair. Not yet timed with learners.

Your result: A polished, accessible deck with a named review milestone.

> **Status:** guided author reference run completed through 6.4, with 38 real-application captures and full original-size sources. Static/staged Slideshow comparison, connector repair and retest, keyboard inspection, factual review comment and named milestone checked. Independent challenge, screen-reader/projector checks and learner timing remain pending.

What You Will Learn

- Apply restrained transitions and animation.
- Check reading order and contrast.
- Use version history during review.


Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use the working presentation with its source chart restored.


6.1 Add Deliberate Motion

1. Select the workflow slide, currently titled **Three teams will produce four outputs**. Click **Transition** to open **Motion**. Set **Slide transition** to **Fade**. The reference keeps the short default duration (shown as 0.5 seconds) on this slide only; do not choose **Apply to all slides** without a reason.




Choose Fade on the workflow slide only.

2. Select the **Project hub** rectangle. Click **Add animation**. Keep **Appear** and **On click**, with **By paragraph** off. This single reveal answers: where does the checked update go next? The earlier source/check stages and explanatory text remain visible.




Set Project hub to Appear on click.

3. Click **Play** in Motion. Inspect the starting state: title, team/output text, Source register and Checked update are visible, while the Project hub box is hidden. The output text still names the hub, so the reveal is not the audience's only way to obtain that fact.



Preview before the final stage appears.

4. Press **Enter** once in the preview. Confirm the hub box appears. Record the one-advance result, then click **Stop** and close Motion. This is the editor's motion preview; the fuller Present-mode comparison is a separate test in 6.4.




One advance reveals Project hub.

What should you see?


One restrained transition and one purposeful object reveal. Required context remains available before the final box appears. Preview does not establish an independent audience-comprehension result.

6.2 Inspect Accessibility


1. Inspect contrast, text size and colour dependence. The reference uses dark text on light backgrounds, **22 pt** workflow explanation and **20 pt** stage labels. Named stages and arrows carry the sequence without colour. Check the actual delivery screen with a learner later; this author inspection does not certify projector legibility or screen-reader behaviour.
2. Start from the selected title object, outside text editing. Press **Tab** through the objects and inspect each selection outline. In the reference, the order is **title, explanation, Source register, Checked update, Project hub, first connector, second connector**. The labelled stages are reached in the intended sequence. If Tab inserts text indentation, undo it and leave text editing before retrying.




Select the title to start keyboard inspection.




Tab reaches the explanatory text.




Tab reaches Source register.



Tab reaches Checked update.




Tab reaches Project hub.




Connectors follow the labelled stages.

3. Right-click **Source register** and choose **Alt text**. In the observed UI, **Format options > Alt text** opens with a **Description** field. Explain the entire proposed manual sequence and its limits. Add descriptions to **Checked update** and **Project hub** as well, using the prompts page. Keep visible labels; alternative text supplements them.




Describe the source and complete proposed sequence.




Describe the final stage and reveal behaviour.

4. Open the status slide. Right-click its linked chart, choose **Alt text**, and record all three named values, the 12-task population, task-count units, source range and the snapshot qualification. Expand the text field if useful for inspection; do not resize or crop the chart to fit the panel.




Record the status values and qualification in Alt text.

5. Repeat for the linked cost chart in the skipped appendix. Include Planning RM 2800, Procurement RM 4000, Site Coordination RM 3600, total RM 10400 and **Team Costs!A1:B4**. Keep the distinction between those records and the unapproved RM 12000 proposal.




Record cost values units and the unapproved budget distinction.

6. Inspect the embedded status-chart labels at delivery size. In the reference they are smaller than the surrounding text, so replace the left explanation with the five lines on the prompts page, keeping **22 pt**. The three category values are now readable outside the chart too. Confirm the qualification fits and all values still match 4/4/4. With the text object selected outside editing, Tab should reach the linked chart.




Repeat status values at 22 points beside the chart.



Tab from the text reaches the status chart.

7. Record what was checked, what changed and what remains untested in the workflow's speaker notes. Retain source/proposal qualifications. Do not describe a keyboard-order check as a completed screen-reader audit.




Record motion and accessibility findings with their limits.

What should you see?

Visible labels and large repeated status values, descriptions for the three workflow stages and both linked charts, and a documented keyboard sequence. Independent assistive-technology, projection and learner checks remain open.


6.3 Review a Milestone

1. Make a factual wording improvement. Change the workflow title from **Three teams will produce four outputs** to **Proposed outputs follow a checked reporting workflow**. The explicit proposal wording preserves the unresolved approval state. Keep the existing title size and confirm it fits on one line.




Make the workflow title explicitly proposed.

2. Click **File**, **Version history**, **Name current version**. Enter **Sponsor update reviewed** and select **Save**. This names the author's checked stage; it does not mean a sponsor or independent reviewer approved it.




Enter Sponsor update reviewed as the version name.

3. Open version history using the last-edit/history control or **File**, **Version history**, **See version history**. Confirm the named milestone appears.




Verify the named milestone in version history.

4. Select an earlier version to compare its wording. The reference compared the earlier title with the proposed-workflow title. Leave **Restore this version** untouched. Use **Back** to return to editing and verify the current title, readability repair and chart links remain intact.



View an earlier version without restoring it.




Return to the current reviewed deck.

What should you see?

The named milestone is available and the current checked deck remains intact after a view-only comparison. Complete 6.4 before claiming the static/reveal alternatives or full Present-mode sequence have been tested.


6.4 Test Motion, Reading Order and Review Decisions

1. Duplicate the workflow slide into two practice alternatives and move them to the end. Label them **Static practice: proposed reporting workflow** and **Staged practice: proposed reporting workflow**. On the static copy open **Motion**, choose **None** and delete the copied object animation. Preserve the source/proposal qualifications and visible labels.




Static practice has no transition or animation.

2. On the staged copy keep transition **None** and add **Appear > On click** to the three stage boxes in sequence: Source register, Checked update, Project hub. Write the reveal script in speaker notes: what do contributors start from, what happens before the update is used, and where does the checked update go? Title and team/output context must remain visible throughout. Remove decorative effects that answer no audience question.




Staged practice begins with three on-click box effects.




Write the audience-question reveal script before testing.

3. Start **Slideshow** on the static copy. Record the observed number of reveal advances. The reference showed all three stages and both arrows immediately: **zero** reveal advances.



Static Slideshow shows all stages with zero reveal advances.


4. Advance to the staged practice and inspect the initial state before revealing anything. The first reference test found two arrows pointing into empty space. This is a defect in the initial animation treatment: the boxes were hidden while their connectors stayed visible.



Initial staged test exposes floating connectors.


5. Exit Slideshow. Select each connector and add **Appear > With previous**. Drag the first connector's animation row immediately after **Checked update**, before **Project hub**. Keep the second connector immediately after **Project hub**. Final order: Source register (**On click**), Checked update (**On click**), first

connector (**With previous**), Project hub (**On click**), second connector (**With previous**). Five object effects still require only three advances.




Repair connectors to appear with their destination boxes.


6. Restart **Slideshow** on the staged practice and retest from the beginning. Initial state: context only, no boxes or orphan arrows. First Right arrow: Source register only. Second: Checked update and its incoming connector together. Third: Project hub and its incoming connector together. Record the observed **three** advances and verify the proposed title/context remain visible at every stage.




Retest starts with no boxes or orphan arrows.



First advance reveals Source register only.




Second advance reveals Checked update and its incoming arrow.




Third advance reveals Project hub and its incoming arrow.

7. Exit Slideshow. Retain both labelled alternatives, then click **Slide**, **Skip slide** for each after testing. Keep the original single-reveal workflow for brief delivery; the static copy supplies a motion-free fallback, while the three-advance practice suits a slower facilitated explanation. Replace copied hub descriptions: static says immediately visible/zero advances; staged says third advance with its connector. Do not leave a copied one-click claim on either alternative.




Keep both tested practice alternatives skipped.

8. Open the original **Decisions** slide in Slideshow separately. The reference showed the proposed RM 12000 ceiling, unresolved approval and start to be agreed immediately, with **zero** reveal advances. Reject the card's suggestion **Thank you for approving the budget** because the sources do not support that commitment. Do not hide unresolved qualifications when asking for a decision.




Decisions remain visible immediately with unresolved facts.

9. On the repaired staged copy, select the title outside text editing, then Tab through **explanation, Source register, Checked update, Project hub, connector 1, connector 2**. The reference found the labelled sequence intact; no object reorder was necessary. Changing animation order did not require changing object order. Keep the full manual sequence in the stage descriptions and notes. This keyboard selection check does not certify screen-reader behaviour.




Keyboard inspection reaches connectors after labelled stages.

10. Add a review comment on the original workflow explaining the selected single-reveal treatment, static fallback, connector finding/repair/retest and rejected approval wording. Do not mention or invite other people for this private author exercise. Update speaker notes with a checklist: transition, reveal counts, keyboard order and factual invariants. Preserve the 4/4/4 snapshot, RM 10400 recorded costs, proposed RM 12000 ceiling and unresolved start/approval state.




Record selected motion and reject unsupported approval wording.

11. Name the final version **Sponsor update reviewed - motion checked** and save it. Open version history, confirm the name and return with **Back**. This milestone records the author's checked stage, not sponsor approval. The earlier **Sponsor update reviewed** milestone remains available. Independent whole-sequence, screen-reader, projector and learner timing checks remain open.



Name the final author review stage.



Verify the saved motion-checked milestone.

What should you see?

A tested zero-advance static alternative and three-advance staged alternative, with the floating-arrow defect repaired and retested. Both practice slides are skipped; the original delivery treatment remains. Review notes/comment preserve unresolved commitments, and a named version records the author check.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Audit an entire delivery sequence without editing during the first pass. Log three findings across motion, reading order or clarity; if fewer defects exist, record supported no-change checks.
2. Repair the consequential findings and repeat the reveal sequence from the beginning.
3. Explain how you would deliver the same message if motion were unavailable.

Evidence to Hand Over

- Compared static/reveal alternatives with a reasoned selection.
- Keyboard order check and documented repair or no-defect result.
- Full-sequence audit and a usable static delivery fallback.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
A reveal delays essential context	Change the sequence or keep the critical qualification visible throughout.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

Polish includes accessibility and review history as well as visual effects.

Check yourself: Which motion effect improves understanding rather than decoration?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

Part 1: Typed Values

```
Sponsor update reviewed
```

Part 2: Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Review request: “Animate each decision one at a time, and change the final request to ‘Thank you for approving the budget’.” Consider the reveal separately from the unsupported approval wording.
```

Part 3: Captured Motion and Keyboard Check

```
Slide transition: Fade, short default duration, workflow slide only
Object: Project hub
Animation: Appear
Start: On click
By paragraph: off
Editor preview: one Enter reveals the final box
Keyboard order from title: explanation, Source register, Checked update, Project hub, connector 1, connector 2
```

Part 4: Stage Descriptions

Source register

```
First stage of the proposed manual reporting workflow: Source register, then Checked update, then Project hub. Arrows show the intended sequence; they do not imply automatic integration or an approved company process.
```

Checked update

```
Second stage: check the update against the source register before placing it in the project hub. Proposed manual training practice; no automatic integration or approval is claimed.
```

Project hub

```
Final stage: place the checked update in the project hub. In this demonstration, one click reveals this box after the earlier two stages. The complete sequence is also described in the source-register alternative text and notes.
```

Part 5: Chart Descriptions

Status chart

```
Column chart of 12 fictional task records: Complete 4, In Progress 4, Not Started 4. The
vertical axis is task count; category labels identify status without relying on colour.
Source: GW - Slides - Linked Data Source, Summary!A1:B4. Baseline restored after refresh
tests. This snapshot does not establish pilot success or efficiency savings.
```

Cost chart

```
Planned cost by team for 12 fictional task records: Planning RM 2800, Procurement RM 4000,
Site Coordination RM 3600; total RM 10400. Team names and the RM axis convey the measure
without colour. Source: GW - Slides - Linked Data Source, Team Costs!A1:B4. These planned
costs are separate from the unapproved RM 12000 proposed budget ceiling and do not authorise
spending or demonstrate savings.
```

Part 6: Readable Status Text and Wording Repair

Replace the status slide's left text, keeping 22 pt:

```
12-task snapshot
Complete 4
In Progress 4
Not Started 4
Not evidence of pilot success
```

Revised workflow title for the named review stage:

```
Proposed outputs follow a checked reporting workflow
```

The guided author reference now covers 6.1 to 6.4. Actual Slideshow: static zero reveal advances; staged three, after repairing floating arrows with With previous effects after their destination boxes. Both practice slides are skipped. Original Decisions facts appear immediately; the unsupported budget-approval suggestion was rejected. Screen-reader, projector, independent challenge and learner timing checks remain pending.

Part 7: Casework Checkpoint

Static practice: None transition, no object animation, all three stages and both arrows visible immediately. Staged practice: None transition; Source On click, Checked On click, connector 1 With previous, Hub On click, connector 2 With previous. Exactly three advances, with proposal/context visible throughout. Replace inherited one-click alternative text on both copies. Final version: Sponsor update reviewed - motion checked.

07

CHAPTER 7

Rehearse and Distribute

In this chapter you will use presenter view, notes and audience tools; compare restricted sharing with public publishing.

> **Prompts:** the prompts page has every value and prompt for this chapter, each with a Copy button.

Estimated time: 45 minutes, planned as 10 explanation and demonstration, 15 guided build and casework, 15 independent practice and 5 verification and repair. Not yet timed with learners.

Your result: A rehearsed delivery and a documented distribution choice.

> **Status:** author UI/export casework checked through 7.4, with 23 staged captures and full original-size sources. Run sheet/source answers, live appendix round trip, 14-page direct export and repaired 8-page handout scope, rendered PDF pages and internal destinations, and a source milestone verified. Two spoken rehearsals, interactive PDF clicks, independent challenge and learner timing remain pending.

What You Will Learn

- Use presenter view and notes.
- Inspect audience tools.
- Distinguish file access from public publishing.


Before You Begin

Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use the checked deck. No real audience invitations or public publication are required.


7.1 Rehearse with Notes

1. Open the arrow beside **Slideshow** and choose **Presenter view**. The reference opens a separate presenter window and leaves an audience presentation in the original window. Inspect both before sharing a screen: the audience must receive the slide window rather than the speaker-notes window.



Open Presenter view from the Slideshow menu.

2. In the presenter window select **SPEAKER NOTES**. Use the slide selector to choose the opening. In the observed UI, focus the selector and press **Enter** to open its list, then choose the labelled slide. The presenter can see source qualifications while the audience window displays only the slide. Pause the timer while arranging windows; the reference's **00:00:24** is setup time, not a speaking result.




Presenter window shows the opening and private speaker notes.




Audience window shows the slide without notes.

3. Choose the decision slide, **Budget and start date need sponsor agreement**. Read the notes and practise requesting approval of the proposed RM 12000 ceiling and agreement of the start date. Do not describe either as an accomplished decision. The reference checked the visible notes and navigation; a spoken, timed rehearsal is still required in 7.4.



Decision slide notes preserve unresolved approval and start.

4. Click **Next** from slide 5. The reference moved directly to slide 7, **Agree the start, then coordinate Friday updates**, skipping the marked backup slide 6. Confirm the source qualifications remain in the notes. A successful skip check does not establish that all appendix slides are excluded from the delivery sequence; inspect your intended scope separately.




Next moves from slide 5 to slide 7 and skips the backup.

What should you see?

Separate presenter notes and audience slides, source-based opening/decision notes, and normal navigation that omits the skipped backup. Complete a real spoken rehearsal before claiming delivery timing or fluency.


7.2 Inspect Audience Tools

1. Select **AUDIENCE TOOLS** in the presenter window. The reference shows **Start new**. Leave it untouched: no live Q&A session or audience link is needed for this inspection. Google's Q&A instructions explain that starting a session enables questions through the link shown in the presentation. That behaviour is documentation-backed, not a live-session test in this reference.



Audience tools offer Start new but the session remains unstarted.

2. Close the presenter window and press **Esc** in the audience presentation to return to editing. Open **Share**. Inspect **People with access** and **General access** without entering a recipient, changing a role or copying a link. The reference showed the owner only and **Restricted**. A link does not grant access by itself. Select **Done** to close the dialog.




Share dialog shows Restricted access and the owner only.

What should you see?


The Q&A session remains unstarted and file access remains at its existing restricted level. No invitation or access test with another person has occurred.

7.3 Compare Distribution Choices

1. Click **File**, **Share**, **Publish to web**. Inspect the dialog before selecting any publishing action. In the reference it explicitly says **This document is not published to the web**.




Locate File Share Publish to web.



Publishing dialog confirms the deck is not published.

2. Compare **Link** and **Embed**. Link shows auto-advance controls; Embed also offers a slide-size choice. The observed defaults were every 3 seconds and Medium (960×569). Leave these settings unchanged, then select **Close**. Do not press **Publish**.



Inspect Embed settings then close without publishing.

3. Record a distribution choice using the table below. For this fictional draft, retain the restricted editable source for author work. A future approved reviewer handout can be a checked, dated PDF; the 7.4 reference checks its8-page scope, rendered order and embedded destinations. Interactive PDF clicks and spoken rehearsal remain pending. The source pack does not authorise public publication.


Choice	Intended use and update behaviour	Access and evidence to check
Restricted file link	Author or approved reviewers use the current source; source edits remain in that file.	Recipient identity, role, current access and correct revision. The reference remains owner-only; no recipient test was performed.
Downloaded PDF	A fixed handout or offline fallback at the recorded export revision; it does not refresh with later source edits.	Intended slide scope, skipped-slide inclusion, text and chart values, links, revision/date and permitted destination. The7.4 reference produced8-pages through Print preview; rendered pages and embedded destinations checked. Spoken fallback rehearsal and interactive PDF clicks remain pending.
Published presentation	A separate web-viewing or embed distribution route. Published content and update settings need their own review.	Whether web exposure is authorised, audience suitability and published settings. The dialog was inspected and closed; this deck is not published.

What should you see?

A documented choice with its checks. The native file remains restricted and unpublished. No PDF delivery or live audience session is implied by inspecting these dialogs.


7.4 Rehearse an Accessible Delivery and Test Distribution

1. Write the three-minute run sheet and sponsor answers in the opening speaker notes, preserving the original source notes. The checkpoints allocate opening, workflow, evidence, risk, decision request and next steps. These are planned times. In the reference the presenter timer was paused at **00:00:32** during setup; it is not a speaking result.




Prepare three-minute checkpoints without claiming a speaking result.

2. Perform a real first spoken rehearsal. Record total speaking time, one hesitation and unnecessary advances, excluding interruptions. This remains **unperformed in the author reference**. Do not substitute a timer left running during automation or window setup.
3. Prepare the three sponsor answers from the card. Four Complete tasks are a snapshot, not pilot-success evidence; RM 12000 remains a proposed ceiling; no confirmed start date is supplied. Cite the task register/Summary, checked brief and project facts. The success criterion is future on-time submission by all three teams in the final two weeks, not an achieved result.




Prepare source-based answers to the sponsor questions.


4. In actual **Slideshow**, open Decisions and click **Review source definitions**. The reference moved from source slide 5 to Appendix A on slide 8. Click **Return to Decisions** and confirm slide 5 returns without restarting. The earlier Next 5 to 7 check confirms backup 6 is skipped in normal progression. Use appendix links only when the audience needs the detail.



Start from Decisions in the live presentation.




Follow the live link to Source Definitions.




Return to Decisions without restarting.

5. Exit Slideshow and click **File**, **Download**, **PDF document (.pdf)**. Inspect the downloaded file before treating it as a handout. The reference export contained **all 14 slides**, including the six skipped backup/practice slides. Skip status in Slideshow did not restrict this direct download.




Download the native PDF to inspect export scope.

6. Repair the handout scope: click **File**, **Print preview**. Keep **1 slide without notes**. The observed **Include skipped slides** control was enabled initially. Turn it **off**, then click **Download as PDF**. This produced **8 pages**, corresponding to source slides **1, 2, 3, 4, 5, 7, 8, 9**. Both source appendices remain as question references; skipped 6 and 10 to 14 are excluded. No source slide deletion or duplicate deck was needed. If this control is unavailable, prepare a separately named delivery copy and test its scope instead.




Print preview initially includes skipped slides.




Turn off Include skipped slides for the handout.

7. Inspect the fixed R1 handout, including every page and its navigation. In this export the embedded internal destinations resolve **Decisions PDF page 5 → Definitions page 7 → Decisions page 5**. The native source slide 8 is now PDF page 7 after exclusions. The figures below are full-page renders of the actual downloaded PDF. An interactive PDF viewer click test remains pending: controlled-browser policy blocked opening a local-file URL, so the reference used rendered-page review and structural destination checks without a browser workaround.




Inspect the handout Decisions page and link.




Inspect the remapped Definitions page and return link.

8. Inspect the fallback workflow page. All three boxes and both connectors appear together; PDF has no reveal sequence, presenter timer, Q&A or private speaker notes. Adapt the run sheet to explain Source register → Checked update → Project hub verbally. Keep the run sheet separately available, use page 5 for the decision request, page 7 for definitions and page 6 for next steps. The second **spoken** fallback rehearsal and its measured improvement remain unperformed.




PDF workflow shows all stages together without animation.

9. Record the fixed handout's scope, date and hash in the release record. It is an author reference for fictional training, not evidence of approval for external distribution. Retain the restricted editable source. After a later source change, compare the release record and re-export deliberately; downloaded PDF does not refresh. Name the source milestone **Sponsor update - delivery export checked**, verify it in history and return with **Back**. This records the author's UI/export checks, not a completed rehearsal or sponsor approval.



Name the delivery export author checkpoint.



Verify the delivery export checkpoint in history.

What should you see?

A planned run sheet, three grounded answers, live appendix navigation and an 8-page static handout with checked visual sequence and internal destinations. The14-page diagnostic explains the scope repair. Two real spoken rehearsals, interactive PDF clicks and independent validation remain open.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. A reviewer needs a current fixed handout and a presenter needs an editable source. Prepare a release manifest identifying each file, revision and intended use.
2. Deliver the opening and decision request once more using the fallback. Correct any claim whose qualification became unclear.
3. Demonstrate how you would recognise a stale downloaded copy after a source update.

Evidence to Hand Over

- Two timed rehearsals with specific delivery improvements.
- Three source-based or explicitly unresolved sponsor answers.
- Inspected handout scope, fallback delivery and release manifest.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
The handout contains unwanted backup slides	In File > Print preview, turn off Include skipped slides and Download as PDF; inspect the actual output. Use a separate scoped delivery copy if that control is unavailable.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

A rehearsed deck and deliberate distribution choice complete the presentation workflow.

Check yourself: Why is publishing to the web a different decision from sharing with named reviewers?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

This chapter uses the supplied files and visible controls. No additional prompt or typed code is required.

Part 1: Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Sponsor questions: Does four Complete tasks prove the pilot succeeded? Is RM 12,000 approved?
What is the confirmed start date? Explain exactly what the source pack supports.
```

Part 2: Inspected Reference State

Presenter view opens a separate window. Pause the timer during setup; the captured 00:00:24 is not a speaking rehearsal. Opening notes describe a proposed four-week pilot from an agreed start. Decisions notes retain the unapproved RM 12000 ceiling and unagreed start. Next from slide 5 reached 7, skipping backup 6. Audience Tools shows Start new, left untouched. Share shows Restricted and owner only. Publish to web says the document is not published; Link/Embed inspected, Close selected.

Spoken rehearsals, interactive PDF clicks, fallback rehearsal and independent challenge remain pending. Appendix round-trip, PDF scope/render/destination checks and a fallback plan were completed in7.4. Do not turn the source questions below into invented approval or success claims.

Part 3: Three-Minute Run Sheet - Planned Checkpoints

Target	Slide	Delivery cue
0:00-0:25	1	Introduce a proposed four-week pilot from an agreed start. No success or approval claim.
0:25-1:00	2	Explain Source register to Checked update to Project hub. Use the hub reveal to answer where the checked update goes.
1:00-1:35	3	State the 12-task 4/4/4 snapshot. Complete task count does not prove pilot success.
1:35-2:00	4	Explain inconsistent status definitions and checking shared definitions.
2:00-2:40	5	Seek approval of proposed RM 12000 and agreement of start date; both remain unresolved.
2:40-3:00	7	After agreement confirm start and coordinate Friday updates; measure final-two-weeks on-time submissions.

These targets are not measured speaking times. Rehearsal1 and2 results, hesitation and improvement remain pending a human spoken run.

Part 4: Sponsor Answers

1. **Does four Complete prove success?** No. It is a snapshot of12 task records, not a measured success result. Source: supplied register/Summary and checked brief Success Measure. The future criterion is all three teams submitting on time in the final two weeks.
2. **Is RM 12000 approved?** No. It is a proposed ceiling. Source: checked brief Budget/Decisions Needed and project facts. Approval remains unresolved.
3. **What is the confirmed start date?** None is supplied. Source: checked brief Schedule and project facts. The proposed four weeks run from an agreed start.

Part 5: Export and Fallback Checkpoint

Direct File Download PDF:14-pages including skipped slides. Print preview,1 slide without notes,Include skipped slides off,Download as PDF:8-pages/source 1, 2,3,4,5,7,8,9. PDF internal destinations5 to 7 and 7 to 5 resolve. Actual source Slideshow links 5 to 8 and 8 to 5 clicked successfully. All8 PDF pages rendered and inspected; interactive PDF click test blocked by local-file browser policy and remains unverified. No browser workaround attempted.

Fallback: explain all workflow stages verbally, keep the run sheet separate, use PDFpage 5 for Decisions/page7Definitions/page6NextSteps. No PDF animation, speaker notes, presenter timer or Q&A. Spoken fallback rehearsal pending. Final author source milestone: Sponsor update - delivery export checked. See the release record.

08

CHAPTER 8

Deliver the Project Update

In this chapter you will deliver the update, answer an evidence question and revise one slide after feedback.

> **Prompts:** the prompts page has every value and prompt for this chapter, each with a Copy button.

Estimated time: 50 minutes, planned as 10 explanation and demonstration, 20 guided build and casework, 15 independent practice and 5 verification and repair. Not yet timed with learners.

Your result: A delivered update revised from specific feedback. The author reference demonstrates source checks and a revision; a real delivery/partner result is still required.

> **Status:** partial author reference with 25 staged captures. Source tracing, separate practice revision, scenario isolation, T003 change, linked-chart replacement, matching narrative/description and 8-page handout checked. Spoken delivery, partner/reviewer feedback, interactive PDF clicks, independent challenge and learner timing remain pending.

What You Will Learn

- Deliver an evidence-based update.
- Answer a source question.
- Revise from useful feedback.

Before You Begin


Read the case input and use a separate named casework copy for destructive tests or altered datasets. Keep the baseline unchanged for later chapters. Record source facts, proposed practice and unresolved questions separately.

Use the checked deck and keep the source brief, project facts and register available. After earlier labs the reference has **14 retained slides**, including skipped backups/practice and two appendices; it is not a fresh six-slide file. Keep **GW - Slides - Sponsor Update** and **GW - Slides - Linked Data Source** as the baseline. Make a separate practice copy before the feedback revision, then separate scenario deck/data copies for 8.4.

8.1 Deliver the Story

1. Use the planned three-minute run sheet from Lab 7 to cover purpose, current tasks, risk and decisions. Give the update aloud and record speaking time. The author reference does **not** claim a spoken performance from navigating the UI.

2. Inspect the baseline status slide before delivery. It shows the 12-task snapshot, Complete 4, In Progress 4 and Not Started 4, alongside **Not evidence of pilot success**. Keep that qualification when explaining the chart.



Inspect the baseline status counts and qualification.

3. Keep the proposed RM12000 ceiling and unresolved start date explicit in the decision request. The supplied brief says **Budget: proposed ceiling RM12000, not approved**; its schedule is four weeks from an agreed start date. No new approval or performance evidence is supplied by the final change request.


What should you see?

A prepared, grounded story and a real spoken delivery result when you perform it. The captured source checks below support the content; they do not measure clarity to an audience.

8.2 Answer and Verify


1. Ask a partner to question one number or statement during a real delivery. Partner participation remains pending in this author reference. The scripted author check asks: **Where does Complete 4 come from?**

2. Open **GW - Slides - Linked Data Source** and click the **Summary** tab. Use the name box to navigate to **B2**. The visible formula is **=COUNTIF(Tasks!$F$2:$F$13,A2)**, counting the status criterion in A2 over twelve task rows. Inspect all three named counts rather than assuming the first bar is enough.



Trace Complete 4 to the bounded COUNTIF source.

3. Open **Tasks** and navigate to **A4:G4**. T003 is **Not Started** at baseline. This is also the exact row to investigate before the separate scenario edit in 8.4; do not change the baseline record.



	TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost
2	T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	RM 600
3	T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	RM 800
3	T003	Planning	Review pilot brief	Siti Aminah	1	Not Started	RM 500
5	T004	Planning	Prepare register template	Aina Rahman	2	Complete	RM 900
6	T005	Procurement	Check dropdown choices	Bala Kumar	2	In Progress	RM 1,200
7	T006	Procurement	Collect sample update	Siti Aminah	2	Not Started	RM 700
8	T007	Procurement	Review sample chart	Aina Rahman	3	Complete	RM 1,500
9	T008	Procurement	Prepare team guidance	Bala Kumar	3	In Progress	RM 600
10	T009	Site Coordination	Check hub navigation	Siti Aminah	3	Not Started	RM 1,000
11	T010	Site Coordination	Rehearse sponsor update	Aina Rahman	4	Complete	RM 800
12	T011	Site Coordination	Review final submissions	Bala Kumar	4	In Progress	RM 1,100
13	T012	Site Coordination	Record pilot lessons	Siti Aminah	4	Not Started	RM 700

Inspect baseline T003 as Not Started.


4. For an unsupported benefit or approval question, state the evidence gap. The task count does not establish the final-two-weeks on-time-submission success measure; proposed budget and unagreed start remain unresolved in the brief/project facts. Record the source and bounded range used for the answer. Do not invent an efficiency percentage.

What should you see?

An answer traceable to a source cell/formula or a stated evidence gap. The author has traced the scripted count; a partner challenge and their response remain unperformed.


8.3 Improve the Deck

1. Click **File**, **Make a copy**, **Entire presentation**. Name it **GW - Slides - Final Practice**. Leave **Share it with the same people** and **Copy comments** off; retain speaker notes. Confirm the new file is separate before editing. Keep the Sponsor Update baseline unchanged.




Create a private final-practice copy with notes retained.

2. Record specific feedback in the status slide's speaker notes before revising. The author example is: **Name the 12-task evidence population in the headline so it remains explicit during a short update.** Label it **author practice feedback, not partner feedback**. Preserve4/4/4, the linked source and unresolved decisions.




Record specific author feedback before changing the headline.

3. Replace the status title with **12 tasks show current work, not pilot success**. Keep the existing 25pt title size and inspect that it fits on one line. The three values, chart and visible qualification remain unchanged.




Revise the headline while retaining counts and qualification.

4. Start **Slideshow** on that slide and inspect the actual delivery view. The reference title, counts and chart fit. This is a visual check, not a completed three-minute speech or partner-comprehension result. Exit Slideshow afterwards.




Inspect the revised practice slide in actual Slideshow.

5. Name the version **Final practice - source and wording checked**, confirm it in history, then return with **Back**. It records the author source/wording check; it does not mean a sponsor or partner approved the update.



Name the source and wording check milestone.




Verify the checked practice milestone in history.

What should you see?


A targeted revision in a separate practice deck with unchanged baseline counts, linked source and factual caveats. The original Sponsor Update remains available. Record real partner feedback separately when obtained.

8.4 Handle a Last-Minute Sponsor Change

1. Duplicate the checked practice deck as **GW - Slides - Changed Scenario**, retaining notes and leaving sharing/comments off. Separately click **File**, **Make a copy** in the baseline workbook and name it **GW - Slides - Scenario Data**. Record each linked chart source before editing: status **Summary!A1:B4** and cost **Team Costs!A1:B4** both initially point to the baseline workbook. Copying the presentation does not redirect its chart links to the copied workbook.




Create a separate changed-scenario presentation.




Copy the data workbook without expanding access.


2. Classify the final brief in the scenario opening notes: shortening to two minutes is editorial; T003 becomes Complete is a data change for the **separate** workbook; **approved budget** and **pilot already successful** are unsupported claims to reject. Record the impact on formulas, chart source identity, visible counts, descriptions, narrative and handout. Expected 5/4/3 is a prediction until the edit/recalculation is verified. The captured setup still shows 4/4/4 and T003 Not Started.



Record scenario classification and impact before data edits.




Scenario workbook still shows baseline counts before the change.



Scenario deck still shows baseline data before source replacement.

> **Stage boundary:** these setup captures show the copies before the data edit. Follow the next steps before calling the scenario chart current.


3. In **GW - Slides - Scenario Data > Tasks**, select **A4:G4** and confirm the row is **T003**. Change only **F4** from **Not Started** to **Complete**. Do not edit the original Linked Data Source workbook.



TaskID	Team	Task	Owner	DueWeek	Status	PlannedCost	ActualCost
T001	Planning	Confirm reporting fields	Aina Rahman	1	Complete	RM 600	RM 550
T002	Planning	Draft status definitions	Bala Kumar	1	In Progress	RM 800	RM 700
T003	Planning	Review pilot brief	Siti Aminah	1	Complete	RM 500	RM 0
T004	Planning	Prepare register template	Aina Rahman	2	Complete	RM 900	RM 850
T005	Procurement	Check dropdown choices	Bala Kumar	2	In Progress	RM 1,200	RM 1,050
T006	Procurement	Collect sample update	Siti Aminah	2	Not Started	RM 700	RM 0
T007	Procurement	Review sample chart	Aina Rahman	3	Complete	RM 1,500	RM 1,400
T008	Procurement	Prepare team guidance	Bala Kumar	3	In Progress	RM 600	RM 500
T009	Site Coordination	Check hub navigation	Siti Aminah	3	Not Started	RM 1,000	RM 0
T010	Site Coordination	Rehearse sponsor update	Aina Rahman	4	Complete	RM 800	RM 750
T011	Site Coordination	Review final submissions	Bala Kumar	4	In Progress	RM 1,100	RM 1,000
T012	Site Coordination	Record pilot lessons	Siti Aminah	4	Not Started	RM 700	RM 0


Change only T003 in the separate scenario workbook.

4. Open **Summary** and inspect **B2** and all three category counts. The formula **=COUNTIF(Tasks!$F$2:$F$13,A2)** still counts twelve rows. The actual recalculated results are **Complete 5, In Progress 4, Not Started 3**, total **12**. The baseline remains **4/4/4**.




Verify bounded COUNTIF and recalculated 5/4/3.

5. Select the chart in the scenario workbook and copy it. In **GW - Slides - Changed Scenario**, remove the old status chart from slide 3 and paste the copied chart with **Link to spreadsheet** selected. Updating the original copied chart would continue to read the baseline workbook; copying a presentation does not redirect chart sources.




Paste the scenario chart with Link to spreadsheet selected.

6. Update the status text to **Scenario: 12 tasks / Complete 5 / In Progress 4 / Not Started 3 / Not evidence of pilot success**. Inspect the chart, text and fit together. Update the chart description to name the scenario source, population, counts and qualification. The native chart source identity must be **Scenario Data**, not the baseline workbook.




Update the scenario chart and visible counts together.

7. Record **Summary!A1:B4**, the bounded COUNTIF population and the T003 change in the status notes. The skipped cost appendix deliberately retains its baseline **Team Costs!A1:B4** source: RM2800, RM4000 and RM3600, total RM10400. A status-only scenario does not change planned costs. Record this retained source rather than claiming every chart was redirected. The cost appendix is excluded from this handout.




Record the scenario source and qualification in notes.

8. Label the opening subtitle **Changed scenario · two-minute update**. Record a shorter narrative in the opening notes: purpose, changed 12-task snapshot, definition risk, requested budget/start decisions and next steps. Keep **proposed RM12000, not approved**, the **unagreed start** and the future reporting-performance success measure. Reject “approved budget” and “pilot already successful”: the change request supplies no evidence for them. The 0:00 to 2:00 allocations are a plan; actual speech and reviewer challenge remain pending. The author question “Does five Complete prove success?” is a source check, not partner feedback.



Label the scenario and record the shorter narrative.


9. Click **File**, **Print preview**, choose **1 slide without notes**, turn **Include skipped slides** off, then **Download as PDF**. The reference export contains eight pages from native slides **1, 2, 3, 4, 5, 7, 8, 9**. Compare the actual PDF cover, status and decisions with the native deck. All eight reference pages were rendered and inspected; the planned two-minute run sheet is not part of the PDF.




Export without skipped slides or speaker notes.



Inspect the scenario label in the native PDF.




Compare the scenario PDF counts and qualification.



Compare the unresolved budget and start in the PDF.

10. Check the changed-scenario handout and revision record. Its internal destinations resolve page **5** → **7** → **5**, after remapping native **5** → **8** → **5**. This is structural PDF validation, not an interactive click result. Name the native version **Changed scenario - data and handout checked**, verify it in history and return with **Back**. Keep baseline and practice files separate.



Verify the changed-scenario milestone in history.

What should you see?

A labelled changed scenario with a verified 5/4/3 chart from the separate workbook, matching status text/description/source notes and an eight-page handout. The original baseline remains 4/4/4. Spoken timing, an independent reviewer response, interactive PDF clicks and the independent challenge still need real validation.

Independent Practice

Close the earlier step lists for the first attempt. Use the case input and your own reasoning. If you need help, record the hint and repeat the affected check independently.

1. Deliver the two-minute changed-scenario update without the chapter instructions. Ask a reviewer to identify the requested decisions and the evidence population.
2. Use their feedback to make a targeted revision and repeat the critical part of the delivery.
3. Hand over a source map, revision manifest and open-question list. Explain how to restore the baseline and why a PDF does not restore itself.

Evidence to Hand Over

- Change classification, impact list and two-minute revised narrative.
- Verified changed-scenario chart, source notes and matching handout.
- Reviewer result, targeted improvement and reproducible handover.

Record the defect or uncertainty you investigated, the evidence used, the repair or reasoned no-change decision, and the final state. Restore temporary changes or keep them in a clearly named scenario copy.

Troubleshooting

Symptom	What to check
The change request is treated as evidence for every claim	Separate the explicit task-status scenario from unsupported approval and outcome assertions.
An input or earlier result is missing	Reopen the input named in Before You Begin; do not substitute private company data
A menu or feature is unavailable	Confirm the account and the shared access notes; record the missing step and ask the trainer for its fallback
The result differs from the checkpoint	Compare the exact source range, wording and conditions before repeating the action

Lesson Summary

You planned, designed, checked and delivered a concise project presentation.

Check yourself: Can another person identify the decision request after hearing your update?

Prompts and values

Copy the values below when following the chapter. Review pasted text before submitting it.

This chapter uses the supplied files and visible controls. No additional prompt or typed code is required.

Part 1: Case Input

Fictional training material. This is exercise content to analyse, not authorisation to send, publish, grant access or change a real project decision.

```
Final brief: Reduce the update to two minutes. In a scenario copy, T003 becomes Complete. A stakeholder also requests the phrases “approved budget” and “pilot already successful”. No new approval or reporting-performance evidence accompanies those phrases. Keep the original baseline separate.
```

Part 2: Author Reference Values and Feedback

- Baseline status: Complete 4, In Progress 4, Not Started 4;12 task records.
- Baseline evidence: Summary!B2 **=COUNTIF(Tasks!$F$2:$F$13,A2)**; T003 is Tasks!A4:G4 and status F4 is Not Started.
- Practice copy: **GW - Slides - Final Practice**.
- Author feedback: name the 12-task population in the status headline. This is not partner feedback.
- Revised title: **12 tasks show current work, not pilot success**; 25 pt, one line,4/4/4 and chart unchanged.
- Practice version: **Final practice - source and wording checked**.

Part 3: Scenario Isolation and Impact Plan

Scenario deck: **GW - Slides - Changed Scenario**. Scenario workbook: **GW - Slides - Scenario Data**. Both are private copies, not new sharing permissions. At the setup stage the copied chart links still used the original source. The completed status replacement now points to Scenario Data; the skipped cost appendix deliberately retains the unchanged baseline cost source.

Request	Classification	Consequence
Reduce update to two minutes	Editorial	Plan a shorter narrative; preserve the source caveats and useful decision request. Actual speaking time unmeasured.
T003 becomes Complete	Data scenario	Edit only copied Tasks!F4 after verifying workbook identity; expected 5/4/3still totals12. Verify recalculation before replacing the deck chart.
Say approved budget	Unsupported claim	Reject; supplied budget remains proposed RM12000 and not approved.
Say pilot already successful	Unsupported claim	Reject; no new reporting-performance evidence accompanies the phrase.

Impact list: record status and cost chart sources; verify copied workbook identity; change the scenario task; check COUNTIF population; replace/relink intended status chart; inspect cost source too; update counts/descriptions/source notes/narrative; retain proposed budget / unagreed start; export and compare the changed-scenario handout. Setup captures show the earlier 4/4/4 stage. Later captures verify T003 Complete, 5/4/3, the scenario chart source, revised narrative/description and eight-page handout. Spoken delivery and reviewer test remain pending.

Two-minute planned checkpoints: 0:00 to 0:20 purpose; 0:20 to 0:55 evidence; 0:55 to 1:15 risk; 1:15 to 1:45 decision request; 1:45 to 2:00 next steps. These are planned allocations, not measured speech.

Part 4: Verified Scenario Outcome

T003 is Complete only in Scenario Data. Summary counts: 5 Complete, 4 In Progress, 3 Not Started, total 12. Status chart now links to the scenario workbook. Cost appendix remains linked to the unchanged baseline cost source and stays excluded from the handout. Baseline remains 4/4/4. Native milestone: Changed scenario - data and handout checked. All eight PDF pages inspected; internal destinations 5 to 7 and 7 to 5 resolve structurally. Actual speech/reviewer acceptance, interactive PDF clicks, independent challenge and classroom timings remain pending.

Google Slides

A one-day review draft with fictional inputs and substantial labs. Captured planning, layouts, visuals, linked charts, motion, keyboard inspection, versions, scoped PDF export, source-based practice revision and isolated changed-scenario data/chart/handout checks. Real spoken delivery, reviewer tests, imports and learner timing require validation.