













Revision History

Version	Date	By	Change Dscription
V1.2	2025-03-03	ALIENTEK	1:Initial release version




notice:
0=OFF, 0 is floating signal or grounded.
1=ON, 1 is signal with pullup or tied to VCC3.3


BOOT3	BOOT2	BOOT1	BOOT0	A35	M33
0	0	0	0	UART/USB	UART/USB
0	0	0	1	SD-Card	—
0	0	1	0	EMMC	—
0	0	1	1	Development	Development
0	1	1	1	—	SD-Card
1	0	0	0	—	EMMC




DC POWER IN




PWR VOUT




RTC VBAT




PWR LED



JTAG







USB USART





Title: 03_ATK-DLMP257_Power_USB.SchDoc			
Project: ATK-DLMP257B V1.2.PrjPcb			
Size: A4	Author: ALIENTEK		
Date: 2025/4/9	Version: V1.2	Sheet: 3 of 12	



USB HUB




4G MODULE




Title: 04_ATK-DLMP257_4G_HUB.SchDoc			 正点原子
Project: ATK-DLMP257B V1.2.PrfPcb			
Size: A4	Author: ALIENTEK		
Date: 2025/4/9	Version: V1.2	Sheet: 4 of 12	


CODEC ES8388




SPEAKER



EARPHONE




MIC




Title: 05_ATK-DLMP257_AUDIO.SchDoc		
Project: ATK-DLMP257B V1.2.PrjPcb		
Size: A4	Author: ALIENTEK	
Date: 2025/4/9	Version: V1.2	Sheet: 5 of 12




SPI FLASH




RTC




EEPROM




RS232




RS485




FDCAN1




FDCAN2



FDCAN3




FDCAN&RS485 HEADER




Title: 06_ATK-DLMP257_DEVICE.SchDoc	
Project: ATK-DLMP257B V1.2.PrjPcb	
Size: A4	Author: ALIENTEK
Date: 2025/4/9	Version: V1.2
Sheet: 6 of 12	




LVDS1




LVDS2






MIPI DSI



RGB LCD




MIPI CSI CAMERA



Title: 07_ATK-DLMP257_LCD_CAMERA.SchDoc			 正点原子
Project: ATK-DLMP257B V1.2.PrjPcb			
Size: A4	Author: ALIENTEK		
Date: 2025/4/9	Version: V1.2	Sheet: 7 of 12	


RGMII ETH1




PHY Address[2:0]:100(0x04) (default)





TXC/RXC:no 2ns delays



YT8531C




RGMII Power Source	CFG_EXT	CFG_LDO[1:0]
External 3.3V (default)	1'b1	2'b00



Title: 08_ATK-DLMP257_NET1.SchDoc	
Project: ATK-DLMP257B V1.2.PrjPcb	
Size: A4	Author: ALIENTEK
Date: 2025/4/9	Version: V1.2
Sheet: 8 of 10	





RGMII ETH2




PHY Address[2:0]:001(0x01) (default)



TXC/RXC:no 2ns delays





RGMII ETH3





PHY Address[2:0]:101(0x05) (default)



TXC/RXC:no 2ns delays








RGMII Power Source	CFG_EXT	CFG_LDO[1:0]
External 3.3V (default)	1'b1	2'b00




Title: 10_ATK-DLMP257_NET3.SchDoc	
Project: ATK-DLMP257B V1.2.PrjPcb	
Size: A4	Author: ALIENTEK
Date: 2025/4/9	Version: V1.2
Sheet: 10 of 10	




PCIE



PINOUT



USB WIFI&BT



TF Card

