Fitchburg Outpatient Clinic

Discharge Summary

Patient	**Clair Ming Armstrong**	MRN	**44090B49-4F74**
Date of birth	**1945-07-06 (age 69 at this date)**	Sex	**female**
Address	**588 Grant Trace, Holden, MA, 00000**	Phone	**555-792-8118**

Admitted	**2014-07-20 01:19**	Discharged	**2014-07-21 01:19**
Length of stay	**1 day**	Encounter type	**Admission to ward**
Reason for visit	**History of coronary artery bypass grafting**	Attending clinician	**Dr. Gabriel Reilly**
Disposition	**Discharged to home care or self care (routine discharge)**		

ACTIVE PROBLEMS AT TIME OF VISIT

Problem	Since
Ischemic heart disease	2014-07-04
Fibromyalgia	2014-02-21
Chronic kidney disease stage 3	2014-01-31
Proteinuria due to type 2 diabetes mellitus	2014-01-31
Loss of teeth	2009-07-17
Chronic kidney disease stage 2	2007-10-26
Microalbuminuria due to type 2 diabetes mellitus	2007-10-26
Osteoporosis	2005-07-15
Chronic kidney disease stage 1	2004-08-27
Disorder of kidney due to diabetes mellitus	2004-08-27
Malignant neoplasm of breast	2001-04-11
Hypertriglyceridemia	1989-07-21
Metabolic syndrome X	1989-07-21
Diabetes mellitus type 2	1987-07-17
Acute ST segment elevation myocardial infarction	1986-11-28
Chronic sinusitis	1959-03-16

PROCEDURES PERFORMED

Procedure	When	Reason
Postoperative procedure education	2014-07-20 01:19	History of coronary artery bypass grafting
Walking exercise test	2014-07-20 02:15	History of coronary artery bypass grafting
Stair-climbing test	2014-07-20 02:21	History of coronary artery bypass grafting

Procedure	When	Reason
Discharge from hospital	2014-07-20 02:41	History of coronary artery bypass grafting

ALLERGIES

No allergy entries in the record as of this date.

CLINICAL NOTE

2014-07-20

Chief Complaint

- Blurred Vision
- Frequent Urination
- Tingling in Hands and Feet
- Hunger

History of Present Illness

Clair Ming is a 69 year-old nonhispanic asian female. Patient has a history of streptococcal sore throat (disorder), sprain (morphologic abnormality), severe anxiety (panic) (finding), medication review due (situation), injury of medial collateral ligament of knee (disorder), leaking dental filling (finding), victim of intimate partner abuse (finding), acute bronchitis (disorder), resorption of alveolar process due to dental trauma (disorder), not in labor force (finding), primary dental caries (disorder), unhealthy alcohol drinking behavior (finding), gingivitis (disorder), gingival disease (disorder), alveolitis of jaw (disorder), fracture of clavicle (disorder), sprain of ankle (disorder), acute viral pharyngitis (disorder), viral sinusitis (disorder), fracture of bone (disorder), otitis media (disorder), normal pregnancy (finding), fracture of forearm (disorder), part-time employment (finding), risk activity involvement (finding), limited social contact (finding), injury of knee (disorder), sinusitis (disorder), reports of violence in the environment (finding), infection of tooth (disorder), full-time employment (finding), anemia (disorder), acute infective cystitis (disorder), loose dental filling (finding), myocardial infarction (disorder), stress (finding), social isolation (finding).

Social History

Patient is married. Patient has never smoked.

Patient identifies as heterosexual.

Patient comes from a middle socioeconomic background.

Patient has a high school education.

Patient currently has Medicare.

Allergies

No Known Allergies.

Medications

ciprofloxacin 250 mg oral tablet; {7 (inert ingredients 1 mg oral tablet) / 21 (mestranol 0.05 mg / norethindrone 1 mg oral tablet) } pack [norinyl 1+50 28 day]; nitroglycerin 0.4 mg sublingual tablet; 2 ml ondansetron 2 mg/ml injection; tamoxifen 10 mg oral tablet; {7 (ethinyl estradiol 0.035 mg / norgestimate 0.18 mg oral tablet) / 7 (ethinyl estradiol 0.035 mg / norgestimate 0.215 mg oral tablet) / 7 (ethinyl estradiol 0.035 mg / norgestimate 0.25 mg oral tablet) / 7 (inert ingredients 1 mg oral tablet) } pack [ortho tri-cyclen 28 day]; insulin, regular, human 100 unt/ml injectable solution; aspirin 81 mg oral tablet; naproxen sodium 220 mg oral tablet; acetaminophen

325 mg oral tablet [tylenol]; amoxicillin 250 mg / clavulanate 125 mg oral tablet; alendronic acid 10 mg oral tablet; tropicamide 5 mg/ml ophthalmic solution; midazolam 1 mg/ml injectable solution; heparin sodium, porcine 100 unt/ml injectable solution; penicillin v potassium 500 mg oral tablet; 1 ml heparin sodium, porcine 5000 unt/ml injection; aspirin 325 mg oral tablet; clopidogrel 300 mg oral tablet; meperidine hydrochloride 50 mg oral tablet; cefazolin 2000 mg injection; sodium fluoride 0.0272 mg/mg oral gel; acetaminophen 325 mg oral tablet; nitrofurantoin, macrocrystals 25 mg / nitrofurantoin, monohydrate 75 mg oral capsule; ribociclib 200 mg oral tablet; insulin isophane, human 70 unt/ml / insulin, regular, human 30 unt/ml injectable suspension [humulin]; 2 ml morphine sulfate 1 mg/ml injection; 100 ml propofol 10 mg/ml injection; rocuronium bromide 10 mg/ml injectable solution; penicillin g 375 mg/ml injectable solution; acetaminophen 325 mg / hydrocodone bitartrate 7.5 mg oral tablet; 25 ml protamine sulfate (usp) 10 mg/ml injection; isoflurane 999 mg/ml inhalation solution; mestranol / norethynodrel; 10 ml fentanyl 0.05 mg/ml injection

Assessment and Plan

Plan

The following procedures were conducted:

- postoperative procedure education (procedure)
- walking exercise test (procedure)
- stair-climbing test (procedure)
- discharge from hospital (procedure)