

# **CSS Bell Ringers and Exit Slips**

**Computer Science and Coding**

Name \_\_\_\_\_  
Directions: Circle three errors below

```
h1 {  
  color: purple;  
  text decoration: underline;  
  text-align: left;  
  font-size=14px;  
}
```

Name \_\_\_\_\_  
Directions: Circle three errors below

```
h1 {  
  color: purple;  
  text decoration: underline;  
  text-align: left;  
  font-size=14px;  
}
```

Name \_\_\_\_\_  
Directions: Circle three errors below

```
h1 {  
  color: purple;  
  text decoration: underline;  
  text-align: left;  
  font-size=14px;  
}
```

Name \_\_\_\_\_  
Directions: Circle three errors below

```
h1 {  
  color: purple;  
  text decoration: underline;  
  text-align: left;  
  font-size=14px;  
}
```

Name \_\_\_\_\_  
Directions: Circle three errors below

```
h1 {  
  color: purple;  
  text decoration: underline;  
  text-align: left;  
  font-size=14px;  
}
```

Name \_\_\_\_\_  
Directions: Circle three errors below

```
h1 {  
  color: purple;  
  text decoration: underline;  
  text-align: left;  
  font-size=14px;  
}
```

Name \_\_\_\_\_  
Directions: Circle three errors below

```
h1 {  
  color: purple;  
  text decoration: underline;  
  text-align: left;  
  font-size=14px;  
}
```

Name \_\_\_\_\_  
Directions: Circle three errors below

```
h1 {  
  color: purple;  
  text decoration: underline;  
  text-align: left;  
  font-size=14px;  
}
```

Name \_\_\_\_\_  
Directions: Circle three errors below

```
h1 {  
  color: purple;  
  text decoration: underline;  
  text-align: left;  
  font-size=14px;  
}
```

Name \_\_\_\_\_  
Directions: Circle three errors below

```
h1 {  
  color: purple;  
  text decoration: underline;  
  text-align: left;  
  font-size=14px;  
}
```

**Directions: Find the three errors below.**

```
h1 {  
    color: purple;  
    text decoration: underline;  
    text-align: left;  
    font-size=14px;  
}
```

# ANSWER

**Directions: Find the three errors below.**

```
h1 {  
  color: purple;  
  text decoration: underline;  
  text-align: left;  
  font-size=14px;
```

1

Name\_\_\_\_\_

Directions: Circle the rule that does not belong.

```
img {  
  float: left;  
  font-family:serif;  
  width: 250px;  
  margin: 10px;  
}
```

Name\_\_\_\_\_

Directions: Circle the rule that does not belong.

```
img {  
  float: left;  
  font-family:serif;  
  width: 250px;  
  margin: 10px;  
}
```

Name\_\_\_\_\_

Directions: Circle the rule that does not belong.

```
img {  
  float: left;  
  font-family:serif;  
  width: 250px;  
  margin: 10px;  
}
```

Name\_\_\_\_\_

Directions: Circle the rule that does not belong.

```
img {  
  float: left;  
  font-family:serif;  
  width: 250px;  
  margin: 10px;  
}
```

Name\_\_\_\_\_

Directions: Circle the rule that does not belong.

```
img {  
  float: left;  
  font-family:serif;  
  width: 250px;  
  margin: 10px;  
}
```

Name\_\_\_\_\_

Directions: Circle the rule that does not belong.

```
img {  
  float: left;  
  font-family:serif;  
  width: 250px;  
  margin: 10px;  
}
```

Name\_\_\_\_\_

Directions: Circle the rule that does not belong.

```
img {  
  float: left;  
  font-family:serif;  
  width: 250px;  
  margin: 10px;  
}
```

Name\_\_\_\_\_

Directions: Circle the rule that does not belong.

```
img {  
  float: left;  
  font-family:serif;  
  width: 250px;  
  margin: 10px;  
}
```

Name\_\_\_\_\_

Directions: Circle the rule that does not belong.

```
img {  
  float: left;  
  font-family:serif;  
  width: 250px;  
  margin: 10px;  
}
```

Name\_\_\_\_\_

Directions: Circle the rule that does not belong.

```
img {  
  float: left;  
  font-family:serif;  
  width: 250px;  
  margin: 10px;  
}
```

**Directions: Choose the rule that does not belong.**

```
img {  
  float: left;  
  font-family: serif;  
  width: 250px;  
  margin: 10px;  
}
```

# ANSWER

**Directions: Choose the rule that does not belong.**

```
img {  
  float: left;  
  font-family: serif;  
  width: 250px;  
  margin: 10px;  
}
```

Name \_\_\_\_\_

**Directions:** Circle the correct way to round image corners in CSS.

border-style:cornerless;  
border-radius: 10px;  
border-rounding:10px;  
border-circling:10%;  
border-edging:curved;

Name \_\_\_\_\_

**Directions:** Circle the correct way to round image corners in CSS.

border-style:cornerless;  
border-radius: 10px;  
border-rounding:10px;  
border-circling:10%;  
border-edging:curved;

Name \_\_\_\_\_

**Directions:** Circle the correct way to round image corners in CSS.

border-style:cornerless;  
border-radius: 10px;  
border-rounding:10px;  
border-circling:10%;  
border-edging:curved;

Name \_\_\_\_\_

**Directions:** Circle the correct way to round image corners in CSS.

border-style:cornerless;  
border-radius: 10px;  
border-rounding:10px;  
border-circling:10%;  
border-edging:curved;

Name \_\_\_\_\_

**Directions:** Circle the correct way to round image corners in CSS.

border-style:cornerless;  
border-radius: 10px;  
border-rounding:10px;  
border-circling:10%;  
border-edging:curved;

Name \_\_\_\_\_

**Directions:** Circle the correct way to round image corners in CSS.

border-style:cornerless;  
border-radius: 10px;  
border-rounding:10px;  
border-circling:10%;  
border-edging:curved;

Name \_\_\_\_\_

**Directions:** Circle the correct way to round image corners in CSS.

border-style:cornerless;  
border-radius: 10px;  
border-rounding:10px;  
border-circling:10%;  
border-edging:curved;

Name \_\_\_\_\_

**Directions:** Circle the correct way to round image corners in CSS.

border-style:cornerless;  
border-radius: 10px;  
border-rounding:10px;  
border-circling:10%;  
border-edging:curved;

Name \_\_\_\_\_

**Directions:** Circle the correct way to round image corners in CSS.

border-style:cornerless;  
border-radius: 10px;  
border-rounding:10px;  
border-circling:10%;  
border-edging:curved;

Name \_\_\_\_\_

**Directions:** Circle the correct way to round image corners in CSS.

border-style:cornerless;  
border-radius: 10px;  
border-rounding:10px;  
border-circling:10%;  
border-edging:curved;



**Directions: Choose the correct way to round image corners in CSS.**

**border-style:cornerless;  
border-radius: 10px;  
border-rounding:10px;  
border-circling:10%;  
border-edging:curved;**

# ANSWER

**Directions: Choose the correct way to round image corners in CSS.**

**border-style:cornerless;**

**border-radius: 10px;**

**border-rounding:10px;**

**border-circling:10%;**

**border-edging:curved;**

Name \_\_\_\_\_

**Directions:** Circle the correct way to create a class rule-set in CSS.

```
.navbar {  
  color:red;  
  font-size: 40px;  
}
```

```
$navbar {  
  color:red;  
  font-size: 40px;  
}
```

Name \_\_\_\_\_

**Directions:** Circle the correct way to create a class rule-set in CSS.

```
.navbar {  
  color:red;  
  font-size: 40px;  
}
```

```
$navbar {  
  color:red;  
  font-size: 40px;  
}
```

Name \_\_\_\_\_

**Directions:** Circle the correct way to create a class rule-set in CSS.

```
.navbar {  
  color:red;  
  font-size: 40px;  
}
```

```
$navbar {  
  color:red;  
  font-size: 40px;  
}
```

Name \_\_\_\_\_

**Directions:** Circle the correct way to create a class rule-set in CSS.

```
.navbar {  
  color:red;  
  font-size: 40px;  
}
```

```
$navbar {  
  color:red;  
  font-size: 40px;  
}
```

Name \_\_\_\_\_

**Directions:** Circle the correct way to create a class rule-set in CSS.

```
.navbar {  
  color:red;  
  font-size: 40px;  
}
```

```
$navbar {  
  color:red;  
  font-size: 40px;  
}
```

Name \_\_\_\_\_

**Directions:** Circle the correct way to create a class rule-set in CSS.

```
.navbar {  
  color:red;  
  font-size: 40px;  
}
```

```
$navbar {  
  color:red;  
  font-size: 40px;  
}
```

Name \_\_\_\_\_

**Directions:** Circle the correct way to create a class rule-set in CSS.

```
.navbar {  
  color:red;  
  font-size: 40px;  
}
```

```
$navbar {  
  color:red;  
  font-size: 40px;  
}
```

Name \_\_\_\_\_

**Directions:** Circle the correct way to create a class rule-set in CSS.

```
.navbar {  
  color:red;  
  font-size: 40px;  
}
```

```
$navbar {  
  color:red;  
  font-size: 40px;  
}
```

Name \_\_\_\_\_

**Directions:** Circle the correct way to create a class rule-set in CSS.

```
.navbar {  
  color:red;  
  font-size: 40px;  
}
```

```
$navbar {  
  color:red;  
  font-size: 40px;  
}
```

Name \_\_\_\_\_

**Directions:** Circle the correct way to create a class rule-set in CSS.

```
.navbar {  
  color:red;  
  font-size: 40px;  
}
```

```
$navbar {  
  color:red;  
  font-size: 40px;  
}
```

**Directions: Choose the correct way to create a class rule-set in CSS.**

```
.navbar {  
  color:red;  
  font-size: 40px;  
}
```

```
$navbar {  
  color:red;  
  font-size: 40px;  
}
```

# ANSWER

**Directions: Choose the correct way to create a class rule-set in CSS.**

```
.navbar {  
  color:red;  
  font-size: 40px;  
}
```

```
$navbar {  
  color:red;  
  font-size: 40px;  
}
```

Name\_\_\_\_\_

Directions: Fix this rule-set by adding 5 things.

p {

text-align left  
font-family: cursive;  
font size: 14px

Name\_\_\_\_\_

Directions: Fix this rule-set by adding 5 things.

p {

text-align left  
font-family: cursive;  
font size: 14px

Name\_\_\_\_\_

Directions: Fix this rule-set by adding 5 things.

p {

text-align left  
font-family: cursive;  
font size: 14px

Name\_\_\_\_\_

Directions: Fix this rule-set by adding 5 things.

p {

text-align left  
font-family: cursive;  
font size: 14px

Name\_\_\_\_\_

Directions: Fix this rule-set by adding 5 things.

p {

text-align left  
font-family: cursive;  
font size: 14px

Name\_\_\_\_\_

Directions: Fix this rule-set by adding 5 things.

p {

text-align left  
font-family: cursive;  
font size: 14px

Name\_\_\_\_\_

Directions: Fix this rule-set by adding 5 things.

p {

text-align left  
font-family: cursive;  
font size: 14px

Name\_\_\_\_\_

Directions: Fix this rule-set by adding 5 things.

p {

text-align left  
font-family: cursive;  
font size: 14px

Name\_\_\_\_\_

Directions: Fix this rule-set by adding 5 things.

p {

text-align left  
font-family: cursive;  
font size: 14px

Name\_\_\_\_\_

Directions: Fix this rule-set by adding 5 things.

p {

text-align left  
font-family: cursive;  
font size: 14px

**Directions: Fix this rule-set by adding 5 things.**

**p {**

**text-align left**

**font-family: cursive;**

**font size: 14px**

# ANSWER

**Directions: Fix this rule-set by adding 5 things.**

```
p {
```

```
text-align: left;
```

```
font-family: cursive;
```

```
font-size: 14px;
```

```
}
```



# Instructions for the teacher:

1. These quick CSS formative assessments can be used either as bell ringers or as exit slips.
2. I use one question per day, so this lasts a week.
3. There are 10 cards per page, so this cuts down on making copies.
4. Alternatively, you can post the slide of the question and have students write out the answer to eliminate copying completely and cut down on your prep work.
5. If you would like an editable copy of this document, please email me at [computerscienceandcoding@gmail.com](mailto:computerscienceandcoding@gmail.com).  
Thanks!