TERTIARY ENTRANCE EXAMINATION, 1994

QUESTION/ANSWER BOOKLET

GY
0
BIOL
BI
Z
M
1

]	
NOO THE HIS OCK		

SEA STUDENT NUMBER - In figures

In words

TIME ALLOWED FOR THIS PAPER

Reading time before commencing work: Ten minutes Working time for paper: Three hours

MATERIAL REQUIRED/RECOMMENDED FOR THIS PAPER

TO BE PROVIDED BY THE SUPERVISOR

This Question/Answer Booklet comprising PART II Pages 3-19
PART III Pages 20-35
PART III Pages 36-37
Answer Sheets for Part III Pages 38-45
Space for rough work Page 46

Separate Multiple Choice Answer Sheet

TO BE PROVIDED BY THE CANDIDATE

Standard Items: Pens, pencils, eraser or correction fluid, ruler

Special Items: A 2B pencil for the Separate Multiple Choice Answer Sheet and calculators satisfying the conditions set by the Secondary Education Authority.

IMPORTANT NOTE TO CANDIDATES

No other items may be taken into the examination room.

It is your responsibility to ensure that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you hand it to the supervisor BEFORE reading any further.

INSTRUCTIONS TO CANDIDATES

PARTI

Questions 1-40 80 marks
This part consists of multiple choice questions, which should be answered on the Separate Multiple Choice Answer Sheet,

USE Á 2B PENCIL. DÓ NOT USE A BALL POINT OR INK PEN.

Questions 41-51 80 marks PART II

This part consists of eleven (11) diagram and short answer questions. These MUST be answered in the spaces provided in this Question/Answer Bookler. Write your answers in blue or black ball point or ink pen.

Questions 52-55 40 marks PART III

This part consists of four (4) extended answer questions.

Answer ONE question from Section A and ONE question from Section B.

The answers for PART III should be written on pages 38-45 in this Question/Answer Booklet

in blue or black ball point pen or ink pen. Draw any diagrams in pencil.

At the end of the examination carefully check that you have placed your Student Identification Label, and that you have written your SEA Student Number in figures and words, in the spaces provided on the front cover of this Question/Answer Booklet.

HUMAN BIOLOGY

PAGE 3

PART I

ANSWER SHEET, using a "2B" pencil. If you make an error follow the instructions Mark your answers to Questions 1-40 on the SEPARATE MULTIPLE CHOICE given to you on the answer sheet.

IN EACH QUESTION CHOOSE THE BEST ALTERNATIVE.

- In excavations of archaeological sites, artefacts are often found. Which of the following is an artefact?
- A stone tool
- A fossilised bone.
- Charcoal, **G C G B**
- Fossilised food remains.
- A researcher was testing the hypothesis: "the range of sound frequencies that a person can hear decreases with increasing age". She selected a number of used to expose the subjects to sounds of varying frequencies over a range of subjects, both male and female, of differing ages. A sound generator was volumes. The dependent variable in this experiment was the તં
- age of the subjects.
 - volume of sound.
- frequency of sound. **GCG**
- frequency range detected by the subjects.
- A student used an anthropometer to measure the length from a person's elbow across all classes, in a secondary school. Mean lengths for a number of age to the tip of the longest finger. This was done for a sample of students, groups were calculated. ကံ

In graphing the result the student should use

- a line graph and plot mean lengths on the X-axis and age groups on the Y-axis. æ
- a line graph and plot age groups on the X-axis and mean lengths on the Y-axis. 9
- a histogram and plot mean lengths on the X-axis and age groups on the (C)
- a histogram and plot age groups on the X-axis and mean lengths on the 9

A hypothesis is

4

- an idea that is accepted by most scientists. © Q Q
- a principle that applies in a number of situations.
- a generalisation that has been supported by the results of
 - numerous experiments.
- a tentative explanation for observations. 9
- measurements rather than as descriptions of observations. The main reason Wherever possible, scientists express the results of their experiments as for this is that 'n
- there is an internationally accepted system of units of measurement so experimental results would be understood world-wide. <u>a</u>
 - use of measurements helps to overcome language differences between 3
- use of measurements helps to reduce any chance of bias in the reporting scientists from different countries. of experimental results. ΰ
- persons who are not trained in science can be used to collect the results of experiments. ਉ
- Fred suffers from diabetes mellitus (sugar diabetes). Three times each day he must inject insulin into his body to ensure that the concentration of glucose in his blood stays at a relatively constant level. Sometimes Fred's blood glucose evels fall causing him to feel weak and dizzy. φ,

Which of the following could cause a drop in blood glucose level?

- Injection of too much insulin. ÷ α ε;
 - Injection of too little insulin.
 - Too much exercise.
 - Too little exercise.
- Eating too much carbohydrate.
- Eating too little carbohydrate. 4.6.6
- 1, 3 and 5 1, 3 and 6
- € © € €
- 2, 4 and 5 2, 4 and 6

SEE NEXT PAGE

"HUMAN BIOLOGY

0


PAGE 5

- When heart i the is stretched its force of contraction increases. This reflex response of heart muscle to stretching would
- account for the increase in pulse rate that occurs with exercise. ensure that the stroke volume remained relatively constant.
- (C (D (G
 - ensure that the stroke volume was about the same as the
 - volume of blood entering the heart before each beat.
 - prevent the heart muscle from overstretching. ĝ

In the inheritance of human ABO blood groups there are three alleles:

 ${\cal H}$ allele results in the production of antigen A on the red blood cells. ${\cal H}$ allele results in the production of antigen B on the red blood cells. i allele does not produce either antigen A or antigen B on the red blood cells. PA and PB are co-dominant to each other and i is recessive to both PB and PB.

The pedigree below shows the ABO blood groups of some members of a family.



The genotype of individual X would be œ

- G C G G

- The genotype of individual Z could be

တဲ

- 1418 or 1818. 1418 or 1818 or 14i. 1818 or 14i or 18i. 1418 or 1818 or 14i or 18i. **909**

SEE NEXT PAGE

HUMAN BIOLOGY



Under certain conditions humans can suffer from hyperthermia - the body temperature rises above its normal level due to extreme environmental conditions. 10

Of the following factors, which ones could lead to hyperthermia when environmental temperatures are high?

- High humidity.
- High fluid intake.
- Inactivity. **-** 6 € 4
- Large body size.
- and 2. G © Q g
 - 1 and 4: 2 and 3.
 - 3 and 4.
- now been dated at 3.18 million years old. The technique permits single grains Until recently the famous hominid fossil "Lucy", classified as Australopithecus afarensis, had not been accurately dated. Using a new technique Lucy has of volcanic rock to be dated. 1.


To obtain a reliable date for a fossil using this technique

- the grains just above the fossil would have to be older than those just below the fossil. <u>@</u>
- the grains just below the fossil would have to be older than those just above the fossil. q
- the grains just above and just below the fossil would have to be of the (၁
- the dates for the grains just above and below the fossil would have to match those for grains in the same stratum at other locations. Ð

7

The graph below shows the number of deaths from heart disease in males and females from Australia, Sweden and the USA over a period of thirty years.

Mortality rates for coronary heart disease



Years

Which of the following would be a valid conclusion to draw from this graph?

- In the USA the average male was fitter in 1980 than in 1960,
- Education campaigns have helped to reduce death rates from heart disease in Australia and the USA. <u>a</u>
- The sex of a person is an important factor in susceptibility to heart disease, <u>(</u>)
- Consumption of saturated fats has declined in some countries but not others. ਉ

HUMAN BIOLOGY



dominant over the allele for normal hair growth. In females, the same allele is One type of baldness in humans is determined by an allele that, in males, is recessive to the allele for normal hair growth. 13,

Which of the following would be correct for this type of baldness?

- A daughter of a bald father and a bald mother could have normal hair growth. <u>a</u>
 - A son of a bald mother and normal father would have a fifty percent 9
 - All daughters of bald mothers would be bald. chance of being bald.
 - All sons of baid fathers would be bald. වු වු
- biological and cultural evolution. Scientists do not accept these ideas because In his book "Chariots of the Gods", Erich von Daniken suggests that beings from other worlds visited Earth in prehistoric times and influenced human 4
- there is no way of testing them.
- there is no evidence to support them. **€** € €
- they contradict more plausible ideas.
- space travel over huge distances is impossible.
- A cline is a gradual change in the frequencies of certain alleles from one end of a geographical range to the other. The change in allele frequencies would be seen as a gradual change in the characteristics of the species. In humans a cline would occur when 15.
- there is interbreeding between races.
- populations that were previously isolated begin breeding.
- a population occupying a large geographical area is isolated from other populations. © <u>Q</u> <u>G</u>
- interbreeding and natural selection occur between populations. 9

- When an ape such as a gorilla or chimpanzee walks bipedally, it appears to sway from side to side as its weight is balanced first above one foot, then above the other. Humans do not sway from side to side when they walk. This is partly because 16.
- the human foot has a transverse arch as well as the longitudinal arch possessed by apes.

(a)

- humans have much larger buttock muscles than apes.
- the human foot has larger heel and ankle bones than apes.
- the pelvis in humans is much broader than in apes. **200**
- Which of the following would provide the best conditions for the fossilisation of bone? 1,
- An acidic bog.
- An alkaline soil.
- Volcanic lava.
- A river bed. G C C S
- Potassium-argon dating may be used to determine the 8
- relative age of fossil bones.
- absolute age of fossil bones. **@ @ @ @**

 - relative age of rocks.
- absolute age of rocks.

HUMAN BIOLOGY

PAGE 11

Part of the human haemoglobin molecule contains the following sequence of amino acids: 9

oroline-serine-alanine-valine-glycine-lysine.

Some primates have the equivalent part of the haemoglobin molecule with the following sequences occurring:

PRIMATE A: lysine-alanine-threonine-valine-leucine-lysine.

PRIMATE B: proline-serine-alanine-valine-leucine-lysine. PRIMATE C: lysine-alanine-alanine-valine-leucine-lysine.

PRIMATE D: lysine-serine-alanine-valine-leucine-lysine.

Which primate is the MOST DISTANTLY related to humans?


- ⋖ Primate G C C B
- ď Primate
 - Primate
- ပ်င်္ Primate
- Carbon monoxide is an environmental pollutant, produced by the burning of fossil fuel. Which statement is CORRECT regarding the dangers of carbon monoxide? 20.
- It is a carcinogen.
- It destroys the ozone layer, **3000**
- It combines with haemoglobin.
 - It causes emphysema.
- The term "race" is used to describe a population of Homo sapiens. Which of the following statements about a race is CORRECT? 21,
- The gene pool of a race is completely different from those of other <u>a</u>
- A race is a pure breeding population, within which gene frequencies remain constant. 9
- A race is a continuing population, with a distinct gene pool, but capable of gene exchange with other races. <u>ပ</u>
 - The gene frequencies within a race change only through natural selection. €

- The development of agriculture accelerated human cultural evolution because it 22,
- was a more efficient way of providing food than hunter-gathering. **B** © **B B**
 - allowed people to settle in one place.
 - allowed the population to increase,
- occurred in several different places at the same time.
- In a site in East Africa the remains of 60 giant baboons were found mixed with a large number of hand axes. Archaeologists would use this information as evidence for 23.
- the use of spoken language by hominids.
- the existence of organised hunting by hominids.
 - tool use by baboons.
- a hunter-gatherer lifestyle of hominids. G C Q G

HUMAN BIOLOGY

PAGE 13

transition during the past 100 years. The population pyramids below show the Questions 24 and 25 refer to a country that has undergone demographic age structure at various times in that country's development.



- What is the correct sequence for the pyramids? 24.
- A→B→D→C. G C C G
- A→B→C→D.
- C→D→A→B.
- B→A→C→D.
- At which stage in the country's development was the proportion of 30-34 year olds greatest? 25.
- G C Q g

HUMAN BIOLOGY

PAGE 14


- tube defects in newborn children had increased over the past twenty years. A researcher was interested in finding out whether the incidence of neural Which of the following measures would give the best indication of any increase or decrease? 26.
- The number of babies born with neural tube defects per year.
- The number of babies born with neural tube defects per <u>a</u>
- The number of neonatal deaths from neural tube defects per thousand births. (c)
- The number of neonatal deaths from neural tube defects per thousand births per year. Î
- Which ONE of the following characteristics would be the same for a hominid and a pongid? 27.
- Stereoscopic vision.
- Surface area of the cerebrum.
- Opposable first digit on all limbs.
- Shape of the spinal column. G C Q g
- The hypothalamus 28.
- is the link between the nervous system and all endocrine glands.
 - produces oxytocin which is released by the anterior pituitary.
- regulates secretion of hormones by the anterior pituitary. 0 0 0 0 0 0 0 0 0
 - controls all activities of the pituitary gland.
- Receptors for "touch" 29,
- are equally distributed over the skin surface.
- detect stimuli more easily in certain areas of the body such as the lips <u>a</u>
- are mostly associated with hair follicles.
- can only generate nerve impulses which travel into the central nervous system,


SEE NEXT PAGE

HUMAN BIOLOGY

PAGE 15

Questions 30 and 31 refer to the diagram of the brain and spinal cord below.





- The enlarged section of the brain shown above is part of the 30.
- cerebellum.
- cerebrum. **9000**
 - thalamus.
- hypothalamus.
- Which ONE of the following is CORRECT for the labels A, B, C and D on the diagram above? 31.

	ä	BRAIN	SPINA	SPINAL CORD
	A	В	၁	Ο
(a)	Grey matter	White matter	Grey matter	White matter
9	Grey matter	White matter	White matter	Grey matter
<u>၁</u>	White matter	Grey matter	Grey matter	White matter
9	White matter	Grey matter	White matter	Grey matter

Questions 32 and 33 refer to the list below.

- Affects follicle development. - 46.4
- Stimulates oestrogen secretion.
 - Induces ovulation.
- Maintains the corpus luteum,
- Which of the functions listed above are direct actions of follicle stimulating hormone (FSH). 32.
- only.
- and 2 only.
- ,2 and 3 only.
- , 2, 3 and 4. ලි <u>ලි</u> ලි
- Which of the functions listed above are direct actions of luteinising hormone ŒĤ. 33
- 1 only.
- and 2 only.
- 3 only. G C E G
- 3 and 4 only.
- 34.
- Most hormones
- are proteins.
- are enzymes.
- are secreted by exocrine glands.
- affect metabolic activity of cells. **€** € €

HUMAN BIOLOGY

PAGE 17

Questions 35 and 36 refer to the information below.

When blood pressure begins to rise, pressure receptors in the blood vessels detect the rising pressure and send nerve impulses to the cardiac centre. The cardiac centre sends nerve impulses to the pace-maker in the heart and the heart beats slower and less strongly.

- Which of the following statements regarding the location of the cardiac centre and the nerve pathway that carries impulses to slow down the heart is CORRECT? 35,
- The cardiac centre is in the medulla and the nerve impulses are carried by sympathetic fibres. æ
- The cardiac centre is in the medulla and the nerve impulses are carried by parasympathetic fibres, <u>(a</u>
 - The cardiac centre is in the hypothalamus and the nerve impulses are carried by sympathetic fibres. <u>0</u>
- The cardiac centre is in the hypothalamus and the nerve impulses are carried by parasympathetic fibres. Ŧ
- In the reflex described above, feedback would be achieved by nervous messages from the 36.
- heart's pace-maker to the cardiac centre.
- cardiac centre to the pressure receptors.
- pressure receptors to the heart's pace-maker. G C G G
 - pressure receptors to the cardiac centre,

The peripheral nervous system is subdivided into two main parts - the afferent division that carries information into the central nervous system, and the efferent division that carries information away from the central nervous system. 37.

Which of the following CORRECTLY shows the functional organisation of the peripheral nervous system?

				 	·····				
Sympathetic division	Parasympathetic division	Paraympathetic division	Sympathetic division		Sympathetic division	Parasympathetic division		Sympamenc division	Parasympathetic division
†	1	1	t		1	1		1	7
Somatic division	Autonomic division	Somatic division	Autonomic division	Somatic division	Autonomic division		Somatic division	Autonomic division	
†	†	†	1		17		1	1	÷
Afferent division	Efferent division	Afferent division	Efferent division	Afferent division	Efferent division		Afforont division	Allerent unvision	Efferent division
Ţ	1	1 1	†	1	1			1	t
Peripheral	system	Peripheral (b) nervous	system	Peripheral	system		Creditad	reliplieral	system

HUMAN BIOLOGY

PAGE 19

- Low levels of thyroxine in the blood would result in 38.
- high metabolic rate and involve feedback via the anterior pituitary. high metabolic rate and involve feedback via the posterior pituitary. G C C G
 - - low metabolic rate and involve feedback via the anterior pituitary. Iow metabolic rate and involve feedback via the posterior pituitary.
- Question 39 refers to the table below

Hormone A	Hormone B	Hormone C
Reduces the amount of	Reduces the amount of Increases the rate of	Increases the rate of
sodium in the urine	glucose in the blood	the heartbeat

- Hormone A is aldosterone, B is insulin, C is adrenaline. 39.
- Hormone A is antidiuretic hormone, B is glucagon, C is noradrenaline. © © <u>©</u> ®
 - Hormone A is aldosterone, B is glucagon, C is noradrenaline.
- Hormone A is antidiuretic hormone, B is insulin, C is adrenaline.
- Areas of the central nervous system responsible for the coordination of skeletal muscle movement to maintain posture and balance are in the 40.
- cerebellum only.
- cerebrum and cerebellum.
- cerebrum, midbrain and spinal cord.
- cerebellum, midbrain and spinal cord. Q Q Q g

Answer ALL questions in the spaces provided with each question.

- Humans colonised Australia at some time in the distant past. Scientists have examined a wide range of evidence regarding the origins of the Australian Aborigines. In answer to EACH of the following questions give the MOST COMMONLY accepted scientific opinion. 41.
- Approximately how long ago do scientists consider that humans entered Australia? <u>(a)</u>

(1 mark)

Where did the first humans to enter Australia come from? <u>(</u>

(1 mark)

How did they get to the Australian mainland? <u>(၁</u>

Where are they considered to have entered the Australian mainland? ô

(1 mark)

(1 mark)

How did they get to Tasmania? <u>(e</u>

(1 mark)

SEE NEXT PAGE

HUMAN BIOLOGY

PAGE 21

41 (continued)

State ONE physical difference between mainland and Tasmanian Aborigines. £

(1 mark)

State ONE cultural difference between mainland and Tasmanian <u>(6</u>

Aborigines.

State ONE reason why physical and cultural differences developed between mainland Australian and Tasmanian Aborigines. Ξ

(1 mark)

(1 mark)

Human skin colour is not just black or white but can be many shades of brown between the two extremes. 42.


Explain how there can be such a range of skin colours.

					(3 marks)
					(3)
-	İ		4 -		
				,	

HUMAN BIOLOGY

PAGE 23

The pedigree below shows the inheritance in a family of an X-linked (sex linked) characteristic. Individuals with the characteristic are shown as black circles or squares. In the third generation $\overline{\Pi}$ it has not yet been determined whether the individuals have the characteristic or not. 43.



Is the allele that determines this characteristic dominant or recessive? Give ONE reason for your answer. a

	\$ 144 144 46 50 111 111 11 11 11 11 11 11 11 11 11 11	
	-	
	-	
	-	

(1 mark)

Are there any females in the pedigree who do NOT have the characteristic and are definitely NOT carriers of the allele for the characteristic. If so, write down their numbers. 9

(1 mark)

43 (continued)

In the third generation III are there any males who could show the characteristic? If so, write down their numbers.

(1 mark)

In the third generation are there any females who could show the characteristic? If so, write down their numbers. 9

(1 mark)

In the third generation are there any females who could be carriers? If so, write down their numbers. <u>e</u>

(1 mark)

If individual 8 married a carrier female, what is the probability that any male children would develop the characteristic? £

(1 mark)


If individual 8 married a carrier, what is the probability that any female children would be carriers? <u>(6</u>

(1 mark)

HUMAN BIOLOGY

PAGE 25

Question 44 rerers to the diagram below illustrating some of the processes involved in the regulation of body temperature.



the mechanisms involved in promoting heat production and in minimising Complete the diagram by filling in the blank boxes with examples of heat loss. (a) 44

(6 marks)

Where in the human body is the control centre for body temperature located? <u>a</u>

(1 mark)

SEE NEXT PAGE

A vaccine and an antibiotic.

(a)

(2 marks)

Viruses and bacteria. (q) .

Active immunity and passive immunity to a disease. (၁

(2 marks)

SEE NEXT PAGE

(2 marks)

HUMAN BIOLOGY

PAGE 27

45 (continued)

(d) Transmission of disease by droplets and transmission by vectors.

(2 marks)

List THREE precautions that people can take to prevent the spread of human immunodeficiency virus (HIV). For each precaution explain how it helps to prevent the spread of the virus. 46.

100			- Alexander - Alex	miles in the second sec	,	1277		- Marketiness	(6 marks)
MAYOU TO THE	- 1765	7,745.5			100 pp. 100 pp		4444 State Communication Commu		1000
								Verman and the second s	

9

HUMAN BIOLOGY

PAGE 29

A fossilised skull and jaw bone were uncovered in different locations but Piltdown Man. They were shown to be a hoax when fluorine analysis fossils were assumed to be of the same age and became known as from the same stratum in a gravel pit at Piltdown in England. The showed that the skull was much older than the jaw bone.

(a)	Why might scientists have assumed the skull and jaw bone to be of the
	same age?

(1 mark)

ls were of						(4 marks)
the two fossi						4)
I show that t						
ınalysis could	:					
Explain how fluorine analysis could show that the two fossils were of different ages.						
Explain how flu different ages.						

Question 48 refers to the teeth and jaw bones illustrated below.


Examine the teeth and jaw bones. Which ONE is human, A or B. State THREE features which you can clearly see in the diagrams that enable you to reach your decision.


PAGE 31

HUMAN BIOLOGY

(a)

48.





<u>Q</u>

(3 marks)

Suggest **THREE** reasons for the differences between the two with reference to the non-human jaw and teeth.

(3 marks)

 $\mathbf{\Omega}$

 $\mathbf{\omega}$

SEE NEXT PAGE

HUMAN BIOLOGY

PAGE 32

49. Human activities are resulting in widespread changes to our environment.

One of the predicted results of environmental change is an increase in the incidence of skin cancers. What environmental change would contribute to the increased incidence and why is the change occurring? (B)

Î

	and the state of t		-	

SEE NEXT PAGE

(5 marks)

HUMAN BIOLOGY

PAGE 33

he anterior chamber of the eye contains the	
.	

ŭ.		
humour		

humour and the posterior chamber of the eye contains the

the
called
.≌
colour is called
£
eye
the
gives
that
structure
The pigmented structure that gives the eye its colou
e.
F
<u>،</u> :

ē
1 the
sallec
are (
nin the retina are
the
cells within
cells
he two types of photoreceptor cells withi
ō
types
two
The

က

the	
and the	
The state of the s	

which
are passed to neurons w
₽
passed
are
mpulses
cells
se photoreceptor cells ii
ē
From th

the nerve.		of the eye to change shape and
Z .		
orain		
tne	•	
2		
carry these impulses to the brain via the		The ability of the
carry		The

of the eye to change shape
2
ō
ور و
the eye
Ť
٠.
the
<u>+</u>
0
The ability

Ŋ,

focus light rays from distant or near objects is called

Inside the middle ear are three tiny bones called the

9

and	
· ·	
· · · · · · · · · · · · · · · · · · ·	

tube allows air pressure to equalise on each
The
7.

	ے ت ت ز
	of the inner thead when
	hei ad v
	of t
	۱ ặ
	Inside the and of the inner ear sensory hair cells that provide information about the head when it
	90
	mati
	rfor
	de de ≐·l
	and rovide
	at p
	s th
	cell
T III	hair
ar d	Jr.
je e	ensc
کر ط	th(
side of the ear drum.	Inside theear are sens
S	£. 76 ⊒
	ထ်


n of	
orga	
the (
he actual organ of hearing is called the organ of	
s ca	e e
īĝ	Ξ.
eari	age
of h	388
lan (and lies within a passage in the
org	it ji
tual	
e ac	<u>ii</u>
Ē	Ü
	

cranial nerve that carries information about balance is called the
inform
carries
that
nerve
crania
The
10.

nerve.

The diagram below shows a section through a nepnion with its associated blood supply.

51.



Name the parts labelled: (a)

<u>ල</u> 3

3

(5 marks)

What process occurs at "1"? SEE NEXT PAGE

(1 mark)

HUMAN BIOLOGY

PAGE 35

51 (continued)

Name TWO substances (other than water) reabsorbed at the region of the nephron labelled "2". (<u>c</u>)

(2 marks)

Name ONE substance secreted from capillaries into the region of the nephron labelled "3". ਉ

(1 mark)

Name the hormone acting on the region of the nephron labelled"5". (e)

(1 mark)

When the concentration of the hormone (acting on the region of the nephron labelled "5") in the plasma is high what effect does this have on the region of the nephron labelled "5", €

(1 mark)

PART

Illustrate your answers with diagrams where appropriate. Up to TWO MARKS may be deducted for poorly structured answers: that is, answers in point form or diagrams not explained in the text of your answer. DO NOT WRITE YOUR ANSWERS IN PENCIL. Write your answers on the lined pages 38-45 in this Answer ONE question from SECTION A and ONE question from SECTION B. booklet,

SECTION A

ANSWER EITHER QUESTION 52 OR QUESTION 53-NOT BOTH.

- Describe the structural components of a myelinated neuron and explain how each component relates to the function that particular component performs. æ 52.
- (10 marks)
- three types of neuron, state the location of the cell body of each, then depending on the specific function they perform. Name each of these for each type state how it is functionally different from the other two. (10 marks) Neurons in a spinal reflex arc may be classified into three types 9

8



- Disease causing organisms that enter the body are often eliminated by an immune response. Describe the immune response.
- control high blood pressure. Describe how the effectiveness of such a A researcher wished to test the effectiveness of a new drug that may drug could be scientifically evaluated,

(9

(8 marks)

SEE NEXT PAGE

(CHUMAN BIOLOGY

PAGE 37

SECTION B

ANSWER EITHER QUESTION 54 OR 55 - NOT BOTH



Describe the mechanisms by which new species evolve. Where possible use The characteristics of species change over time. This is known as evolution. specific examples to illustrate your points.

(20 marks)

6

how specific physical characteristics allow persons from each group to survive Eskimos living in the Arctic experience conditions of extreme cold. Explain Aborigines living in inland Australia experience harsh desert conditions. in their respective habitats, 55.

(20 marks)

END OF QUESTIONS

