

St Norbert College

11 ATAR PHYSICS

Unit 2 - Linear Motion and Force

Task 9: Topic Test

Assessment type: Tests and Examinations Year weighting: 6%

Student name:	
TOTAL	/ 50

Time allowed for this paper

Working time for paper: fifty (50) minutes

Materials required/recommended for this paper To be provided by the supervisor

This Question/Answer Booklet Formulae and Data Booklet

To be provided by the candidate

Standard items: pens (blue/black preferred), pencils (including coloured), sharpener,

correction tape/fluid, eraser, ruler, highlighters

Special items non-programmable calculators approved for use in the WACE

examinations, drawing templates, drawing compass and protractor

Important note to candidates

No other items may be taken into the examination room. It is **your** responsibility to ensure that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you, hand it to the supervisor **before** reading any further.

Question 1 (9 marks)

In speedway, motorbikes are raced anticlockwise round an oval track.




A race consists of four laps of a 380 m track.

(a) State the displacement of a motorbike from the start line to the finish line for a complete race. (1 mark)

0

(b) The speed-time graph of a motorbike for the first 8.0s of a race is shown.



(i) Calculate the distance travelled by the motorbike in the first 4.0 s of the race.

(3 marks)

d = area under graph (1)

$$= (0.5 \times 1 \times 3)$$

$$+(0.5\times3\times24)+(3\times3)$$
 (1)

$$= 46.5 \,\mathrm{m}$$
 (1)

(ii) Determine the greatest acceleration of the motorbike during the first 8:0 s of the race. (3 marks)

$$a = \frac{v - u}{t} \tag{1}$$

$$a = \frac{27 - 3}{3 \cdot 0} \tag{1}$$

$$a = 8 \text{ m s}^{-2}$$
 (1)

(iii) The winner of the race completes all four laps in a time of 79 s. Calculate the average speed of the winner. (3 marks)


$$d = vt$$
 (1)

$$4 \times 380 = \stackrel{-}{v} \times 79 \tag{1}$$

$$\bar{v} = 19 \text{ m s}^{-1}$$
 (1)

Question 2 (9 marks)

A hot air balloon rises with a vertical velocity of 7.0 m s⁻¹. A steady wind pushes the balloon with a horizontal velocity v. This is shown in the figure below.



The magnitude of the resultant velocity of the balloon is 8.8 m s⁻¹.

(a) On the figure above, draw an arrow labelled **R** to show the approximate direction of the resultant velocity of the balloon. (1 mark)

An arrow at an angle upwards and to the right

(b) State why the magnitude of the resultant velocity of the balloon is not the sum of the speeds of the balloon and the wind. (1 mark)

Velocity is a vector quantity / velocity (also) has direction

(c) With the help of a vector triangle, determine the magnitude of the wind velocity v and the angle θ between the resultant velocity of the balloon and the horizontal.

(4 marks)


A suitable vector triangle with at least **two** vectors correctly labelled

$$8.8^2 = 7.0^2 + v^2$$
 (Any subject)

$$v = 5.3 \, (\text{m s}^{-1})$$

$$\theta$$
 = 53°

(d) The figure below shows another balloon travelling with constant velocity 9.3 m s⁻¹.



Apart from the upthrust and the wind there are two other forces acting on the balloon. State these two forces.

Draw labelled arrows on the figure to indicate their approximate directions. State the direction of the resultant of these two forces. (3 marks)

Weight acts vertically down

Drag / air resistance is opposite to the direction of the velocity (9.3 m s⁻¹)

The resultant of the two forces is downward and to the left and at a greater angle to the horizontal (or steeper) than the velocity (9.3 m s⁻¹) vector / between drag and weight

Question 3 (6 marks)

A tennis ball is thrown vertically downwards and bounces on the ground. The ball leaves the hand with an initial speed of 1.50 m $\rm s^{-1}$ at a height of 0.650 m above the ground. The ball rebounds and is caught when travelling upwards with a speed of 1.00 m $\rm s^{-1}$. Assume that air resistance is negligible.


(a) Show that the speed of the ball is about 4 m s⁻¹ just before it strikes the ground.

(3 marks)

$$v^2 = u^2 + 2as$$

 $v = \sqrt{u^2 + 2as}$ \checkmark $v = \sqrt{1.5^2 + 2 \times 9.81 \times 0.65}$ \checkmark = (-)3.9 (m s⁻¹) \checkmark two or more sig fig needed (- 3.87337 m s⁻¹)

(b) The ball is released at time t = 0. It hits the ground at time t_A and is caught at time t_B . On the figure below, sketch a velocity–time graph for the vertical motion of the tennis ball from when it leaves the hand to when it returns. The initial velocity \mathbf{X} and final velocity \mathbf{Y} are marked on the figure. (3 marks)



first line descends from X to the dotted line at t_A or up to one division sooner \checkmark (allow line to curve)


first line is straight and descends from X to $v = -4 \pmod{s^{-1}}$ \checkmark (allow tolerance one division)

second line has same gradient as the first, straight and descends to $v = 1 \text{ (m s}^{-1}) \checkmark \text{ (tolerance } \frac{1}{2} \text{ division)}$

A steep line may join the two straight lines but its width must be less than 2 divisions

Question 4 (11 marks)

A leisure-park ride consists of a carriage that moves along a railed track. Part of the track lies in a vertical plane and follows an arc XY of a circle of radius 13.0 m, as shown in the figure below.



The mass of the carriage is 580 kg. At point X, the carriage has velocity 22.0 m s⁻¹ in a horizontal direction. The velocity of the carriage then decreases to 12.0 m s⁻¹ in a vertical direction at point Y.

(a) For the carriage moving from X to Y;

(i) Show that the decrease in kinetic energy is 9.9×10^4 J.

(2 marks)

1
$$E = \frac{1}{2}mv^2$$

 $(\Delta)E = \frac{1}{2} \times 580 \times (22^2 - 12^2) = 9.9 \times 10^4 \text{ J}$

(ii) calculate the gain in gravitational potential energy.

(2 marks)

$$2 \quad (\triangle)E = mg(\triangle)h$$

$$\triangle E = 580 \times 9.81 \times 13$$

$$= 7.4 \times 10^4 \text{ J}$$

(b) Show that the length of the track from X to Y is 20 m.

(1 mark)

length =
$$(2\pi \times 13)/4$$
 or $(\pi \times 26)/4$ or $(\pi \times 13)/2 = 20$ m

(c) Use your answers in (a) and (b) to calculate the average resistive force acting on the carriage as it moves from X to Y. (2 marks)

work done against resistive force =
$$9.9 \times 10^4 - 7.4 \times 10^4$$
 average resistive force = $(9.9 \times 10^4 - 7.4 \times 10^4)/20$

$$= 1300 N$$

(d) Describe the change in the direction of the linear momentum of the carriage as it moves from X to Y. (1 mark)

from horizontal/right to vertical / up or 90°

(e) Determine the magnitude of the change in linear momentum when the carriage moves from X to Y. (3 marks)


$$p = mv \text{ or } (580 \times 22) \text{ or } (580 \times 12)$$

$$\Delta p = [(580 \times 12)^2 + (580 \times 22)^2]^{0.5}$$

$$= 1.5 \times 10^4 \,\mathrm{Ns}$$

Question 5 (7 marks)


A student sets up an experiment to investigate a collision between two vehicles on a frictionless air track.



Vehicle Y of mass 0.50 kg is travelling to the left along the track with a speed of 0.30 m s-1.

The vehicles collide and move off separately.

A computer displays a graph showing the velocity of vehicle X from just before the collision to just after the collision.



Show that the velocity of vehicle Y after the collision is 0.42 m s⁻¹. (a)

(2 marks)

(3 marks)

(Total momentum before = Total momentum after)

$$p = mv$$

$$(m_x u_x + m_y u_y) = (m_x v_x + m_y v_y)$$

$$(0.75\times0.50)+(0.50\times-0.30)=(0.75\times0.02)+(0.50v_y)$$
 (1)

$$v_y = 0.42 \text{ m s}^{-1}$$

Determine the impulse on vehicle Y during the collision. (b)

$$Ft = mv - mu$$

$$Ft = mv - mu$$


$$Ft = (0.50 \times 0.42) - (0.50 \times -0.30)$$
(1)

$$Ft = 0.36 \text{ N s} \tag{1}$$

(c)	Explain how the student would determine whether the collisi	stic. marks)
	Calculate the <u>total</u> kinetic energy before and (<u>total</u> kinetic energy) after. (1)	
	If E_k before is equal to E_k after the collision, is elastic.	
	OR	
	If E_k before is greater than E_k after, the collision is inelastic. (1)	

Question 6 (7 marks)

The photograph shows a solar-powered model boat built by some technology students.




This boat has a solar-powered fan attached. The fan blows air towards the sail.

The technology students explain to a physics student that the fan exerts a force on the air and the air then exerts an equal force on the sail to drive the boat forwards. Assume that these two forces are equal for the rest of the question.

The physics student tells them that according to Newton's laws of motion this will not work.

(a) The boat is placed in the water and the fan switched on. The boat remains at rest.

Add labelled arrows to the diagram below to show the four forces acting on the boat in this situation. (2 marks)



(b)	Use Newton's laws of motion to explain why the boat does not move h		y. (3 marks)
	Force from air on sail and force from air on fan equal and opposite	(1)	
	(so) resultant force zero	(1)	
	(N1 or N2/F=ma →) zero resultant force → no acceleration/doesn't start moving	(1)	
	no reference to Newton's 1 st or 2 nd law → max 2 marks		\~/
	According to Newton's first IN this case the force	exested	by the
	air on the sail is at the opposite directlo	n of t	he force
	exerted by the air on the fan, therefore these sand opposite in direction, hence the resultant force	2 forces	are equal
	and opposite in direction, here the resultant force	at the	-VO1769)
	direction is 0. EF = 0 therefore the boat stay: Newton's first Law of motion.	s at res	t according to
(c)	The physics student suggests that the boat is more likely to work if the point in the opposite direction.	e fan is rev	versed to (2 marks)
	 Max 2 Reverse fan → force/push on air away from boat / backwards / not towards sail 	(1)	
	 Force from air on fan forwards There is a resultant force and the boat starts moving / accelerates 	(1) (1)	
	(b) The physics student suggests that the boat is more likely to work if the reversed to point in the opposite direction.	e fan ts	New diagram
	Explain this suggestion. exerted by the	LL	not ading
	that is the case the force of the fan on the a the air will exerted exert and equal and force of the air will exerted exert and equal and force of the air will exerted exert and equal and force of the air will exert and equal and force of the air will exert and equal and force of the air will exert and equal and force of the exert and equal and exert and equal equal and equal and equal and equal and equal and equal	I weigh	the sail
	the air will exerted exert and equal and force of	in the	Pan (boat)
	here the resultant force forward is not zero:	other resistive $EF > 0$	EF = may here
	the Boat mil move with a constant accelerate	ion .	