Year 9

# Single Variable Data Analysis

Non Calculator

#### Skills and Knowledge Assessed:

- Identify everyday questions and issues involving at least one numerical and at least one categorical variable, and collect data directly from secondary sources (ACMSP228)
- Construct back to back stem and leaf plots and histograms and describe data, using terms including 'skewed', 'symmetric' and 'bi modal' (ACMSP282)
- Compare data displays using mean, median and range to describe and interpret numerical data sets in terms of location (centre) and spread (ACMSP283)
- Evaluate statistical reports in the media and other places by linking claims to displays, statistics and representative data (ACMSP253)

Name		

#### Section 1 Short Answer Section

Write all working and answers in the spaces provided on this test paper.

In the Hunter Muffler Shop, the earnings last year of its nine employees were:							
	\$ 56 000	\$ 47 000	\$ 64 000	\$ 56 000	\$ 47 000		
	\$ 63 000	\$ 53 000	\$47 000	\$58 000			
Wha	t is the mode	of their earnin	gs?				
Robb	oie and Harry	play a Lord o	f the Rings vid	eo game. Their	scores on 6 games	are given below	
	Robbie	45 260	16 285	8 995 24 5	580 27 645	33 260	
	Horry	43 200		5 105 29 4		20.750	

	Robbie	45 260	16 285	18 995	24 580	27 645	33 260
	Harry	44 750	41 560	15 195	38 595	32 645	29 750
Compare the ranges of their scores? Whose was greater and by how much?							

3. Rodrigo has two cars. He compares their fuel efficiency (in Litres/100km) over eight fuel refills.

Sedan 8.4 8.2 8.6 9.2 8.8 7.9 8.4 8.6 12.9 11.9 12.7 13.2 14.5 12.6 13.2 **SUV** 12.7


How much higher is the median value for the SUV, compared to the sedan?


.....

Comparison of Primary Votes in Two Electorates.

Voting in Hume Electorate

Voting in Muir Electorate





Question 4-5 refer to the graphs above.

5.

4. In which electorate did the Nationals receive a quarter of the primary votes?

Name two parties which together have more than 50% of the primary votes in Hume electorate.

.....

A survey of a street found the following results for the number of people living in each house.

Number Living in House

					O
			O	O	O
			O	O	O
		O	O	O	O
O	O	O	O	O	O
0	1	2	3	4	5

### Questions 6 - 8 refer to the dot plot above.

6.	What was the modal number of people living in a house?	

7.	What was the med	ian number o	of people li	ving in a house?
----	------------------	--------------	--------------	------------------

8.	Use statistical terminology to describe the shape of the distribution.

9. What is the median of the scores in this stem and leaf plot?

Stem	Leaf
2	2 3 5 5 7 9
3	0 3 4 5 7 8 8 9
4	0 1 1 1 2 4 6 8
5	1 3

10. Two cells in the frequency distribution table have been accidentally deleted, indicated by A and B.


What are the missing numbers?

S	F	f
1	4	4
1	6	7
1	8	1
1	A	В
1	5	8
1	3	5

$$\Sigma f = 36$$
  $\Sigma fx = 519$ 

.....

Rating Comparison for New and Repeat Programs



Questions 11 and 12 refer to the graph above.

Which program had the highest total rating when first run and repeats are both included and by how many did it beat it's next rival?

.....

12. Which program had a loss of 20% of its first run number of viewers when repeated?

13. What was different about the repeats for the IQ program in comparison to the others surveyed?

14. The results on the same test for two classes are shown in the tables.

> Explain why comparing the mode for each class would not give an accurate comparison of the two class's performances on the test.

Ms Hvpatia

Score	Frequency
20	0
21	1
22	8
23	7
24	7
25	6

Mr Kepler

Score	Frequency
20	3
21	6
22	7
23	8
24	3
25	2

15. Don and Phil record the number of takes each needs to record a loop in their home studio.

Don

			0 0 0 0		Phi	l		
	O	O	O	1	Ο			
O	O	O	O	2	O			
	O	O	O	3	O	O		
		O	O	4	O	O	O	C
			O	5	O	O	O	

I

Whose data was negatively skewed? Explain your answer.

Year 9

# Single Variable Data Analysis

Calculator Allowed

Name\_\_\_\_\_


### Section 2 Multiple Choice Section

Mark all your answers on the accompanying multiple choice answer sheet, not on this test paper. You may do any working out on this test paper. Calculators are allowed for this section.

1. Kim tells Felix the range of her 5 exam results and her highest score.


What can Felix calculate from this?

- A Kim's lowest exam result
- B. The median of Kim's exam results.
- C. The mode of Kim's exam results.
- D. The sum of Kim's exam results.



#### Questions 2 and 3 refer to the stacked column graph above.

- 2. How many laps did Brad do altogether on Wednesday?
  - A. 30
- B. 50
- C. 80
- D. 130
- 3. On which day did Brad do more laps in the morning than in the afternoon?
  - A. Monday
- B. Tuesday
- C. Wednesday
- D. Thursday



### Questions 4 and 5 refer to the Histogram above.

- 4. What is the median, correct to one decimal place, of the scores displayed in the frequency histogram.
  - A. 3.0
- B. 3.5
- C. 3.9
- D. 4.0
- 5. What is the mean, correct to one decimal place, of the scores displayed in the frequency histogram.
  - A. 3.0
- B. 3.5
- C. 3.9
- D. 4.0
- 6. What is the mean of the scores in this stem and leaf plot?

Stem	Leaf
2	2 3 7
3	13799
4	0 1 2 4 6 8
5	13

- A. 38.5
- B. 39.0
- C. 39.5
- D. 40

The First and Second Division teams in the Kenthurst Soccer Club compared the number of goals scored per game in 2013.

	Firs	t Divi	sion					Se	cond	Divisi	on	
	O											
	O	O				O					O	
	O	O				O					O	
	O	O	O			O					O	O
O	O	O	O	O	O	O	O	O	O	O	O	O
0	1	2	3	4	5	0	1	2	3	4	5	6

#### Questions 7 - 9 refer to the dot plots above.

- 7. Which team had the highest mean and what was it?
  - A. The First Division team had the higher mean which was 2.
  - B. The First Division team had the higher mean which was 3.
  - C. The Second Division team had the higher mean which was 2.
  - D. The Second Division team had the higher mean which was 3.
- 8. Which is a correct statement about the medians for the two teams?
  - A. The First Division team's median was higher by 1.5.
  - B. The First Division team's median was higher by 2.0.
  - C. The Second Division team's median was higher by 1.5.
  - D. The two team's medians were the same.
- 9. Which is a correct description of the shape of the two distributions?
  - A. The Firsts distribution is negatively skewed and the Seconds is bi-modal.
  - B. The Firsts distribution is positively skewed and the Seconds is bi-modal.
  - C. The Seconds distribution is negatively skewed and the Firsts is bi-modal.
  - D. The Seconds distribution is positively skewed and the Firsts is bi-modal.

10. Tim compares the number of listeners (in thousands) on two radio stations at 8:00 am over a week.

	Mon	Tue	Wed	Thu	Fri	Sat	Sun
MISS FM	16	18	11	12	14	20	16
2NITE	15	14	13	15	14	15	18

Which station had the greater mean, and by how much was it greater?

- A. 2NITE has a mean which is higher by 0.4
- B. 2NITE has a mean which is higher by 1.0
- C. MISS FM has a mean which is higher by 0.4
- D. MISS FM has a mean which is higher by 1.0

11. Fifteen scores are recorded in the stem and leaf plot.

Another score of 55 is added.

1					
	2	9			
	2 3	9 5	8		
	4	2 3	3	4	5
	5	3	4	5	5
	5 6	1	3	4	
	7	2			

Which measures will both change?

- A. The mean and the median.
- B. The mean and the mode.
- C. The median and the mode.
- D. The mode and the range.

	Runs scored by Batsmen 4 <sup>th</sup> Test Dec 2013												
	Aı	ustra	lia						E	nglai	nd		
9	6	6	2	0	0	0	0	0	0	0	1	1	2
		9	8	0	0	1	0	1	1	2	4	5	9
					5	2	1	4	7	7			
						3	8						
						4	9						
						5	1						
				5	1	6							
						7	1						
					3	8							
						9							
						10							
					6	11							

Questions 12 and 13 refer to the back to back stem and leaf plot above.


- 12. Which is not an accurate statement about the runs scored?
  - A. The Australian batsmen had a mean of 28.7 runs (1 d.p.).
  - B. The English batsmen had a mean of 18.4 runs (1 d.p.).
  - C. The Australian batsmen scored a total of 430 runs.
  - D. The English batsmen scored a total of 430 runs
- Which is correct?
  - A. Both sets of scores were positively skewed.
  - B. Both sets of scores were symmetric.
  - C. Only the Australian scores were positively skewed.
  - D. Only the English scores were positively skewed.
- 14. Which histogram could not be described as being bimodal?

A.




B.






C.




D.



15. The number of occupants in vehicles on two roads were recorded for half an hour.

Which is **not** true?

- A. The data for the Kings Hwy was symmetric.
- B. The data for the Kings Hwy was bimodal.
- C. The data for Lavington road was symmetric.
- D. The data for Lavington road was bimodal.



Year 9

# Single Variable Data Analysis

$\sim$ 1	1		A 11	1
์ 'ว	C11	ator	$\Delta$ $\Box$	lowed
Ca.	lou.	lawi		

Name							

### Section 3 Longer Answer Section

Answers should be supported by relevant mathematical reasoning and/or calculations. Write all working and answers in the spaces provided on this test paper.

Marks

1. The marks of a group of 15 students on their History and Science Assessments are shown below.

		History					Science		
12	28	30	11	13	33	19	25	12	8
9	9	25	12	8	34	23	7	16	12
22	23	27	26	32	7	8	8	21	22

(a) Construct a back to back stem and leaf plot using the stems given below.

3

Histor	У				Scie	nce		
				0				
				1				
				2				
				3				

(b)	Find the mean of both distributions.	2
(c)	Describe the shape of each distribution.	2

# High School Mathematics Test 2014 Single Variable Data Analysis

### Multiple Choice Answer Sheet

	Name	 

Completely fill the response oval representing the most correct answer.

1.	A 🔿	$B \bigcirc$	$C \bigcirc$	$D\bigcirc$
2.	$A \bigcirc$	$B\bigcirc$	$C \bigcirc$	$D\bigcirc$
3.	$A \bigcirc$	$B\bigcirc$	$C \bigcirc$	$D\bigcirc$
4.	$A \bigcirc$	$B\bigcirc$	$C \bigcirc$	$D\bigcirc$
5.	$A \bigcirc$	$B\bigcirc$	$C \bigcirc$	$D\bigcirc$
6.	$A \bigcirc$	$B\bigcirc$	$C \bigcirc$	$D\bigcirc$
7.	$A \bigcirc$	$B\bigcirc$	$C \bigcirc$	$D\bigcirc$
8.	$A \bigcirc$	$B\bigcirc$	$C \bigcirc$	$D\bigcirc$
9.	$A \bigcirc$	$B\bigcirc$	$C \bigcirc$	$D\bigcirc$
10.	$A \bigcirc$	$B\bigcirc$	$C \bigcirc$	$D\bigcirc$
11.	A 🔿	$B \bigcirc$	$C \bigcirc$	$D\bigcirc$
12.	$A \bigcirc$	$B\bigcirc$	$C \bigcirc$	$D\bigcirc$
13.	$A \bigcirc$	$B\bigcirc$	$C \bigcirc$	$D\bigcirc$
14.	$A \bigcirc$	$B\bigcirc$	$C \bigcirc$	$D\bigcirc$
15.	$A \bigcirc$	$B\bigcirc$	$C \bigcirc$	$D\bigcirc$

# Single Variable Data Analysis

### **ANSWERS**

Section 1 (1 mark each)												
	Working and Answers											
1.	Mode = 47 000. (Occurs 3 times)											
2.	Robbies range = 45 260 – 16 285 = 28 975											
	Harrys rang	ge = 4	4750 -	- 1519	95 = 2	9 555						
	Harrys is hi	gher b	y 580									
3.												
	Sedan 7.	.9	8.2	8.	4	8.4	8.6	8.6	8.8	9.2		
	SUV 1							13.2	13.2	14.5		
	Sedan median is between 8.4 and 8.6 so it is 8.5.											
	SUV median is between 12.7 and 12.9 so it is 12.8.											
	SUV median is higher by $4.3 (12.8 - 8.5)$											
4.	The Nationa	als ha	ve a 90	0° sect	or wh	ich is a	quarter o	f the vot	e in Muir	·		
5.	Labour with											
6.	The mode v											
7.												
	1	Numb	er Liv	ing in	Hous	e						
				U		$\Theta$						
				$\Theta$	$\Theta$	$\Theta$						
				$\Theta$	$\Theta$	$\Theta$						
			$\Theta$	$\Theta$	$\Theta$	$\Theta$						
	$\frac{\Theta}{0}$	O	<del>O</del> <del>O</del> 2	O	O	$\Theta$						
	0	1	2	3	4	5						
	The median	numl	oer wa	ıs 4.								
8.	The distribu											
9.	Crossing eq	ıual nı	ımber	s from	each	end leav	es two s	cores of	38.			
				St	tem	Leaf						
				2		2 3 5	5 7 9					
				3			57889	)				
				_			12468					
				4			12400	ı				
				5		1 3						
	Median is 3	8										
10.	$\Sigma f = 4 + 6$			+ 3 =	36							
	26 + A = 36					<b>-</b> 0						
	$fx = 15 \times A = B \text{ so } B = 15 \times 10 = 150$											

11.	The Chaos Theory had 15.0 in total compared to Vengeance with 14.6, so it beat its rival by 0.4
	thousand or 400 viewers.
12.	Nicer Houses and Grounds had 4.5 which reduced to 3.6 and $\frac{3.6}{4.5} \times 100 = 80\%$ , a loss of 20%.
13.	IQ had an increase in viewers when shown as a repeat.
14.	The mode is higher for Mr Kepler, but Ms Hypatia has 20 students with scores of 23 or better,
	compared to 13 for Mr Kepler. (The data for the classes are skewed positively and negatively). The
	mean or even the median would be a better measure to compare.
15.	Phils data is negatively skewed as it has more scores clustered toward the higher values.

	Section 2 (1 mark each)	
	Working	Answers
1.	He can calculate her lowest exam result by subtracting the range from the	A
	highest result.	
2.	80 laps	C
3.	On Tuesday the lower dark section is longer than the light upper section.	В
4.	There are 18 scores, so the median is between the 9 <sup>th</sup> and 10 <sup>th</sup> scores which are both 4.  Median = 4.0.	D
5.	$=\frac{71}{18}=3.9$	С
6.	$\frac{616}{16} = 38.5$	A
7.	Mean = 10 $= \frac{28}{14} = 2$ Firsts Mean = $\frac{42}{14} = 3$ . Seconds Mean The Seconds mean of 3 was higher.	D
8.	Firsts Median is between 7 <sup>th</sup> and 8 <sup>th</sup> which are both 2's, so median =2. Seconds Median is between 7 <sup>th</sup> and 8 <sup>th</sup> which are 3 and 4, so median =3.5. The Seconds median was higher by 1.5.	С
9.	The Firsts distribution is positively skewed. The Seconds distribution is bi-modal.	В
10.	$\frac{107}{7} = 15.3$ MISS FM mean = $\frac{104}{7} = 14.9$	С
11.	MISS FM has a mean which is higher by 0.4  As median is 53, so adding a 55 would change it to 53.5.	A
	As 55 is already mode adding another will not change it.  The mean without calculating is lower than 55, so adding a 55 would change it. (existing mean is 50.2 for those who need to be convinced)  Highest or lowest scores not effected by adding a 55, so range doesn't change.	
12.	The first 3 statements are correct, the English scored 404 runs not 430.	D
13.	Both tail off toward the upper end, so are positively skewed.	A
14.	C has only one mode.	С
15.	The data for Kings Hwy has only one mode.	В

					Sectio	n 3					
	Working and Answers									Marks	
1. The marks of a group of 15 students on their History and Science Assessme shown below.								ments are			
	History Science										
	12	28	30	11	13	33	19	25	12	8	
	9	9	25	12	8	34	23	7	16	12	
	2.2	23	2.7	26	32	7	R	8	21	22	

	Hist	orv						Scie	ence				
	1113	lory		9	9	8	0	7	7	8	8	8	
			3	2	2	1	1	2	2	6	9	0	
	8	7	6	5	3	2	2	1	2	3	5		
					2	0	3	3	4				
Mean H	istory	$=\frac{287}{15}$	= 19.	1(1	dp).								
Mean So		13		faash	diate	ilasstics							

### Multiple Choice Answer Sheet

Single Variable Data Analysis	Name	Marking
		Sheet

Completely fill the response oval representing the most correct answer.

1.	A 🛑	$B \bigcirc$	$C \bigcirc$	$D \bigcirc$
2.	$A \bigcirc$	$B\bigcirc$	C 🔵	$D\bigcirc$
3.	$A \bigcirc$	В	$C \bigcirc$	$D \bigcirc$
4.	$A \bigcirc$	$B\bigcirc$	$C \bigcirc$	D 🔵
5.	$A \bigcirc$	$B\bigcirc$	C 🔵	$D\bigcirc$
6.	A <b></b>	$B \bigcirc$	$C \bigcirc$	$D\bigcirc$
7.	$A \bigcirc$	$B\bigcirc$	$C \bigcirc$	D 🔵
8.	$A \bigcirc$	$B\bigcirc$	C 🛑	$D\bigcirc$
9.	$A \bigcirc$	В	$C \bigcirc$	$D\bigcirc$
10.	$A \bigcirc$	$B\bigcirc$	C 🔵	$D\bigcirc$
11.	A 🛑	$B\bigcirc$	$C \bigcirc$	$D\bigcirc$
12.	$A \bigcirc$	$B\bigcirc$	$C \bigcirc$	D 🔵
13.	A 🛑	$B\bigcirc$	$C \bigcirc$	$D\bigcirc$
14.	$A \bigcirc$	$B\bigcirc$	C 🔵	$D\bigcirc$
15	$A \cap$	B 🛑	$C \bigcirc$	$D \bigcirc$