Question 15 (19 marks)

An experiment was conducted to determine a value for Planck's constant. The experiment involved setting up five individual, single frequency light emitting diodes (LEDs). Each LED only emits one frequency of light when a turn on voltage (voltage above a certain threshold value) is applied across its terminals.

The relationship between the frequency of the emitted light and the voltage is given by the equation below.

 $E = hf = q_e(V_a + k)$ where

h is Planck's constant

f is the frequency of light emitted by the diode

q is the charge on an electron

 V_a is the turn on voltage

k is the threshold voltage (constant dependent on the material)

The experiment produced the following results.

LED colour	Maximum wavelength (λ) (nm)	Turn on voltage	1/λ (m ⁻¹)
Blue	450	2.53	11.11
Green	550	2.04	
Yellow	570	1.88	
Red	690	1.37	
Infra-red	890	0.88	

(a) Complete the table above for values of 1/λ.

(2 marks)

- (b) Plot a graph of voltage against 1/λ, with voltage on the y-axis, and draw a line of best fit. Error bars are not required. (5 marks)
- (c) Use the graph to calculate the gradient of the line of best fit. Show construction lines.
 (3 marks)

te a value for Planck's (3 marks)	art (c) and the provided equation to calculate	Use the gradient from part (constant.	(d)
(5 marks)		CONSTAINT.	
1000			
Js	Answer		

From your graph, determine the value for k in this experiment.	(2 marks		
Answer			
Describe two possible sources of experimental error in the performance of this			
experiment and how they might be modified to produce a more accurate result.	(4 marks		
One:			
One:			
A 			
Two:			
ilia			
* <u>~</u>			