

# Assure DeFi™

The Verification **Gold Standard**™



## Security Assessment **POLFEX Token**

August 26, 2023

Audit Status: Pass

Audit Edition: Advance



# Risk Analysis

## Classifications of Manual Risk Results

Classification	Description
🔴 Critical	Danger or Potential Problems.
🟠 High	Be Careful or Fail test.
🟡 Low	Pass, Not-Detected or Safe Item.
ℹ️ Informational	Function Detected

## Manual Code Review Risk Results

Contract Privilege	Description
🟢 Buy Tax	20
🟢 Sale Tax	30
🟢 Cannot Sale	Pass
🟢 Cannot Sale	Pass
ℹ️ Max Tax	20
ℹ️ Modify Tax	Up to 20%
🟢 Fee Check	Pass
🟢 Is Honeypot?	Not Detected
🟢 Trading Cooldown	Not Detected
🟢 Can Pause Trade?	Pass
🟢 Pause Transfer?	Not Detected
🟠 Max Tx?	Fail
ℹ️ Is Anti Whale?	Detected
🟢 Is Anti Bot?	Not Detected

Contract Privilege	Description
● Is Blacklist?	Not Detected
● Blacklist Check	Pass
● is Whitelist?	Not Detected
● Can Mint?	Pass
● Is Proxy?	Not Detected
● Can Take Ownership?	Not Detected
● Hidden Owner?	Not Detected
● Owner	0x42915B33dbe4D63AB23Cec7d9E76E5585f8A6315
● Self Destruct?	Not Detected
● External Call?	Detected
● Other?	Not Detected
● Holders	1
● Auditor Confidence	Low

The following quick summary it's added to the project overview; however, there are more details about the audit and its results. Please read every detail.

# Project Overview

## Token Summary

Parameter	Result
Address	0x02d35B6698964d104E55bb21bEb157117F64B896
Name	POLFEX
Token Tracker	POLFEX (PFX)
Decimals	9
Supply	50,000,000
Platform	Binance Smart Chain
compiler	v0.8.18+commit.87f61d96
Contract Name	ReflectionTokenWithAntibot
Optimization	Yes with 200 runs
LicenseType	MIT
Language	Solidity
Codebase	<a href="https://bscscan.com/address/0x02d35B6698964d104E55bb21bEb157117F64B896#code">https://bscscan.com/address/0x02d35B6698964d104E55bb21bEb157117F64B896#code</a>
Payment Tx	0x

## Main Contract Assessed Contract Name

Name	Contract	Live
POLFEX	0x02d35B6698964d104E55bb21bEb157117F64B896	Yes


## TestNet Contract was Not Assessed

### Solidity Code Provided

Solid ID	File Sha-1	FileName
POLFEX	0c44217d4e10c7fd3d2275a07bd4706e92dbac64	ReflectionTokenWithAntibiotic.sol
POLFEX		
POLFEX		
POLFEX		

# Call Graph

The contract for POLFEX has the following call graph structure.



# Smart Contract Vulnerability Checks

The Smart Contract Weakness Classification Registry (SWC Registry) is an implementation of the weakness classification scheme proposed in EIP-1470. It is loosely aligned to the terminologies and structure used in the Common Weakness Enumeration (CWE) while overlaying a wide range of weakness variants that are specific to smart contracts.

ID	Severity	Name	File	location
SWC-100	Pass	Function Default Visibility	ReflectionTokenWithA ntibot.sol	L: 0 C: 0
SWC-101	Pass	Integer Overflow and Underflow.	ReflectionTokenWithA ntibot.sol	L: 0 C: 0
SWC-102	Pass	Outdated Compiler Version file.	ReflectionTokenWithA ntibot.sol	L: 0 C: 0
SWC-103	Pass	A floating pragma is set.	ReflectionTokenWithA ntibot.sol	L: 0 C: 0
SWC-104	Pass	Unchecked Call Return Value.	ReflectionTokenWithA ntibot.sol	L: 0 C: 0
SWC-105	Pass	Unprotected Ether Withdrawal.	ReflectionTokenWithA ntibot.sol	L: 0 C: 0
SWC-106	Pass	Unprotected SELFDESTRUCT Instruction	ReflectionTokenWithA ntibot.sol	L: 0 C: 0
SWC-107	Pass	Read of persistent state following external call.	ReflectionTokenWithA ntibot.sol	L: 0 C: 0
SWC-108	Pass	State variable visibility is not set..	ReflectionTokenWithA ntibot.sol	L: 0 C: 0
SWC-109	Pass	Uninitialized Storage Pointer.	ReflectionTokenWithA ntibot.sol	L: 0 C: 0
SWC-110	Pass	Assert Violation.	ReflectionTokenWithA ntibot.sol	L: 0 C: 0
SWC-111	Pass	Use of Deprecated Solidity Functions.	ReflectionTokenWithA ntibot.sol	L: 0 C: 0
SWC-112	Pass	Delegate Call to Untrusted Callee.	ReflectionTokenWithA ntibot.sol	L: 0 C: 0
SWC-113	Pass	Multiple calls are executed in the same transaction.	ReflectionTokenWithA ntibot.sol	L: 0 C: 0

<b>ID</b>	<b>Severity</b>	<b>Name</b>	<b>File</b>	<b>location</b>
SWC-114	Pass	Transaction Order Dependence.	ReflectionTokenWithAntibot.sol	L: 0 C: 0
SWC-115	Pass	Authorization through tx.origin.	ReflectionTokenWithAntibot.sol	L: 0 C: 0
SWC-116	Pass	A control flow decision is made based on The block.timestamp environment variable.	ReflectionTokenWithAntibot.sol	L: 0 C: 0
SWC-117	Pass	Signature Malleability.	ReflectionTokenWithAntibot.sol	L: 0 C: 0
SWC-118	Pass	Incorrect Constructor Name.	ReflectionTokenWithAntibot.sol	L: 0 C: 0
SWC-119	Pass	Shadowing State Variables.	ReflectionTokenWithAntibot.sol	L: 0 C: 0
SWC-120	Pass	Potential use of block.number as source of randomness.	ReflectionTokenWithAntibot.sol	L: 0 C: 0
SWC-121	Pass	Missing Protection against Signature Replay Attacks.	ReflectionTokenWithAntibot.sol	L: 0 C: 0
SWC-122	Pass	Lack of Proper Signature Verification.	ReflectionTokenWithAntibot.sol	L: 0 C: 0
SWC-123	Pass	Requirement Violation.	ReflectionTokenWithAntibot.sol	L: 0 C: 0
SWC-124	Pass	Write to Arbitrary Storage Location.	ReflectionTokenWithAntibot.sol	L: 0 C: 0
SWC-125	Pass	Incorrect Inheritance Order.	ReflectionTokenWithAntibot.sol	L: 0 C: 0
SWC-126	Pass	Insufficient Gas Griefing.	ReflectionTokenWithAntibot.sol	L: 0 C: 0
SWC-127	Pass	Arbitrary Jump with Function Type Variable.	ReflectionTokenWithAntibot.sol	L: 0 C: 0
SWC-128	Pass	DoS With Block Gas Limit.	ReflectionTokenWithAntibot.sol	L: 0 C: 0
SWC-129	Pass	Typographical Error.	ReflectionTokenWithAntibot.sol	L: 0 C: 0


<b>ID</b>	<b>Severity</b>	<b>Name</b>	<b>File</b>	<b>location</b>
SWC-130	Pass	Right-To-Left-Override control character (U+202E).	ReflectionTokenWithAntibot.sol	L: 0 C: 0
SWC-131	Pass	Presence of unused variables.	ReflectionTokenWithAntibot.sol	L: 0 C: 0
SWC-132	Pass	Unexpected Ether balance.	ReflectionTokenWithAntibot.sol	L: 0 C: 0
SWC-133	Pass	Hash Collisions with Multiple Variable Length Arguments.	ReflectionTokenWithAntibot.sol	L: 0 C: 0
SWC-134	Pass	Message call with hardcoded gas amount.	ReflectionTokenWithAntibot.sol	L: 0 C: 0
SWC-135	Pass	Code With No Effects (Irrelevant/Dead Code).	ReflectionTokenWithAntibot.sol	L: 0 C: 0
SWC-136	Pass	Unencrypted Private Data On-Chain.	ReflectionTokenWithAntibot.sol	L: 0 C: 0

We scan the contract for additional security issues using MYTHX and industry-standard security scanning tools.

# Inheritance

The contract for POLFEX has the following inheritance structure.

The Project has a Total Supply of 50,000,000



# Privileged Functions (onlyOwner)

Please Note if the contract is Renounced none of this functions can be executed.

Function Name	Parameters	Visibility
renounceOwnership		Public
transferOwnership	address newOwner	Public
withdrawToken		Public
withdrawETH		External
excludeFromMaxTrans actionAmount		External
setAutomatedMarketM akerPair		External
updateMinAmountToTa keFee		External
updateMarketingWallet		External
updateRewardFee		External
updateMarketingFee		External
updateLiquidityFee		External
includeInReward		External
excludeFromReward		External
updateMaxTransaction Amount		External
updateMaxWallet		External

Function Name	Parameters	Visibility
updateUniswapV2Router		External
updateUniswapV2Pair		External
setUsingAntiBot		External

# Smart Contract Advance Checks

ID	Severity	Name	Result	Status
PFX-01	Low	Potential Sandwich Attacks.	Pass	Not-Found
PFX-02	Low	Function Visibility Optimization	Fail	Pending
PFX-03	Low	Lack of Input Validation.	Fail	Pending
PFX-04	high	Centralized Risk In addLiquidity.	Pass	Not-Found
PFX-05	Low	Missing Event Emission.	Fail	Pending
PFX-06	Low	Conformance with Solidity Naming Conventions.	Pass	Not-Found
PFX-07	Low	State Variables could be Declared Constant.	Pass	Not-Found
PFX-08	Low	Dead Code Elimination.	Pass	Not-Found
PFX-09	High	Third Party Dependencies.	Pass	Not-Found
PFX-10	High	Initial Token Distribution.	Pass	Not-Found
PFX-11	Low	AntiBot is present on the transfer.	Fail	Pending
PFX-12	High	Centralization Risks In The X Role	Pass	Not-Found
PFX-13	Informational	Extra Gas Cost For User..	Pass	Not-Found
PFX-14	Medium	Unnecessary Use Of SafeMath	Pass	Not-Found
PFX-15	Medium	Symbol Length Limitation due to Solidity Naming Standards.	Pass	Not-Found
PFX-16	Medium	Taxes can be up to 100%	Pass	Not-Found
PFX-17	Informational	Conformance to numeric notation best practice.	Pass	Not-Found
PFX-18	Informational	Stop Transactions by using Enable Trade.	Pass	Not-found

## PFX-02 | Function Visibility Optimization.

Category	Severity	Location	Status
Gas Optimization	 Low	ReflectionTokenWithAntibot.sol: L: 586 C: 11	 Pending

### Description

The following functions are declared as public and are not invoked in any of the contracts contained within the projects scope:

Function Name	Parameters	Visibility
updateUniswapV2Router		public
excludeFromReward		public
includeInReward		public
setAutomatedMarketMakerPair		public

The functions that are never called internally within the contract should have external visibility

### Remediation

We advise that the function's visibility specifiers are set to external, and the array-based arguments change their data location from memory to calldata, optimizing the gas cost of the function.

### References:

external vs public best practices.

## PFX-03 | Lack of Input Validation.

Category	Severity	Location	Status
Volatile Code	 Low	ReflectionTokenWithAntibot. sol: 566,14,1146,14	 Pending

### Description

The given input is missing the check for the non-zero address.

The given input is missing the check for the setUsingAntiBot, setAutomatedMarketMakerPair onlyOwners are missing required function.

### Remediation

We advise the client to add the check for the passed-in values to prevent unexpected errors as below:

```
...
require(receiver != address(0), "Receiver is the zero address");
...
...
require(value X limitation, "Your not able to do this function");
...
```

We also recommend customer to review the following function that is missing a required validation. setUsingAntiBot, setAutomatedMarketMakerPair onlyOwners are missing required function.

## PFX-05 | Missing Event Emission.

Category	Severity	Location	Status
Volatile Code	 Low	ReflectionTokenWithAntibot. sol: 566, 14,569,14,1146,14	 Pending

### Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes. The linked code does not create an event for the transfer.

### Remediation

Emit an event for critical parameter changes. It is recommended emitting events for the sensitive functions that are controlled by centralization roles.

## **PFX-11 | AntiBot is present on the transfer..**

<b>Category</b>	<b>Severity</b>	<b>Location</b>	<b>Status</b>
Optimization	 Low	ReflectionTokenWithAntibot. sol: 571,14	 Pending

### **Description**

During the transfer it sends the transaction to an external contract  
'IGemAntiBot(gemAntiBot).onPreTransferCheck(from, to, amount)'

### **Remediation**

Ensure the IGemAntiBot library is audited and the process is clean during the transfer.

### **Project Action**

# Technical Findings Summary

## Classification of Risk

Severity	Description
<span style="color: red;">●</span> Critical	Risks are those that impact the safe functioning of a platform and must be addressed before launch. Users should not invest in any project with outstanding critical risks.
<span style="color: orange;">●</span> High	Risks can include centralization issues and logical errors. Under specific circumstances, these major risks can lead to loss of funds and/or control of the project.
<span style="color: yellow;">●</span> Medium	Risks may not pose a direct risk to users' funds, but they can affect the overall functioning of a platform
<span style="color: green;">◆</span> Low	Risks can be any of the above but on a smaller scale. They generally do not compromise the overall integrity of the Project, but they may be less efficient than other solutions.
<span style="color: blue;">ℹ</span> Informational	Errors are often recommended to improve the code's style or certain operations to fall within industry best practices. They usually do not affect the overall functioning of the code.

## Findings

Severity	Found	Pending	Resolved
<span style="color: red;">●</span> Critical	1	0	0
<span style="color: orange;">●</span> High	0	0	0
<span style="color: yellow;">●</span> Medium	0	0	0
<span style="color: green;">◆</span> Low	2	0	0
<span style="color: blue;">ℹ</span> Informational	1	0	0
Total	4	0	0

# Social Media Checks

Social Media	URL	Result
Twitter	<a href="https://twitter.com/POLFEX_PFX">https://twitter.com/POLFEX_PFX</a>	Pass
Other	<a href="https://discord.gg/UsHHuPGsCt">https://discord.gg/UsHHuPGsCt</a>	Pass
Website	<a href="https://www.polfex.io">https://www.polfex.io</a>	Pass
Telegram	<a href="https://t.me/polfex">https://t.me/polfex</a>	Pass

We recommend to have 3 or more social media sources including a completed working websites.

**Social Media Information Notes:**

**Auditor Notes:** undefined

**Project Owner Notes:**



# Assessment Results

## Score Results

Review	Score
Overall Score	81/100
Auditor Score	80/100
Review by Section	Score
Manual Scan Score	18/53
SWC Scan Score	37 /37
Advance Check Score	26 /19

The Following Score System Has been Added to this page to help understand the value of the audit, the maximum score is 100, however to attain that value the project must pass and provide all the data needed for the assessment. Our Passing Score has been changed to 80 Points, if a project does not attain 80% is an automatic failure. Read our notes and final assessment below.

## Audit Passed



# **Assessment Results**

## **Important Notes:**

- No issues or vulnerabilities were found.
- The Contract is a GemPad Generated Token.
- The Contract is fully functional, there are a few best practices that can be improved.
- This contract has an anti-bot function, is important to understand what the anti-bot is doing during the transfer.

**Auditor Score =80  
Audit Passed**



# Appendix

## Finding Categories

### Centralization / Privilege

Centralization / Privilege findings refer to either feature logic or implementation of components that act against the nature of decentralization, such as explicit ownership or specialized access roles in combination with a mechanism to relocate funds.

### Gas Optimization

Gas Optimization findings do not affect the functionality of the code but generate different, more optimal EVM opcodes resulting in a reduction on the total gas cost of a transaction.

### Logical Issue

Logical Issue findings detail a fault in the logic of the linked code, such as an incorrect notion on how `block.timestamp` works.

### Control Flow

Control Flow findings concern the access control imposed on functions, such as owner-only functions being invoke-able by anyone under certain circumstances.

### Volatile Code

Volatile Code findings refer to segments of code that behave unexpectedly on certain edge cases that may result in a vulnerability.

### Coding Style

Coding Style findings usually do not affect the generated byte-code but rather comment on how to make the codebase more legible and, as a result, easily maintainable.

### Inconsistency

Inconsistency findings refer to functions that should seemingly behave similarly yet contain different code, such as a constructor assignment imposing different require statements on the input variables than a setter function.

### Coding Best Practices

ERC 20 Coding Standards are a set of rules that each developer should follow to ensure the code meets a set of criteria and is readable by all the developers.

# Disclaimer

Assure Defi has conducted an independent security assessment to verify the integrity of and highlight any vulnerabilities or errors, intentional or unintentional, that may be present in the reviewed code for the scope of this assessment. This report does not constitute agreement, acceptance, or advocacy for the Project, and users relying on this report should not consider this as having any merit for financial advice in any shape, form, or nature. The contracts audited do not account for any economic developments that the Project in question may pursue, and the veracity of the findings thus presented in this report relate solely to the proficiency, competence, aptitude, and discretion of our independent auditors, who make no guarantees nor assurance that the contracts are entirely free of exploits, bugs, vulnerabilities or depreciation of technologies.

All information provided in this report does not constitute financial or investment advice, nor should it be used to signal that any persons reading this report should invest their funds without sufficient individual due diligence, regardless of the findings presented. Information is provided ‘as is, and Assure Defi is under no covenant to audited completeness, accuracy, or solidity of the contracts. In no event will Assure Defi or its partners, employees, agents, or parties related to the provision of this audit report be liable to any parties for, or lack thereof, decisions or actions with regards to the information provided in this audit report.

The assessment services provided by Assure Defi are subject to dependencies and are under continuing development. You agree that your access or use, including but not limited to any services, reports, and materials, will be at your sole risk on an as-is, where-is, and as-available basis. Cryptographic tokens are emergent technologies with high levels of technical risk and uncertainty. The assessment reports could include false positives, negatives, and unpredictable results. The services may access, and depend upon, multiple layers of third parties.

