Assure Defi® THE VERIFICATION GOLD STANDARD



Security Assessment

SHARBI FUN API

Date: 28/07/2025

Audit Status: FAIL

Audit Edition: Code audit





Risk Analysis

Vulnerability summary

Classification	Description
High	Vulnerabilities that lead to direct compromise of critical assets, large-scale data exposure, unauthorized fund transfers, or full system takeover.
Medium	Flaws that weaken security posture or privacy but do not immediately enable catastrophic failures.
Low	Issues that have minimal direct impact, often involving best-practice deviations or potential future risks.
 Informational 	Observations, style concerns, or suggestions that do not constitute vulnerabilities but may improve security hygiene.

Scope

Target Code And Revision

Project	Assure
Language	Solidity
Codebase	https://github.com/dappgenie/sharbi.fun-api Commit: 616a3f2d92863ff1ad358b24abe1dcdb8a50a19 5
Audit Methodology	Static, Manual

Detailed Technical Report



1. Missing JWT SECRET assertion / fallback key

Location: src/auth/strategies/jwt.strategy.ts line 17

src/auth/auth.module.ts line 12

Issue: The JWT strategy falls back to a hard-coded secret ('your-secret-key') if process.env.JWT_SECRET isn't defined. An attacker who discovers this fallback can forge arbitrary tokens, impersonating any user.

Remediation:

```
// In bootstrap or your auth module
if (!process.env.JWT_SECRET) {
   throw new Error('Missing JWT_SECRET');
}
// Remove any `|| 'your-secret-key'` fallback
```

2. No Global Validation Pipe

Location: Missing in src/main.ts bootstrap (around lines 9–12)

Issue: Without ValidationPipe applied globally, incoming DTOs aren't stripped of unexpected properties or type-checked opening the door to mass assignment, prototype pollution, and malformed payload attacks.

Remediation:

```
// src/main.ts
app.useGlobalPipes(new ValidationPipe({
   whitelist: true,
   forbidNonWhitelisted: true,
   transform: true,
}));
```

3. EIP-191 Timestamp Replay Window (No Nonce)

Location: src/auth/auth.service.ts (lines 51–60, validateTimeStamp)

src/auth/auth.controller.ts (line 30, challenge message)

Issue: Relying solely on a timestamp window (for example 15 minutes) allows replay of a valid

signature within that window. Without a one-time nonce, recorded challenges can be reused to impersonate a user.

Remediation: Include a unique, server-stored nonce in each challenge.

On verify, ensure the nonce hasn't been seen before, then mark it as used.

4. No Helmet / HSTS / Secure Headers

Location: Missing in src/main.ts bootstrap (around lines 9–12)

Issue: Missing security headers (CSP, HSTS, X-Frame-Options, etc.) leaves you vulnerable to clickjacking, MIME-sniffing, downgrade attacks, and XSS.

Remediation:

```
// src/main.ts
import helmet from 'helmet';
app.use(helmet());
```



1. No Rate-Limiting

Location: Missing ThrottlerModule import in src/app.module.ts (around lines 12–19)

Issue: Without throttling, attackers can brute-force login endpoints or overwhelm your API (DoS).

Remediation:

2. Weak File Upload Filtering (Malware Risk)

Location: src/uploads/uploads.controller.ts (line 65)

Issue: Using FilesInterceptor('file') without fileFilter, size limits, or malware scanning permits large or malicious uploads risking storage exhaustion or hosting dangerous payloads.

Remediation:

```
@UseInterceptors(FilesInterceptor('file', 1, {
   limits: { fileSize: 5 * 1024 * 1024 }, // 5 MB max
   fileFilter: (req, file, cb) => {
      // e.g. allow only images: check file.mimetype
      const allowed = ['image/jpeg','image/png'];
      cb(null, allowed.includes(file.mimetype));
   },
}))
```

And integrate a virus-scan before persisting.

3. No Config Validation Schema (Env Var Risk)

Location: src/app.module.ts (line 12)

Issue: Loading env vars without validation lets typos or missing values slip through (for example undefined secrets, wrong types) and only surface as runtime errors.

Remediation:

```
// src/app.module.ts
import * as Joi from 'joi';

ConfigModule.forRoot({
   isGlobal: true,
   validationSchema: Joi.object({
      NODE_ENV: Joi.string().valid('development','production').required(),
      JWT_SECRET: Joi.string().required(),
      PORT: Joi.number().default(3000),
      // ...other vars
   }),
});
```

4. Lack of Automated SCA

Location: No .github/workflows/ci.yml with SCA steps in project root

Issue: No CI step runs npm audit or Dependabot/renovate; unpatched dependencies may harbor known CVEs or supply-chain attacks.

Remediation: Add an npm audit (or yarn audit) stage to your CI pipeline.

Enable Dependabot (or Renovate) in .github/dependabot.yml.

Consider Snyk/GitHub Advanced Security integration.

1. Insufficient Logging & Error Sanitation

Location: src/main.ts (lines 39-40)

src/auth/auth.service.ts (lines 42 & 97)

src/uploads/uploads.controller.ts (line 94)

Issue: Raw console.log/console.error calls leak stack traces and sensitive details to clients and

unstructured logs hamper monitoring.

Remediation: Replace with Logger from Nest (for example this.logger.error(.)).

Sanitize error responses (no stack traces to clients).

Structure logs (JSON) with timestamps, levels, and request IDs.



No informational issues were found.

Technical Findings Summary

Findings

Vulnerability Level	Total	Pending	Not Apply	Acknowledged	Partially Fixed	Fixed
High	4					
Medium	4					
Low	1					
Informational	0					

Assessment Results

Score Results

Review	Score
Global Score	50/100
Assure KYC	Not completed
Audit Score	50/100

The Following Score System Has been Added to this page to help understand the value of the audit, the maximum score is 100, however to attain that value the project must pass and provide all the data needed for the assessment. Our Passing Score has been changed to 84 Points for a higher standard, if a project does not attain 85% is an automatic failure. Read our notes and final assessment below. The Global Score is a combination of the evaluations obtained between having or not having KYC and the type of contract audited together with its manual audit.

Audit FAIL

The SHARBI FUN API presently fails to mitigate several critical vulnerabilities. Until these high-risk issues are fully addressed, the SHARBI FUN API cannot be considered secure for production use.

Disclaimer

Assure Defi has conducted an independent security assessment to verify the integrity of and highlight any vulnerabilities or errors, intentional or unintentional, that may be present in the reviewed code for the scope of this assessment. This report does not constitute agreement, acceptance, or advocating for the Project, and users relying on this report should not consider this as having any merit for financial AlToken in any shape, form, or nature. The contracts audited do not account for any economic developments that the Project in question may pursue, and the veracity of the findings thus presented in this report relate solely to the proficiency, competence, aptitude, and discretion of our independent auditors, who make no guarantees nor assurance that the contracts are entirely free of exploits, bugs, vulnerabilities or deprecation of technologies. All information provided in this report does not constitute financial or investment in AlToken, nor should it be used to signal that any person reading this report should invest their funds without sufficient individual due diligence, regardless of the findings presented. Information is provided 'as is, and Assure Defi is under no covenant to audit completeness, accuracy, or solidity of the contracts. In no event will Assure Defi or its partners, employees, agents, or parties related to the provision of this audit report be liable to any parties for, or lack thereof, decisions or actions with regards to the information provided in this audit report. The assessment of AlTokens provided by Assure Defi are subject to dependencies and are under continuing development. You agree that your access or use, including but not limited to any AlTokens, reports, and materials, will be at your sole risk on an as-is, where-is, and as-available basis. Cryptographic tokens are emergent technologies with high levels of technical risk and uncertainty. The assessment reports could include false positives, negatives, and unpredictable results. The AlToken may access, and depend upon, multiple layers of third parties.

