Assure DeFi®

THE VERIFICATION GOLD STANDARD

Security Assessment

ROAI

Date: 14/06/2025

Audit Status: PASS

Audit Edition: Advanced+

Risk Analysis

Vulnerability summary

Classification	Description
🔴 High	High-level vulnerabilities can result in the loss of assets or manipulation of data.
🟠 Medium	Medium-level vulnerabilities can be challenging to exploit, but they still have a considerable impact on smart contract execution, such as allowing public access to critical functions.
🟡 Low	Low-level vulnerabilities are primarily associated with outdated or unused code snippets that generally do not significantly impact execution, sometimes they can be ignored.
🟢 Informational	Informational vulnerabilities, code style violations, and informational statements do not affect smart contract execution and can typically be disregarded.

Executive Summary

According to the Assure assessment, the Customer's smart contract is **Well Secured.**

Insecure	Poorly Secured	Secured	**Well Secured**

Scope

Target Code And Revision

For this audit, we performed research, investigation, and review of the ROAI contracts followed by issue reporting, along with mitigation and remediation instructions outlined in this report.

Target Code And Revision

Project	Assure
Language	Solidity
Codebase	roai-staking-contracts.zip [SHA256]: f364fddf5ed109077de9daf56722de32cf5af16a6cfbdd4732e33c6e4f3f41ca Fixed version - Revised contracts.zip [SHA256]: 5019c0c933f4b556e8167e3cda8c46558bd31b93646e94e436af64606a11cbc7 Fixed version v2 - Revised-ROAI-V2.zip [SHA256]: 3dd1bbf38452ce3db784a831ca82be31343c1b986334caf44452ac435f8020df Deployed contracts: ROAIStakingFactory https://etherscan.io/address/0xC67b306b59572Aa9becbf0FF807000c0055d213D#code AccessControl https://etherscan.io/address/0x36d10b1b6d64cc03afb3dfe9a06b18ce5e53ad90#code SimpleRewardDistributor https://etherscan.io/address/0xA91dE167A4ec

	899d6abfe111c80C57408E332739#code
	StakingPool (test) https://etherscan.io/address/0x70baa068bda5f0f2db9f447f307d9167f734fb89#code
Audit Methodology	Static, Manual

Attacks made to the contract

In order to check for the security of the contract, we tested several attacks in order to make sure that the contract is secure and follows best practices.

Category	Item
Code review & Functional Review	- Compiler warnings. - Race conditions and Reentrancy. Cross-function race conditions. - Possible delays in data delivery. - Oracle calls. - Front running. - Timestamp dependence. - Integer Overflow and Underflow. - DoS with Revert. - DoS with block gas limit. - Methods execution permissions. - Economy model. - Private user data leaks. - Malicious Event log. - Scoping and Declarations. - Uninitialized storage pointers. - Arithmetic accuracy. - Design Logic. - Cross-function race conditions. - Safe Zeppelin module. - Fallback function security. - Overpowered functions / Owner privileges

AUDIT OVERVIEW

◆ ◆ ◆ **HIGH**

1. Batch-DoS via Malicious Pool [Fixed ✅]

Function: ROAIStakingFactory.distributeRewardsToMultiplePools

Issue: The factory loops through _poolAddresses and performs an external call to each:

```
(bool success, ) = poolAddress.call{value: amount, gas: gasToUse}("");
if (!success) { revert(...) }
```

If any one pool rejects the ETH transfer (e.g. via a revert in its fallback/receive), the entire batch distribution reverts and no pool receives rewards.

Recommendation: Use try/catch or low-level calls that don't revert the loop Or wrap the call in an unchecked block and emit an event on failure without reverting the entire function.

Fix: The Batch-DoS vulnerability has been properly addressed in the current implementation. The use of try/catch ensures that a single malicious pool cannot prevent rewards from being distributed to other valid pools. The function will now complete successfully for all valid pools even if some pools fail to accept the transfer.

2.Lost Rewards on Unstake [Fixed ✅]

Function: ROAIStakingPool / unstake

Issue: unstake() zeroes out position.amount and marks position.active = false before any reward payout, then only transfers the staked tokens. Although it does call updateRewards, it never actually sends accrued accumulatedRewards to the user. Afterwards, claimRewards() will revert because position.active == false.

Recommendation: In unstake, if position.accumulatedRewards > 0, send those ETH immediately to the user (e.g. via the same call{value:}), and decrement totalRewards.

Or else allow claimRewards to work on inactive positions by removing the require(position.active,..) check in claimRewards, also emit a combined UnstakedAndRewardPaid event for clarity.

Fix: The fix implements the recommended solution by:

Calculating and preserving rewards before marking the position inactive

Using a pull-based reward system

Properly emitting events to track reward payments

1. Missing AccessControl Validation [Fixed ✅]

Function: ROAIStakingFactory.createStakingPool

Issue: If the factory owner calls createStakingPool before having set the accessControl address, the newly deployed pool will receive address(0) for its AccessControl parameter. Depending on pool implementation, this may disable role checks, allow unauthorized actions, or break pool logic entirely.

Recommendation:

```
require(accessControl != address(0), "AccessControl not set");
```

Insert this check at the top of createStakingPool. Additionally, document that setAccessControl must be called before any pool creation.

Fix: The issue has been fully addressed. The implementation matches the recommendation exactly, including:

The explicit require check

Proper placement of the check

Clear error messaging

Documentation via code comments

2. Checks-Effects-Interactions Pattern [Fixed ✅]

Function: ROAIStakingFactory.distributeRewardsToMultiplePools

Issue: External calls to poolAddress occur before any potential state changes or logging, violating the Checks-Effects-Interactions pattern. Also ETH transfers to staking pools are done without any reentrancy guard. A malicious pool whose fallback reenters.

Recommendation: Reorder logic so that all internal state validations and updates occur before external calls. If logs are critical, emit an event after state updates but before the call, then revert on failure only of that call if appropriate. Consider adding a reentrancyGuard.

Fix: Input validations are properly done before any interactions and a reentrancy guard modifier is used.

3. Stale/Destroyed-pool Hijack [Fixed ✅]

Contract: ROAIStakingFactory

Issue: Even after a staking pool is destroyed (self-destructed) or replaced by an EOA, isStakingPool[pool] remains true. Subsequent distributions will send ETH to attacker-controlled addresses.

Recommendation: require(poolAddress.code.length > 0, "Pool no longer alive");

Fix: Fixed by the existing code.length check.

4. Push-Payment DoS/Theft Vector [Fixed ✅]

Contract: ROAIStakingFactory

Issue: "Push" payments via .call{value} let recipients revert, grief gas, or pre-self-destruct, causing batch failure or outright ETH theft when a malicious recipient traps the funds.

Recommendation: Adopt a pull-based pattern:

Maintain mapping(address => uint256) pendingRewards;

In the distribution loop, do pendingRewards[pool] += amount; (no ETH transfers).

Expose function withdrawRewards() external nonReentrant {} so each pool pulls its owed ETH safely.

Fix: Uses a try { safeTransferETH } catch { failedDistributions[] += amount } loop so one bad pool won't revert the entire batch. safeTransferETH also caps gas forwarded to recipients, preventing malicious contracts from exhausting gas.

5. Non-Safe ERC-20 Interactions [Fixed ✅]

Contract: ROAIStakingPool (Transferfrom,transfer,emergencyWithdrawTokens)

Issue: Using raw IERC20 without OpenZeppelin's SafeERC20 means missing bool return values or non-standard tokens could cause silent failures or reverts.

Recommendation: Integrate OpenZeppelin's SafeERC20 library and replace calls with SafeERC20.safeTransfer/safeTransferFrom.

Fix: The contract now securely handles ERC20 transfers using OpenZeppelin SafeERC20

6. Unbounded Growth of User Positions (DoS) [Fixed ✅]

Contract: ROAIStakingPool (Unstake/Stake)

Issue: Every time a user stakes after fully unstaking, a new entry is appended to stakingPositions[msg.sender]. Over time, a single address can accumulate an unbounded number of historical positions. The unstake function then loops over all of them to check for any remaining active positions, causing gas cost to grow linearly with the number of past stakes.

Recommendation: Cap the number of positions per address (for example max 5).

Maintain a counter of active positions and decrement it on unstake—so you don't need to loop through the entire array and optionally, prune or overwrite old completed positions instead of appending indefinitely

Fix: Unbounded position growth is fixed via:

Hard cap (MAX_POSITIONS_PER_USER = 1).

Automatic pruning of inactive positions

LOW

1.CREATE2 Salt Predictability [Fixed ✅]

Function: ROAIStakingFactory.createStakingPool

Issue: The salt is computed as

```
keccak256(abi.encodePacked(
  msg.sender,
  _poolCreationNonce,
  _name,
  block.timestamp,
```

```
    blockhash(block.number - 1)
))
```

While incorporating blockhash and a nonce, an attacker observing a pending transaction can partially predict the salt (since blockhash(block.number - 1) and block.timestamp have bounded entropy), enabling them to precompute the pools address off-chain

Recommendation: Augment salt with a truly secret or user-provided value, or require the factory owner to provide a random "creatorSalt" parameter when deploying each pool.

Fix: The salt now includes 11 variables

INFORMATIONAL

1. Stuck ETH from Self-Destruct Attacks [Fixed ✅]

Contract: ROAIStakingPool (receive() fallback and reward logic)

Issue: If ETH is sent via selfdestruct (bypassing receive), totalRewards is not incremented even though contract balance increases.

Recommendation:Add a fallback() that also credits totalRewards or periodically reconcile totalRewards = address(this).balance in maintenance.

Fix: Defines a receive() external payable fallback so any plain ETH transfer (including via selfdestruct) is accepted into the contract balance. Since the factory doesn't maintain separate accounting for rewards, no funds are orphaned: all ETH remains available for future distributions.

2. Emergency Admin Can Drain Staked ROAI [Acknowledge - Platform design]

Contract: ROAIStakingPool (emergencyWithdraw,emergencyWithdrawAllETH)

Issue: The EMERGENCY_ADMIN_ROLE (or the accessControl.owner()) can call emergencyWithdrawTokens(address _roaiToken, uint256 _amount) to pull any ERC-20 including the very ROAI tokens staked by users directly to the owner. There is no distinction between reward tokens and staking tokens.

Recommendation:Restrict emergencyWithdrawTokens so it cannot withdraw the pool designated roaiToken (e.g. require(_tokenAddress != address(roaiToken))).

If true emergency recovery is needed, introduce a time-lock or multi-sig delay for critical withdrawals of the staking token.

Testing coverage

During the testing phase, custom use cases were written to cover all the logic of contracts. *Check "Annexes" to see the testing code.*

```
tests/test_staking_pool.py::test_constructor RUNNING
Transaction sent: 0xbfa9f1f864d99e64a5046e3a59398bed9e602643c84e7a5cb7345f55ce263ca2
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 0
  ERC20Mock.constructor confirmed   Block: 1   Gas used: 619603 (5.16%)
  ERC20Mock deployed at: 0x3194c8DC3dbcd3E11a07892e7bA5c3394048Cc87

Transaction sent: 0x5cbeb3411cfa7e4053775efa09211fda298d2ba7a80f843e096d1f3231981c0c
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 1
  AccessControl.constructor confirmed   Block: 2   Gas used: 2529423 (21.08%)
  AccessControl deployed at: 0x602C71e4DAC47a042Ee7f46E0aee17F94A3bA0B6

Transaction sent: 0x87d3aa55a3307b82e1fff7a843e15f1935452aa1e8010a9dc43ba7da42380064
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 2
  ROAIStakingPool.constructor confirmed (Invalid token address)   Block: 3   Gas used: 372606 (3.11%)

Transaction sent: 0xb7b7754d45e4f36ce8f6551a1c276a118eb64527252e7380a04f59f14c39f5c1
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 3
  ROAIStakingPool.constructor confirmed (Invalid max stakers)   Block: 4   Gas used: 372961 (3.11%)

Transaction sent: 0xea8d0264f1e491867dacaaa2c567b81642a7d374e43062d38efe2fd750851121
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 4
  ROAIStakingPool.constructor confirmed (Invalid stake amount)   Block: 5   Gas used: 372960 (3.11%)

Transaction sent: 0xc0f572bb46cc0f2a1c98607b2ac4d5d0bc3f80593a2c5e70cff3f20f05f01f28
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 5
  ROAIStakingPool.constructor confirmed   Block: 6   Gas used: 3887387 (32.39%)
  ROAIStakingPool deployed at: 0x6b4BDe1086912A6Cb24ce3dB43b3466e6c72AFd3

tests/test_staking_pool.py::test_constructor PASSED
```

```
tests/test_staking_pool.py::test_stake RUNNING
Transaction sent: 0x3cc3d2e985d3e7baa420136656f485f5d81a74f23c0c2c9c1d2bf0964f086eeb
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 6
  ERC20Mock.constructor confirmed   Block: 7   Gas used: 619603 (5.16%)
  ERC20Mock deployed at: 0x9E4c14403d7d9A8A782044E86a93CAE0907B2ac9

Transaction sent: 0x60eb85a010ddcba06e183615b7569d48acc4447a6ef9f332c4419cd46d14d0ea
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 7
  AccessControl.constructor confirmed   Block: 8   Gas used: 2529423 (21.08%)
  AccessControl deployed at: 0xcCB53c9429d32594F404d01fbe9E65ED1DCda8D9

Transaction sent: 0xdf4e7964fe7ca3eb5087ac13b73e0067d72d065d1718f18a32ce91bae01a48a1
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 8
  ROAIStakingPool.constructor confirmed   Block: 9   Gas used: 3887375 (32.39%)
  ROAIStakingPool deployed at: 0x420b1099B9eF5baba6092029594eF45E19A04A4A

Transaction sent: 0xf82cd6ca67b81480a03ff0b4aec69e89719d14a54ac260af563fcc7bef856631
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 0
  ROAIStakingPool.stake confirmed (Invalid lock period index)   Block: 10   Gas used: 29166 (0.24%)

Transaction sent: 0xe23e10aedd61c47d60c874ca14ff3bc1d18f2109720558779598365149f2f981
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 1
  ROAIStakingPool.disableLockPeriod confirmed (Access denied: Pool Manager role required)   Block: 11   Gas used: 30526 (0.25%)

Transaction sent: 0xc3d93b4053b325d337b56f3d3a9f14f72c5821d8d179f5f1cd15c445bfd56541
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 9
  ROAIStakingPool.disableLockPeriod confirmed   Block: 12   Gas used: 20669 (0.17%)

Transaction sent: 0x00e4ebf377552ecc6d5b0f50429b618dc2db23f356c440d8d8b82e8866257b34
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 2
  ROAIStakingPool.stake confirmed (Lock period not active)   Block: 13   Gas used: 30868 (0.26%)

Transaction sent: 0x7b98915c276d2f16f60723e87f3a5b22a7057a9bcaaa44a3dbf909a10b7cd10f
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 10
  ERC20Mock.mint confirmed   Block: 14   Gas used: 65613 (0.55%)

Transaction sent: 0xf7681ade2178afd3cdcac54310c6ff7005d17aecc2cf9eb956820c78cbb5e2e2
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 11
  ERC20Mock.mint confirmed   Block: 15   Gas used: 50601 (0.42%)

Transaction sent: 0xd9cd20926e3f45a736c20287a1ee10580a2f650295ca1135f1d0e47d7774360e
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 12
  ERC20Mock.mint confirmed   Block: 16   Gas used: 50613 (0.42%)

Transaction sent: 0x4919304912638e32edeec0da31825604749da9a55a44be406af80f5e472f82c9
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 3
  ERC20Mock.approve confirmed   Block: 17   Gas used: 44136 (0.37%)

Transaction sent: 0xd431924ac1aa1cabcb08bd283686d4aaac82b23f09f205f5dafc7055f4acd6d4
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 0
  ERC20Mock.approve confirmed   Block: 18   Gas used: 44136 (0.37%)

Transaction sent: 0x9fc7d7601730d42692577bb73071ef61f9be7184815c26c792722aeb53f5eb6b
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 0
  ERC20Mock.approve confirmed   Block: 19   Gas used: 44136 (0.37%)

Transaction sent: 0x74804b3c10f5f3d840e64429cd891c4ded389f0e07afdb17b8b8c83de60cbb58
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 4
  ROAIStakingPool.stake confirmed   Block: 20   Gas used: 305646 (2.55%)

Transaction sent: 0x04269b34bc9e42d34fd445bebca2f90763d76bd5ad17cb394bd2b6a84db49b72
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 5
  ROAIStakingPool.stake confirmed (User has already staked in this pool)   Block: 21   Gas used: 33415 (0.28%)

Transaction sent: 0x57a3af33eda5d7716339ca725a38639204abbe2da8c2f1ad6bc42f062102d46b
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 1
  ROAIStakingPool.stake confirmed   Block: 22   Gas used: 260646 (2.17%)

Transaction sent: 0x04cf529e2ce55522c3e7fbee1c2c816ef7b94412a98e63b3eef0b92bcadec510
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 1
  ROAIStakingPool.stake confirmed (Pool is full)   Block: 23   Gas used: 32503 (0.27%)

tests/test_staking_pool.py::test_stake PASSED
```

```
tests/test_staking_pool.py::test_ustake RUNNING
Transaction sent: 0x77b19c99b4169c209b3847621f5ed2f7845581401f1373fa8893fab96b13cc86
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 13
  ERC20Mock.constructor confirmed   Block: 24   Gas used: 619603 (5.16%)
  ERC20Mock deployed at: 0xe692Cf21B12e0B2717C4bF647F9768Fa58861c8b

Transaction sent: 0x18b478da2feceaa6319933437d793d7d6072122058b8c4625f72452c14b2b390
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 14
  AccessControl.constructor confirmed   Block: 25   Gas used: 2529423 (21.08%)
  AccessControl deployed at: 0xe65A7a341978d59d40d30FC23F5014FACB4f575A

Transaction sent: 0xf7246b92dbca932a6245868ea71ea168fef2dd970520ff9b9c5573541b1b5e70
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 15
  ROAIStakingPool.constructor confirmed   Block: 26   Gas used: 3887375 (32.39%)
  ROAIStakingPool deployed at: 0x303758532345B01cB8c2AD12541b09E9Aa53A93d

Transaction sent: 0x190dc85133ba43b476a19a9305432a5883b0a06e5f83452ca61ca389e06a8807
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 16
  ERC20Mock.mint confirmed   Block: 27   Gas used: 65613 (0.55%)

Transaction sent: 0xd5880fe3ea21e98f5832abcd69d357b9d0ca840c3d9cf9593d0edb982ddf0e9f
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 17
  ERC20Mock.mint confirmed   Block: 28   Gas used: 50601 (0.42%)

Transaction sent: 0x36f3944c6deee873c48d5ec008a2457048123928cf4a23b110a5fe8228f00de3
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 6
  ERC20Mock.approve confirmed   Block: 29   Gas used: 44136 (0.37%)

Transaction sent: 0xcb50080f082f503d72d2bfaa86e0f37c4bc564766bb29122e6fcab0f181da9c1
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 2
  ERC20Mock.approve confirmed   Block: 30   Gas used: 44136 (0.37%)

Transaction sent: 0xb13f2a7e8e4a483e4294d369726177720854dc5edcbde41de2cd5d98acd6a1876
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 7
  ROAIStakingPool.stake confirmed   Block: 31   Gas used: 305646 (2.55%)

Transaction sent: 0x6834e793094f06d96c6ea2f2b0182f387012ca8ee8cfb89cf6fd97399a31bfc4
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 3
  ROAIStakingPool.stake confirmed   Block: 32   Gas used: 260646 (2.17%)

Transaction sent: 0x5034398a079ea81928c7d6340655636796653dd62af6a07b245f45cb29c0b994
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 8
  ROAIStakingPool.unstake confirmed (Invalid position index)   Block: 33   Gas used: 29175 (0.24%)

Transaction sent: 0x4c080b6b222e3c61c3f6216257650ea540fab38c311b4670cd566047a7d72f4c
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 9
  ROAIStakingPool.unstake confirmed (Lock period not ended)   Block: 34   Gas used: 31784 (0.26%)

Transaction sent: 0x5a271eae03a4b121adb8c3acb98275a3fe0adce2c2167bc6bd62c4ea6e7b5379
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 10
  ROAIStakingPool.unstake confirmed   Block: 37   Gas used: 64375 (0.54%)

tests/test_staking_pool.py::test_ustake PASSED
```

```
tests/test_staking_pool.py::test_claim_rewards RUNNING
Transaction sent: 0xf1226444a0c79d3916500a69591b88b23a0854544221fcedc834de08da27638f
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 19
  ERC20Mock.constructor confirmed   Block: 38   Gas used: 619603 (5.16%)
  ERC20Mock deployed at: 0x0ae02e4fE488952cFB8c951771540188647a0146

Transaction sent: 0x35bbbd3fedb16dbfb206f5b0152dcd02c35567b6da6d8b7bb8d34b3c8976998a
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 20
  AccessControl.constructor confirmed   Block: 39   Gas used: 2529423 (21.08%)
  AccessControl deployed at: 0xdCF93F11ef216cEC9C07fd31dD801c9b2b39Afb4

Transaction sent: 0x2b5bf0327a304a6605dd7328777374d44cc9feb2c1e93b04c54c944829015327
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 21
  ROAIStakingPool.constructor confirmed   Block: 40   Gas used: 3887375 (32.39%)
  ROAIStakingPool deployed at: 0xBcb61491F1859f53438918F1A5aFCA542Af90397

Transaction sent: 0xdd617c80804f8ad3654688a73401c6fc671cae099e96ec8235459855f908630a
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 22
  ERC20Mock.mint confirmed   Block: 41   Gas used: 65613 (0.55%)

Transaction sent: 0x3a058ffcfb02c4203f24ea2964c33751a895b5837f869d90e76d84bbcbc275e7
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 23
  ERC20Mock.mint confirmed   Block: 42   Gas used: 50601 (0.42%)

Transaction sent: 0x5b1666a1b7b8a0ad6aef9e3cbbafcbea8ed70daa5dc69f5d12165f75ff496038
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 24
  ERC20Mock.mint confirmed   Block: 43   Gas used: 50613 (0.42%)

Transaction sent: 0x4380fc9c3fd2504850e89ccfc7e76c92c43e82162ddcf629f1fcf6cabcb688c2
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 11
  ERC20Mock.approve confirmed   Block: 44   Gas used: 44136 (0.37%)

Transaction sent: 0x33fc59fa98dbff91a9d5de20c7c015706ae261fb0756f12ced7a8590889f2cfe
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 4
  ERC20Mock.approve confirmed   Block: 45   Gas used: 44136 (0.37%)

Transaction sent: 0xee3b48a6c3544a9116d90242cfbc989487f2fbba35a4ef9329b03ec3639cc7e5
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 2
  ERC20Mock.approve confirmed   Block: 46   Gas used: 44136 (0.37%)

Transaction sent: 0xd6721d216d38aa2a8fa14a5c584766848834b179bdca834c52c53cbf496dcdc3
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 12
  ROAIStakingPool.stake confirmed   Block: 47   Gas used: 305646 (2.55%)

Transaction sent: 0x1d13bf70d9cb02a57beb60169223353e64e0d3c14e7a6e8c36eff59137338a36
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 5
  ROAIStakingPool.stake confirmed   Block: 48   Gas used: 260646 (2.17%)

Transaction sent: 0xea2da051b4e0d1ba9b325a63f7d6d21af4dbcec63720dbe0c5ab8490cf408dc2
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 3
  ROAIStakingPool.stake confirmed   Block: 49   Gas used: 260646 (2.17%)

Transaction sent: 0x920dd81c334f41e43669b02752cf9df435b907c95c4a6d08228af4b8e8923509
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 13
  ROAIStakingPool.claimRewards confirmed (Invalid position index)   Block: 51   Gas used: 29242 (0.24%)

Transaction sent: 0x284a98058b329dd917a53b76317d1347bf7b8e7d8178cde572bcd0f33efb313a
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 14
  ROAIStakingPool.claimRewards confirmed (No rewards to claim)   Block: 52   Gas used: 36323 (0.30%)

Transaction sent: 0x66b4032972e04fd8e67b26ee590c75b983f6fc77d6e9d3ea41bb2f7fa904ebf6
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 15
  ROAIStakingPool.claimRewards confirmed   Block: 54   Gas used: 64426 (0.54%)

Transaction sent: 0x669fa33a67fc232ecfc2046ba5b5e860196e4d7d1e65b33ff6177cddbf4cea94
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 6
  ROAIStakingPool.claimRewards confirmed   Block: 56   Gas used: 64426 (0.54%)

tests/test_staking_pool.py::test_claim_rewards PASSED
```

```
tests/test_reward_distributor.py::test_distributeRewards RUNNING
Transaction sent: 0x7d937fcdcaff252e70e67d7d9e64861bbbcace5c5d3a00c96dddfa99e2f2d2eb
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 0
  SimpleRewardDistributor.constructor confirmed   Block: 1   Gas used: 1372072 (11.43%)
  SimpleRewardDistributor deployed at: 0x3194cBDC3dbcd3E11a07892e7bA5c3394048Cc87

Transaction sent: 0x2376676e819534c8e817848f2a4d24e6638fc659e912ae01d187c1ab5d858b01
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 0
  SimpleRewardDistributor.distributeRewards confirmed (Ownable: caller is not the owner)   Block: 2   Gas used: 23334 (0.19%)

Transaction sent: 0xe941ca2e73598d60620d69b5e37ac35851795d154baf03afdc2b692b565f3699
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 1
  SimpleRewardDistributor.distributeRewards confirmed (No pools specified)   Block: 3   Gas used: 29216 (0.24%)

Transaction sent: 0xa68dff63d13dd9496cb6a93084e1048204688cea87d3f9940b54a11f3814738a
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 2
  SimpleRewardDistributor.distributeRewards confirmed (Arrays length mismatch)   Block: 4   Gas used: 29899 (0.25%)

Transaction sent: 0x2bddda0fbd05f6d9a2cf3c935953b5938ed65d0300a1c35a869dfd66992a08bf
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 3
  SimpleRewardDistributor.distributeRewards confirmed (Percentages must sum to 100)   Block: 5   Gas used: 29988 (0.25%)

Transaction sent: 0x1effe35759c8249ffbf4d8a618771ff39b3d4aeaef99e9ed71e8159d247d5c1a
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 4
  SimpleRewardDistributor.distributeRewards confirmed (No funds available for distribution)   Block: 6   Gas used: 31129 (0.26%)

Transaction sent: 0x028cffcb65b9a77dac5d2c9a619256d6197e2b38cfa5436be100f7788d7158ea
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 6
  SimpleRewardDistributor.distributeRewards confirmed (Invalid pool address)   Block: 8   Gas used: 31381 (0.26%)

Transaction sent: 0xd7b0980f1e1fadf6249a27bc0fecb30ab5c5a67c2c4a2f7bca5804278a382fd5
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 7
  SimpleRewardDistributor.distributeRewards confirmed   Block: 9   Gas used: 59139 (0.49%)

tests/test_reward_distributor.py::test_distributeRewards PASSED
tests/test_reward_distributor.py::test_set_reserve_perc RUNNING
Transaction sent: 0xa08626fdb52c6f17c7bca17edafa8867960Qac3db2445c8b6e78fd0d348bfa71
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 8
  SimpleRewardDistributor.constructor confirmed   Block: 10   Gas used: 1372072 (11.43%)
  SimpleRewardDistributor deployed at: 0x420b1099B9eF5baba6D92029594eF45E19A04A4A

Transaction sent: 0x462669350e7933d28c3ef8c7f54c83407b98b451745a3dff9b84df39c85cf38e
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 1
  SimpleRewardDistributor.setReservePercentage confirmed (Ownable: caller is not the owner)   Block: 11   Gas used: 22436 (0.19%)

Transaction sent: 0x70e9475fe5d4073b60228ae8520a8fbd1efa28b3cfc45c611cf28fcf5b6b09bb
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 9
  SimpleRewardDistributor.setReservePercentage confirmed (Reserve cannot exceed 50%)   Block: 12   Gas used: 22468 (0.19%)

Transaction sent: 0x134da743fc442ddcae7b3d8b5522e2594004e3bee89bba89d0d6df7b7523e8f2
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 10
  SimpleRewardDistributor.setReservePercentage confirmed   Block: 13   Gas used: 29514 (0.25%)

tests/test_reward_distributor.py::test_set_reserve_perc PASSED
tests/test_reward_distributor.py::test_set_treasury RUNNING
Transaction sent: 0x1826560fcd757153313b9277a6a26a2bc6eceea557bdae20d1f9bc7f5e700523
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 11
  SimpleRewardDistributor.constructor confirmed   Block: 14   Gas used: 1372072 (11.43%)
  SimpleRewardDistributor deployed at: 0x7a3d735ee6873f170bdcab1d51B604928dc10d92

Transaction sent: 0x84496711e40ca91836af0fdce3cae2891605cb06c014026571bbd6204195d1d4
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 2
  SimpleRewardDistributor.setTreasuryWallet confirmed (Ownable: caller is not the owner)   Block: 15   Gas used: 22747 (0.19%)

Transaction sent: 0x54097c817ee6f4d5bda004b6ae05987bd3e353c0191e6916e1ff195c9872a341
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 12
  SimpleRewardDistributor.setTreasuryWallet confirmed (Invalid treasury address)   Block: 16   Gas used: 22560 (0.19%)

Transaction sent: 0x721dbe68f12e62a39c7e9abb3332206dcb3ea20c9d31d07c1155c074ba88f1bd
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 13
  SimpleRewardDistributor.setTreasuryWallet confirmed   Block: 17   Gas used: 30087 (0.25%)

tests/test_reward_distributor.py::test_set_treasury PASSED
```

```
tests/test_staking_factory.py::test_create_staking_pool RUNNING
Transaction sent: 0xbfa9f1f864d99e64a5046e3a59398bed9e602643c84e7a5cb7345f55ce263ca2
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 0
  ERC20Mock.constructor confirmed   Block: 1   Gas used: 619603 (5.16%)
  ERC20Mock deployed at: 0x3194cBDC3dbcd3E11a07892e7bA5c3394048Cc87

Transaction sent: 0x5cbeb3411cfa7e4053775efa09211fda298d2ba7a80f843e096d1f3231981c0c
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 1
  AccessControl.constructor confirmed   Block: 2   Gas used: 2529423 (21.08%)
  AccessControl deployed at: 0x602C71e4DAC47a042Ee7f46E0aee17F94A3bA0B6

Transaction sent: 0xb14683841e05a01d9ea0c8601ac320f20bdc953566d7488e1721d97e954ed9ba
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 2
  ROAIStakingFactory.constructor confirmed   Block: 3   Gas used: 4766889 (39.72%)
  ROAIStakingFactory deployed at: 0xE7eD6747FaC5360f88a2EFC03E00d25789F69291

Transaction sent: 0x26157f8824eb892c28b1f2c88a76b683c72b9b9f6438b85cdd2902b81a0bf65c
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 3
  ROAIStakingFactory.createStakingPool confirmed (Invalid max stakers)   Block: 4   Gas used: 23502 (0.20%)

Transaction sent: 0x63dafaaa6c6cda7f46cb401ecab882547368817723e816a302801649bce3e9e7
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 4
  ROAIStakingFactory.createStakingPool confirmed (Invalid stake amount)   Block: 5   Gas used: 23513 (0.20%)

Transaction sent: 0x263cfaab7cd0cab8e28b53f105b96aee416019dddc541c0fd71d617a34e8b263
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 5
  ROAIStakingFactory.createStakingPool confirmed (Invalid pool name)   Block: 6   Gas used: 23505 (0.20%)

Transaction sent: 0x1119d30b21cf25206a0311c25bc4999901f1105bea326c1f14cc7aa5cdddf96e
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 6
  ROAIStakingFactory.createStakingPool confirmed   Block: 7   Gas used: 3731708 (31.10%)

tests/test_staking_factory.py::test_create_staking_pool PASSED
tests/test_staking_factory.py::test_set_reward_pool RUNNING
Transaction sent: 0x563a398c295ecfbe5b2dff66c154cb006dc393a3150446a50b88d2f3b5ba5711
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 7
  ERC20Mock.constructor confirmed   Block: 8   Gas used: 619603 (5.16%)
  ERC20Mock deployed at: 0xcCB53c9429d32594F404d01fbe9E65ED1DCda8D9

Transaction sent: 0x21bd144182ecbe4a7b3dfbec1b462935f39eb1be8dbadaf060f0a45a9b6848df
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 8
  AccessControl.constructor confirmed   Block: 9   Gas used: 2529423 (21.08%)
  AccessControl deployed at: 0x420b1099B9eF5baba6D92029594eF45E19A04A4A

Transaction sent: 0x4e6a34868f0661892321bdd49d8fdb60c483fa8899d84eb5bb4c0161c135099b
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 9
  ROAIStakingFactory.constructor confirmed   Block: 10   Gas used: 4766889 (39.72%)
  ROAIStakingFactory deployed at: 0xa3B53dDCd2E3fC28e8E130288F2aBD8d5EE37472

Transaction sent: 0xc198473b52e1c4bd98dcdddd1357b051f61593c4f9c3b382601dac3f4c08ead5
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 0
  ROAIStakingFactory.setRewardPool confirmed (Ownable: caller is not the owner)   Block: 11   Gas used: 22754 (0.19%)

Transaction sent: 0x55a0e68a0eb23c96ec163b25cadb36d51c06dc8ec8525a156678654e1a60fabc
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 10
  ROAIStakingFactory.setRewardPool confirmed (Invalid reward pool address)   Block: 12   Gas used: 22567 (0.19%)

Transaction sent: 0xeaeee0f9b05a078b7351a72f2673c045f18b09cffa7be9222e1f3afd48453613
  Gas price: 0.0 gwei   Gas limit: 12000000   Nonce: 11
  ROAIStakingFactory.setRewardPool confirmed   Block: 13   Gas used: 44622 (0.37%)

tests/test_staking_factory.py::test_set_reward_pool PASSED
```

Annexes

Testing code:

Test Reward Distributor:

```python
from brownie import (

    reverts,

)


from scripts.helpful_scripts import (

    ZERO_ADDRESS,

    DAY_TIMESTAMP,

    get_account,

    increase_timestamp

)


from scripts.deploy import (

    deploy_erc,

    deploy_access_control,

    deploy_roai_staking,

    deploy_roai_factory,

    deploy_reward_dist

)


def test_distributeRewards(only_local):

    # Arrange

    owner = get_account(0)

    other = get_account(1)

    extra = get_account(2)
```

```python
    treasury = get_account(8)

    reward_dist = deploy_reward_dist(owner, treasury)


    with reverts("Ownable: caller is not the owner"):

        reward_dist.distributeRewards([], [], {"from": other})

    with reverts("No pools specified"):

        reward_dist.distributeRewards([], [], {"from": owner})

    with reverts("Arrays length mismatch"):

        reward_dist.distributeRewards([extra], [50, 50], {"from": owner})

    with reverts("Percentages must sum to 100"):

        reward_dist.distributeRewards([extra], [50], {"from": owner})

    with reverts("No funds available for distribution"):

        reward_dist.distributeRewards([extra], [100], {"from": owner})


    owner.transfer(reward_dist.address, "1 ether")


    with reverts("Invalid pool address"):

        reward_dist.distributeRewards([ZERO_ADDRESS], [100], {"from": owner})


    tx = reward_dist.distributeRewards([other], [100], {"from": owner})

    assert tx.events['RewardsDistributed'][0]['pools'][0] == other

    assert tx.events['RewardsDistributed'][0]['amounts'][0] == 0.8e18


def test_set_reserve_perc(only_local):

    # Arrange

    owner = get_account(0)

    other = get_account(1)
```

```python
    extra = get_account(2)

    treasury = get_account(8)


    reward_dist = deploy_reward_dist(owner, treasury)


    with reverts("Ownable: caller is not the owner"):

        reward_dist.setReservePercentage(50, {"from": other})

    with reverts("Reserve cannot exceed 50%"):

        reward_dist.setReservePercentage(75, {"from": owner})


    assert reward_dist.reservePercentage() == 20

    reward_dist.setReservePercentage(50, {"from": owner})

    assert reward_dist.reservePercentage() == 50


def test_set_treasury(only_local):

    # Arrange

    owner = get_account(0)

    other = get_account(1)

    new_treasury = get_account(2)

    treasury = get_account(8)


    reward_dist = deploy_reward_dist(owner, treasury)


    with reverts("Ownable: caller is not the owner"):

        reward_dist.setTreasuryWallet(new_treasury, {"from": other})

    with reverts("Invalid treasury address"):

        reward_dist.setTreasuryWallet(ZERO_ADDRESS, {"from": owner})
```

```
    assert reward_dist.treasuryWallet() == treasury

    reward_dist.setTreasuryWallet(new_treasury, {"from": owner})

    assert reward_dist.treasuryWallet() == new_treasury
```

Test Staking Factory:

```python
from brownie import (

    reverts,

)


from scripts.helpful_scripts import (

    ZERO_ADDRESS,

    get_account,

)



from scripts.deploy import (

    deploy_erc,

    deploy_access_control,

    deploy_roai_factory

)


def test_create_staking_pool(only_local):

    # Arrange

    owner = get_account(0)

    other = get_account(1)

    extra = get_account(2)


    roai_token = deploy_erc(owner, "Roai", "ROAI")

    access_control = deploy_access_control(owner)
```

```python
    factory = deploy_roai_factory(owner, roai_token.address)


    with reverts("Invalid max stakers"):

        factory.createStakingPool(11000, 10, "POOL")

    with reverts("Invalid stake amount"):

        factory.createStakingPool(1000, 0, "POOL")

    with reverts("Invalid pool name"):

        factory.createStakingPool(1000, 10, "")


    tx = factory.createStakingPool(1000, 10, "POOL", {"from": owner})

    assert tx.events['StakingPoolCreated'][0]['maxStakers'] == 1000

    assert tx.events['StakingPoolCreated'][0]['fixedStakeAmount'] == 10

    assert tx.events['StakingPoolCreated'][0]['name'] == "POOL"


def test_set_reward_pool(only_local):

    # Arrange

    owner = get_account(0)

    other = get_account(1)

    fake_reward_pool = get_account(2)


    roai_token = deploy_erc(owner, "Roai", "ROAI")

    access_control = deploy_access_control(owner)


    factory = deploy_roai_factory(owner, roai_token.address)

    with reverts("Ownable: caller is not the owner"):

        factory.setRewardPool(fake_reward_pool, {"from": other})

    with reverts("Invalid reward pool address"):
```

```python
        factory.setRewardPool(ZERO_ADDRESS, {"from": owner})


    assert factory.rewardPool() == ZERO_ADDRESS

    factory.setRewardPool(fake_reward_pool, {"from": owner})

    assert factory.rewardPool() == fake_reward_pool



def test_set_access_control(only_local):

    # Arrange

    owner = get_account(0)

    other = get_account(1)


    roai_token = deploy_erc(owner, "Roai", "ROAI")

    access_control = deploy_access_control(owner)


    factory = deploy_roai_factory(owner, roai_token.address)

    with reverts("Ownable: caller is not the owner"):

        factory.setAccessControl(access_control.address, {"from": other})

    with reverts("Invalid AccessControl address"):

        factory.setAccessControl(ZERO_ADDRESS, {"from": owner})


    assert factory.accessControl() == ZERO_ADDRESS

    factory.setAccessControl(access_control.address, {"from": owner})

    assert factory.accessControl() == access_control.address


def test_distribute_rewards(only_local):

    # Arrange

    owner = get_account(0)

    other = get_account(1)
```

```python
fake_reward_pool = get_account(2)


roai_token = deploy_erc(owner, "Roai", "ROAI")


factory = deploy_roai_factory(owner, roai_token.address)

factory.setRewardPool(fake_reward_pool, {"from": owner})


with reverts("Only reward pool can distribute"):

    factory.distributeRewardsToMultiplePools(

        [], [], 1e18, {"from": owner}

    )

with reverts("Percentages must sum to 100"):

    factory.distributeRewardsToMultiplePools(

        [], [], 1e18, {"from": fake_reward_pool}

    )

with reverts("Arrays must be same length"):

    factory.distributeRewardsToMultiplePools(

        [], [50], 1e18, {"from": fake_reward_pool}

    )


with reverts("Not a valid staking pool"):

    factory.distributeRewardsToMultiplePools(

            [other], [100], 1e18, {"from": fake_reward_pool}

        )


tx = factory.createStakingPool(1000, 10, "POOL", {"from": owner})

pool_addr = tx.events['StakingPoolCreated'][0]['poolAddress']
```

```python
    # no eth in contract

    with reverts("ETH transfer failed to pool"):

        factory.distributeRewardsToMultiplePools(

            [pool_addr], [100], 1e18, {"from": fake_reward_pool}

        )


    owner.transfer(factory.address, "1 ether")


    tx = factory.distributeRewardsToMultiplePools(

            [pool_addr], [100], 1e18, {"from": fake_reward_pool}

        )

    assert tx.events['RewardsAdded'][0]['amount'] == 1e18

    assert tx.events['RewardsDistributed'][0]['pools'][0] == pool_addr

    assert tx.events['RewardsDistributed'][0]['percentages'][0] == 100
```

Test Staking Pool:

```python
from brownie import (

    reverts,

)


from scripts.helpful_scripts import (

    ZERO_ADDRESS,

    DAY_TIMESTAMP,

    get_account,

    get_timestamp,

    get_chain_number,

    increase_timestamp

)
```

```python
from scripts.deploy import (
    deploy_erc,
    deploy_access_control,
    deploy_roai_staking
)


def test_constructor(only_local):
    # Arrange
    owner = get_account(0)
    other = get_account(1)
    extra = get_account(2)


    roai_token = deploy_erc(owner, "Roai", "ROAI")
    access_control = deploy_access_control(owner)


    with reverts("Invalid token address"):
        deploy_roai_staking(
            owner, ZERO_ADDRESS, 15,
            50000, access_control.address)
    with reverts("Invalid max stakers"):
        deploy_roai_staking(
            owner, roai_token.address, 10001,
            50000, access_control.address)
    with reverts("Invalid stake amount"):
        deploy_roai_staking(
            owner, roai_token.address, 1000,
            0, access_control.address)
```

```python
    staking = deploy_roai_staking(

        owner, roai_token.address, 15,

        50000, access_control.address)


def test_stake(only_local):

    # Arrange

    owner = get_account(0)

    other = get_account(1)

    extra = get_account(2)

    another = get_account(3)


    roai_token = deploy_erc(owner, "Roai", "ROAI")

    access_control = deploy_access_control(owner)

    staking = deploy_roai_staking(

        owner, roai_token.address, 2,

        10, access_control.address)


    '''

    _addLockPeriod(0, 0, true);    // 1 minute for testing (0 days + 1 minute in seconds)

    _addLockPeriod(30, 5, true);   // 30 days, 5% bonus

    _addLockPeriod(60, 15, true);  // 60 days, 15% bonus

    _addLockPeriod(90, 25, true);  // 90 days, 25% bonus

    _addLockPeriod(180, 35, true); // 180 days, 35% bonus

    '''


    with reverts("Invalid lock period index"):

        staking.stake(5, {"from": other})
```

```python
    with reverts("Access denied: Pool Manager role required"):

        staking.disableLockPeriod(0, {"from": other})

    staking.disableLockPeriod(0, {"from": owner})

    with reverts("Lock period not active"):

        staking.stake(0, {"from": other})


    # mint some tokens

    roai_token.mint(other, 50e9)

    roai_token.mint(extra, 50e9)

    roai_token.mint(another, 50e9)

    roai_token.approve(staking.address, 1000e9, {"from": other})

    roai_token.approve(staking.address, 1000e9, {"from": extra})

    roai_token.approve(staking.address, 1000e9, {"from": another})


    tx = staking.stake(1, {"from": other})

    assert tx.events['Staked'][0]['user'] == other

    assert tx.events['Staked'][0]['amount'] == 10e9

    assert tx.events['Staked'][0]['lockPeriodIndex'] == 1

    assert tx.events['Transfer'][0]['from'] == other

    assert tx.events['Transfer'][0]['to'] == staking.address

    assert tx.events['Transfer'][0]['value'] == 10e9


    with reverts("User has already staked in this pool"):

        staking.stake(1, {"from": other})


    tx = staking.stake(1, {"from": extra})

    assert tx.events['Staked'][0]['user'] == extra

    assert tx.events['Staked'][0]['amount'] == 10e9
```

```python
        assert tx.events['Staked'][0]['lockPeriodIndex'] == 1

        assert tx.events['Transfer'][0]['from'] == extra

        assert tx.events['Transfer'][0]['to'] == staking.address

        assert tx.events['Transfer'][0]['value'] == 10e9


    with reverts("Pool is full"):

        staking.stake(1, {"from": another})



def test_ustake(only_local):

    # Arrange

    owner = get_account(0)

    other = get_account(1)

    extra = get_account(2)


    roai_token = deploy_erc(owner, "Roai", "ROAI")

    access_control = deploy_access_control(owner)

    staking = deploy_roai_staking(

        owner, roai_token.address, 5,

        10, access_control.address)



    # mint some tokens

    roai_token.mint(other, 50e9)

    roai_token.mint(extra, 50e9)

    roai_token.approve(staking.address, 1000e9, {"from": other})

    roai_token.approve(staking.address, 1000e9, {"from": extra})



    staking.stake(1, {"from": other})
```

```python
        staking.stake(2, {"from": extra})


    with reverts("Invalid position index"):

        staking.unstake(2, {"from": other})

    with reverts("Lock period not ended"):

        staking.unstake(0, {"from": other})


    owner.transfer(staking.address, "1 ether")

    increase_timestamp(DAY_TIMESTAMP * 35)

    tx = staking.unstake(0, {"from": other})

    assert tx.events['Transfer'][0]['from'] == staking.address

    assert tx.events['Transfer'][0]['to'] == other

    assert tx.events['Transfer'][0]['value'] == 10e9


def test_claim_rewards(only_local):

    # Arrange

    owner = get_account(0)

    other = get_account(1)

    extra = get_account(2)

    another = get_account(3)


    roai_token = deploy_erc(owner, "Roai", "ROAI")

    access_control = deploy_access_control(owner)

    staking = deploy_roai_staking(

        owner, roai_token.address, 5,

        10, access_control.address)


    # mint some tokens
```

```python
    roai_token.mint(other, 50e9)

    roai_token.mint(extra, 50e9)

    roai_token.mint(another, 50e9)

    roai_token.approve(staking.address, 1000e9, {"from": other})

    roai_token.approve(staking.address, 1000e9, {"from": extra})

    roai_token.approve(staking.address, 1000e9, {"from": another})


    # some stakes

    staking.stake(1, {"from": other})

    staking.stake(2, {"from": extra})

    staking.stake(3, {"from": another})


    owner.transfer(staking.address, "1 ether")


    with reverts("Invalid position index"):

        staking.claimRewards(1, {"from": other})

    with reverts("No rewards to claim"):

        staking.claimRewards(0, {"from": other})

    increase_timestamp(DAY_TIMESTAMP * 35)


    tx = staking.claimRewards(0, {"from": other})

    assert tx.events['RewardsClaimed'][0]['user'] == other

    assert tx.events['RewardsClaimed'][0]['positionIndex'] == 0

    assert staking.calculateRewards(other, 0) == 0


    increase_timestamp(DAY_TIMESTAMP * 35)


    tx = staking.claimRewards(0, {"from": extra})
```

```python
    assert tx.events['RewardsClaimed'][0]['user'] == extra

    assert tx.events['RewardsClaimed'][0]['positionIndex'] == 0

    assert staking.calculateRewards(extra, 0) == 0
```

Technical Findings Summary

Findings

Vulnerability Level	Total	Pending	Not Apply	Acknowledged	Partially Fixed	Fixed
🔴 High	2					2
🟠 Medium	6					6
🟡 Low	1					1
🟢 Informational	2			1		1

Assessment Results

Score Results

Review	Score
Global Score	**95/100**
Assure KYC	https://projects.assuredefi.com/project/roai-scalper
Audit Score	95/100

The Following Score System Has been Added to this page to help understand the value of the audit, the maximum score is 100, however to attain that value the project must pass and provide all the data needed for the assessment. Our Passing Score has been changed to 84 Points for a higher standard, if a project does not attain 85% is an automatic failure. Read our notes and final assessment below. The Global Score is a combination of the evaluations obtained between having or not having KYC and the type of contract audited together with its manual audit.

<u>Audit PASS</u>

Following our comprehensive security audit of the token contract for the ROAI project, we inform you that the project has met the necessary security standards.

Disclaimer

Assure Defi has conducted an independent security assessment to verify the integrity of and highlight any vulnerabilities or errors, intentional or unintentional, that may be present in the reviewed code for the scope of this assessment. This report does not constitute agreement, acceptance, or advocating for the Project, and users relying on this report should not consider this as having any merit for financial adROAI in any shape, form, or nature. The contracts audited do not account for any economic developments that the Project in question may pursue, and the veracity of the findings thus presented in this report relate solely to the proficiency, competence, aptitude, and discretion of our independent auditors, who make no guarantees nor assurance that the contracts are entirely free of exploits, bugs, vulnerabilities or deprecation of technologies.

All information provided in this report does not constitute financial or investment adROAI, nor should it be used to signal that any person reading this report should invest their funds without sufficient individual due diligence, regardless of the findings presented. Information is provided 'as is, and Assure Defi is under no covenant to audit completeness, accuracy, or solidity of the contracts. In no event will Assure Defi or its partners, employees, agents, or parties related to the provision of this audit report be liable to any parties for, or lack thereof, decisions or actions with regards to the information provided in this audit report.

The assessment serROAIs provided by Assure Defi are subject to dependencies and are under continuing development. You agree that your access or use, including but not limited to any serROAIs, reports, and materials, will be at your sole risk on an as-is, where-is, and as-available basis. Cryptographic tokens are emergent technologies with high levels of technical risk and uncertainty. The assessment reports could include false positives, negatives, and unpredictable results. The serROAIs may access, and depend upon, multiple layers of third parties.