

Assure DeFi™

The Verification **Gold Standard**™




Security Assessment **KENNY ERC20 Token**

July 28, 2023

Audit Status: Pass

Audit Edition: Advance



ASSURE DEFI™
THE VERIFICATION **GOLD STANDARD**

Risk Analysis

Classifications of Manual Risk Results

Classification	Description
 Critical	Danger or Potential Problems.
 High	Be Careful or Fail test.
 Low	Pass, Not-Detected or Safe Item.
 Informational	Function Detected

Manual Code Review Risk Results

Contract Privilege	Description
 Buy Tax	4%
 Sale Tax	4%
 Cannot Sale	Pass
 Cannot Sale	Pass
 Max Tax	25%
 Modify Tax	Yes
 Fee Check	Pass
 Is HoneyPot?	Not Detected
 Trading Cooldown	Not Detected
 Can Pause Trade?	Not Detected.
 Pause Transfer?	Not Detected
 Max Tx?	Fail
 Is Anti Whale?	Detected
 Is Anti Bot?	Not Detected

Contract Privilege	Description
 Is Blacklist?	Not Detected
 Blacklist Check	Pass
 is Whitelist?	Not Detected
 Can Mint?	Pass
 Is Proxy?	Not Detected
 Can Take Ownership?	Not Detected
 Hidden Owner?	Not Detected
 Owner	0xab9B1f6808aCd0Dc5D32E452fd7d7686342AB7f1
 Self Destruct?	Not Detected
 External Call?	Not Detected
 Other?	Detected
 Holders	1
 Auditor Confidence	low

The following quick summary it's added to the project overview; however, there are more details about the audit and its results. Please read every detail.

Project Overview

Token Summary

Parameter	Result
Address	0xBeB10836969b50e88d6a039ab8Ef83415041d7f9
Name	KENNY ERC20
Token Tracker	KENNY ERC20 (\$KENNY)
Decimals	18
Supply	420,069,420,069
Platform	Ethereum
compiler	v0.8.18+commit.87f61d96
Contract Name	KENNY
Optimization	Yes with 200 runs
LicenseType	MIT
Language	Solidity
Codebase	https://etherscan.io/ token/0xbeb10836969b50e88d6a039ab8ef83415041d7f9#code
Payment Tx	Corporate

Project Overview

Simulation Summary

Parameter	Result
Transfer From Owner	Pass
Transfer From Holder	Pass
Add Liquidity	Pass
RemoveLiquidity	Pass
Buy from Owner	Pass
Buy from Holder	Pass
Sale from Owner	Pass
Sale from Holder	Pass
Remove Liquidity	Pass
SwapAndLiquify	Pass
SwapAndSale w/Fee	Pass
SwapAndSale TX	
SwapAndSaleNoFee	Pass
SwapAndSale No/Fee TX	
ExcludeFromFees	Pass
LaunchPad	N/A
Pool Creation	Pass
Pool Creation TX	
Pool Finalize	Pass

Parameter	Result
Pool Finalize TX	
Enable	Not Present

The following quick summary it's added to the project overview; however, there are more details about the audit and its results. Please read every detail.

Main Contract Assessed Contract Name

Name	Contract	Live
KENNY ERC20	0xBEB10836969b50e88d6a039ab8Ef83415041d7f9	Yes

TestNet Contract Assessed Contract Name


Name	Contract	Live
KENNY ERC20	0x2a2E314e1F16aa1182fB31cED59F905d999aA91f	Yes

Solidity Code Provided

SolidID	File Sha-1	FileName
Kenny	4fce80371479217e431f98cbd4ebeeec782e225d	kennyPostAudit.sol
Kenny		
Kenny		
Kenny		

Call Graph

The contract for KENNY ERC20 has the following call graph structure.



Smart Contract Vulnerability Checks

The Smart Contract Weakness Classification Registry (SWC Registry) is an implementation of the weakness classification scheme proposed in EIP-1470. It is loosely aligned to the terminologies and structure used in the Common Weakness Enumeration (CWE) while overlaying a wide range of weakness variants that are specific to smart contracts.

ID	Severity	Name	File	location
SWC-100	Pass	Function Default Visibility	kennyPostAudit.sol	L: 0 C: 0
SWC-101	Pass	Integer Overflow and Underflow.	kennyPostAudit.sol	L: 0 C: 0
SWC-102	Pass	Outdated Compiler Version file.	kennyPostAudit.sol	L: 0 C: 0
SWC-103	Pass	A floating pragma is set.	kennyPostAudit.sol	L: 0 C: 0
SWC-104	Pass	Unchecked Call Return Value.	kennyPostAudit.sol	L: 0 C: 0
SWC-105	Pass	Unprotected Ether Withdrawal.	kennyPostAudit.sol	L: 0 C: 0
SWC-106	Pass	Unprotected SELFDESTRUCT Instruction	kennyPostAudit.sol	L: 0 C: 0
SWC-107	Pass	Read of persistent state following external call.	kennyPostAudit.sol	L: 0 C: 0
SWC-108	Low	State variable visibility is not set..	kennyPostAudit.sol	L: 728 C: 12
SWC-109	Pass	Uninitialized Storage Pointer.	kennyPostAudit.sol	L: 0 C: 0
SWC-110	Pass	Assert Violation.	kennyPostAudit.sol	L: 0 C: 0
SWC-111	Pass	Use of Deprecated Solidity Functions.	kennyPostAudit.sol	L: 0 C: 0
SWC-112	Pass	Delegate Call to Untrusted Callee.	kennyPostAudit.sol	L: 0 C: 0
SWC-113	Pass	Multiple calls are executed in the same transaction.	kennyPostAudit.sol	L: 0 C: 0

ID	Severity	Name	File	location
SWC-114	Pass	Transaction Order Dependence.	kennyPostAudit.sol	L: 0 C: 0
SWC-115	Pass	Authorization through tx.origin.	kennyPostAudit.sol	L: 0 C: 0
SWC-116	Pass	A control flow decision is made based on The block.timestamp environment variable.	kennyPostAudit.sol	L: 0 C: 0
SWC-117	Pass	Signature Malleability.	kennyPostAudit.sol	L: 0 C: 0
SWC-118	Pass	Incorrect Constructor Name.	kennyPostAudit.sol	L: 0 C: 0
SWC-119	Pass	Shadowing State Variables.	kennyPostAudit.sol	L: 0 C: 0
SWC-120	Pass	Potential use of block.number as source of randomness.	kennyPostAudit.sol	L: 0 C: 0
SWC-121	Pass	Missing Protection against Signature Replay Attacks.	kennyPostAudit.sol	L: 0 C: 0
SWC-122	Pass	Lack of Proper Signature Verification.	kennyPostAudit.sol	L: 0 C: 0
SWC-123	Pass	Requirement Violation.	kennyPostAudit.sol	L: 0 C: 0
SWC-124	Pass	Write to Arbitrary Storage Location.	kennyPostAudit.sol	L: 0 C: 0
SWC-125	Pass	Incorrect Inheritance Order.	kennyPostAudit.sol	L: 0 C: 0
SWC-126	Pass	Insufficient Gas Griefing.	kennyPostAudit.sol	L: 0 C: 0
SWC-127	Pass	Arbitrary Jump with Function Type Variable.	kennyPostAudit.sol	L: 0 C: 0
SWC-128	Pass	DoS With Block Gas Limit.	kennyPostAudit.sol	L: 0 C: 0
SWC-129	Pass	Typographical Error.	kennyPostAudit.sol	L: 0 C: 0
SWC-130	Pass	Right-To-Left-Override control character (U+202E).	kennyPostAudit.sol	L: 0 C: 0
SWC-131	Pass	Presence of unused variables.	kennyPostAudit.sol	L: 0 C: 0

ID	Severity	Name	File	location
SWC-132	Pass	Unexpected Ether balance.	kennyPostAudit.sol	L: 0 C: 0
SWC-133	Pass	Hash Collisions with Multiple Variable Length Arguments.	kennyPostAudit.sol	L: 0 C: 0
SWC-134	Pass	Message call with hardcoded gas amount.	kennyPostAudit.sol	L: 0 C: 0
SWC-135	Pass	Code With No Effects (Irrelevant/Dead Code).	kennyPostAudit.sol	L: 0 C: 0
SWC-136	Pass	Unencrypted Private Data On-Chain.	kennyPostAudit.sol	L: 0 C: 0

We scan the contract for additional security issues using MYTHX and industry-standard security scanning tools.

Smart Contract Vulnerability Details

SWC-108 - State Variable Default Visibility

CWE-710: Improper Adherence to Coding Standards

Description:

Labeling the visibility explicitly makes it easier to catch incorrect assumptions about who can access the variable.

Remediation:

Variables can be specified as being public, internal or private. Explicitly define visibility for all state variables.


References:

Ethereum Smart Contract Best Practices - Explicitly mark visibility in functions and state variables

Inheritance

The contract for KENNY ERC20 has the following inheritance structure.

The Project has a Total Supply of 420,069,420,069



Smart Contract Advance Checks

ID	Severity	Name	Result	Status
\$KENNY-01	Low	Potential Sandwich Attacks.	Pass	Not Detected
\$KENNY-02	Informational	Function Visibility Optimization	Fail	Detected
\$KENNY-03	Low	Lack of Input Validation.	Fail	Detected
\$KENNY-04	High	Centralized Risk In addLiquidity.	Pass	Not Detected
\$KENNY-05	Low	Missing Event Emission.	Fail	Detected
\$KENNY-06	Low	Conformance with Solidity Naming Conventions.	Pass	Not Detected
\$KENNY-07	Low	State Variables could be Declared Constant.	Pass	Not Detected
\$KENNY-08	Low	Dead Code Elimination.	Pass	Not Detected
\$KENNY-09	High	Third Party Dependencies.	Pass	Not Detected
\$KENNY-10	High	Initial Token Distribution.	Pass	Not Detected
\$KENNY-11	High	airdrop function found in contract.	Pass	Not Detected
\$KENNY-12	High	Centralization Risks In The X Role	Pass	Not Detected
\$KENNY-13	Informational	Extra Gas Cost For User..	Fail	Detected
\$KENNY-14	Medium	Unnecessary Use Of SafeMath	Fail	Detected
\$KENNY-15	Medium	Symbol Length Limitation due to Solidity Naming Standards.	Pass	Not Detected
\$KENNY-16	Medium	Taxes can be up to 100%	Pass	Not Detected
\$KENNY-17	Logical Issue	Conformance to numeric notation best practice.	Pass	Not Detected
\$KENNY-18	Critical	Stop Transactions by using Enable Trade.	Pass	Not Detected

\$KENNY-02 | Function Visibility Optimization.

Category	Severity	Location	Status
Gas Optimization	 Informational	kennyPostAudit.sol: L: 728 C: 12,L: 729 C: 12,L: 730 C: 12	 Detected

Description

The following functions are declared as public and are not invoked in any of the contracts contained within the projects scope:

Function Name	Parameters	Visibility
tokensForMarketing		internal
tokensForSPEcosystem		internal
tokensForKennyBurn		internal
excludeFromFees		public
excludeFromMaxTransaction		public

The functions that are never called internally within the contract should have external visibility

Remediation

We advise that the function's visibility specifiers are set to external, and the array-based arguments change their data location from memory to calldata, optimizing the gas cost of the function.

References:

external vs public best practices.

\$KENNY-03 | Lack of Input Validation.

Category	Severity	Location	Status
Volatile Code	 Low	kennyPostAudit.sol: L: 1132 C: 14, L: 913 C: 14, L: 906 C: 14	 Detected

Description

The given input is missing the check for the non-zero address.

The given input is missing the check for the KENNYbooster,updateSouthParkEcosystem,updateKennyMarketing .

Remediation

We advise the client to add the check for the passed-in values to prevent unexpected errors as below:

```
...
    require(receiver != address(0), "Receiver is the zero address");
...
...
    require(value X limitation, "Your not able to do this function");
...
```

We also recommend customer to review the following function that is missing a required validation. KENNYbooster,updateSouthParkEcosystem,updateKennyMarketing .

\$KENNY-05 | Missing Event Emission.

Category	Severity	Location	Status
Volatile Code	 Low	kennyPostAudit.sol: L: 1132 C: 14	 Detected

Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes. The linked code does not create an event for the transfer.

Remediation

Emit an event for critical parameter changes. It is recommended emitting events for the sensitive functions that are controlled by centralization roles.

\$KENNY-13 | Extra Gas Cost For User.

Category	Severity	Location	Status
Logical Issue	 Informational	kennyPostAudit.sol: L: 988, C: 0	 Detected

Description

The user may trigger a tax distribution during the transfer process, which will cost a lot of gas and it is unfair to let a single user bear it.

Remediation

We advise the client to make the owner responsible for the gas costs of the tax distribution.

Project Action

```
swapBack();
```

\$KENNY-14 | Unnecessary Use Of SafeMath

Category	Severity	Location	Status
Logical Issue	 Medium	kennyPostAudit.sol: L: 371 C: 0	 Detected

Description

The SafeMath library is used unnecessarily. With Solidity compiler versions 0.8.0 or newer, arithmetic operations

will automatically revert in case of integer overflow or underflow.

library SafeMath {

An implementation of SafeMath library is found.

using SafeMath for uint256;

SafeMath library is used for uint256 type in contract.

Remediation

We advise removing the usage of SafeMath library and using the built-in arithmetic operations provided by the

Solidity programming language

Project Action

Technical Findings Summary

Classification of Risk

Severity	Description
 Critical	Risks are those that impact the safe functioning of a platform and must be addressed before launch. Users should not invest in any project with outstanding critical risks.
 High	Risks can include centralization issues and logical errors. Under specific circumstances, these major risks can lead to loss of funds and/or control of the project.
 Medium	Risks may not pose a direct risk to users' funds, but they can affect the overall functioning of a platform
 Low	Risks can be any of the above but on a smaller scale. They generally do not compromise the overall integrity of the Project, but they may be less efficient than other solutions.
 Informational	Errors are often recommended to improve the code's style or certain operations to fall within industry best practices. They usually do not affect the overall functioning of the code.

Findings

Severity	Found	Pending	Resolved
 Critical	0	0	0
 High	0	0	0
 Medium	1	0	0
 Low	2	0	0
 Informational	2	0	0
Total	5	0	0

Social Media Checks

Social Media	URL	Result
Twitter	https://twitter.com/kennyerc20token	Pass
Other		Fail
Website	https://kennyisdead.wtf/	Pass
Telegram	https://t.me/Kenny_ERC20	Pass

We recommend to have 3 or more social media sources including a completed working websites.

Social Media Information Notes:

Auditor Notes: undefined

Project Owner Notes:



Assessment Results

Score Results

Review	Score
Overall Score	85/100
Auditor Score	80/100
Review by Section	Score
Manual Scan Score	23/53
SWC Scan Score	35 /37
Advance Check Score	27 /19

The Following Score System Has been Added to this page to help understand the value of the audit, the maximum score is 100, however to attain that value the project must pass and provide all the data needed for the assessment. Our Passing Score has been changed to 80 Points, if a project does not attain 80% is an automatic failure. Read our notes and final assessment below.

Audit Passed



Assessment Results

Important Notes:

- The contract has maxWallet and other anti-whale functions.
- recommend reviewing and testing again.

Auditor Score =80
Audit Passed



Appendix

Finding Categories

Centralization / Privilege

Centralization / Privilege findings refer to either feature logic or implementation of components that act against the nature of decentralization, such as explicit ownership or specialized access roles in combination with a mechanism to relocate funds.

Gas Optimization

Gas Optimization findings do not affect the functionality of the code but generate different, more optimal EVM opcodes resulting in a reduction on the total gas cost of a transaction.

Logical Issue

Logical Issue findings detail a fault in the logic of the linked code, such as an incorrect notion on how `block.timestamp` works.

Control Flow

Control Flow findings concern the access control imposed on functions, such as owner-only functions being invoke-able by anyone under certain circumstances.

Volatile Code

Volatile Code findings refer to segments of code that behave unexpectedly on certain edge cases that may result in a vulnerability.

Coding Style

Coding Style findings usually do not affect the generated byte-code but rather comment on how to make the codebase more legible and, as a result, easily maintainable.

Inconsistency

Inconsistency findings refer to functions that should seemingly behave similarly yet contain different code, such as a constructor assignment imposing different requirements on the input variables than a setter function.

Coding Best Practices

ERC 20 Coding Standards are a set of rules that each developer should follow to ensure the code meets a set of criteria and is readable by all the developers.

Disclaimer

Assure Defi has conducted an independent security assessment to verify the integrity of and highlight any vulnerabilities or errors, intentional or unintentional, that may be present in the reviewed code for the scope of this assessment. This report does not constitute agreement, acceptance, or advocacy for the Project, and users relying on this report should not consider this as having any merit for financial advice in any shape, form, or nature. The contracts audited do not account for any economic developments that the Project in question may pursue, and the veracity of the findings thus presented in this report relate solely to the proficiency, competence, aptitude, and discretion of our independent auditors, who make no guarantees nor assurance that the contracts are entirely free of exploits, bugs, vulnerabilities or deprecation of technologies.

All information provided in this report does not constitute financial or investment advice, nor should it be used to signal that any persons reading this report should invest their funds without sufficient individual due diligence, regardless of the findings presented. Information is provided 'as is, and Assure Defi is under no covenant to audited completeness, accuracy, or solidity of the contracts. In no event will Assure Defi or its partners, employees, agents, or parties related to the provision of this audit report be liable to any parties for, or lack thereof, decisions or actions with regards to the information provided in this audit report.

The assessment services provided by Assure Defi are subject to dependencies and are under continuing development. You agree that your access or use, including but not limited to any services, reports, and materials, will be at your sole risk on an as-is, where-is, and as-available basis. Cryptographic tokens are emergent technologies with high levels of technical risk and uncertainty. The assessment reports could include false positives, negatives, and unpredictable results. The services may access, and depend upon, multiple layers of third parties.

