
VM Backend — Database Diagram

Generated 31 Oct 2026 from Laravel migrations (`database/migrations`, `Modules/Patient/Database/migrations`) and Eloquent model relations.

184	308	26	169	12
tables	table-to-table connections	DB-level foreign keys	from model belongsTo	domains

Domain overview — arrows show how many columns in one domain reference tables in another



Tenant & Subscription — 21 tables

addon_categories, addons, app_update_configs, app_update_logs, branches, charge_settings, client_subscriptions, client_subscriptions_details, clients, features, payment_transactions, plan_addons, plan_features, plan_usages, plans, signup_otp_auths, software_types, unique_id_alls, unique_number_settings, wallet_transactions, wallets

Users, Access & Audit — 18 tables

activity_log_changes, activity_logs, consulting_timings, departments, failed_jobs, login_logs, model_has_permissions, model_has_roles, password_reset_tokens, permissions, personal_access_tokens, role_has_permissions, roles, user_branches, user_departments, user_profiles, user_sub_departments, users

Address & Location — 6 tables

addresses, areas, cities, countries, pincodes, states

Patient, Case & Visit — 28 tables

abdm_linking_history, abdm_settings, abha_callbacks, advice_lab_reports, appointments, certificate_fields, certificate_types, certificate_variables, inquiries, lead_sources, patient_branches, patient_cases, patient_certificates, patient_consulting_data, patient_diagnoses, patient_documents, patient_followup_remarks, patient_history_form_groups, patient_history_form_options, patient_history_form_questions, patient_present_illnesses, patient_symptoms, patient_visit_advice_lab_reports, patient_visit_history_answers, patient_visits, patient_vitals, patient_waitings, patients

Clinical Masters — 13 tables

doctor_departments, habit_masters, habit_option_masters, master_diagnoses, master_id_proofs, master_modern_diagnoses, master_modern_systems, master_occupations, master_present_illnesses, master_referances, master_source_panels, master_special_cases, symptoms

Therapy & Scheduling — 24 tables

master_therapies, master_therapy_categories, master_therapy_medicines, master_therapy_package_infos, master_therapy_package_items, master_therapy_packages, master_therapy_rooms, patient_advice_treatment_plan_day_therapies, patient_advice_treatment_plan_days, patient_advice_treatment_plans, patient_schedule_therapies, patient_schedule_therapy_items, patient_schedule_therapy_medicines, patient_schedule_therapy_therapists, patient_therapy_group_items,

Prescription & Diet — 13 tables

anupans, diet_categories, diet_category_instructions, diet_dos_donts, diet_item_translations, diet_items, diet_plan_categories, diet_plan_items, languages, patient_medicine_compositions, patient_medicine_data, patient_prescription_diet_items, patient_prescription_diets

Medicine Master — 17 tables

companies, inventory_categories, master_compostion_medicines, master_compostions, medicine_companies, medicine_company_logs, medicine_external_logs, medicine_packs, medicine_type_package_sell_units, medicine_type_package_types, medicine_type_package_units, medicine_type_unit_mappings, medicine_types, medicine_unit_conversions, medicine_unit_mappings, medicines, units

patient_therapy_groups, patient_therapy_packages, therapy_keywords, therapy_price_rules, therapy_room_priorities, therapy_settings, therapy_source_panel_price_rules, therapy_sourcepanel_charges, therapy_therapist_priorities

Inventory & Purchase 14 tables

inventory_consumption_items, inventory_consumptions, medicine_batches, medicine_stock_adjustments, medicine_stock_daily_snapshots, purchase_bill_items, purchase_bills, purchase_order_items, purchase_orders, purchase_return_items, purchase_returns, stock_ledgers, stock_summaries, suppliers

Billing & Receipts 8 tables

invoice_items, invoices, medicine_bill_settings, patient_medicine_bill_compositions, patient_medicine_bill_items, patient_medicine_bills, receipt_data, receipt_data_infos

Accounting 10 tables

account_expenditures, account_groups, account_incomes, account_ledgers, account_posting_rules, account_voucher_entries, account_vouchers, expense_categories, financial_years, voucher_types

Messaging & Settings 12 tables

appointment_settings, consultation_settings, ipd_settings, message_templates, ot_settings, outbound_messages, patient_regisration_settings, print_settings, sms_gateways, smsmsg_settings, template_gateway_maps, whatsappmsg_settings

How to read this document


Diagrams: each box is a table showing its primary key (PK) and the columns that reference other tables (FK). A line `A ||--o{ B : "col"` means one row in A is referenced by many rows in B through B.col. Grey boxes are tables from other domains. Each link is drawn once, on the page of the domain that owns the referencing column.
Tenant & audit links (omitted from diagrams): almost every table has `client_id → clients` (C), `branch_id → branches` (B), and `created_by / updated_by / deleted_by → users` (Cb/Ub/Db). Drawing these would connect every box to the same three tables, so the connection list shows them in the last column instead.
Where links come from: most tables have no database-level foreign keys. Links come from real FK constraints (marked FK), from Eloquent `belongsTo` relations, or from `*_id` column naming conventions.
Polymorphic columns (point to different tables depending on a `*_type` column, so not drawn): `account_expenditures.reference_id`, `account_ledgers.party_id`, `account_voucher_entries.party_id`, `account_voucher_entries.reference_id`, `account_vouchers.source_id`, `activity_log_changes.entity_id`, `activity_logs.entity_id`, `addresses.entity_id`, `client_subscriptions.planable_id`, `invoice_items.billable_id`, `model_has_permissions.model_id`, `model_has_roles.model_id`, `outbound_messages.recipient_id`, `patient_documents.imageable_id`, `patient_followup_remarks.followupable_id`, `payment_transactions.reference_id`, `personal_access_tokens.tokenable_id`, `receipt_data.billable_id`, `signup_otp_auths.ref_id`, `stock_ledgers.transactionable_id`, `wallet_transactions.referenceable_id`.
Unlinked `*_id` columns (no matching table found): `abdm_linking_history.action_id`, `abdm_linking_history.form_id`, `account_voucher_entries.cost_center_id`, `model_has_permissions.team_id`, `model_has_roles.team_id`, `patient_cases.current_ipd_id`, `patient_prescription_diets.prescription_id`, `patient_prescription_diets.disease_id`, `patients.relation_id`, `receipt_data.ipd_case_id`, `receipt_data.bill_ref_id`, `roles.team_id`.

1. Tenant & Subscription

21 tables · 15 outgoing connections · Tables in other domains it points to (grey boxes): `users` (Users, Access & Audit), `addresses` (Address & Location)

Referenced from: Billing & Receipts, Inventory & Purchase (those links are drawn on their own pages; see the connection list for detail)

Standalone tables (only tenant/audit links, not drawn): `app_update_configs`, `charge_settings`, `clients`, `payment_transactions`, `signup_otp_auths`, `unique_id_alls`, `unique_number_settings`




2. Users, Access & Audit

18 tables · 14 outgoing connections · Tables in other domains it points to (grey boxes): `doctor_departments` (Clinical Masters)

Referenced from: Tenant & Subscription, Patient, Case & Visit, Messaging & Settings, Inventory & Purchase, Billing & Receipts, Medicine Master, Therapy & Scheduling (those links are drawn on their own pages; see the connection list for detail)


Standalone tables (only tenant/audit links, not drawn): `failed_jobs`, `password_reset_tokens`, `personal_access_tokens`



3. Address & Location

6 tables · 12 outgoing connections · Tables in other domains it points to (grey boxes): —

Referenced from: Tenant & Subscription, Patient, Case & Visit (those links are drawn on their own pages; see the connection list for detail)




4. Patient, Case & Visit

28 tables · 71 outgoing connections · Tables in other domains it points to (grey boxes): users (Users, Access & Audit), doctor_departments (Clinical Masters), master_therapy_rooms (Therapy & Scheduling), countries (Address & Location), states (Address & Location), cities (Address & Location), master_diagnoses (Clinical Masters), master_modern_diagnoses (Clinical Masters), master_modern_systems (Clinical Masters), master_source_panels (Clinical Masters), master_present_illnesses (Clinical Masters), invoices (Billing & Receipts), symptoms (Clinical Masters), addresses (Address & Location), master_referances (Clinical Masters), master_special_cases (Clinical Masters), master_occupations (Clinical Masters)

Referenced from: Billing & Receipts, Therapy & Scheduling, Prescription & Diet (those links are drawn on their own pages; see the connection list for detail)

Standalone tables (only tenant/audit links, not drawn): `abdm_settings`, `certificate_variables`, `patient_documents`




5. Clinical Masters

13 tables · 6 outgoing connections · Tables in other domains it points to (grey boxes): —

Referenced from: Patient, Case & Visit, Therapy & Scheduling, Users, Access & Audit (those links are drawn on their own pages; see the connection list for detail)

Standalone tables (only tenant/audit links, not drawn): `master_id_proofs`




6. Therapy & Scheduling

24 tables · 47 outgoing connections · Tables in other domains it points to (grey boxes): `medicines` (Medicine Master), `medicine_types` (Medicine Master), `medicine_packs` (Medicine Master), `patients` (Patient, Case & Visit), `patient_cases` (Patient, Case & Visit), `appointments` (Patient, Case & Visit), `inquiries` (Patient, Case & Visit), `users` (Users, Access & Audit), `patient_visits` (Patient, Case & Visit), `master_source_panels` (Clinical Masters)

Referenced from: Patient, Case & Visit (those links are drawn on their own pages; see the connection list for detail)


Standalone tables (only tenant/audit links, not drawn): `therapy_settings`


patient_administration_treatment_plan_therapies
therapy_id
plan_day_id
therapy_id
therapy_id
therapy_equipment
therapy_id
equipment_id
therapy_exercises
therapy_id
exercise_id
therapy_goals
therapy_id
goal_id
therapy_groups
therapy_id
group_id
therapy_instructions
therapy_id
instruction_id
therapy_medications
therapy_id
medication_id
therapy_sessions
therapy_id
session_id
therapy_source_panels
therapy_id
source_panel_id
therapy_sunexposure_clothes
therapy_id
clothes_id
therapy_source_panel_pairs
therapy_id
source_panel_id
therapy_rooms_provinces
therapy_id
room_id
therapy_price_rules
therapy_id
rule_id
therapy_keywords
therapy_id
keyword_id
patient_therapy_groups
patient_id
therapy_id
patient_therapy_packages
patient_id
package_id
patient_therapy_plans
patient_id
therapy_id
patient_schedule_therapies
therapy_id
schedule_id
patient_schedule_therapy_equipment
therapy_id
equipment_id
patient_schedule_therapy_exercises
therapy_id
exercise_id
patient_schedule_therapy_goals
therapy_id
goal_id
patient_schedule_therapy_medications
therapy_id
medication_id
patient_schedule_therapy_notes
therapy_id
note_id
patient_schedule_therapy_sessions
therapy_id
session_id
patient_schedule_therapy_supplies
therapy_id
supply_id
patient_schedule_therapy_treatment_plans
therapy_id
treatment_plan_id
patient_therapy_packages
patient_id
package_id
patient_therapy_packages
therapy_id
package_id
patient_therapy_packages
room_id
room_id
patient_therapy_packages
equipment_id
equipment_id
patient_therapy_packages
supply_id
supply_id
patient_therapy_packages
case_id
case_id
patient_therapy_packages
clothes_id
clothes_id
patient_therapy_packages
rule_id
rule_id
patient_therapy_packages
keyword_id
keyword_id
patient_therapy_packages
group_id
group_id
patient_therapy_packages
goal_id
goal_id
patient_therapy_packages
exercise_id
exercise_id
patient_therapy_packages
medication_id
medication_id
patient_therapy_packages
instruction_id
instruction_id
patient_therapy_packages
source_panel_id
source_panel_id
patient_therapy_packages
therapy_id
therapy_id
master_therapy_categories
category_id
master_therapy_clothes
clothes_id
master_therapy_equipment
equipment_id
master_therapy_exercises
exercise_id
master_therapy_goals
goal_id
master_therapy_instructions
instruction_id
master_therapy_keywords
keyword_id
master_therapy_packages
package_id
master_therapy_price_rules
rule_id
master_therapy_rooms
room_id
master_therapy_source_panel_pairs
source_panel_id
master_therapy_source_panels
source_panel_id
master_therapy_sunexposure_clothes
clothes_id
master_therapy_supplies
supply_id
master_therapy_treatment_plans
treatment_plan_id
master_therapy_types
type_id
master_therapy_units
unit_id
medicine_packs
medicine_id
medicines
medicine_id
medicine_types
type_id
patient_doctor_treatment_plans
plan_id
patient_schedule_therapy_notes
therapy_id
patient_schedule_therapy_supplies
therapy_id
patient_schedule_therapy_treatment_plans
therapy_id
plan_id
rooms
room_id
supplies
supply_id
users
user_id

7. Prescription & Diet

13 tables · 26 outgoing connections · Tables in other domains it points to (grey boxes): `patient_visits` (Patient, Case & Visit), `medicines` (Medicine Master), `medicine_types` (Medicine Master), `companies` (Medicine Master), `units` (Medicine Master), `patients` (Patient, Case & Visit), `patient_cases` (Patient, Case & Visit)


Standalone tables (only tenant/audit links, not drawn): `anupans`



8. Medicine Master

17 tables · 29 outgoing connections · Tables in other domains it points to (grey boxes): `users` (Users, Access & Audit)


Referenced from: Inventory & Purchase, Therapy & Scheduling, Billing & Receipts, Prescription & Diet (those links are drawn on their own pages; see the connection list for detail)



9. Inventory & Purchase

14 tables · 44 outgoing connections · Tables in other domains it points to (grey boxes): `medicines` (Medicine Master), `medicine_packs` (Medicine Master), `units` (Medicine Master), `departments` (Users, Access & Audit), `companies` (Medicine Master), `medicine_companies` (Medicine Master), `users` (Users, Access & Audit), `branches` (Tenant & Subscription)

Referenced from: Billing & Receipts (those links are drawn on their own pages; see the connection list for detail)




10. Billing & Receipts

8 tables · 30 outgoing connections · Tables in other domains it points to (grey boxes): `patients` (Patient, Case & Visit), `patient_cases` (Patient, Case & Visit), `users` (Users, Access & Audit), `medicines` (Medicine Master), `medicine_types` (Medicine Master), `companies` (Medicine Master), `medicine_batches` (Inventory & Purchase), `medicine_packs` (Medicine Master), `units` (Medicine Master), `patient_visits` (Patient, Case & Visit), `inquiries` (Patient, Case & Visit), `branches` (Tenant & Subscription)

Referenced from: Patient, Case & Visit (those links are drawn on their own pages; see the connection list for detail)


Standalone tables (only tenant/audit links, not drawn): `medicine_bill_settings`


users
patient_cases
patients
patient_visits
branches
inquiries
receipt_data
bigint id PK
Bigint patient_id FK
Bigint case_id FK
Bigint visit_id FK
Bigint doctor_id FK
invoices
bigint id PK
Bigint patient_id FK
Bigint case_id FK
integer doctor_id FK
patient_medicine_bills
bigint id PK
bigint patient_id FK
bigint case_id FK
bigint visit_id FK
Bigint inquiry_id FK
Bigint branch_transfer_from_branch_id FK
Bigint branch_transfer_to_branch_id FK
Bigint stock_deduct_branch_id FK
medicines
medicine_types
companies
medicine_batches
medicine_packs
units
receipt_data_infos
bigint id PK
Bigint receipt_data_id FK
invoice_items
bigint id PK
Bigint invoice_id FK
patient_medicine_bill_items
bigint id PK
bigint patient_medicine_bill_id FK
bigint medicine_id FK
bigint medicine_type_id FK
bigint company_id FK
bigint batch_id FK
bigint packing_id FK
Bigint unit_id FK
Bigint stock_unit_id FK
patient_medicine_bill_compositions
bigint id PK
bigint patient_medicine_bill_item_id FK
bigint medicine_id FK
bigint medicine_type_id FK
bigint company_id FK
bigint batch_id FK
bigint packing_id FK
case_id
doctor_id
patient_id
visit_id
stock_deduct_branch_id
branch_transfer_to_branch_id
branch_transfer_from_branch_id
inquiry_id
receipt_data_id
invoice_id
patient_medicine_bill_id
medicine_id
medicine_type_id
company_id
batch_id
packing_id
stock_unit_id
unit_id
patient_medicine_bill_item_id

11. Accounting

10 tables · 11 outgoing connections · Tables in other domains it points to (grey boxes): —


Standalone tables (only tenant/audit links, not drawn): `account_incomes`



12. Messaging & Settings

12 tables · 3 outgoing connections · Tables in other domains it points to (grey boxes): `users` (Users, Access & Audit)

Standalone tables (only tenant/audit links, not drawn): `appointment_settings`, `ipd_settings`, `ot_settings`, `outbound_messages`, `patient_regisration_settings`, `print_settings`, `smsmsg_settings`, `whatsappmsg_settings`



Connection list — every table and what it links to

Tenant/audit column: C = client_id → clients, B = branch_id → branches, Cb/Ub/Db = created_by/updated_by/deleted_by → users.

Tenant & Subscription

Table	References (column → table)	Referenced by	Tenant / audit
addon_categories 11 cols · Core	—	addons.addon_category_id	Cb Ub Db
addons 17 cols · Core	addon_category_id → **addon_categories**	client_subscriptions_details.addon_id plan_addons.addon_id	Cb Ub Db
app_update_configs 16 cols · Core	—	—	
app_update_logs 12 cols · Core	user_id → **users**	—	
branches 29 cols · Core	address_id → **addresses** software_type_id → **software_types**	patient_medicine_bills.branch_transfer_from_branch_id patient_medicine_bills.branch_transfer_to_branch_id patient_medicine_bills.stock_deduct_branch_id purchase_orders.ship_to_branch_id	C Cb Ub Db
charge_settings 13 cols · Core	—	—	C B Cb Ub Db
client_subscriptions 20 cols · Core	software_type_id → **software_types**	client_subscriptions_details.client_subscription_id plan_usages.client_subscription_id	C B Cb Ub Db
client_subscriptions_details 18 cols · Core	client_subscription_id → **client_subscriptions** plan_id → **plans** feature_id → **features** addon_id → **addons**	—	Cb Ub Db
clients 15 cols · Core	—	—	Cb Ub Db
features 14 cols · Core	—	client_subscriptions_details.feature_id plan_features.feature_id	Cb Ub Db
payment_transactions 21 cols · Core	—	—	C B Cb Ub Db
plan_addons 11 cols · Core	plan_id → **plans** addon_id → **addons**	—	Cb Ub Db
plan_features 14 cols · Core	plan_id → **plans** feature_id → **features**	—	Cb Ub Db
plan_usages 17 cols · Core	client_subscription_id → **client_subscriptions**	—	C B Cb Ub Db
plans 16 cols · Core	—	client_subscriptions_details.plan_id plan_addons.plan_id plan_features.plan_id	Cb Ub Db
signup_otp_auths 13 cols · Core	—	—	Cb Ub Db
software_types 12 cols · Core	—	branches.software_type_id client_subscriptions.software_type_id	Cb Ub Db
unique_id_alls 13 cols · Core	—	—	C B Cb Ub Db
unique_number_settings 19 cols · Core	—	—	C B Cb Ub Db
wallet_transactions 18 cols · Core	wallet_id → **wallets**	—	C B Cb Ub Db
wallets 13 cols · Core	—	wallet_transactions.wallet_id	C B Cb Ub Db

Users, Access & Audit

Table	References (column → table)	Referenced by	Tenant / audit
activity_log_changes 11 cols · Core	activity_log_id → **activity_logs** FK	—	

Table	References (column → table)	Referenced by	Tenant / audit
activity_logs 16 cols · Core	user_id → **users**	activity_log_changes.activity_log_id	C B
consulting_timings 13 cols · Core	doctor_id → **users**	—	Cb Ub Db
departments 10 cols · Core	—	inventory_consumptions.department_id user_departments.department_id	Cb Ub Db
failed_jobs 7 cols · Core	—	—	
login_logs 10 cols · Core	user_id → **users**	—	C
model_has_permissions 4 cols · Core	permission_id → **permissions** FK	—	
model_has_roles 6 cols · Core	role_id → **roles** FK	—	C B
password_reset_tokens 3 cols · Core	—	—	
permissions 5 cols · Core	—	model_has_permissions.permission_id role_has_permissions.permission_id	
personal_access_tokens 10 cols · Core	—	—	
role_has_permissions 2 cols · Core	permission_id → **permissions** FK role_id → **roles** FK	—	
roles 13 cols · Core	—	model_has_roles.role_id role_has_permissions.role_id	C B Cb Ub Db
user_branches 11 cols · Core	user_id → **users**	—	B Cb Ub Db
user_departments 11 cols · Core	user_id → **users** department_id → **departments**	—	Cb Ub Db
user_profiles 16 cols · Core	user_id → **users**	—	Cb Ub Db
user_sub_departments 11 cols · Core	user_id → **users** doctor_department_id → **doctor_departments**	—	Cb Ub Db
users 29 cols · Core	—	activity_logs.user_id app_update_logs.user_id appointments.doctor_id consultation_settings.user_id consulting_timings.doctor_id inquiries.assigned_user_id inquiries.assigned_doctor_id invoices.doctor_id login_logs.user_id medicine_company_logs.user_id medicine_external_logs.user_id patient_certificates.doctor_id patient_schedule_therapy_therapists.therapist_id patient_visits.doctor_id patient_waitings.doctor_id purchase_bills.receiver_user_id receipt_data.doctor_id therapy_therapist_priorities.therapist_id user_branches.user_id user_departments.user_id user_profiles.user_id user_sub_departments.user_id	C Cb Ub Db

Address & Location

Table	References (column → table)	Referenced by	Tenant / audit
addresses 19 cols · Core	country_id → **countries** state_id → **states** city_id → **cities** area_id → **areas**	branches.address_id patients.address_id	Cb Ub Db

Table	References (column → table)	Referenced by	Tenant / audit
areas 16 cols · Core	country_id → **countries** state_id → **states** city_id → **cities**	addresses.area_id	C B Cb Ub Db
cities 11 cols · Core	state_id → **states**	addresses.city_id areas.city_id inquiries.city_id pincodes.city_id	Cb Ub Db
countries 12 cols · Core	—	addresses.country_id areas.country_id inquiries.country_id pincodes.country_id states.country_id	Cb Ub Db
pincodes 12 cols · Patient	country_id → **countries** state_id → **states** city_id → **cities**	—	
states 11 cols · Core	country_id → **countries**	addresses.state_id areas.state_id cities.state_id inquiries.state_id pincodes.state_id	Cb Ub Db

Patient, Case & Visit

Table	References (column → table)	Referenced by	Tenant / audit
abdm_linking_history 13 cols · Patient	patient_id → **patients** case_id → **patient_cases**	—	C B
abdm_settings 15 cols · Patient	—	—	C B Cb Ub Db
abha_callbacks 7 cols · Patient	patient_id → **patients**	—	C B
advice_lab_reports 11 cols · Core	—	patient_visit_advice_lab_reports.advice_lab_report_id	C B Cb Ub Db
appointments 21 cols · Patient	inquiry_id → **inquiries** doctor_id → **users** consultation_department_id → **doctor_departments** room_id → **master_therapy_rooms**	inquiries.appointment_id patient_advice_treatment_plans.appointment_id patient_schedule_therapies.appointment_id	C B Cb Ub Db
certificate_fields 20 cols · Patient	certificate_type_id → **certificate_types** FK	—	Cb Ub Db
certificate_types 21 cols · Patient	—	certificate_fields.certificate_type_id patient_certificates.certificate_type_id	C B Cb Ub Db
certificate_variables 16 cols · Patient	—	—	C B Cb Ub Db
inquiries 48 cols · Patient	patient_id → **patients** lead_source_id → **lead_sources** assigned_department_id → **doctor_departments** assigned_user_id → **users** assigned_doctor_id → **users** country_id → **countries** state_id → **states** city_id → **cities** appointment_id → **appointments**	appointments.inquiry_id patient_medicine_bills.inquiry_id patient_schedule_therapies.inquiry_id	C B Cb Ub Db
lead_sources 11 cols · Core	—	inquiries.lead_source_id	C B Cb Ub Db
patient_branches 11 cols · Patient	patient_id → **patients**	—	B Cb Ub Db

Table	References (column → table)	Referenced by	Tenant / audit
patient_cases 31 cols · Patient	patient_id → **patients** department_id → **doctor_departments** last_visit_id → **patient_visits** diagnosis_id → **master_diagnoses** modern_diagnosis_id → **master_modern_diagnoses** modern_system_diagnosis_id → **master_modern_systems** source_panel_id → **master_source_panels** present_illness_id → **master_present_illnesses**	abdm_linking_history.case_id invoices.case_id patient_advice_treatment_plans.case_id patient_certificates.ipd_id patient_consulting_data.case_id patient_medicine_bills.case_id patient_prescription_diets.case_id patient_present_illnesses.patient_case_id patient_symptoms.case_id patient_therapy_packages.case_id patient_visits.case_id patient_vitals.case_id patient_waitings.case_id patients.current_case_id receipt_data.case_id	C B Cb Ub Db
patient_certificates 26 cols · Patient	certificate_type_id → **certificate_types** FK patient_id → **patients** FK visit_id → **patient_visits** FK ipd_id → **patient_cases** FK doctor_id → **users**	—	C B Cb Ub Db
patient_consulting_data 32 cols · Patient	patient_id → **patients** case_id → **patient_cases** waiting_id → **patient_waitings** invoice_id → **invoices** visit_id → **patient_visits**	—	Cb Ub Db
patient_diagnoses 12 cols · Patient	patient_id → **patients** visit_id → **patient_visits** diagnosis_id → **master_diagnoses**	—	Cb Ub Db
patient_documents 16 cols · Patient	—	—	Cb Ub Db
patient_followup_remarks 18 cols · Patient	patient_id → **patients**	—	C B Cb Ub Db
patient_history_form_groups 17 cols · Patient	—	patient_history_form_questions.group_id patient_visit_history_answers.group_id	C B Cb Ub Db
patient_history_form_options 11 cols · Patient	question_id → **patient_history_form_questions** FK	patient_visit_history_answers.option_id	Cb Ub Db
patient_history_form_questions 14 cols · Patient	group_id → **patient_history_form_groups** FK	patient_history_form_options.question_id patient_visit_history_answers.question_id	Cb Ub Db
patient_present_illnesses 10 cols · Patient	patient_case_id → **patient_cases** master_present_illness_id → **master_present_illnesses**	—	Cb Ub Db
patient_symptoms 16 cols · Patient	case_id → **patient_cases** visit_id → **patient_visits** symptoms_id → **symptoms**	—	Cb Ub Db
patient_visit_advice_lab_reports 3 cols · Patient	visit_id → **patient_visits** advice_lab_report_id → **advice_lab_reports**	—	
patient_visit_history_answers 17 cols · Patient	visit_id → **patient_visits** FK group_id → **patient_history_form_groups** question_id → **patient_history_form_questions** option_id → **patient_history_form_options**	—	Cb Ub Db
patient_visits 33 cols · Patient	case_id → **patient_cases** patient_id → **patients** diagnosis_id → **master_diagnoses** modern_diagnosis_id → **master_modern_diagnoses** modern_system_id → **master_modern_systems** doctor_id → **users**	patient_cases.last_visit_id patient_certificates.visit_id patient_consulting_data.visit_id patient_diagnoses.visit_id patient_medicine_bills.visit_id patient_medicine_compositions.visit_id patient_medicine_data.visit_id patient_prescription_diets.visit_id patient_symptoms.visit_id patient_therapy_packages.visit_id patient_visit_advice_lab_reports.visit_id patient_visit_history_answers.visit_id patient_vitals.visit_id receipt_data.visit_id	C B Cb Ub Db

Table	References (column → table)	Referenced by	Tenant / audit
patient_vitals 28 cols · Patient	patient_id → **patients** case_id → **patient_cases** visit_id → **patient_visits**	—	Cb Ub Db
patient_waitings 23 cols · Patient	patient_id → **patients** case_id → **patient_cases** department_id → **doctor_departments** doctor_id → **users**	patient_consulting_data.waiting_id	Cb Ub Db
patients 64 cols · Patient	address_id → **addresses** current_case_id → **patient_cases** reference_from_id → **master_referances** special_case_id → **master_special_cases** occupation_id → **master_occupations**	abdm_linking_history.patient_id abha_callbacks.patient_id inquiries.patient_id invoices.patient_id patient_advice_treatment_plans.patient_id patient_branches.patient_id patient_cases.patient_id patient_certificates.patient_id patient_consulting_data.patient_id patient_diagnoses.patient_id patient_followup_remarks.patient_id patient_medicine_bills.patient_id patient_prescription_diets.patient_id patient_schedule_therapies.patient_id patient_therapy_packages.patient_id patient_visits.patient_id patient_vitals.patient_id patient_waitings.patient_id receipt_data.patient_id	C B Cb Ub Db

Clinical Masters

Table	References (column → table)	Referenced by	Tenant / audit
doctor_departments 15 cols · Patient	parent_id → **doctor_departments**	appointments.consultation_department_id doctor_departments.parent_id inquiries.assigned_department_id patient_cases.department_id patient_waitings.department_id user_sub_departments.doctor_department_id	C B Cb Ub Db
habit_masters 9 cols · Patient	—	habit_option_masters.habit_id	Cb Ub Db
habit_option_masters 10 cols · Patient	habit_id → **habit_masters**	—	Cb Ub Db
master_diagnoses 12 cols · Patient	—	patient_cases.diagnosis_id patient_diagnoses.diagnosis_id patient_visits.diagnosis_id symptoms.master_diagnosis_id	C B Cb Ub Db
master_id_proofs 9 cols · Patient	—	—	Cb Ub Db
master_modern_diagnoses 13 cols · Patient	master_modern_system_id → **master_modern_systems**	patient_cases.modern_diagnosis_id patient_visits.modern_diagnosis_id symptoms.master_modern_diagnoses_id	C B Cb Ub Db
master_modern_systems 12 cols · Patient	—	master_modern_diagnoses.master_modern_system_id patient_cases.modern_system_diagnosis_id patient_visits.modern_system_id symptoms.master_modern_systems_id	C B Cb Ub Db
master_occupations 9 cols · Patient	—	patients.occupation_id	Cb Ub Db
master_present_illnesses 11 cols · Patient	—	patient_cases.present_illness_id patient_present_illnesses.master_present_illness_id	C B Cb Ub Db
master_referances 9 cols · Patient	—	patients.reference_from_id	Cb Ub Db
master_source_panels 15 cols · Core	—	patient_cases.source_panel_id therapy_source_panel_price_rules.source_panel_id therapy_sourcepanel_charges.source_panel_id	C B Cb Ub Db

Table	References (column → table)	Referenced by	Tenant / audit
master_special_cases 11 cols · Patient	—	patients.special_case_id	C B Cb Ub Db
symptoms 21 cols · Patient	master_diagnosis_id → **master_diagnoses** master_modern_systems_id → **master_modern_systems** master_modern_diagnoses_id → **master_modern_diagnoses**	patient_symptoms.symptoms_id	C B Cb Ub Db

Therapy & Scheduling

Table	References (column → table)	Referenced by	Tenant / audit
master_therapies 27 cols · Patient	therapy_category_id → **master_therapy_categories**	master_therapy_medicines.master_therapy_id master_therapy_package_items.therapy_id patient_advice_treatment_plan_day_therapies.therapy_id patient_schedule_therapy_items.therapy_id patient_therapy_group_items.therapy_id therapy_keywords.master_therapy_id therapy_price_rules.master_therapy_id therapy_room_priorities.master_therapy_id therapy_source_panel_price_rules.master_therapy_id therapy_sourcepanel_charges.master_therapy_id therapy_therapist_priorities.master_therapy_id	C B Cb Ub Db
master_therapy_categories 11 cols · Patient	—	master_therapies.therapy_category_id	C B Cb Ub Db
master_therapy_medicines 18 cols · Patient	master_therapy_id → **master_therapies** medicine_id → **medicines** medicine_type_id → **medicine_types** medicine_pack_id → **medicine_packs**	—	Cb Ub Db
master_therapy_package_infos 11 cols · Patient	package_id → **master_therapy_packages**	master_therapy_package_items.package_info_id	Cb Ub Db
master_therapy_package_items 12 cols · Patient	package_id → **master_therapy_packages** package_info_id → **master_therapy_package_infos** therapy_id → **master_therapies**	—	Cb Ub Db
master_therapy_packages 15 cols · Patient	—	master_therapy_package_infos.package_id master_therapy_package_items.package_id patient_therapy_packages.package_id	C B Cb Ub Db
master_therapy_rooms 11 cols · Patient	—	appointments.room_id patient_schedule_therapies.room_id therapy_room_priorities.room_id	C B Cb Ub Db
patient_advice_treatment_plan_day_therapies 13 cols · Patient	plan_day_id → **patient_advice_treatment_plan_days** therapy_id → **master_therapies**	—	Db Cb Ub
patient_advice_treatment_plan_days 12 cols · Patient	plan_id → **patient_advice_treatment_plans**	patient_advice_treatment_plan_day_therapies.plan_day_id	Db Cb Ub
patient_advice_treatment_plans 15 cols · Patient	patient_therapy_package_id → **patient_therapy_packages** patient_id → **patients** case_id → **patient_cases** appointment_id → **appointments**	patient_advice_treatment_plan_days.plan_id patient_schedule_therapy_items.advice_treatment_plan_id	C B Cb Ub Db
patient_schedule_therapies 21 cols · Patient	appointment_id → **appointments** inquiry_id → **inquiries** patient_id → **patients** room_id → **master_therapy_rooms**	patient_schedule_therapy_items.patient_schedule_therapy_id patient_schedule_therapy_medicines.patient_schedule_therapy_id patient_schedule_therapy_therapists.patient_schedule_therapy_id	C B Cb Ub Db
patient_schedule_therapy_items 16 cols · Patient	patient_schedule_therapy_id → **patient_schedule_therapies** therapy_id → **master_therapies** patient_therapy_group_id → **patient_therapy_groups** advice_treatment_plan_id → **patient_advice_treatment_plans**	—	Cb Ub Db
patient_schedule_therapy_medicines 18 cols · Patient	patient_schedule_therapy_id → **patient_schedule_therapies** medicine_id → **medicines** medicine_pack_id → **medicine_packs**	—	Cb Ub Db
patient_schedule_therapy_therapists 10 cols · Patient	patient_schedule_therapy_id → **patient_schedule_therapies** therapist_id → **users**	—	Cb Ub Db
patient_therapy_group_items 15 cols · Patient	patient_therapy_package_id → **patient_therapy_packages** therapy_group_id → **patient_therapy_groups** therapy_id → **master_therapies**	—	Cb Ub Db

Table	References (column → table)	Referenced by	Tenant / audit
patient_therapy_groups 20 cols · Patient	patient_therapy_package_id → **patient_therapy_packages**	patient_schedule_therapy_items.patient_therapy_group_id patient_therapy_group_items.therapy_group_id	Cb Ub Db
patient_therapy_packages 34 cols · Patient	patient_id → **patients** case_id → **patient_cases** visit_id → **patient_visits** package_id → **master_therapy_packages**	patient_advice_treatment_plans.patient_therapy_package_id patient_therapy_group_items.patient_therapy_package_id patient_therapy_groups.patient_therapy_package_id	C B Cb Ub Db
therapy_keywords 8 cols · Patient	master_therapy_id → **master_therapies**	—	Db
therapy_price_rules 12 cols · Patient	master_therapy_id → **master_therapies**	—	Db
therapy_room_priorities 9 cols · Patient	master_therapy_id → **master_therapies** room_id → **master_therapy_rooms**	—	Db
therapy_settings 17 cols · Patient	—	—	C B Cb Ub Db
therapy_source_panel_price_rules 13 cols · Patient	master_therapy_id → **master_therapies** source_panel_id → **master_source_panels**	—	Db
therapy_sourcepanel_charges 11 cols · Patient	master_therapy_id → **master_therapies** source_panel_id → **master_source_panels**	—	Cb Ub Db
therapy_therapist_priorities 9 cols · Patient	master_therapy_id → **master_therapies** therapist_id → **users**	—	Db

Prescription & Diet

Table	References (column → table)	Referenced by	Tenant / audit
anupans 12 cols · Core	—	—	C B Cb Ub Db
diet_categories 12 cols · Patient	—	diet_items.diet_category_id patient_prescription_diet_items.diet_category_id	C B Cb Ub Db
diet_category_instructions 13 cols · Patient	diet_plan_category_id → **diet_plan_categories**	—	C B Cb Ub Db
diet_dos_donts 14 cols · Patient	language_id → **languages**	—	C B Cb Ub Db
diet_item_translations 13 cols · Patient	diet_item_id → **diet_items** language_id → **languages**	—	C B Cb Ub Db
diet_items 13 cols · Patient	diet_category_id → **diet_categories**	diet_item_translations.diet_item_id patient_prescription_diet_items.diet_item_id	C B Cb Ub Db
diet_plan_categories 15 cols · Patient	—	diet_category_instructions.diet_plan_category_id diet_plan_items.diet_plan_category_id patient_prescription_diet_items.diet_plan_category_id	C B Cb Ub Db
diet_plan_items 16 cols · Patient	diet_plan_category_id → **diet_plan_categories**	patient_prescription_diet_items.diet_plan_item_id	C B Cb Ub Db
languages 13 cols · Patient	—	diet_dos_donts.language_id diet_item_translations.language_id patient_prescription_diets.language_id	C B Cb Ub Db
patient_medicine_compositions 17 cols · Patient	visit_id → **patient_visits** patient_medicine_id → **patient_medicine_data** medicine_id → **medicines** medicine_type_id → **medicine_types** company_id → **companies**	—	Cb Ub Db
patient_medicine_data 43 cols · Patient	visit_id → **patient_visits** medicine_id → **medicines** company_id → **companies** medicine_type_id → **medicine_types** unit_id → **units** dispense_unit_id → **units**	patient_medicine_compositions.patient_medicine_id	Cb Ub Db
patient_prescription_diet_items 23 cols · Patient	patient_prescription_diet_id → **patient_prescription_diets** diet_category_id → **diet_categories** diet_item_id → **diet_items** diet_plan_category_id → **diet_plan_categories** diet_plan_item_id → **diet_plan_items**	—	C B Cb Ub Db

Table	References (column → table)	Referenced by	Tenant / audit
patient_prescription_diets 21 cols · Patient	patient_id → **patients** case_id → **patient_cases** visit_id → **patient_visits** language_id → **languages**	patient_prescription_diet_items.patient_prescription_diet_id	C B Cb Ub Db

Medicine Master

Table	References (column → table)	Referenced by	Tenant / audit
companies 11 cols · Core	—	master_compostion_medicines.company_id medicine_companies.company_id medicine_company_logs.company_id medicine_external_logs.company_id patient_medicine_bill_compositions.company_id patient_medicine_bill_items.company_id patient_medicine_compositions.company_id patient_medicine_data.company_id purchase_bill_items.company_id purchase_order_items.company_id	C B Cb Ub Db
inventory_categories 14 cols · Core	—	medicines.inventory_category_id	C B Cb Ub Db
master_compostion_medicines 16 cols · Core	compostion_id → **master_compostions** medicine_id → **medicines** medicine_type_id → **medicine_types** company_id → **companies**	—	Cb Ub Db
master_compostions 12 cols · Core	—	master_compostion_medicines.compostion_id	C B Cb Ub Db
medicine_companies 10 cols · Core	medicine_id → **medicines** company_id → **companies**	medicine_packs.medicine_company_id purchase_bill_items.medicine_company_id	Cb Ub Db
medicine_company_logs 11 cols · Core	user_id → **users** medicine_id → **medicines** company_id → **companies**	—	Cb Ub Db
medicine_external_logs 11 cols · Core	user_id → **users** medicine_id → **medicines** company_id → **companies**	—	Cb Ub Db
medicine_packs 25 cols · Core	medicine_company_id → **medicine_companies** base_unit_id → **units** content_unit_id → **units** container_unit_id → **units**	inventory_consumption_items.medicine_pack_id master_therapy_medicines.medicine_pack_id medicine_batches.medicine_pack_id medicine_stock_adjustments.medicine_pack_id medicine_stock_daily_snapshots.medicine_pack_id patient_medicine_bill_compositions.packing_id patient_medicine_bill_items.packing_id patient_schedule_therapy_medicines.medicine_pack_id purchase_bill_items.medicine_pack_id purchase_return_items.medicine_pack_id stock_ledgers.medicine_pack_id stock_summaries.medicine_pack_id	C B Cb Ub Db
medicine_type_package_sell_units 10 cols · Core	medicine_type_id → **medicine_types**	—	Cb Ub Db
medicine_type_package_types 10 cols · Core	medicine_type_id → **medicine_types**	medicine_type_package_units.medicine_package_type_id	Cb Ub Db
medicine_type_package_units 10 cols · Core	medicine_package_type_id → **medicine_type_package_types**	—	Cb Ub Db
medicine_type_unit_mappings 13 cols · Core	medicine_type_id → **medicine_types** FK unit_id → **units** FK	—	Cb Ub Db
medicine_types 13 cols · Core	—	master_compostion_medicines.medicine_type_id master_therapy_medicines.medicine_type_id medicine_type_package_sell_units.medicine_type_id medicine_type_package_types.medicine_type_id medicine_type_unit_mappings.medicine_type_id medicines.medicine_type_id patient_medicine_bill_compositions.medicine_type_id patient_medicine_bill_items.medicine_type_id patient_medicine_compositions.medicine_type_id patient_medicine_data.medicine_type_id	C B Cb Ub Db

Table	References (column → table)	Referenced by	Tenant / audit
medicine_unit_conversions 10 cols · Core	`medicine_id` → **medicines** `from_unit_id` → **units**	—	`Cb` `Ub`
medicine_unit_mappings 11 cols · Core	`medicine_id` → **medicines** `unit_id` → **units**	—	`Cb` `Ub`

medicines
34 cols · Core
	`medicine_type_id` → **medicine_types**
	`inventory_category_id` → **inventory_categories**
	`base_unit_id` → **units**
	`stock_unit_id` → **units** FK
		`inventory_consumption_items.medicine_id`
		`master_compostion_medicines.medicine_id`
		`master_therapy_medicines.medicine_id`
		`medicine_companies.medicine_id`
		`medicine_company_logs.medicine_id`
		`medicine_external_logs.medicine_id`
		`medicine_stock_adjustments.medicine_id`
		`medicine_stock_daily_snapshots.medicine_id`
		`medicine_unit_conversions.medicine_id`
		`medicine_unit_mappings.medicine_id`
		`patient_medicine_bill_compositions.medicine_id`
		`patient_medicine_bill_items.medicine_id`
		`patient_medicine_compositions.medicine_id`
		`patient_medicine_data.medicine_id`
		`patient_schedule_therapy_medicines.medicine_id`
		`purchase_bill_items.medicine_id`
		`purchase_order_items.medicine_id`
		`purchase_return_items.medicine_id`
		`stock_ledgers.medicine_id`
		`stock_summaries.medicine_id`
			`C` `B` `Cb` `Ub` `Db`

units
16 cols · Core
	—	`inventory_consumption_items.unit_id`
		`medicine_packs.base_unit_id`
		`medicine_packs.content_unit_id`
		`medicine_packs.container_unit_id`
		`medicine_type_unit_mappings.unit_id`
		`medicine_unit_conversions.from_unit_id`
		`medicine_unit_mappings.unit_id`
		`medicines.base_unit_id`
		`medicines.stock_unit_id`
		`patient_medicine_bill_items.unit_id`
		`patient_medicine_bill_items.stock_unit_id`
		`patient_medicine_data.unit_id`
		`patient_medicine_data.dispense_unit_id`
		`purchase_bill_items.unit_id`
		`purchase_bill_items.stock_unit_id`
		`purchase_order_items.unit_id`
			`C` `B` `Cb` `Ub` `Db`

Inventory & Purchase

Table	References (column → table)	Referenced by	Tenant / audit
inventory_consumption_items 14 cols · Core	`inventory_consumption_id` → **inventory_consumptions** `medicine_id` → **medicines** `medicine_pack_id` → **medicine_packs** `medicine_batch_id` → **medicine_batches** `unit_id` → **units**	—	`Cb` `Ub`
inventory_consumptions 17 cols · Core	`department_id` → **departments**	`inventory_consumption_items.inventory_consumption_id`	`C` `B` `Cb` `Ub` `Db`

medicine_batches
19 cols · Core
	`medicine_pack_id` → **medicine_packs**	`inventory_consumption_items.medicine_batch_id`
		`medicine_stock_adjustments.batch_id`
		`medicine_stock_daily_snapshots.medicine_batch_id`
		`patient_medicine_bill_compositions.batch_id`
		`patient_medicine_bill_items.batch_id`
		`purchase_bill_items.medicine_batch_id`
		`purchase_return_items.medicine_batch_id`
		`stock_ledgers.medicine_batch_id`
		`stock_summaries.medicine_batch_id`
			`C` `B` `Cb` `Ub` `Db`

medicine_stock_adjustments 15 cols · Core	`medicine_id` → **medicines** `medicine_pack_id` → **medicine_packs** `batch_id` → **medicine_batches**	—	`C` `B`
medicine_stock_daily_snapshots 16 cols · Core	`medicine_id` → **medicines** `medicine_pack_id` → **medicine_packs** `medicine_batch_id` → **medicine_batches**	—	`C` `B` `Cb` `Ub` `Db`

Table	References (column → table)	Referenced by	Tenant / audit
purchase_bill_items 46 cols · Core	purchase_bill_id → **purchase_bills** medicine_id → **medicines** company_id → **companies** medicine_company_id → **medicine_companies** medicine_pack_id → **medicine_packs** medicine_batch_id → **medicine_batches** unit_id → **units** stock_unit_id → **units** FK	purchase_return_items.purchase_bill_item_id	Cb Ub Db
purchase_bills 37 cols · Core	supplier_id → **suppliers** receiver_user_id → **users** purchase_order_id → **purchase_orders**	purchase_bill_items.purchase_bill_id purchase_orders.linked_purchase_bill_id purchase_returns.purchase_bill_id	C B Cb Ub Db
purchase_order_items 22 cols · Core	purchase_order_id → **purchase_orders** medicine_id → **medicines** company_id → **companies** unit_id → **units**	—	Cb Ub Db
purchase_orders 24 cols · Core	supplier_id → **suppliers** ship_to_branch_id → **branches** linked_purchase_bill_id → **purchase_bills**	purchase_bills.purchase_order_id purchase_order_items.purchase_order_id	C B Cb Ub Db
purchase_return_items 26 cols · Core	purchase_return_id → **purchase_returns** purchase_bill_item_id → **purchase_bill_items** medicine_id → **medicines** medicine_pack_id → **medicine_packs** medicine_batch_id → **medicine_batches**	—	Db
purchase_returns 15 cols · Core	purchase_bill_id → **purchase_bills** supplier_id → **suppliers**	purchase_return_items.purchase_return_id	C B Cb Ub Db
stock_ledgers 21 cols · Core	medicine_id → **medicines** medicine_pack_id → **medicine_packs** medicine_batch_id → **medicine_batches**	—	C B Cb Ub Db
stock_summaries 14 cols · Core	medicine_id → **medicines** medicine_pack_id → **medicine_packs** medicine_batch_id → **medicine_batches**	—	C B Cb Ub Db
suppliers 20 cols · Core	—	purchase_bills.supplier_id purchase_orders.supplier_id purchase_returns.supplier_id	C B Cb Ub Db

Billing & Receipts

Table	References (column → table)	Referenced by	Tenant / audit
invoice_items 24 cols · Core	invoice_id → **invoices**	—	Cb Ub Db
invoices 31 cols · Core	patient_id → **patients** case_id → **patient_cases** doctor_id → **users**	invoice_items.invoice_id patient_consulting_data.invoice_id	C B Cb Ub Db
medicine_bill_settings 14 cols · Core	—	—	C B Cb Ub Db
patient_medicine_bill_compositions 29 cols · Core	patient_medicine_bill_item_id → **patient_medicine_bill_items** medicine_id → **medicines** medicine_type_id → **medicine_types** company_id → **companies** batch_id → **medicine_batches** packing_id → **medicine_packs**	—	Cb Ub Db
patient_medicine_bill_items 35 cols · Core	patient_medicine_bill_id → **patient_medicine_bills** medicine_id → **medicines** medicine_type_id → **medicine_types** company_id → **companies** batch_id → **medicine_batches** packing_id → **medicine_packs** unit_id → **units** stock_unit_id → **units** FK	patient_medicine_bill_compositions.patient_medicine_bill_item_id	Cb Ub Db

Table	References (column → table)	Referenced by	Tenant / audit
patient_medicine_bills 42 cols · Core	patient_id → **patients** case_id → **patient_cases** visit_id → **patient_visits** inquiry_id → **inquiries** branch_transfer_from_branch_id → **branches** branch_transfer_to_branch_id → **branches** stock_deduct_branch_id → **branches**	patient_medicine_bill_items.patient_medicine_bill_id	C B Cb Ub Db
receipt_data 45 cols · Core	patient_id → **patients** case_id → **patient_cases** visit_id → **patient_visits** doctor_id → **users**	receipt_data_infos.receipt_data_id	C B Cb Ub Db
receipt_data_infos 11 cols · Core	receipt_data_id → **receipt_data**	—	Cb Ub Db

Accounting

Table	References (column → table)	Referenced by	Tenant / audit
account_expenditures 19 cols · Core	category_id → **expense_categories**	—	C B Cb Ub Db
account_groups 18 cols · Core	parent_id → **account_groups** FK	account_groups.parent_id account_ledgers.account_group_id	C B Cb Ub Db
account_incomes 16 cols · Core	—	—	C B Cb Ub Db
account_ledgers 22 cols · Core	account_group_id → **account_groups** FK	account_posting_rules.debit_ledger_id account_posting_rules.credit_ledger_id account_voucher_entries.ledger_id	C B Cb Ub Db
account_posting_rules 18 cols · Core	debit_ledger_id → **account_ledgers** FK credit_ledger_id → **account_ledgers** FK	—	C B Cb Ub Db
account_voucher_entries 13 cols · Core	account_voucher_id → **account_vouchers** FK ledger_id → **account_ledgers** FK	—	
account_vouchers 34 cols · Core	financial_year_id → **financial_years** FK voucher_type_id → **voucher_types** FK reversal_of_voucher_id → **account_vouchers** reversed_by_voucher_id → **account_vouchers**	account_voucher_entries.account_voucher_id account_vouchers.reversal_of_voucher_id account_vouchers.reversed_by_voucher_id	C B Cb Ub Db
expense_categories 12 cols · Core	—	account_expenditures.category_id	C B Cb Ub Db
financial_years 15 cols · Core	—	account_vouchers.financial_year_id	C B Cb Ub Db
voucher_types 17 cols · Core	—	account_vouchers.voucher_type_id	C B Cb Ub Db

Messaging & Settings

Table	References (column → table)	Referenced by	Tenant / audit
appointment_settings 18 cols · Patient	—	—	C B Cb Ub Db
consultation_settings 14 cols · Patient	user_id → **users**	—	C B Cb Ub Db
ipd_settings 16 cols · Patient	—	—	C B Cb Ub Db
message_templates 17 cols · Core	—	template_gateway_maps.message_template_id	C B Cb Ub Db
ot_settings 16 cols · Patient	—	—	C B Cb Ub Db
outbound_messages 22 cols · Core	—	—	C B Cb Ub Db
patient_regisration_settings 21 cols · Patient	—	—	C B Cb Ub Db
print_settings 17 cols · Core	—	—	C B Cb Ub Db

Table	References (column → table)	Referenced by	Tenant / audit
sms_gateways 17 cols · Core	—	`template_gateway_maps.gateway_id`	`C` `B`
smsmsg_settings 21 cols · Core	—	—	`C` `B` `Cb` `Ub` `Db`
template_gateway_maps 13 cols · Core	`message_template_id` → **message_templates** `gateway_id` → **sms_gateways**	—	`Cb` `Ub` `C` `B`
whatsappmsg_settings 22 cols · Core	—	—	`C` `B` `Cb` `Ub` `Db`