







NCL ABS DOORS

NCL ABS door is a thermo-formed, ready to use moulded door installed after completion of all the civil work.

It reduces labour oriented carpentry work. No painting or polish is required for ever.

Suitable for all residential buildings, Hotels, Offices, Restaurants, Hospitals & Institutions etc.

ABS is a thermoplastic consisting of Acrylonitrile Butadiene and Styrene. ABS plastic gets it's strength & rigidity from Acrylonitrile Butadiene and Styrene. Butadiene adds impact resistance.

The properties of ABS - Water Proof, Impact resistance and toughness makes it ideal for doors.

ABS is recyclable, light in weight and dimensionally stable - Does not bend or twist.



ABS DOORS

- Moulded & Ready to use doors
- Strong & Impact resistant
- Maintenance free
- Water Proof
- Flame retardant
- Termite resistant
- No seasonal warpage
- No polish/ paint required
- Real wood texture effect

Available in 6 elegant models: NCL 101, NCL 105, NCL 109, NCL 112, NCL 115, NCL 117




The decorative film used is of virgin PVC with high quality ingredients gives a long lasting finish and in harmony with nature. The deco film is fused along with ABS sheet during manufacturing process itself which bonds thermally and makes it a permanent fixing.



* Colours are indicative only.
Please refer to samples before making colour/ Texture choice.











Some of our customers include:







MUTTOM MEDICAL COLLEGE NAGERCOIL









Logos/ Trade Marks displayed above are for identification purpose only. All trademarks are the property of their respective owners.





NCL ABS Doors Vs Traditional Doors

Property	NCL ABS Doors	Traditional Doors	
Maintenance	No Maintenance	Regular Maintenance	
Effect of Moisture	Moisture Resistant	Retains Moisture	
Termites & Borers	Termite & Borer Free	Vulnerable to termites & borers	
Dimensional Stability	Dimensionally Stable (No Twists/Bends)	High possibility of Bends and Twists	
Thermal Expansion	No Thermal Expansion	Possible Thermal Expansion	
Energy Efficiency	Energy Efficient	Poor Energy Efficiency	
Water Proof	Water Proof	Effected by water	
Rot / Decompose	Does not Rot or Decompose	Good chance to Rot or	
	and Fungus free	Decompose	
Fire Resistance	Fire Retardant	Flammable	
Aesthetics	Trendy & Traditional look	Traditional look	
Weight	Light in Weight	Heavy in Weight	
Installation	Easy Installation	Installation takes time	
Green Building Product	Eco-Friendly	Threat for the Eco-System	















For more information, please contact:

Dealer Network	078936 17771	Bengaluru	097387 18677
Chennai/ Coimbatore	095001 25388	North Karnataka	099000 10613
Cochin	096111 86083	Hyderabad	077020 01137
Trichy	095001 24823	TS Govt. Projects	077020 01101
Bhubaneswar	078944 24488	Visakhapatnam	078930 03724
Pune	098908 00883	AP - Coastal	077020 01136
Nagpur	078936 18881	AP - Rayalaseema	077020 01103
Chattisgarh	078799 41199	AP - Govt Projects	077020 01137



NCL BUILDTEK LTD

(Formerly NCL ALLTEK & SECCOLOR LTD)

Head Office: 10-3-162, 5th Floor, NCL Pearl, S.D. Road, East Maredpally, Secunderabad - 500 026

CIN No.:U72200TG1986PLC006601

Ph.: 040-6831 3333

E-mail: omkar@nclseccolor.com www.nclbuildtek.com www.ncldoors.com





