

S.No	Item Description	UOM	Qty	Previous Price	Previous Amount	Current Price	Current Amount	Difference	Remarks	Executed Amount
1	Fowler Two Function Bed with ABS Panel, ABS Side Railings, Wheels, Mattress Pillow, & Bed Fixing IV Road Features (Knee rest & Backrest) Size-L,84, W-42, H-24. The finished bed must be rust proof, pre-treated and treated with epoxy polyester antimicrobial powder coated to increase the bacteriostatic property. The bed must be quoted with washable cover of lasting quality. The mattress should be made of high-density PU foam of 100 mm thickness.	Nos	5	39,000.00	1,95,000.00	-	-	1,95,000.00	Not Executed	-
2	Bed side Table with ABS Plastic body construction having 1 drawer and an adequated space with openable door with handle of size	Nos	5	9,000.00	45,000.00	-	-	45,000.00	Not Executed	-
3	Corporate Deluxe Locker with SS 304 grade Top of size 508 x 406 x 762 mm having 1 drawer and an adequate storage space with openable door with SS handle. Equipped with wheels for easy movement.	Nos	1	8,400.00	8,400.00	-	-	8,400.00	Not Executed	-
4	Bed side stand with full SS 304 grade construction of size 406 x 203 x 762 mm equipped with SS Handles on top for carrying.	Nos	1	9,300.00	9,300.00	-	-	9,300.00	Not Executed	-
5	Bed side stand with full GI Powder coated construction of size 406 x 203 x 762 mm equipped with powder coated handles on top for carrying.	Nos	1	4,200.00	4,200.00	-	-	4,200.00	Not Executed	-
6	Supply of a Sample collection chair of size 800x580x700 mm, meeting medical standards, featuring adjustable height and tilt padded armrests, and durable upholstery, suitable for comfortable patient positioning during blood donation or phlebotomy procedures. The chair is made from mild steel with good finish. The chair to be of easy to manoeuvre and transport and of light weight.	Nos	1	16,200.00	16,200.00	-	-	16,200.00	Not Executed	-
7	Cryo Can 11 Ltr without wheels	Nos	1	32,000.00	32,000.00	-	-	32,000.00	Not Executed	-
8	Supply of Sample collection bed of size 1850x620x700 mm, featuring plain design equipped with 1 drawer and storage space with openable door type with SS-304 grade handles positioned at head side of the bed. The material of construction of the bed to be of Powder coated GI for entire body. All the legs of the bed to be capped with nylon bushes. The finished bed must be rust proof, pre-treated and treated with epoxy polyester antimicrobial powder coated to increase the bacteriostatic property. The bed must be quoted with washable cover of lasting quality. The mattress should be made of high-density PU foam of 100 mm thickness.	Nos	1	29,000.00	29,000.00	-	-	29,000.00	Not Executed	-
9	Writing board made of Pressed wood coated with melamine surface. It has 900mm writing surface height, 200mm writing surface wide, and 11mm deep, suitable for working on dry wipe board markers. It has an aluminium frame with dark grey plastic corner caps and maker tray. It is enabled with an easy wall mounting with a concealed slot system. IT consists of a complete mounting set, marker tray, and a board marker	Nos	2	2,100.00	4,200.00	-	-	4,200.00	Not Executed	-
10	Providing MDF 18 mm thick wooden table of size 900x450 mm with 1 drawer at right side of the table. The table includes keyboard tray. Bottom equipped with nylon bushes for floor protection and easy movement.	Nos	2	14,500.00	29,000.00	-	-	29,000.00	Not Executed	-

S.No	Item Description	UOM	Qty	Previous Price	Previous Amount	Current Price	Current Amount	Difference	Remarks	Executed Amount
11	Supply and fixing of Powder coated GI stand with 4 nos height adjustable racks of size 670x410x1570 mm connected to two big rods of rectangular hollow section type supported with 4 legs with wheels with brakes to restrict movement/easy movement. Equipped with frame for holding a cylinder. A lockable box type space to be provided at bottom rack.	Nos	1	80,000.00	80,000.00	-	-	80,000.00	Executed but not recorded	-
12	The Multipurpose Electro Hydraulic Mobile OT Table is designed for gynecological surgical procedures, featuring a wide range of adjustments for optimal patient positioning. It offers precise control with movement controls at the side of the table and a wired remote control handset and features like S. S. Arm Rest, Anaesthetic Screen, Lithotomy Leg Holders with Stirr-Ups, Leather Wristlets, Padded Leg Rest, Anti-static mattress, and an additional Poly-urethane mattress. Built with a Stainless Steel 304 frame and bottom, it ensures durability. The table top, reinforced with three-section stainless steel and radiolucent capabilities, allows for comprehensive patient support. Its flexibility includes 360° rotation, adjustable Trendelenburg, Reversed Trendelenburg, Head Section, Back Section, and Leg Section. Physical specifications include a 1900 mm x 525 mm top with an elevation range of 640mm to 1040mm, supporting patients up to 140 kg. Environmental considerations ensure operational efficiency in various conditions.	Nos	1	2,10,000.00	2,10,000.00	-	-	2,10,000.00	Not Executed	-
13	Office table should be made up of steel of high quality, aesthetic and ergonomic design. Top made of pre-laminated with high density Pressed wood, properly treated. Flame and water retardant with one drawer and one shelf of Size Height -750mm, Width -800mm, and Length -1200mm.	Nos	2	16,000.00	32,000.00	-	-	32,000.00	Not Executed	-
14	Supply of Sun Control film to the glazed windows (For Windows & Door view Windows)	Sqm	48	381.00	18,288.00	-	-	18,288.00	Executed but not recorded	18,288.00
15	Supply of Venetian blinds Vertical blinds 100 mm wide with all accessories. (For semen collection room & Counselling room Windows)	Sqm	15	2,187.00	32,805.00	-	-	32,805.00	Not Executed	-
16	Supply and fixing of High Quality IVF Procedural photos placed between two transparent acrylic boards fixed with studs at four corners to the PVC frame placed on DBs. (2' x 2' and above)	Nos	13	9,000.00	1,17,000.00	-	-	1,17,000.00	Executed but not recorded	1,17,000.00
17	Supply and fixing of Dress Hangers of size 450mm length with 8 Nos hooks, each capped with plastic protective cap (in change rooms).	Nos	5	510.00	2,550.00	-	-	2,550.00	Executed but not recorded	2,550.00
18	Supplying and fixing Rectangular Mirror Frameless of size 457 .2 mm x 609.6 mm (For Change room)	Nos	5	1,775.00	8,875.00	-	-	8,875.00	Executed but not recorded	8,875.00
19	Name Plates (Room Names) as approved by the Engineer In-charge.	Nos	38	600.00	22,800.00	-	-	22,800.00	Executed but not recorded	22,800.00
20	Providing and fixing PVC frames on the walls for covering the area over DB Boxes with 12 mm PVC sheets in a box section of 60mm thick including necessary accessories	Sqm	0.74	6,473.00	4,790.00	-	-	4,790.00	Executed but not recorded	4,790.00
21	B) Providing and fixing the 60mm Thick Box framing as the back support for the name plate installed of 18mm BWP 710 Gurjan and 1mm thick high glossy laminate finish	Sqm	4.65	11,012.00	51,206.00	-	-	51,206.00	Executed but not recorded	51,206.00

S.No	Item Description	UOM	Qty	Previous Price	Previous Amount	Current Price	Current Amount	Difference	Remarks	Executed Amount
22	SIDE PANELING A) Door Frame Paneling with laminate Finish of 1 mm thick. Providing & Fixing full height solid 12mm BWP 710 GURJAN PLY Board panneling till Name Plate Height wooden framing in line and level including the neccesary hardware and cutouts	Sqm	8.17	9,250.00	75,573.00	-	-	75,573.00	Executed but not recorded	75,573.00
23	Providing and Fixing of 32mm Double Flush Door with frame 8mm beeding on its edges on four sides with polishing finish and 1 mm thick laminate on the both sides of which including ISI marked Stainless Steel centre lock and butt hinges with necessary screws and tower bolt complete. Hard Ware-Handles-4 No's, Door Stoper-2 No's,Door Closer-1 No and Nessary Glass Included for (1800 x 2100 mm door)	Nos	1	56,500.00	56,500.00	-	-	56,500.00	Executed but not recorded	56,500.00
24	Providing and Fixing of 2 Feet Deep Of Ceiling Top Of The Name Plate With Glossy Laminate With"L" Shaped Wooden Supports.	Sqm	3	9,580.00	28,740.00	-	-	28,740.00	Executed but not recorded	28,740.00
25	MIRROR GOLD TITANIUM LETTERS Supply & Fixing of Mirror Gold 304 Grade Latters in 0.6 thickness and 1" walling, fixed with 4mm headless thread rod "IN-VITRO FERTILITY CENTRE", "TELUGU TEXT", "URDU TEXT"  S.S. MIRROR LETTERS Supply & Fixing of Stainless Steel Mirror 304 Grade Latters in 0.6 thickness and 1" walling, fixed with 4mm headless thread rod "MODERN GOVERNMENT MATERNITY HOSPITAL"	Job	1	67,500.00	67,500.00	-	-	67,500.00	Executed but not recorded	67,500.00
26	Double side ACP sheet with vinyl stickering of size 1200 mm x 450 mm hanging with chain complete for finished item of work. (Name board wth three languages fixed at IVF Entrance Corridor)	Nos	1	6,000.00	6,000.00	-	-	6,000.00	Executed but not recorded	6,000.00
27	Foam Board with eco solvent vinyl pasting of size 750 mm x 450 mm with 3M double side tape and bond. (Name board wth three languages with direction to IVF Center fixed at 3rd floor)	Nos	2	2,800.00	5,600.00	-	-	5,600.00	Executed but not recorded	5,600.00
28	Foam Board with eco solvent vinyl pasting of size 610 mm x 610 mm with 3M double side tape and bond. (Name board wth with direction to Rooms fixed to wall in IVF Corridor,)	Nos	2	3,200.00	6,400.00	-	-	6,400.00	Executed but not recorded	6,400.00
29	Proving and fixing Track lights at side wall décor frame with 4 fixtures and 2 tracks	Job	1	9,600.00	9,600.00	-	-	9,600.00	Executed but not recorded	9,600.00

S.No	Item Description	UOM	Qty	Previous Price	Previous Amount	Current Price	Current Amount	Difference	Remarks	Executed Amount
30	Supply, Installation, testing and commissioning of EN54-2 Listed and LPCB approved based analog addressable fire control panel expandable by minimum 2 additional loops with minimum 80 character LCD display 4 access levels 1000 events, historical logging, flash E-PROM, 240 volts A C Power supply, automatic battery charger, 24V SLA batteries suitable for operating the entire system including tack back units and the hooters / strobes for a minimum of 4 hours in battery condition the panel shall have suitable power amplifiers for hooter / strobes the panel shall be capable beeing integrated with the BMS system and shall include cost of supply, installation of any additional modules or interfaces required for the same. The panel shall be completed as per the specification and as required for fixing of above Micro processor based Fire Alarm control panel with zonal indications and battery back up as per detailed specifications. Makes: Ravel	Nos	1	2,91,366.00	2,91,366.00	-	-	2,91,366.00	Executed but not recorded	2,91,366.00
31	Supply and installation of Canvas Connections For AHUS	Nos	2	6,500.00	13,000.00	-	-	13,000.00	Executed but not recorded	13,000.00
32	Condensing units - VRF/VRV System : Supply, Installation, Nitrogen testing , Vacuuming and Commissioning of air cooled variable refrigerant flow modular type condensing units, each comprising of multiple scroll compressors all inverter driven, full charge of refrigerant gas R-410a including additional gas filling , lubricating oil and all accessories as per the specifications. The condensing units shall be suitable to work on cooling mode. The minimum Energy Efficiency Ratio shall be as per ASHRAE STANDARDS 90.1 -2001 table 6.2.1B . The COP of the system shall be greater than 4 under ARI conditions for 100percentage load . The condensing units shall be suitable for operation on 415 plus or minus 10percentage volts, 50Hz, 3 phase AC power supply and , outdoor units to be mounted on MS platform with suitable Vibration Isolation pads to avoid vibrations. All the supports and angle base frame structure to be duly black painted with synthetic epoxy paint. the condensing units shall be of following capacities: The VRF ODU should be capable of working with total capacity of connected indoor units ranging between 100percentage to 140percentage of ODU capacity . COP minimum 3.5. Make : Daikin / LG / O General / Toshiba at MGMH Petlaburj 22	Nos	1	4,46,250.00	4,46,250.00	4,02,500.00	4,02,500.00	43,750.00	Executed and Recorded but Price Decreased	4,46,250.00
33	Cassette Units : Supply, Installation, Testing and Commissioning of variable refrigerant flow modular type indoor units wired/wireless remote suitable for R410a refrigerant comprising of all accessories as per the specifications. The indoor units shall be suitable to work on cooling mode.The minimum Energy Efficiency Ratio shall be as per ASHRAE STANDARDS 90.1 -2001 table 6.2.1B. The indoor units shall be suitable for operation on 220 plus or minus 6percentage volts, 50Hz, 1 phase AC power supply. 2.0 TR – 4 way at MGMH Petlaburj	Nos	2	45,000.00	90,000.00	40,000.00	80,000.00	10,000.00	Executed and Recorded but Price Decreased	90,000.00

S.No	Item Description	UOM	Qty	Previous Price	Previous Amount	Current Price	Current Amount	Difference	Remarks	Executed Amount
34	Modular Double skin floor mounted EUROVENT Certified Air Handling Unit 4400CFM / 11.0 TR / 150mm SP made out of 45 plus or minus 2mm thick PUF insulated panels Thermal break aluminium profile frame work with 0.8mm thick pre painted / powder coated inner and outer skins comprising of mixing box with fresh air and return air dampers, pre filters with 10 and 5 microns combination filters in single frame, Interlaced/Intertwined DX Cooling Coil suitable for connecting 2 nos of 11.0TR capacity 1W plus 1S out door condensing units, SS304 drain pan with , blower section with Nicotra / Kruger make direct drive/ Plug type fan, vibration isolators, EFF1 motor and blower section with on/off switches to operate from outside, limit switch for the fan section access door with a view port, fine filter section with 3 microns filters inspection doors for all filter and fan sections and damper at the outlet of unit. Ports for differential pressure gauges across all filters and blower to measure differential pressure. AHU Make : VTS / Systemair, Make - Blower - Nicotra / Kruger ; Motor - Crompton Greaves / Siemens ; Filter - Thermodyne / Freudenberg / Ultrafil at MGMH Petlaburj	Nos	1	7,98,500.00	7,98,500.00	7,18,500.00	7,18,500.00	80,000.00	Executed and Recorded but Price Decreased	7,98,500.00
35	SITC of air cooled condensing units with two scroll compressors, air cooled condenser, power panel, vibration isolating pads, stand for ODU, thermostat, etc. of the following capacities. The nominal capacity of the condensing unit shall be as under. Air cooled condensing unit shall have horizontal discharge. All refrigerant piping accessories sight glass, drier, expansion valve, etc. shall be supplied with the condensing units and suitable to connect above AHUs. Refrigerant shall be R 407C / R 410A. Necessary thermostat, control wiring, etc. shall be included. Derating of the unit shall not be more than 15percentage under 45 deg. C ambient temperature. Condensing unit shall be capable of operating up 50 deg. C ambient temperature. 11.0 TR capacity at MGMH Petlaburj	Nos	2	2,68,750.00	5,37,500.00	2,40,750.00	4,81,500.00	56,000.00	Executed and Recorded but Price Decreased	5,37,500.00
				<b>TOTAL</b>	<b>33,85,143.00</b>		<b>16,82,500.00</b>	<b>17,02,643.00</b>		<b>26,58,038.00</b>
	<b>Total Amount Put in RE</b>			<b>33,85,143.00</b>						
	<b>Total Executed Work Amount</b>			<b>26,58,038.00</b>						
	<b>Total Amount to be Claimed</b>			<b>17,02,643.00</b>						
			<b>Loss</b>	<b>9,55,395.00</b>						