

Criterion B: Developing ideas

ii. Develop a range of feasible design ideas

Before drawing anything, I wrote down the one question every idea had to answer: how does a student who has just walked out of a hard test get from 'I feel bad' to one thing that might actually help, without ever losing sight of the counsellor? I then came up with four different answers to it. They are not the same app in four colour schemes. Each idea moves the student through the check-in in a different way, because my research in Criterion A showed that speed and being able to find help were what mattered most to students.

To keep the comparison fair, all four ideas use the same content: the same five moods, the same ten tags and the same library of twelve coping cards. All four are free and could be built in Google AI Studio in about 20 hours, so the choice in B.iii comes down to how well each one works for a stressed student, not to cost or effort. I drew every screen at real phone size (360 px wide), so the tap targets and text sizes on the boards are exactly what a student would see.

How to read the boards. Each numbered note points to one part of the screen. **Does** says what that part does for the student. **Why** explains the design choice behind it, whether that is a UX reason, a piece of research or something a student told me. The tag in the top corner of each note names the B.i specification it links to and says whether that part meets it, partly meets it or fails it. The strip along the bottom of each board gives the number of screens, the taps needed to reach a card, where the counsellor button is, and the colours.

What the moods and tags mean

Every idea starts with the same check-in, so I defined each mood and tag before designing any screens. A word like 'Bad' means different things to different people, so each mood comes with one plain sentence that appears on screen when it is picked, plus an example from school life that I used when testing. The tags are short on purpose (three words or fewer, from B.i), and each one has a clear meaning so the matching table can rely on it.

Mood and tag guide

What each mood and tag means, with a real school example, and what the app does with it.

Awful value 1 "Too much right now. Hard to think about anything else." EXAMPLE You've felt panicky since lunch and can't take in anything the teacher says. WHAT THE APP DOES The counsellor card is shown first, then the matched cards.	Bad value 2 "Things feel heavy, but you can still get through the lesson." EXAMPLE You just walked out of a maths test you think went badly and your chest feels tight. WHAT THE APP DOES Normal matching. With no feeling tag, it uses the 'low' row.	Okay value 3 "Not great, not terrible. A bit on edge." EXAMPLE Your IA draft is due Friday and it keeps popping into your head in class. WHAT THE APP DOES Normal matching.	Good value 4 "Mostly fine. Just checking in." EXAMPLE A normal day, but you have a presentation next period. WHAT THE APP DOES Normal matching. With no feeling tag, it uses the 'no feeling tag' row.	Great value 5 "Feeling steady and want to keep it that way." EXAMPLE You finished a big deadline and want a quick reset before the next lesson. WHAT THE APP DOES Normal matching, usually a short break or breathing card.
"How I feel" tags pick any; the first one picks the table row anxious Worried about what might happen. Racing heart, butterflies, tight chest. E.g. Waiting outside the exam room. overwhelmed Too many things at once. You don't know where to start. E.g. Three deadlines in one week, plus an IA draft. frustrated Annoyed or stuck because something isn't working. E.g. Your code won't run and the lesson ends in 10 minutes. low Flat, sad or unmotivated. E.g. You've felt down all week and don't want to talk in class. tired Drained, sleepy or foggy. E.g. You stayed up late revising and nothing is going in.				
"What's happening" tags pick any; the first one picks the table column test or exam Before, during a break in, or just after an assessment. E.g. Mocks, unit tests, quizzes, orals. column: Test IA or deadline Coursework or anything with a due date. E.g. IA, EE, TOK essay, MYP Personal Project. column: IA in class You're in a lesson and can't leave or talk. Only silent cards are shown. E.g. Sitting in chemistry and feeling it build. column: Class friends or people Something with friends, classmates or family. E.g. A falling-out with a friend at break. column: Other home Something at home or outside school. E.g. An argument at home before school. column: Other				

Moods one required, shown with its sentence on the check-in screen

Tags optional, so a student who can't name the feeling still gets a card

All words stored in content.json

Figure B1: Mood and tag guide (Canva).

Mood	Sentence shown on screen	Example	What the app does
Awful	"Too much right now. Hard to think about anything else."	You've felt panicky since lunch and can't take in anything the teacher says.	The counsellor card is shown first, then the matched cards.
Bad	"Things feel heavy, but you can still get through the lesson."	You just walked out of a maths test you think went badly and your chest feels tight.	Normal matching. With no feeling tag, it uses the 'low' row.
Okay	"Not great, not terrible. A bit on edge."	Your IA draft is due Friday and it keeps popping into your head in class.	Normal matching.
Good	"Mostly fine. Just checking in."	A normal day, but you have a presentation next period.	Normal matching. With no feeling tag, it uses the 'no feeling tag' row.
Great	"Feeling steady and want to keep it that way."	You finished a big deadline and want a quick reset before the next lesson.	Normal matching, usually a short break or breathing card.

Tag	What it means	Example
anxious	Worried about what might happen. Racing heart, butterflies, tight chest.	Waiting outside the exam room.
overwhelmed	Too many things at once. You don't know where to start.	Three deadlines in one week, plus an IA draft.
frustrated	Annoyed or stuck because something isn't working.	Your code won't run and the lesson ends in 10 minutes.
low	Flat, sad or unmotivated.	You've felt down all week and don't want to talk in class.
tired	Drained, sleepy or foggy.	You stayed up late revising and nothing is going in.
test or exam	Before, during a break in, or just after an assessment. (Table column: Test)	Mocks, unit tests, quizzes, orals.
IA or deadline	Coursework or anything with a due date. (Table column: IA)	IA, EE, TOK essay, MYP Personal Project.
in class	You're in a lesson and can't leave or talk. Only silent cards are shown. (Table column: Class)	Sitting in chemistry and feeling it build.
friends or people	Something with friends, classmates or family. (Table column: Other)	A falling-out with a friend at break.
home	Something at home or outside school. (Table column: Other)	An argument at home before school.

The first 'How I feel' tag a student taps picks the row of the matching table, and the first 'What's happening' tag picks the column. Both groups are optional, so a student who can't name what they feel still gets a card.


Design 1: All-in-One Dashboard

Design 1 came from Daylio, one of the apps I analysed in Criterion A. The best thing about Daylio is that logging a mood takes seconds, because everything is on one screen. I wanted to see what would happen if Pause worked the same way, with no submit button at all. As soon as a student drags the slider and taps a tag, the suggestion card halfway down the page changes to match.

To test it, I walked through a scenario. A DP1 student is waiting outside a chemistry test. They drag the slider towards 'Bad', tap 'anxious' and 'test or exam', and 'Nerves can help' appears straight away: two taps, the fastest of all four ideas. The problems only showed up once I drew it at real size. Fitting everything on one page pushed the counsellor link to the very bottom, about 1180 px down, so the student who needs help most has to scroll past their own history to find it. The tags also had to shrink to 36 px to fit, which is under the 44 px minimum in my Size specification.

Design 1: All-in-One Dashboard

One long scrolling page: mood slider, tags, note, a live-updating suggestion, history, and the counsellor link at the very bottom. Nothing to submit; the card changes as you tap.



Screens 1 (scrolls to 1180 px) Taps to a card 2 Counsellor bottom of page Colours Paper #F3EFE6 · Sage #5E7F64 · Gold #B08A4A · Ink #26312A Type system font (Inter shown)

Figure B2: Design 1: All-in-One Dashboard, annotated design board (Canva).

How it works	1. Drag the slider from Awful to Great. 2. Tap any of the 10 tags. 3. The live card updates after every tap. There is nothing to submit. 4. Recent check-ins and the counsellor link sit below the fold.
Taps to a card	2 (slider, one tag).
Layout and sizes	1 screen, 360 px wide, scrolling to about 1180 px. The fold on a 360 x 800 phone is at about 740 px. 64 px header; 24 px slider thumb; 36 px tag chips; live card; history list; footer with the support line and counsellor link.
Colours and type	Paper #F3EFE6, Sage #5E7F64, Gold #B08A4A, Ink #26312A. Device system font (0 KB download).
Build	A single React page. match() runs on every tap and redraws the card. History is read from localStorage onto the main page. Feasible in 20 h, but the live card needs extra testing.
What works	The fastest idea (Form and Function: fast enough under stress), and nothing is hidden behind extra screens.
What doesn't	The counsellor link is never visible without scrolling (Safety: counsellor button). The slider thumb and chips are below 44 px (Size: easy to tap and read). History on the main page is visible to anyone on a shared laptop (Safety: private by design).

Design 2: Step-by-Step Guide

Design 2 goes in the opposite direction. Instead of showing everything at once, it asks one question per screen, like a short quiz, with a progress bar along the top. I chose this structure because one large question on a calm, nearly empty screen is the easiest thing to read when you are stressed, and the full-width 56 px mood buttons are almost impossible to mis-tap.

Walking through the same scenario showed what that calm costs: mood, Next, tag, Next, Skip, Next. That is five or six taps before the student sees anything useful, double my three-tap limit. Stress weakens the working memory needed to follow a sequence of steps (Arnsten, 2009), so the idea that looks the calmest is actually the

hardest one to finish when you are anxious. Help is a round '?' button in the corner. It is always visible, but it never says who it connects you to.

Design 2: Step-by-Step Guide

One question per screen, like a short quiz: mood, then tags, then an optional note, then the suggestion. Very clear, but every step costs a tap.




Figure B3: Design 2: Step-by-Step Guide, annotated design board (Canva).

How it works	1. Step 1: pick a mood, then Next. 2. Step 2: pick tags, then Next. 3. Step 3: write a note or tap Skip. 4. Step 4: the card and the support line appear.
Taps to a card	5 to 6.
Layout and sizes	4 step screens plus Help, each 360 x 740 px with no scrolling. 4-segment progress bar; 5 mood buttons of 312 x 56 px; 44 px tag chips; a full note screen with Skip; 56 px floating '?' button on every step.
Colours and type	Lilac #F1EFF8, Plum #5B4F8A, Blue #3F6E9E, Ink #24213A. Device system font.
Build	Four React views with a step counter; match() runs once after Step 3. Feasible in 20 h.
What works	The largest tap targets and the most readable card of all four ideas (Size: easy to tap and read; Form and Function: honest about the evidence).
What doesn't	Too many taps (Form and Function: fast enough under stress). The check-in is split over three screens (Form and Function: hybrid check-in on one screen). The '?' button doesn't say 'counsellor', so it only partly meets Safety: counsellor button.

Design 3: Scripted Chat (no AI)

Design 3 was inspired by Wysa, whose chat style made it feel the most friendly of the apps I analysed. I kept the feeling of a conversation but took the AI out completely: every message is written in advance and the student answers by tapping reply chips, so nothing is generated and nothing reads what they type. I expected this to be the most popular idea with younger students, and in the peer vote it was.

Drawing it at real size showed three problems. Only four reply chips fit across a phone, so 'IA or deadline' and 'home' had to go, which removes the situations DP students need most. The evidence label shrinks to a 12 px grey line under the bubble, which is the hardest part of the screen to read even though honesty about evidence is

one of my specifications. Most importantly, the message box at the bottom makes it look as if someone is reading. A student might type something serious and wait for a reply that never comes. The only route to help is a small phone icon, which is easy to miss and suggests a call that a student can't make in class.

Design 3: Scripted Chat (no AI)

A friendly chat where every question is pre-written and answered by tapping chips. It feels personal, but it looks like someone is listening when nobody is.




Figure B4: Design 3: Scripted Chat (no AI), annotated design board (Canva).

How it works	1. A scripted bubble asks how they feel, with 4 chips. 2. The tapped chip becomes a blue answer bubble. 3. A second question asks what's happening. 4. The technique arrives as a message, then the support bubble and 'Try another' / 'Done' chips.
Taps to a card	3 to 4.
Layout and sizes	1 chat screen plus Help, 360 x 740 px, growing downwards. 44 px phone icon with no label; 4 chips per row; 12 px evidence line; a message box like a texting app.
Colours and type	White #FFFFFF, Mist #EEF1F5, Blue #2D7FF9, Ink #111827. Device system font.
Build	A scripted conversation tree stored as data. Every new card needs its own branch of messages, so the script grows with the library. Feasible, but the hardest of the four to build and extend.
What works	Friendly and familiar, and it works without reading any free text.
What doesn't	Drops two MYP/DP tags (Customer / Client: fits both MYP and DP). 12 px evidence text (Size: easy to tap and read). Looks like someone is listening (Safety: private by design). Icon-only help (Safety: counsellor button, partly).

Design 4: Check-in Card + Result

Design 4 tries to keep the speed of Design 1 and the calm of Design 2. Everything the student needs to tell the app fits on one check-in card: a mood (the only required part), two short groups of tags and an optional note. One tap on 'Show me something that might help' opens a second screen with a single coping card. The counsellor button sits in the top bar and says 'Talk to the counsellor' in words, in the same place on every screen, which is what Wysa does with its always-visible SOS button.

In the same scenario, the student taps 'Bad', reads 'Things feel heavy, but you can still get through the lesson', taps 'anxious' and 'test or exam', then the button. They get 'Worry dump', a writing technique that was tested with high school students before exams (Ramirez & Beilock, 2011), with its evidence label and source on the card. That is three taps, and the counsellor was visible the whole time. The one weakness I found while drawing it is that on phones shorter than 800 px the submit button drops just below the fold, so the student has to scroll once.

Design 4: Check-in Card + Result

Two screens: one check-in card that holds everything, then one result card. Choose a mood, tap a tag, submit. The counsellor button never leaves the top bar.




Figure B5: Design 4: Check-in Card + Result, annotated design board (Canva).

How it works	1. Choose a mood (required). Its sentence appears below. 2. Tap any tags, and write a note if you want to. 3. Tap 'Show me something that might help'. 4. One coping card appears with its evidence label and source, then the support line.
Taps to a card	3 (mood, one tag, submit).
Layout and sizes	Check-in and Suggestion, plus Help and Privacy, at 360 x 800 px. 64 px top bar with a 44 px 'Talk to the counsellor' button; 5 mood buttons of 59 x 64 px; mood sentence box; 10 tag chips at 44 px in two labelled groups; 280-character note; 52 px submit button; coping card; two 48 px buttons; support box.
Colours and type	Cream #F7F3EA, Pale teal #DCEBE7, Blue #3B6A8C, Ink #1E3236. Device system font.
Build	Two React screens that read every word from one content.json file. A small match() function looks up the mood and first tags in a fixed table. Feasible in 20 h, with the fewest custom parts of the four.
What works	Three taps with everything on one screen. Labelled counsellor button on every screen. It keeps Daylio's mood-then-tags speed but adds the response Daylio lacks.
What doesn't	Submit button below the fold on short phones (Form and Function: fast enough under stress, partly). Fixed in B.iv with a sticky submit bar.

Can the ideas be understood without me explaining them?

Strand 2 asks for ideas that others can interpret correctly, so I checked this directly. I gave the four boards to 4 peers who had not seen the project, pointed at a screen, and asked them to tell me what each numbered part does. All 4 correctly described every numbered part on Designs 2 and 4, and 3 of 4 did so for Design 1. On Design 3, 3 of the 4 thought the message box meant a real person would reply. That misunderstanding is exactly


the safety risk the counsellor later raised, so it became one of the main reasons against Design 3 in B.iii (Appendix B3).

iii. Present the chosen design and justify its selection

Out of the four ideas, I chose **Design 4: Check-in Card + Result**. It was not the most popular idea in the peer vote, so I want to be clear about why it won. It meets 18 of my 19 specifications and partly meets the other one, more than any other idea. It is the only idea that meets all four Safety specifications. Both of my clients, the school counsellor and the teacher, rated it 5 out of 5. In the paper test, students found the counsellor in a median of 2 seconds, compared with 7 to 14 seconds for the other ideas.

Chosen design: Design 4, Check-in Card + Result

Design 4 meets 18 of the 19 specifications and was the first choice of both clients, the counsellor and the teacher.



Peer survey anonymous Google Form, 20 students (5 per year group)

Timings paper prototypes, 5 testers, scenario: 'You just walked out of a hard test and feel anxious.'

Full data Appendix B3

Figure B6: Chosen design board: final screens, specification scores, peer vote and client ratings (Canva).

How I collected feedback

I used four kinds of evidence, so that no single opinion could decide the outcome. First, I scored every idea against all 19 specifications from B.i, using the measurements on the boards. 'Met' means the board shows the target is reached, 'Partly' means it is reached only in some cases, and 'Not met' means it fails.

Second, 20 students (5 each from MYP4, MYP5, DP1 and DP2) answered an anonymous Google Form. They saw the four boards in a random order and answered 'Which one would you actually use when you are stressed at school?' and 'Why?'. Third, 5 testers used printed paper prototypes with the scenario card 'You just walked out of a hard test and feel anxious. Use the app to find something that helps.' I timed how long it took them to reach a card, and then how long it took to find the counsellor. Finally, I showed all four boards to my two clients. The counsellor rated 'Is this safe to give to students?' and the teacher rated 'Would you allow this in your lesson?', both from 0 to 5. The scripts are in Appendix B4.

Comparison against my specifications

The table below summarises how each idea did in each ACCESSFMM category. The full spec-by-spec scoring follows it.

Category	Design 1	Design 2	Design 3	Design 4
Aesthetics	1/1 Calm sage and paper; consistent.	1/1 Soft lilac, very consistent.	1/1 Clean, but looks like any messaging app.	1/1 Calm cream and teal; one style on every screen.
Cost	1/1 Free to build and use.	1/1 Free.	1/1 Free.	1/1 Free.
Customer / Client	2/2 Fits MYP and DP; silent cards in class.	2/2 Fits both groups.	1/2 Drops 'IA or deadline' and 'home', so DP students lose their main tags.	2/2 All 10 tags; 'in class' gives silent cards only.
Environment	2/2 Text only; loads fast.	2/2 Text only.	2/2 Text only.	2/2 Text only; matching runs on the phone.
Safety	1/4 (+1 partly) Counsellor link 1180 px down; history shown on the main page.	3/4 (+1 partly) '?' button never says who it connects to.	2/4 (+2 partly) Icon-only help; message box suggests someone is reading.	4/4 Labelled counsellor button on every screen; history off by default.
Size	1/2 24 px slider and 36 px chips are too small.	2/2 Largest targets of all four.	1/2 12 px evidence line.	2/2 All targets 44 px or more; 16 px text minimum.
Form and Function	4/4 2 taps, one screen, honest labels.	2/4 5 to 6 taps over 3 screens.	2/4 (+2 partly) 3 to 4 taps, but split into a chat.	3/4 (+1 partly) 3 taps on one screen; submit below the fold on short phones.
Manufacturing	2/2 One page; easy to add cards.	2/2 Gets longer with every question.	1/2 (+1 partly) Every card needs a new branch of script.	2/2 Every word in content.json; new cards need no new screens.
Materials	1/1 Free and traceable.	1/1 Free and traceable.	1/1 Free and traceable.	1/1 Free and traceable.
Total	15/19 met, 1 partly	16/19 met, 1 partly	12/19 met, 5 partly	18/19 met, 1 partly

Specification (B.i)	Design 1	Design 2	Design 3	Design 4
Aesthetics: Calm and consistent look	Met	Met	Met	Met
Cost: Free to build and free to use	Met	Met	Met	Met
Customer / Client: Fits both MYP and DP students	Met	Met	Not met	Met
Customer / Client: Allowed in class	Met	Met	Met	Met
Environment: Works fast on school Wi-Fi	Met	Met	Met	Met
Environment: Lightweight text	Met	Met	Met	Met
Safety: Counsellor button on every screen	Not met	Partly	Partly	Met
Safety: 'You're not alone' line for everyone	Partly	Met	Met	Met
Safety: Private by design	Not met	Met	Partly	Met
Safety: Nothing unsafe for minors	Met	Met	Met	Met
Size: Fits every school screen	Met	Met	Met	Met
Size: Easy to tap and read	Not met	Met	Not met	Met

Specification (B.I)	Design 1	Design 2	Design 3	Design 4
Form and Function: Hybrid check-in on one screen	Met	Not met	Partly	Met
Form and Function: A matched coping suggestion	Met	Met	Met	Met
Form and Function: Fast enough to use under stress	Met	Not met	Partly	Partly
Form and Function: Honest about the evidence	Met	Met	Met	Met
Manufacturing: Built in a browser in about 20 hours	Met	Met	Met	Met
Manufacturing: Easy to extend later	Met	Met	Partly	Met
Materials: Free, licensed and traceable	Met	Met	Met	Met

The totals for Designs 1, 2 and 3 look fairly close, but where they lose marks matters more than how many. Their failures are in Safety and Size, which I treat as non-negotiable for an app used by minors during the school day. A design that hides the counsellor link below the fold is not safe enough, however fast it is. Design 4's only 'Partly' is about speed on short phones, which can be fixed without changing the idea.

What students and clients said

Design	Peer vote	MYP / DP votes	Counsellor: safe	Teacher: allow	Median time to card	Median time to counsellor
Design 1	20% (4/20)	2 / 2	2/5	3/5	9 s	14 s
Design 2	5% (1/20)	0 / 1	4/5	4/5	22 s	9 s
Design 3	40% (8/20)	6 / 2	1/5	2/5	17 s	7 s
Design 4	35% (7/20)	2 / 5	5/5	5/5	11 s	2 s

Design 3 won the peer vote with 40%, just ahead of Design 4 with 35%. Most of its votes came from MYP students (6 of 8), who said it felt 'like texting a friend'. The counsellor, however, rated it 1 out of 5: 'If it looks like someone is listening, a student might type something serious and wait for a reply that never comes.' I gave the counsellor's view more weight here. Criterion A names the counsellor as the person who receives any escalation and decides whether a tool is safe for students, and a design that invites disclosures that nobody reads goes against two of my Safety specifications.

The peer vote still mattered. DP students clearly preferred Design 4 (5 of 10 votes), which connects to my related concept of perspective: MYP and DP students want different things from the same app. Design 4 was the one option that both age groups and both clients could accept. The teacher put it simply: 'The one with everything on one card is the only one I could see a student finishing before I notice. No moving parts, please.'

Why I didn't choose the other three

Design 1 was the fastest (2 taps and a 9 s median to reach a card), but testers took 14 s to find the counsellor, the slowest of all four, because the link sits at the bottom of the page. Its small slider and chips fail my 44 px target, and showing history on the main page exposes entries on shared school laptops.

Design 2 was my second choice. It had the clearest screens, scored 16 of 19, and the counsellor rated it 4/5. But it took 22 s to reach a card, the slowest of all four, which breaks the speed specification that came from my primary research on exam stress.

Design 3 was the peer favourite but scored only 12 of 19. It drops two MYP/DP tags, shrinks the evidence label to 12 px and looks as if a person is reading, which is why the counsellor gave it 1/5.

Which design is easiest to keep developing

I plan to keep working on Pause after this unit, so I also compared how much work it would take to add more cards or an Arabic version. Design 4 is the easiest. Its two screens read every word from one content.json file, so a new card is one new entry in a list and one code in the matching table. Arabic is a second set of text plus a right-to-left layout setting, with no new screens. Design 3 would need a new branch of scripted messages for every card, Design 2 would get longer with every new question, and Design 1's single page would grow even further below the fold.

What I changed after feedback

- **Sticky submit bar.** 3 of the 5 testers were using shorter phones and had to scroll to find the submit button, so in B.iv the button sits in an 80 px bar fixed to the bottom of the check-in screen. This turns Design 4's one 'Partly' into a 'Met'.
- **Kept the words 'Talk to the counsellor'.** Testers found the labelled button in a median of 2 s, against 7 s for Design 3's phone icon, and the counsellor said: 'Students don't always know what an icon means.'
- **No animation at all.** The teacher said anything that moves would draw attention in a lesson, which matches Customer / Client: allowed in class.

Limits of this decision. All of this feedback was on wireframes and paper prototypes, not a working app, and the groups were small (20 students in the vote and 5 testers). In Criterion D I will repeat the timing and counsellor-finding tests on the real build to check that Design 4 still meets its specifications.

iv. Develop accurate and detailed planning drawings and outline the requirements for the creation of the chosen solution

This section is my plan for building Pause. I wrote it so that someone who has never spoken to me could build the same app from it. It includes a planning drawing of every screen with the exact sizes, colours and behaviour of each part, the user flow, the matching rules, how the parts connect, the build order and everything needed to make it. All sizes are CSS pixels at 100% on a 360 x 800 px phone. On wider screens (up to 1366 px), the content column stays at most 480 px wide and is centred.

Design tokens (used on every screen)

These are the shared colours, fonts and spacing rules. Every screen uses them, which is how Pause keeps the calm, consistent look that my Aesthetics specification asks for.

Cream #F7F3EA	Screen background. Warmer and softer than pure white on a bright phone screen. Ink text on it: contrast 12.1:1.
Pale teal #DCEBE7	Top bar, tag pills, support box, danger box. Ink text on it: 10.9:1.
Blue #3B6A8C	Buttons, selected chips and moods, links. White text on it: 5.8:1. Blue text on Cream: 5.2:1; on Pale teal: 4.7:1.
Ink #1E3236	All body text and headings. A very dark teal rather than black, so the screen feels softer.
Border #C9D9D5	1.5 px outlines on chips, mood buttons and boxes (a tint of Pale teal, not a fourth main colour).
Type	Device system font stack: -apple-system, 'Segoe UI', Roboto, sans-serif (0 KB download). 24 px bold for card and page titles, 22 px bold for the question, 20 px bold for the wordmark, 16 px for everything else (never smaller). Body line height about 1.4.
Spacing and shape	16 px side gutters; 8 px gaps between tap targets; corner radius 12 to 14 px for boxes and mood buttons, 20 px for the coping card, 22 to 26 px for pill buttons and chips.
Tap targets	Every tappable element is at least 44 x 44 px (W3C, 2024, SC 2.5.5).

Every contrast ratio above passes WCAG AA for normal text (4.5:1 or higher) (W3C, 2024, SC 1.4.3). I checked them with the WCAG contrast formula.

Planning drawing 1: Check-in screen

This is the final version of the check-in screen, with the sticky submit bar added after the B.iii feedback. The notes on the drawing explain the purpose of each part; the table gives the exact values needed to build it.

Final version, with the sticky submit bar added after B.iii feedback. Every size, colour and font needed to rebuild the screen.



Element	Size and position	Colour and type	What it does and why	Specification
Top bar	360 x 64 px, sticky at the top	Pale teal; 'Pause' wordmark 20 px bold Ink	Holds the wordmark and the counsellor button. It never scrolls away, so help is always in the same place.	Safety: counsellor button
Counsellor button	About 180 x 44 px, right-aligned, 16 px from the edge	Blue fill, white 16 px semibold, 22 px radius, person icon	Opens Help (Screen 3). Words instead of an icon, because testers found it far faster.	Safety: counsellor button
Question	Full width, 14 px below the bar	22 px bold Ink	'How are you right now?' A plain question feels like being asked, not like a form.	Aesthetics
Mood buttons	5 x (59 x 64 px), 8 px gaps	White, 1.5 px border, 14 px radius; face icon above a 16 px word. Selected: Blue, white text	Required, single choice; stores mood 1 to 5 and enables the submit button. A face plus a word is quicker to read than a number scale.	Form and Function: hybrid check-in
Mood sentence	328 px wide box, 8 px below the moods	White, 1.5 px border, 12 px radius, 16 px text	Shows the chosen mood's sentence from content.json (see the mood guide), so every student reads 'Bad' the same way.	Customer / Client
Feeling chips	44 px tall, 16 px side padding, wrap, 8 px gaps	As mood buttons; selected chips also show a tick	Optional, multi-select. The first one tapped picks the table row. The tick means colour is never the only signal.	Customer / Client: fits MYP and DP
Situation chips	As feeling chips	As above	Optional, multi-select. The first one picks the table column; 'in class' limits results to silent cards.	Customer / Client: allowed in class
Note box	328 x 70 px	White, 14 px radius, lock icon, 0/280 counter	Optional, up to 280 characters. Never read by match(), and saved only if history is switched on.	Safety: private by design

Element	Size and position	Colour and type	What it does and why	Specification
Privacy link	Centred, 44 px tap area	16 px underlined Ink, lock icon	Opens Privacy (Screen 4), so students can check what is kept before writing anything.	Safety: private by design
Sticky submit bar	360 x 80 px; button 328 x 52 px, 26 px radius	Cream bar with a 1.5 px top line; Blue button, white 16 px semibold	Faded to 50% until a mood is picked. Tap runs match() and opens Screen 2. Always visible, even on short phones.	Form and Function: fast enough under stress

Planning drawing 2: Suggestion screen

The suggestion screen shows one coping card at a time. The example is the card the matching table gives for 'Bad', 'anxious' and 'test or exam'.

Planning drawing 2: Suggestion screen

One coping card at a time, with its evidence label and source, then the same support line for everyone.




Figure B8: Planning drawing 2, suggestion screen (Canva).

Element	Size and position	Colour and type	What it does and why	Specification
Top bar	Same as Screen 1	Same as Screen 1	A shared component, so the counsellor button is identical on every screen.	Safety: counsellor button
'New check-in' link	44 px tap area	16 px semibold Blue, left chevron	Clears the form and goes back to Screen 1, with no confirm box to slow it down.	Form and Function
'Based on' line	Full width	16 px Ink; tags as 30 px Pale teal pills	Repeats the mood and tags, e.g. 'Based on: Bad · anxious · test or exam', so the card never feels random.	Form and Function: matched suggestion
Coping card	328 px wide, 16 px padding, 20 px radius	White, 1.5 px border, soft shadow	Holds one card's type, label, title, reason, steps and source. One card instead of a list avoids choice overload.	Form and Function: matched suggestion


Element	Size and position	Colour and type	What it does and why	Specification
Card type	34 px icon tile + text	Pale teal tile, 18 px line icon, 16 px semibold	Names the kind of technique (Writing, Breathing...), so a student can tell if it works in a lesson.	Customer / Client
Evidence pill	30 px tall, 15 px radius	White, 1.5 px Blue border, 16 px semibold Blue	'Strong evidence', 'Some evidence' or 'Worth a try'. The app never promises more than the research shows.	Form and Function: honest about the evidence
Title, reason, steps	Title 24 px bold; steps with 24 px number circles	Ink; Blue number circles	Read from content.json for the chosen card. Numbered steps help a student keep their place.	Size: easy to tap and read
Source line	Card width, 1.5 px Pale teal line above	16 px; italic citation; info icon	The citation and who it was tested with.	Form and Function: honest about the evidence
Two buttons	2 x (160 x 48 px), 8 px gap, 24 px radius	Outline Blue / filled Blue	'Try a different one' shows the next card in the cell; 'Done' clears everything and returns to Screen 1.	Form and Function
Support box	328 px wide, 16 px radius	Pale teal, heart icon, 16 px text, underlined link	The same line for everyone, approved by the counsellor. 'See how to reach the counsellor' opens Help.	Safety: 'you're not alone' line

Planning drawing 3: Help and Privacy screens

Help is one tap away from every screen. Privacy lets a student see exactly what the app keeps and delete it. Text in [brackets] is filled in with the counsellor before launch.

Planning drawing 3: Help and Privacy screens

Help is one tap away from every screen. Privacy lets the student see and delete everything the app keeps.



Screens 3 and 4 drawn at 82% [Brackets] filled in and checked by the counsellor before launch No red anywhere, even the emergency box Colours Cream #F7F3EA - Pale teal #DCEBE7 - Blue #3B6A8C - Ink #1E3236 - Border #C9D9D5

Figure B9: Planning drawing 3, Help and Privacy screens (Canva).


Help: counsellor button	Stays in the top bar on Help, with a 2 px Blue ring around a 3 px Pale teal gap, so the student can see where they are.
Help: counsellor details	[Counsellor name], room, drop-in days and times, and a booking email (a mailto: link that opens the phone's mail app). 'You don't need a reason to go.' The counsellor fills in and approves every detail.

Help: danger box	'If you are in danger right now: tell any teacher straight away, or call 9999 (emergency, Oman).' 9999 is a tel: link. Pale teal, not red, so it informs without alarming. The counsellor confirms the number and wording.
Help: outside school hours	One helpline chosen and checked by the counsellor. The app never shows a number nobody has verified.
Support line wording	'If things feel like too much right now, you don't have to handle it alone. The school counsellor is here for you.' Checked against Orygen's #chatsafe guidelines (Orygen, n.d.) and approved by the counsellor.
Privacy: promises	Three plain bullets with ticks: check-ins stay on this device; Pause never asks for a name, email or student ID; nobody reads what you type, not the school and not a computer program.
Privacy: switch	'Save my check-ins on this device', a 58 px row with a 52 x 32 px switch. Off by default because school laptops are shared.
Privacy: delete	328 x 48 px outline button 'Delete my entries' (Blue, not red). Opens a confirm box: 'Delete all saved check-ins on this device? This can't be undone.' with Cancel and Delete. Delete clears pause.entries.

User flow

User flow

Every screen and every path, including the counsellor button, which reaches Help from all four screens.



Every screen keeps the counsellor button. No path needs a login, a payment or a network request after the first load. Free text is stored only if the history switch is on, and is never read by match().

Figure B10: User flow showing every screen and path (Canva).

Every screen has the counsellor button, so Help is always one tap away. The only required input is the mood. No path asks for a login, a payment or a network request after the first load. Two links leave the app on purpose: the counsellor's email (opens the phone's mail app) and 9999 (opens the dialler).

Matching logic

Matching logic

How the mood and tags become one coping card: a fixed lookup table, checked by hand, with no AI.

- 1 **Read the inputs:** mood (1 to 5, required), the first 'How I feel' tag tapped, and the first 'What's happening' tag tapped. The note is never read.
- 2 **Pick the column:** test or exam / IA or deadline / in class, 'friends or people', 'home' or no tag all use 'Other or none'.
- 3 **Pick the row:** the feeling tag. No feeling tag: mood Awful or Bad uses the 'low' row, anything else uses 'no feeling tag'.
- 4 **Look up the cell:** each cell lists 3 card IDs in order. Show the first one.
- 5 **Safety rule:** if mood = Awful, card R1 'Talk to the counsellor' goes first. The support line shows for everyone anyway.
- 6 **Class rule:** the 'in class' column only holds silent cards (no standing up, talking or phones). This is checked when content.json is saved.
- 7 **Try a different one:** show the next card in the cell, then the rest of the library in order (silent cards only in class), then loop.

Mapping table: row = feeling, column = situation, cell = cards in order

Feeling	Test or exam	IA or deadline	In class (silent only)	Other or none
anxious	C3 Worry dump then C2, B1	C4 One next step then B1, C1	B1 Long out-breath then G2, C2	B2 Double-inhale sigh then G1, C1
overwhelmed	B1 Long out-breath then C3, G1	C4 One next step then M1, B1	G2 Feet on the floor then B1, M2	G1 5-4-3-2-1 then C4, B2
frustrated	B1 Long out-breath then C1, M2	M1 Two-minute reset then C4, B2	B1 Long out-breath then M2, G2	M1 Two-minute reset then B2, C1
low	R1 Talk to the counsellor then G1, C1	M1 Two-minute reset then R2, C4	G2 Feet on the floor then M2, R1	R2 Message someone you trust then M1, R1
tired	M1 Two-minute reset then B2, C2	M1 Two-minute reset then C4, M2	M2 Look away then B1, G2	M1 Two-minute reset then M2, B2
no feeling tag	B1 Long out-breath then C2, G1	C4 One next step then M1, B1	B1 Long out-breath then G2, M2	M1 Two-minute reset then G1, B1

The 5 test inputs from B.i (Form and Function: a matched coping suggestion)

Test	Mood	Feeling	Situation	First card shown	Why
Test 1	Bad	anxious	test or exam	C3 Worry dump	anxious row, Test column
Test 2	Okay	overwhelmed	IA or deadline	C4 One next step	overwhelmed row, IA column
Test 3	Bad	anxious	in class	B1 Long out-breath	In class column, so silent cards only
Test 4	Awful	low	home	R1 Talk to the counsellor	mood Awful puts R1 first (safety rule)
Test 5	Good	(none)	(none)	M1 Two-minute reset	no tags, so 'no feeling tag' row and 'Other' column

Card library (12 cards): B = breathing, G = grounding, C = CBT reframing, M = movement or break, R = reaching out

B1 Long out-breath (Some evidence) silent

B2 Double-inhale sigh (Some evidence) silent

G1 5-4-3-2-1 (Worth a try) silent

G2 Feet on the floor (Worth a try) silent

C1 Check the thought (Some evidence) silent

C2 Nerves can help (Some evidence) silent

C3 Worry dump (Some evidence) silent

C4 One next step (Worth a try) silent

M1 Two-minute reset (Some evidence)

M2 Look away (Worth a try) silent

R1 Talk to the counsellor (Worth a try) silent

R2 Message someone you trust (Worth a try)

Rule-based lookup only: no AI and no free-text reading. Every possible input has a fixed, checked output. Full card text and sources are in the B.iv card library table.

Figure B11: Matching logic, mapping table and the five test inputs (Canva).

The rules in Figure B11, written so they can be turned straight into code:

```
function match(mood, feeling, situation):
    col = {'test or exam': 'Test', 'IA or deadline': 'IA', 'in class': 'Class'}[situation] or 'Other'
    row = feeling if feeling else ('low' if mood <= 2 else 'no feeling tag')
    cards = TABLE[row][col] # 3 card IDs in order
    if mood == 1 and cards[0] != 'R1': cards = ['R1'] + cards # Awful: counsellor first
    rest = [c for c in LIBRARY if c not in cards and (col != 'Class' or c.silent)]
    return cards + rest # 'Try a different one' walks this list
```

Full card library. Every possible input leads to one of these 12 cards. The label follows three rules: Strong evidence = backed by systematic reviews or clinical guidelines for this kind of use; Some evidence = backed by trials, but small, mixed, or not tested with teenagers; Worth a try = low risk and widely recommended, with little direct research. No card earned 'Strong evidence'. The strong reviews tested full courses or regular habits, not one technique used for a minute in a school day, so I did not give that label to any card.

Card	Type	Steps shown	Reason shown	Label, source and who it was tested with
B1: Long out-breath	Breathing Silent: yes	1. Breathe in through your nose for a count of 4. 2. Breathe out slowly through your mouth for a count of 6. 3. Repeat 5 times (about 1 minute).	A longer out-breath can help your body slow down.	Some evidence Fincham et al. (2023) Meta-analysis of trials with adults; small to medium effects, and the authors ask for better-quality trials.


Card	Type	Steps shown	Reason shown	Label, source and who it was tested with
B2: Double-inhale sigh	Breathing Silent: no	1. Breathe in through your nose. 2. At the top, take one more short sip of air. 3. Breathe out slowly and fully through your mouth. 4. Repeat for 1 to 5 minutes.	In one trial, breathing with a long out-breath lifted mood more than mindfulness did.	Some evidence Balban et al. (2023) One month-long online trial with adults.
G1: 5-4-3-2-1	Grounding Silent: yes	1. Name 5 things you can see. 2. Name 4 things you can feel and 3 you can hear. 3. Name 2 things you can smell and 1 you can taste.	Grounding is one of the WHO's self-help skills. This version uses your senses.	Worth a try World Health Organization (2020) Recommended in a WHO self-help guide; this exact version has not been tested on its own.
G2: Feet on the floor	Grounding Silent: yes	1. Slowly push your feet into the floor. 2. Press your palms together or onto the desk. 3. Notice the chair holding you up. 4. Look around and name where you are.	This is the grounding exercise from the WHO's stress guide.	Worth a try World Health Organization (2020) Recommended in a WHO self-help guide; not tested on its own with teenagers.
C1: Check the thought	CBT reframing Silent: yes	1. Write the worrying thought in one line. 2. Ask: what is the evidence for it, and against it? 3. Ask: what would I tell a friend who thought this? 4. Write a fairer version of the thought.	Questioning a thought is a core skill in CBT.	Some evidence Hofmann et al. (2012) CBT was tested as full courses, usually with a therapist, not as a single card.
C2: Nerves can help	CBT reframing Silent: yes	1. Notice the racing heart or butterflies. 2. Tell yourself: 'This is my body getting ready.' 3. Take one slow breath and start.	Students told that nerves can help them did better on a practice test.	Some evidence Jamieson et al. (2010) One study with US students preparing for the GRE.
C3: Worry dump	CBT reframing (writing) Silent: yes	1. Take a blank page or the back of your notes. 2. For 5 minutes, write what worries you about the test. 3. Close it. You don't need to read it again.	Writing worries down before a test can free up space to think.	Some evidence Ramirez & Beilock (2011) Tested with high school and university students in the US.
C4: One next step	Problem solving Silent: yes	1. Write the whole task in one line. 2. Split it into 3 small pieces. 3. Do only the first piece for 10 minutes.	Problem-solving skills help protect teenagers' mental health.	Worth a try World Health Organization (2024) The WHO lists problem-solving skills as protective; this exact method was not tested.
M1: Two-minute reset	Movement or break Silent: no	1. Stand up and stretch your arms and shoulders. 2. Walk to refill your water bottle. 3. Come back and start with the easiest part.	Short breaks raised energy and lowered tiredness across 22 studies.	Some evidence Albulescu et al. (2022) Mostly adults at work or in lab tasks; small effects.

Card	Type	Steps shown	Reason shown	Label, source and who it was tested with
M2: Look away	Movement or break Silent: yes	1. Look at something far away for 20 seconds. 2. Roll your shoulders back twice. 3. Unclench your jaw and hands.	Even a very short pause can lower tiredness.	Worth a try Albulescu et al. (2022) Based on the micro-break review; this exact version was not tested.
R1: Talk to the counsellor	Reaching out Silent: yes	1. Tap 'Talk to the counsellor' at the top. 2. See when you can drop in, or send a booking email. 3. You don't need a reason to go.	Support at school is one of the things that protects teenagers' mental health.	Worth a try World Health Organization (2024) General WHO guidance, not a trial of this app.
R2: Message someone you trust	Reaching out Silent: no	1. Pick one person: a friend, a parent or another adult you trust. 2. Send one line, like 'Rough day, can we talk later?' 3. You don't have to explain everything.	Good relationships with family and friends help protect teenagers' mental health.	Worth a try World Health Organization (2024) General WHO guidance, not a trial of this app.

How the parts connect

How the parts connect

What I build once, what runs on each student's device, and where the data stays.



How it works, step by step

- Student opens the GitHub Pages link (or a home-screen icon added from it). The browser downloads the app and content.json once.
- Screen 1 shows the counsellor button, 5 mood buttons, 10 tags and the note box. Nothing is asked before this screen.
- The student picks a mood (required) and any tags, then taps the submit button: 3 taps at the least.
- match() reads the mood and the first tag in each group, finds the cell in the mapping table, and returns 3 card IDs.
- Screen 2 draws the first card from content.json: label, title, reason, steps and source, plus the support line.
- If the history switch is on, the entry is saved in localStorage. If not, nothing is kept after 'Done'.
- 'Try a different one' shows the next card. 'Done' goes back to a blank Screen 1.
- From any screen, the counsellor button opens Help, which links to the counsellor's email and to 9999.

Software: Google Stitch, Google AI Studio, GitHub, GitHub Pages (all free). Storage: on the device only (localStorage). Network: only the first load needs school Wi-Fi.

Figure B12: System diagram and step-by-step operation (Canva).

Component	Contains and does
TopBar	Wordmark + CounsellorButton. Used on all 4 screens.
CheckIn	MoodPicker (5 buttons), TagGroup x 2 (feelings, situations), NoteBox, PrivacyLink, SubmitBar.
match()	Pure function: (mood, firstFeeling, firstSituation) to a list of card IDs. No network, no AI.
Suggestion	BasedOnline, CopingCard (EvidencePill, title, reason, steps, source), ActionRow (Try a different one, Done), SupportMessage.

Component	Contains and does
Help	BackLink, support text, CounsellorCard, DangerBox, OutsideHoursBox.
Privacy	BackLink, PrivacyList, HistoryToggle, DeleteButton, ConfirmDialog.
storage.js	load(), save(entry), clear(). Uses localStorage keys pause.settings and pause.entries only.

Data stored on the device. Nothing is sent anywhere. With history off (the default), nothing is kept after 'Done'.

```
pause.settings = { "historyOn": false, "lang": "en" }
pause.entries = [ { "time": "2026-11-02T10:41", "mood": 2, "feelings": ["anxious"],
                    "situations": ["test or exam"], "note": "", "cardShown": "C3" } ] // only if
historyOn
```

content.json structure. All words live here, so new cards or an Arabic version need no new screens (Manufacturing: easy to extend later).

```
{ "en": { "moods": ["Awful", "Bad", "Okay", "Good", "Great"],
          "feelings": ["anxious", "overwhelmed", "frustrated", "low", "tired"],
          "situations": ["test or exam", "IA or deadline", "in class", "friends or people", "home"],
          "support": "If things feel like too much right now, ...",
          "help": { "name": "[Counsellor name]", "room": "[room]", "email": "[school email]" },
          "cards": { "C3": { "name": "Worry dump", "label": "Some evidence", "steps": [...],
                           "why": "...", "source": "Ramirez & Beilock (2011)", "silent": true } } },
  "ar": { ... same keys, Arabic text ... },
  "table": { "anxious": { "Test": ["C3", "C2", "B1"], "IA": [...], "Class": [...], "Other": [...] } } }
```

How I will build it, step by step

1. Plan screens (2 h)	In Google Stitch, recreate the 4 screens from Planning drawings 1 to 3 using the design tokens above. Export to AI Studio.
2. Generate the app (4 h)	In Google AI Studio (Build), create a React app with the 4 screens and the TopBar shared between them. Check every size and colour against the drawings with the browser's inspect tool.
3. Add content (3 h)	Write content.json from the card library table and the mapping table. Make every screen read its words from it.
4. Add match() (2 h)	Write match() from the pseudocode. Test it with the 5 test inputs in Figure B11; each must return the listed first card.
5. Add storage and Privacy (2 h)	Write storage.js, the history switch (off by default) and Delete with its confirm box.
6. Counsellor sign-off (1 h)	Show the counsellor the Help screen, support line and all 12 cards. Make their changes in content.json.
7. Publish (1 h)	Push the code to a GitHub repository and turn on GitHub Pages to get a free HTTPS link.
8. Test against B.i (5 h)	Run every B.i test: 3 school devices, 320/375/768/1366 px widths, contrast checks, font size check (0 KB), timing with 5 peers, privacy test with the word TESTPRIVACY.

Total: 20 hours, which matches Manufacturing: built in a browser in about 20 hours.

Requirements for creating the solution

Software	Google Stitch and Google AI Studio (free, in the browser); a code editor if needed (VS Code, free); Chrome, Safari and Edge for testing.
Hardware	A laptop for building; 3 school devices (a Windows laptop, a Chromebook or Mac, and one phone) for testing.

Internet and connectivity	Internet to build and publish. Students only need school Wi-Fi for the first load; after that, the check-in and matching run on the device.
Accounts and platforms	A Google account (Stitch and AI Studio) and a GitHub account (repository and Pages). Students need no account at all.
Tools	Browser inspect tool and Network tab; the WebAIM Contrast Checker; a stopwatch; the B.i test sheets.
Equipment	Printed paper prototypes and scenario cards for testing; nothing physical is part of the product.
Materials and resources	content.json written from my sources; free-to-use face icons drawn as simple SVG; an asset register recording the source and licence of everything.
Skills and knowledge	Basic React and JSON editing; reading and checking AI-generated code; using inspect tools; writing safe-messaging wording; APA referencing for the card sources.
Technical requirements	Runs in any modern browser on iOS, Android, Windows, macOS and ChromeOS; 320 to 1366 px wide; loads in 10 s or less on school Wi-Fi; no sounds, notifications or animation; WCAG AA contrast and 44 px targets.
Research and resources	My B.i specifications; the card sources in the reference list; Orygen's #chatsafe guidelines for the support wording; WCAG 2.2.
Special conditions	The counsellor must approve the Help details, the support line and all 12 cards before launch. The school must allow the link on school Wi-Fi and agree that students can open it in lessons. Pause is a signpost to people, not a replacement for the counsellor, and it never contains supplement or medication content.

Final check: could someone else build Pause from these plans?

Every screen drawn with sizes	Yes: Planning drawings 1 to 3 and their element tables.
Every colour, font and size	Yes: Design tokens table.
Every path between screens	Yes: User flow (Figure B10).
What every mood and tag means	Yes: Mood and tag guide (Figure B1) and its two tables.
How inputs become a suggestion	Yes: Matching logic, pseudocode and the full card library.
Where data is stored	Yes: storage keys and the content.json structure.
Tools, accounts and build order	Yes: build steps and requirements tables.
Who must approve what	Yes: Special conditions (counsellor sign-off, school permission).

Appendix B3: Feedback on the design ideas

Peer vote (n = 20)	Design 3: 8 (6 MYP, 2 DP). Design 4: 7 (2 MYP, 5 DP). Design 1: 4 (2 MYP, 2 DP). Design 2: 1 (0 MYP, 1 DP). Most common reasons: Design 3 'feels like texting a friend' (6); Design 4 'quick and nothing extra' (5); Design 1 'everything on one page' (3).
Paper-prototype test (n = 5)	Median time to reach a card: D1 9 s, D2 22 s, D3 17 s, D4 11 s. Median time to find how to contact the counsellor: D1 14 s, D2 9 s, D3 7 s, D4 2 s. 3 of 5 testers on shorter phones had to scroll to find Design 4's submit button.
Counsellor	Ratings for 'Is this safe to give to students?': D1 2, D2 4, D3 1, D4 5. 'The chat one worries me. If it looks like someone is listening, a student might type something serious and wait for a reply that never comes.' 'I like that the button says counsellor. Students don't always know what an icon means.'
Clarity check (n = 4)	Peers who had not seen the project explained each numbered part of each board. Correct for every part: Design 1, 3 of 4; Design 2, 4 of 4; Design 3, 1 of 4 (3 thought the message box meant a real person would reply); Design 4, 4 of 4.
Teacher	Ratings for 'Would you allow this in your lesson?': D1 3, D2 4, D3 2, D4 5. 'The one with everything on one card is the only one I could see a student finishing before I notice. No moving parts, please.'

Appendix B4: Scripts I used

Peer survey (Google Form)	1. Which year are you in? (MYP4 / MYP5 / DP1 / DP2) 2. Look at the four designs. Which one would you actually use when you are stressed at school? (Design 1 / 2 / 3 / 4) 3. Why? (short answer) 4. Which design would you not use, and why? (short answer)
Paper-prototype test	Read aloud: 'This is a paper version of an app. Please think out loud.' Hand over the scenario card: 'You just walked out of a hard test and feel anxious. Use the app to find something that helps.' Start the stopwatch on the first touch and stop when a card is reached. Then say: 'Now find how to contact the counsellor.' Time it. Record taps, time, and anything the tester says. Repeat for all four designs in a different order for each tester.
Counsellor interview	1. Is each of these designs safe to give to students? Rate each from 0 to 5. 2. What worries you about any of them? 3. Is the support line wording right? What would you change? 4. Which details should the Help screen show, and which outside-hours number should we list? 5. Are you comfortable with all 12 coping cards and their labels?
Teacher question	'Would you allow a student to open each of these during your lesson? Rate each from 0 to 5. What would make you say no?'

References

- Albulescu, P., Macsinga, I., Rusu, A., Sulea, C., Bodnar, A., & Tulbure, B. T. (2022). "Give me a break!" A systematic review and meta-analysis on the efficacy of micro-breaks for increasing well-being and performance. *PLOS ONE*, 17(8), Article e0272460. <https://doi.org/10.1371/journal.pone.0272460>
- Arnsten, A. F. T. (2009). Stress signalling pathways that impair prefrontal cortex structure and function. *Nature Reviews Neuroscience*, 10(6), 410–422. <https://doi.org/10.1038/nrn2648>
- Balban, M. Y., Neri, E., Kogon, M. M., Weed, L., Nouriani, B., Jo, B., Holl, G., Zeitzer, J. M., Spiegel, D., & Huberman, A. D. (2023). Brief structured respiration practices enhance mood and reduce physiological arousal. *Cell Reports Medicine*, 4(1), Article 100895. <https://doi.org/10.1016/j.xcrm.2022.100895>

- Daylio. (n.d.). Daylio – Journal, diary and mood tracker. Google Play. Retrieved September 21, 2026, from <https://play.google.com/store/apps/details?id=net.daylio>
- Fincham, G. W., Strauss, C., Montero-Marin, J., & Cavanagh, K. (2023). Effect of breathwork on stress and mental health: A meta-analysis of randomised-controlled trials. *Scientific Reports*, 13, Article 432. <https://doi.org/10.1038/s41598-022-27247-y>
- Hofmann, S. G., Asnaani, A., Vonk, I. J. J., Sawyer, A. T., & Fang, A. (2012). The efficacy of cognitive behavioral therapy: A review of meta-analyses. *Cognitive Therapy and Research*, 36(5), 427–440. <https://doi.org/10.1007/s10608-012-9476-1>
- Jamieson, J. P., Mendes, W. B., Blackstock, E., & Schmader, T. (2010). Turning the knots in your stomach into bows: Reappraising arousal improves performance on the GRE. *Journal of Experimental Social Psychology*, 46(1), 208–212. <https://doi.org/10.1016/j.jesp.2009.08.015>
- Orygen. (n.d.). #chatsafe: A young person's guide for communicating safely online about self-harm and suicide (2nd ed.). Retrieved October 3, 2026, from <https://orygen.org.au/Training/Resources/Self-harm-and-suicide-prevention/Guidelines/chatsafe-A-young-person-s-guide-for-communicatin>
- Ramirez, G., & Beilock, S. L. (2011). Writing about testing worries boosts exam performance in the classroom. *Science*, 331(6014), 211–213. <https://doi.org/10.1126/science.1199427>
- World Health Organization. (2020). Doing what matters in times of stress: An illustrated guide. <https://www.who.int/publications/i/item/9789240003927>
- World Health Organization. (2024). Mental health of adolescents. <https://www.who.int/news-room/fact-sheets/detail/adolescent-mental-health>
- World Wide Web Consortium. (2024). Web content accessibility guidelines (WCAG) 2.2 (A. Campbell, C. Adams, R. Bradley Montgomery, M. Cooper, & A. Kirkpatrick, Eds.). <https://www.w3.org/TR/WCAG22/>
- Wysa. (n.d.). Wysa: Mental wellbeing AI. Google Play. Retrieved September 21, 2026, from <https://play.google.com/store/apps/details?id=bot.touchkin>