

Criterion B: Developing ideas

ii. Develop a range of feasible design ideas

I developed four ideas for Pause. Each one answers the same question in a different way: how does a stressed student get from 'I feel bad' to one useful technique, with the counsellor always within reach? They are not the same app in four colour schemes. Each idea uses a different interaction model, because my Criterion A research showed that speed and being able to find help mattered most to students.

All four ideas use the same five moods, twelve feelings, ten situations and library of twelve coping cards, and all four could be built for free in Google AI Studio in about 20 hours. I drew every screen at real phone size (360 px wide). The fully annotated boards are in my Canva design. Under each board here, I test the idea against four mock scenarios and evaluate it against every B.i specification.

Moods, feelings and situations

I defined every option before designing any screens, so that all four ideas offer the same choices. Each mood has one plain sentence that appears when it is picked, because 'Bad' means different things to different people. Six feelings and six situations are shown at first, and the rest sit behind 'More' so the check-in still fits on one screen. Tapping a feeling offers an optional 'Tell us more' sheet with a more exact word (explained in brackets), how strong it is and how long it has lasted. 'Something else' lets a student type their own word; it is stored only for them and never read by the app.

Moods and situations

What each mood and situation means, with a school example, and what the app does with it.

Awful value 1	Bad value 2	Okay value 3	Good value 4	Great value 5
"Too much right now. Hard to think about anything else."	"Things feel heavy, but you can still get through the lesson."	"Not great, not terrible. A bit on edge."	"Mostly fine. Just checking in."	"Feeling steady and want to keep it that way."
Example: You've felt panicky since lunch and can't take in anything the teacher says.	Example: You just walked out of a maths test you think went badly and your chest feels tight.	Example: Your IA draft is due Friday and it keeps popping into your head in class.	Example: A normal day, but you have a presentation next period.	Example: You finished a big deadline and want a quick reset before the next lesson.
What the app does: The counsellor card is shown first, then the matched cards.	What the app does: Normal matching. With no feeling tag, it uses the 'low' row.	What the app does: Normal matching.	What the app does: Normal matching. With no feeling tag, it uses the 'no feeling tag' row.	What the app does: Normal matching, usually a short break or breathing card.

"What's happening" tags				pick any; the first one picks the column of the matching table	
Tag	What it means	Example	Table column		
test or exam	Before, during a break in, or just after an assessment.	Mocks, unit tests, quizzes.	Test		
IA or deadline	Coursework or anything with a due date.	IA, EE, TOK essay, Personal Project.	IA		
in class	You're in a lesson and can't leave or talk. Only silent cards are shown.	Sitting in chemistry, feeling it build.	Class		
presentation	Speaking or performing in front of others.	An oral, a debate, a group pitch.	Test		
homework	Work you have to do outside lessons.	A worksheet due tomorrow morning.	IA		
friends or people	Something with friends, classmates or family.	A falling-out with a friend at break.	Other		
home (More)	Something at home or outside school.	An argument at home before school.	Other		
sleep (More)	Not sleeping well, or sleeping too much.	Awake past 2 am before a test.	Other		
social media (More)	Something you saw or were sent online.	A group chat that went badly.	Other		
something else (More)	None of these fit. Type your own word; it is never read.	Anything the list misses.	Other		

Moods one required, shown with its sentence

Situations six shown, four behind 'More'

All words stored in content.json

Figure B1: Moods and situations (Canva).

Feelings and the optional detail sheet

All twelve feelings with what they mean and a school example, plus the exact words, strengths and time spans in the detail sheet.

"How I feel" tags and the optional detail sheet			
		tap a feeling, then 'Tell us more' to pick an exact word, how strong and how long	
Feeling	What it means	Exact words offered (with the explanation shown in brackets)	Table row
anxious	Worried about what might happen; racing heart, butterflies. e.g. Waiting outside the exam room.	nervous (butterflies, shaky hands); worried (thinking about what could go wrong); panicky (heart racing, hard to breathe); on edge (can't relax or sit still)	anxious
stressed	Under pressure from too much at once, but still coping. e.g. Two tests and a lab report this week.	under pressure (lots to do, not enough time); tense (tight shoulders, clenched jaw); behind (work is piling up); rushed (no time to think)	overwhelmed
overwhelmed	So much at once that you don't know where to start. e.g. Three deadlines in one week, plus an IA draft.	frozen (can't decide where to start); scattered (jumping between tasks); swamped (too many things due at once); drained (nothing left to give)	overwhelmed
frustrated	Stuck or annoyed because something isn't working. e.g. Your code won't run and the lesson ends in 10 minutes.	stuck (the task isn't working); annoyed (someone or something is getting to you); irritable (small things set you off); let down (something didn't go as planned)	frustrated
low	Flat, sad or unmotivated. e.g. You've felt down all week and don't want to talk in class.	sad (heavy or tearful); flat (nothing feels interesting); hopeless (it feels like nothing will get better); left out (on your own)	low
tired	Drained, sleepy or foggy. e.g. You stayed up late revising and nothing is going in.	sleepy (eyes closing, yawning); foggy (can't focus or remember); worn out (drained after a long day); restless tired (tired but can't rest)	tired
angry (More)	Hot, tense, ready to snap at someone. e.g. A group member didn't do their part again.	Strength and duration only	frustrated
lonely (More)	Left out, or like nobody gets it. e.g. Everyone has plans at break except you.	Strength and duration only	low
embarrassed (More)	Exposed after something awkward happened. e.g. You froze during your oral presentation.	Strength and duration only	anxious
restless (More)	Can't sit still or settle into work. e.g. Fidgeting through a long double lesson.	Strength and duration only	anxious
unmotivated (More)	Can't make yourself start, even though you want to. e.g. The IA has been open for an hour and you haven't typed.	Strength and duration only	tired
something else (More)	None of these fit. You can type your own word; it is saved for you only and never read. e.g. Anything the list misses.	Strength and duration only	none
How strong? a little / quite a lot / very How long? just now / today / a few days / 2+ weeks 'very' or '2+ weeks' puts the counsellor card first.			

Feelings six shown, six behind 'More' Detail always optional; Skip is always available 'Something else' lets students type their own word, which is never read

Figure B2: Feelings and the optional detail sheet (Canva).

Mock scenarios

To compare the ideas fairly, I wrote four mock scenarios based on the triggers in my peer survey (tests, lessons, home and presentations). Each one has a correct result taken from my matching table. I walked every design through all four, counting taps and checking whether the student ends up with the right card.

Scenario	Who and when	What they would pick	Correct result
S1	DP2 student, five minutes before a chemistry mock, heart racing.	Bad; anxious (panicky, quite a lot); test or exam	Long out-breath (B1) first, because 'panicky' moves the breathing card forward.
S2	MYP4 student in a maths lesson, stuck on a problem and getting annoyed.	Okay; frustrated; in class	A silent card only: Long out-breath (B1).
S3	DP1 student at home late at night who has felt low for over two weeks.	Bad; low (2+ weeks); home	Talk to the counsellor (R1) first, with the stronger support message.
S4	MYP5 student before an oral who can't find a feeling word that fits.	Okay; something else; presentation	A card from the 'no feeling tag' row, Test column: Long out-breath (B1).

Design 1: All-in-One Dashboard

Design 1 came from Daylio, which I analysed in Criterion A. Daylio is fast because everything is on one screen. Here the student types how they feel into a single field instead of picking a mood, and suggestions appear from a fixed list of feeling words, each with a short explanation. There is no submit button: the suggestion card halfway down the page updates as soon as a word or situation is chosen. History and the counsellor link sit further down the page.

Design 1: All-in-One Dashboard

One long scrolling page: type how you feel, pick a situation, and the suggestion card updates as you go. History sits further down and the counsellor link is at the very bottom.




Figure B3: Design 1: All-in-One Dashboard (Canva).

Mock scenarios

Scenario	What the student does	Taps	Result
S1	Types 'pan', picks 'panicky', taps test or exam.	4 letters + 2 taps	Long out-breath appears. Met.
S2	Types 'fru', picks 'frustrated', taps in class.	3 letters + 2 taps	Silent card shown, but typing in a lesson is slower than tapping. Met.
S3	Types 'low', taps home.	3 letters + 1 tap	A card from the low row, but there is no way to say 'two weeks', so the counsellor is not put first. Not met.
S4	Types 'off', which isn't on the list, taps presentation.	3 letters + 1 tap	No match for the word, so the 'no feeling tag' row is used. Met.

Evaluation against my specifications

ACCESSFMM	Specification (B.i)	How this design meets it	Result
Aesthetics	Calm and consistent look	Sage, paper and gold are used the same way down the whole page, with rounded corners and no red. It reads as calm at the top, although the long page gets busy once you scroll past the card.	Met
	Aesthetics score	Consistent palette and corner style.	1/1
Cost	Free to build and free to use	Built with free tools and free hosting. There is no login, paywall or advert anywhere on the page.	Met
	Cost score	Nothing to pay for.	1/1
Customer / Client	Fits both MYP and DP students	The typed field accepts any word on the feeling list, and the nine situation chips cover both MYP and DP pressures, including IA or deadline and presentation.	Met
	Allowed in class	No sound, vibration or notification, and the live card swaps without animation, so nothing on screen would draw a teacher's attention.	Met


ACCESSFMM	Specification (B.i)	How this design meets it	Result
	Customer / Client score	Typing covers any listed word and the situations cover both groups.	2/2
Environment	Works fast on school Wi-Fi	It is one page of text and matching runs on the phone, so after the first load nothing waits for the school network.	Met
	Lightweight text	Uses the system font and only small SVG icons, so 0 KB of fonts are downloaded.	Met
	Environment score	Light and quick.	2/2
Safety	Counsellor button on every screen	The only counsellor link is in the footer, about 1180 px down. On a 360 x 800 phone it is never visible without scrolling, which is exactly what this specification rules out.	Not met
	'You're not alone' line for everyone	The support message is there for everyone, but it sits in the footer below the fold, so most students would never see it unless they scroll to the bottom.	Partly met
	Private by design	Recent check-ins, including the words the student typed, are listed on the main page, so anyone who opens the app on a shared school laptop can read them.	Not met
	Nothing unsafe for minors	No social features and no AI. Suggestions only come from a fixed list of words and the same card library as the other designs.	Met
	Safety score	Help, the support line and privacy all suffer from putting everything on one long page.	1/4 (1 partly)
Size	Fits every school screen	The single column reflows from 320 to 1366 px with no sideways scrolling.	Met
	Easy to tap and read	The situation chips and suggestion rows are 36 px tall, under the 44 px target, and several labels are 14 px, under the 16 px minimum.	Not met
	Size score	Reflows well, but the targets and labels are too small.	1/2
Form and Function	Hybrid check-in on one screen	Everything is on one page, but there is no 5-point mood scale because the typed word replaces it. Without a scale the app can't tell 'a bit anxious' from 'very anxious'.	Not met
	A matched coping suggestion	The typed word is matched to a feeling row from the fixed list and the situation chip picks the column, so the card comes from the same mapping table as Design 4.	Met
	Fast enough to use under stress	Typing three or four letters, choosing a suggestion and tapping a situation took a median of 16 s in the paper test, just over my 15 s limit.	Partly met
	Honest about the evidence	The live card shows its evidence label and its source.	Met
	Form and Function score	Matching and labels work, but there is no mood scale and typing is slower than tapping.	2/4 (1 partly)
Manufacturing	Built in a browser in about 20 hours	One React page with an autocomplete list. Feasible in 20 hours, although the live updating needs extra testing.	Met
	Easy to extend later	New words and cards are entries in content.json, so nothing on the page needs rebuilding.	Met
	Manufacturing score	Simple to build and extend.	2/2
Materials	Free, licensed and traceable	Only the system font, free SVG icons and my own text, all recorded in the asset register.	Met
	Materials score	All traceable.	1/1
Total		13 of 19 specifications met, 2 partly met and 4 not met.	13/19

Design 2: Step-by-Step Guide

Design 2 goes the other way. It asks one question per screen, like a short quiz, with a progress bar along the top: mood, then tags, then an optional note, then the suggestion. I chose this structure because one large question on a calm, almost empty screen is the easiest thing to read when you are stressed, and the 56 px mood buttons are hard to mis-tap. The tag step shows eight feelings and six situations, each with 'More'.

Design 2: Step-by-Step Guide

One question per screen, like a short quiz: mood, then tags, then an optional note, then the suggestion. Very clear, but every step costs a tap.



Screens 4 steps + Help Taps to a card 5 to 6 Counsellor '?' button Colours Lilac #F1EFF8 · Plum #5B4F8A · Blue #3F6E9E · Ink #24213A

Figure B4: Design 2: Step-by-Step Guide (Canva).

Mock scenarios

Scenario	What the student does	Taps	Result
S1	Bad, Next, anxious, Next, Skip, Next.	6 taps	Worry dump (C3); there is no detail step, so 'panicky' can't be given. Partly met.
S2	Okay, Next, frustrated, in class, Next, Skip, Next.	7 taps	Silent card shown, but seven taps in a lesson. Met slowly.
S3	Bad, Next, low, More, home, Next, Skip, Next.	8 taps	Message someone you trust (R2); no duration option, so the counsellor is not first. Not met.
S4	Okay, Next, More, something else, presentation, Next, Skip, Next.	8 taps	'No feeling tag' row, Test column. Met.

Evaluation against my specifications

ACCESSFMM	Specification (B.i)	How this design meets it	Result
Aesthetics	Calm and consistent look	Lilac and plum on every step with the same rounded buttons. It is the calmest-looking idea, with plenty of empty space on each screen.	Met
	Aesthetics score	The calmest look of the four.	1/1
Cost	Free to build and free to use	Free tools, no account and no adverts.	Met
	Cost score	Nothing to pay for.	1/1

ACCESSFMM	Specification (B.i)	How this design meets it	Result
Customer / Client	Fits both MYP and DP students	The tag step shows eight feelings and six situations, with 'More' for the rest, so both MYP and DP pressures are available.	Met
	Allowed in class	Silent, and moving between steps is instant with no animation.	Met
	Customer / Client score	All options available on the tag step.	2/2
Environment	Works fast on school Wi-Fi	Each step is a small text screen and matching runs once on the phone.	Met
	Lightweight text	System font only, so 0 KB of fonts.	Met
	Environment score	Light and quick.	2/2
Safety	Counsellor button on every screen	The round '?' button is visible on every step without scrolling, but it never says 'counsellor'. Testers took a median of 9 s to work out that it meant help.	Partly met
	'You're not alone' line for everyone	The support line sits under the card on Step 4, for everyone.	Met
	Private by design	Nothing is saved unless history is switched on, and no step shows past entries.	Met
	Nothing unsafe for minors	No AI and no social features.	Met
	Safety score	Strong on privacy and the support line, but the help button is unlabelled.	3/4 (1 partly)
Size	Fits every school screen	Each step fits from 320 to 1366 px without sideways scrolling.	Met
	Easy to tap and read	56 px mood buttons and 44 px chips, the largest targets of all four ideas, and nothing under 16 px.	Met
	Size score	The best sizes of all four ideas.	2/2
Form and Function	Hybrid check-in on one screen	Mood, tags and note are on three separate screens, so the check-in is not on one screen.	Not met
	A matched coping suggestion	Uses the same mapping table, run once after Step 3.	Met
	Fast enough to use under stress	5 to 6 taps and a median of 22 s to reach a card, about double my limit.	Not met
	Honest about the evidence	The card has room for the evidence label and source at full size.	Met
	Form and Function score	Clear and honest, but split over three screens and far too slow.	2/4
Manufacturing	Built in a browser in about 20 hours	Four simple views with a step counter, well within 20 hours.	Met
	Easy to extend later	Cards and words are data in content.json; only a brand new question would need a new step screen.	Met
	Manufacturing score	Simple to build and extend.	2/2
Materials	Free, licensed and traceable	Free tools, system font and my own text, all traceable.	Met
	Materials score	All traceable.	1/1
Total		16 of 19 specifications met, 1 partly met and 2 not met.	16/19

Design 3: Scripted Chat (no AI)

Design 3 was inspired by Wysa's friendly chat style. I kept the feeling of a conversation but removed the AI: every message is written in advance and the student answers by tapping reply chips, so nothing is generated and nothing reads what they type. Because chips have to fit across a phone, only four options can be shown per question, plus 'Something else'.

Design 3: Scripted Chat (no AI)

A friendly chat where every question is pre-written and answered by tapping chips. It feels personal, but it looks like someone is listening when nobody is.




Figure B5: Design 3: Scripted Chat (no AI) (Canva).

Mock scenarios

Scenario	What the student does	Taps	Result
S1	Taps Awful (there is no 'Bad'), A test.	2 taps	Awful puts the counsellor first, not the breathing card the student needed. Partly met.
S2	Taps Okay, Class.	2 taps	Silent card shown. Met.
S3	Taps Low, Something else.	2 taps	No 'home' chip; the message box opens and looks like someone will reply. Not met.
S4	Taps Okay, Something else.	2 taps	Same message box; no card until the student skips. Partly met.

Evaluation against my specifications

ACCESSFMM	Specification (B.i)	How this design meets it	Result
Aesthetics	Calm and consistent look	White and bright blue used consistently, but it looks like any messaging app rather than a calm space made for this.	Met
	Aesthetics score	Consistent, though generic.	1/1
Cost	Free to build and free to use	Free tools, no account and no adverts.	Met
	Cost score	Nothing to pay for.	1/1

ACCESSFMM	Specification (B.i)	How this design meets it	Result
Customer / Client	Fits both MYP and DP students	Only four chips fit across a phone, so 'IA or deadline', 'home' and most of the extra options are cut. 'Something else' just sends students to the message box.	Not met
	Allowed in class	Tapping chips is silent and there is no typing animation.	Met
	Customer / Client score	Allowed in class, but too few chips for DP students.	1/2
Environment	Works fast on school Wi-Fi	Text bubbles only; matching runs on the phone.	Met
	Lightweight text	System font only.	Met
	Environment score	Light and quick.	2/2
Safety	Counsellor button on every screen	A 44 px phone icon with no label is the only route to help. It is always visible, but testers took 7 s to find it and some thought it would start a call.	Partly met
	'You're not alone' line for everyone	The support line arrives as its own bubble for everyone.	Met
	Private by design	Nothing is stored on a server, but the message box makes it look as if someone reads what is typed, which works against students feeling private.	Partly met
	Nothing unsafe for minors	No AI: every message is written in advance.	Met
	Safety score	The support bubble works, but the help icon and the message box both weaken safety.	2/4 (2 partly)
Size	Fits every school screen	The chat column fits from 320 to 1366 px.	Met
	Easy to tap and read	The evidence label and source shrink to 12 px under the bubble, the hardest part of the screen to read.	Not met
	Size score	Fits every screen, but the evidence text is too small.	1/2
Form and Function	Hybrid check-in on one screen	Mood, tags and note all happen in one chat, but spread down a growing thread rather than on one screen.	Partly met
	A matched coping suggestion	Uses the same mapping table once the chips are answered.	Met
	Fast enough to use under stress	3 to 4 taps and a median of 17 s, just over the 15 s limit.	Partly met
	Honest about the evidence	Each card still shows a label and source, although at 12 px.	Met
	Form and Function score	Matched cards, but the chat format slows it down and spreads the check-in out.	2/4 (2 partly)
Manufacturing	Built in a browser in about 20 hours	Buildable in 20 hours as a scripted conversation tree.	Met
	Easy to extend later	Every new card needs its own branch of scripted messages, so extending it means rewriting parts of the script.	Partly met
	Manufacturing score	Feasible, but every new card means more script.	1/2 (1 partly)
Materials	Free, licensed and traceable	Free tools, system font and my own text, all traceable.	Met
	Materials score	All traceable.	1/1
Total		12 of 19 specifications met, 5 partly met and 2 not met.	12/19

Design 4: Check-in Card + Result

Design 4 combines the speed of Design 1 with the calm of Design 2. One check-in screen holds a mood (the only required part), six feelings and six situations with 'More', and an optional note. Once a feeling is picked, 'Tell us more' opens an optional sheet over the same screen for an exact word, how strong and how long. One tap on 'Show me something that might help' opens a single coping card. The counsellor button is labelled in words and sits in the same place on every screen, like Wysa's always-visible SOS button.

Design 4: Check-in Card + Result

Two screens and an optional sheet: choose a mood, tap a feeling and a situation, add detail if you want, then submit. The counsellor button never leaves the top bar.




Figure B6: Design 4: Check-in Card + Result (Canva).

Mock scenarios

Scen ario	What the student does	Taps	Result
S1	Bad, anxious, Tell us more: panicky, test or exam, submit.	3 taps + 2 optional	Long out-breath (B1) first. Met.
S2	Okay, frustrated, in class, submit.	4 taps	Long out-breath (B1), silent. Met.
S3	Bad, low, Tell us more: 2+ weeks, More, home, submit.	4 taps + 2 optional	Talk to the counsellor (R1) first with the stronger message. Met.
S4	Okay, More, something else, presentation, submit.	5 taps	'No feeling tag' row, Test column: B1. Met.

Evaluation against my specifications

ACCESSFMM	Specification (B.i)	How this design meets it	Result
Aesthetics	Calm and consistent look	Ivory, sand and one sage green, used the same way on every screen, with rounded corners and no red, even on the danger box.	Met
	Aesthetics score	Calm and consistent on every screen.	1/1
Cost	Free to build and free to use	Free tools and free hosting, with no login, paywall or adverts.	Met
	Cost score	Nothing to pay for.	1/1

ACCESSFMM	Specification (B.i)	How this design meets it	Result
Customer / Client	Fits both MYP and DP students	Six feelings and six situations are shown, with twelve and ten in total behind 'More', plus an optional detail sheet. Students from MYP4 to DP2 can describe what is going on as precisely as they want.	Met
	Allowed in class	No sound, vibration or animation, and 'in class' only ever gives silent cards. The teacher rated it 5/5 for use in a lesson.	Met
	Customer / Client score	More options and optional detail, and safe in class.	2/2
Environment	Works fast on school Wi-Fi	Text only, and matching runs on the phone, so the card appears straight away after the first load.	Met
	Lightweight text	System font, so 0 KB of fonts are downloaded.	Met
	Environment score	Light and quick.	2/2
Safety	Counsellor button on every screen	A 44 px 'Talk to the counsellor' button sits in the fixed top bar on every screen, including behind the detail sheet. Testers found it in a median of 2 s.	Met
	'You're not alone' line for everyone	The same support box appears under every card, and a stronger version appears when the student picks 'very' or '2+ weeks'.	Met
	Private by design	History is off by default, and the note and any typed 'something else' word are never read or sent anywhere.	Met
	Nothing unsafe for minors	Fixed mapping table only, and the counsellor approves every card and every safety rule before launch.	Met
	Safety score	The only design to meet all four Safety specifications.	4/4
Size	Fits every school screen	Fits from 320 to 1366 px, with the content column capped at 480 px on laptops.	Met
	Easy to tap and read	Every target is 44 px or more and no text is under 16 px, including the detail sheet.	Met
	Size score	All targets and text meet the minimums.	2/2
Form and Function	Hybrid check-in on one screen	Mood scale, tags and note are all on one check-in screen, and the detail sheet opens over it rather than as a new screen.	Met
	A matched coping suggestion	The mapping table plus the detail rules picks the card, and every possible output can be checked by hand.	Met
	Fast enough to use under stress	Three taps meets the limit and the median was 11 s, but on phones shorter than 800 px the submit button is just below the fold, so some students have to scroll once.	Partly met
	Honest about the evidence	Every card shows a one-line reason, an evidence label and its source.	Met
	Form and Function score	One screen, matched and honest; only speed on short phones is partly met.	3/4 (1 partly)
Manufacturing	Built in a browser in about 20 hours	Two screens and a sheet, the fewest custom parts of the four ideas.	Met
	Easy to extend later	Every word, including the new options and detail words, lives in content.json, so new cards or Arabic need no new screens.	Met
	Manufacturing score	Easy to build and to extend.	2/2
Materials	Free, licensed and traceable	Free tools, system font and my own text, all recorded in the asset register.	Met
	Materials score	All traceable.	1/1
Total		18 of 19 specifications met, 1 partly met and 0 not met.	18/19

Can the ideas be understood without me explaining them?


I gave the four boards to 4 peers who had not seen the project, pointed at a screen, and asked them what each numbered part does. All 4 described every part correctly on Designs 2 and 4, and 3 of 4 did on Design 1. On Design 3, 3 of the 4 thought the message box meant a real person would reply. That is the same safety risk the counsellor later raised (Appendix B3).

iii. Present the chosen design and justify its selection

Out of the four ideas, I chose **Design 4: Check-in Card + Result**. It was not the most popular idea in the peer vote, so I want to be clear about why it won. It meets 18 of my 19 specifications and partly meets the other one, more than any other idea, and it is the only idea that meets all four Safety specifications. It was also the only idea to give the correct result in all four mock scenarios. Both of my clients, the school counsellor and the teacher, rated it 5 out of 5. In the paper test, students found the counsellor in a median of 2 seconds, against 7 to 14 seconds for the other ideas.

Chosen design: Design 4, Check-in Card + Result

Design 4 meets 18 of the 19 specifications and was the first choice of both clients, the counsellor and the teacher.



Peer survey anonymous Google Form, 20 students (5 per year group)

Timings paper prototypes, 5 testers, scenario: 'You just walked out of a hard test and feel anxious.'

Full data Appendix B3

Figure B7: Chosen design: final screens, scores and feedback (Canva).

How I collected feedback

I used four kinds of evidence, so that no single opinion could decide the outcome. First, the specification scores from B.ii. Second, an anonymous Google Form answered by 20 students (5 each from MYP4, MYP5, DP1 and DP2), who saw the four boards in a random order and chose the one they would actually use when stressed at school. Third, a paper-prototype test with 5 testers: I gave them a scenario card ('You just walked out of a hard test and feel anxious') and timed how long it took to reach a card and then to find the counsellor. Finally, my two clients scored the boards from 0 to 5: the counsellor on whether each was safe to give to students, and the teacher on whether they would allow it in a lesson. The raw results are in Appendix B3.

Comparing the four designs

ACCESSFMM	Design 1	Design 2	Design 3	Design 4
Aesthetics	1/1	1/1	1/1	1/1
Cost	1/1	1/1	1/1	1/1

ACCESSFMM	Design 1	Design 2	Design 3	Design 4
Customer / Client	2/2	2/2	1/2	2/2
Environment	2/2	2/2	2/2	2/2
Safety	1/4 (1 partly)	3/4 (1 partly)	2/4 (2 partly)	4/4
Size	1/2	2/2	1/2	2/2
Form and Function	2/4 (1 partly)	2/4	2/4 (2 partly)	3/4 (1 partly)
Manufacturing	2/2	2/2	1/2 (1 partly)	2/2
Materials	1/1	1/1	1/1	1/1
Total met	13/19	16/19	12/19	18/19

Design 2 comes second on total, but where each idea loses marks matters more than how many. Their failures are in Safety and Size, which I treat as non-negotiable for an app used by minors during the school day. A design that hides the counsellor link below the fold is not safe enough, however fast it is. Design 4's only 'partly' is speed on short phones, which can be fixed without changing the idea.

Design	Features and justification	Reason for rejection	Evidence
Design 4 (chosen)	Three taps on one screen; labelled counsellor button on every screen; history off by default; easiest to extend.	N/A	18/19 met. Counsellor 5/5, teacher 5/5. Counsellor found in 2 s.
Design 1	Lets students describe the feeling in their own words.	No mood scale; typing took 16 s; counsellor link hidden 1180 px down; tap targets too small; history visible on shared laptops.	13/19 met. Counsellor 2/5. Counsellor found in 14 s, the slowest.
Design 2	Clearest screens and largest targets; my second choice.	5 to 6 taps over three screens; 22 s to reach a card, the slowest.	16/19 met. Counsellor 4/5, teacher 4/5.
Design 3	Friendly and familiar; the peer favourite (40%).	Looks like someone is reading; drops two MYP/DP tags; 12 px evidence label.	12/19 met. Counsellor 1/5.

Why the counsellor's view outweighed the peer vote

Design 3 won the peer vote with 40%, just ahead of Design 4 with 35%. Most of its votes came from MYP students (6 of 8), who said it felt 'like texting a friend'. The counsellor rated it 1 out of 5: 'If it looks like someone is listening, a student might type something serious and wait for a reply that never comes.' I gave the counsellor's view more weight. Criterion A names the counsellor as the person who receives any escalation and decides whether a tool is safe for students, and a design that invites disclosures nobody reads goes against two of my Safety specifications.

The peer vote still mattered. DP students clearly preferred Design 4 (5 of 10 votes), which connects to my related concept of perspective: MYP and DP students want different things from the same app. Design 4 was the one option both age groups and both clients could accept. The teacher put it simply: 'The one with everything on one card is the only one I could see a student finishing before I notice. No moving parts, please.'

Which design is easiest to keep developing

I plan to keep working on Pause after this unit, so I also compared how much work it would take to add more cards or an Arabic version. Design 4 is the easiest: a new card is one entry in content.json and one code in the matching table, and Arabic is a second set of text plus a right-to-left setting, with no new screens. Design 3 would need a new branch of scripted messages for every card, Design 2 gets longer with every new question, and Design 1's page would grow even further below the fold.

What I changed after feedback

- **Sticky submit bar.** 3 of the 5 testers were using shorter phones and had to scroll to find the submit button, so in B.iv the button sits in a bar fixed to the bottom of the check-in screen. This turns Design 4's one 'partly' into 'met'.
- **Kept the words 'Talk to the counsellor'.** Testers found the labelled button in 2 s, against 7 s for Design 3's icon, and the counsellor said: 'Students don't always know what an icon means.'
- **No animation at all.** The teacher said anything that moves would draw attention in a lesson.

Limits of this decision. All of this feedback was on wireframes and paper prototypes, not a working app, and the groups were small (20 students and 5 testers). In Criterion D I will repeat the timing and counsellor-finding tests on the real build.

iv. Develop accurate and detailed planning drawings and outline the requirements for the creation of the chosen solution

This section is my plan for building Pause, written so that someone who has never spoken to me could build the same app. The annotated planning drawings in Canva explain the purpose of each part; the tables here add the behaviour and states that a drawing can't show. All sizes are CSS pixels at 100% on a 360 x 800 px phone. On wider screens (up to 1366 px), the content column stays at most 480 px wide and is centred.

Design tokens (used on every screen)

Ivory #F3EEE6	Screen background. A warm off-white, softer than pure white on a bright screen. Ink text on it: contrast 12.2:1.
Sand #E7DBC8	Top bar, tag pills, support box, danger box. Ink text on it: 10.3:1. Sage text is never placed on Sand (only 4.35:1).
Sage #56694F	Buttons, selected chips and moods, links on Ivory. White text on it: 5.95:1. Sage text on Ivory: 5.15:1.
Ink #2E2B26	All body text and headings. A warm near-black rather than pure black, so it sits with the beige tones.
Tan #CDB79A	1.5 px outlines on chips, mood buttons and boxes (decorative, never used for text).
Type	Device system font stack: -apple-system, 'Segoe UI', Roboto, sans-serif (0 KB download). 24 px bold for titles, 22 px bold for the question, 20 px bold for the wordmark, 16 px for everything else (never smaller).
Spacing and shape	16 px side gutters; 8 px gaps between tap targets; radius 12 to 14 px for boxes and mood buttons, 20 px for the coping card, 22 to 26 px for pill buttons and chips.
Tap targets	Every tappable element is at least 44 x 44 px (W3C, 2024, SC 2.5.5).

Every contrast ratio above passes WCAG AA for normal text (4.5:1 or higher) (W3C, 2024, SC 1.4.3).

Planning drawing 1: Check-in screen

Planning drawing 1: Check-in screen

Final version, with the sticky submit bar added after B.iii feedback. Every size, colour and font needed to rebuild the screen.




Figure B8: Planning drawing 1, check-in screen (Canva).

Element	Size and position	Colour and type	Behaviour and states
Top bar	360 x 64 px, sticky at the top	Sand; wordmark 20 px bold Ink	Shared component on all four screens; never scrolls away.
Counsellor button	About 180 x 44 px, 16 px from the right edge	Sage, white 16 px semibold, 22 px radius	Tap opens Help. On the Help screen it shows a 'you are here' ring.
Question	Full width, 14 px below the bar	22 px bold Ink	Static text from content.json.
Mood buttons	5 x (59 x 64 px), 8 px gaps	White, 1.5 px border, 14 px radius. Selected: Sage, white text	Single choice. Stores 1 to 5. Tapping another mood replaces it. The first choice enables the submit button.
Mood sentence	328 px wide, 8 px below the moods	White box, 12 px radius, 16 px text	Hidden until a mood is picked; shows moods[i].desc from content.json.
Feeling chips	44 px tall, 16 px side padding, wrap	As mood buttons, plus a tick when selected	Six shown. Multi-select toggle; the first one selected sets the matching row through its group (see Matching logic).
'More' chips	As tag chips	Dashed 1.5 px border, Ink text	Expands the group in place to show the other six feelings or four situations. 'something else' opens a one-line text field that is saved only for the student and never read.
'Tell us more' link	Full width, 28 px text in a 44 px tap area	16 px semibold Sage, 'optional' in Ink	Hidden until a feeling is picked. Opens the detail sheet (Planning drawing 2) for the first feeling chosen.
Situation chips	As feeling chips	As above	Six shown, four behind 'More'. The first one selected sets the column; 'in class' limits results to silent cards.
Note box	328 x 70 px	White, 14 px radius, 0/280 counter	Typing stops at 280 characters. Never passed to match(). Saved only if history is on.

Element	Size and position	Colour and type	Behaviour and states
Privacy link	Centred, 44 px tap area	16 px underlined Ink, lock icon	Tap opens Privacy.
Sticky submit bar	360 x 80 px; button 328 x 52 px	Ivory bar, 1.5 px top line; Sage button	50% opacity and disabled until a mood is picked. Tap runs match() and opens Screen 2.

Planning drawing 2: 'Tell us more' detail sheet

Planning drawing 2: 'Tell us more' detail sheet

An optional sheet over the check-in screen: a more exact word, how strong and how long. Skipping it never slows the three-tap route.

1. Dimmed check-in behind
Form and Function: met
Does: The check-in stays visible but dimmed while the sheet is open.
Why: Students can see they haven't lost anything they picked.
Build: Black overlay at 45% opacity over Screen 1.

2. Sheet title
Customer / Client: met
Does: Names the feeling the student tapped.
Why: Makes it clear the detail is about that one feeling, not the whole check-in.
Build: 20 px bold Ink; 'All optional. Skip any part.' in 16 px below.

3. Exact word list
Form and Function: met
Does: Four words, each with a plain explanation in brackets. Pick one or none.
Why: Gives a more precise word without needing to know clinical terms.
Build: Rows 44 px min, 12 px radius, radio circle 18 px; word bold, explanation 15 px.

4. How strong?
Safety: met
Does: A little, quite a lot or very.
Why: Strength changes the order of cards; 'very' brings the counsellor first.
Build: Three equal 44 px segments, 8 px gaps; selected = Sage.

5. How long?
Safety: met
Does: Just now, today, a few days, 2+ weeks.
Why: A feeling that has lasted 2+ weeks is worth talking to someone about, so the counsellor card goes first.
Build: Four equal 44 px segments; 16 px text.

6. Skip / Add detail
Form and Function: met
Does: Skip closes the sheet without saving; Add detail stores the answers on this check-in.
Why: Skip keeps the 3-tap route intact.
Build: Two 160 x 48 px buttons, outline and filled, 24 px radius.

Sheet opened from 'Tell us more', drawn at 90% Rules see Matching logic Colours Ivory #F3EEE6 · Sand #E7DBC8 · Sage #56694F · Ink #2E2B26 · Tan #CDB79A


Figure B9: Planning drawing 2, optional detail sheet (Canva).

Element	Size and position	Colour and type	Behaviour and states
Overlay	Full screen	Ink at 45% opacity	Dims the check-in; tapping it closes the sheet like Skip.
Sheet	360 px wide, height fits content, 22 px top corners	Ivory, grab handle 40 x 5 px	Slides up instantly (no animation). The counsellor button stays visible in the top bar above it.
Word options	4 rows, 44 px minimum, 8 px apart	White, 1.5 px border, 12 px radius; selected: Sage border and filled radio	Single choice or none. Each word has its explanation in brackets. Stored as detail.word.
How strong	3 equal segments, 44 px	White / Sage when selected, 16 px	a little, quite a lot, very. Stored as detail.strength.
How long	4 equal segments, 44 px	As above	just now, today, a few days, 2+ weeks. Stored as detail.duration.
Skip / Add detail	2 x (160 x 48 px)	Outline Sage / filled Sage	Skip closes without saving. Add detail saves to this check-in and closes the sheet.

Planning drawing 3: Suggestion screen

Planning drawing 3: Suggestion screen

One coping card at a time, with its evidence label and source, then the same support line for everyone.



Screen 2 Suggestion, drawn at 90%

Example: Bad + anxious + test or exam gives C3 'Worry dump'

Colours Ivory #F3EEE6 · Sand #E7DBC8 · Sage #56694F · Ink #2E2B26 · Tan #CDB79A

Type device system font, 16 px minimum (Roboto shown)


Figure B10: Planning drawing 3, suggestion screen (Canva).

Element	Size and position	Colour and type	Behaviour and states
'New check-in' link	44 px tap area	16 px semibold Sage, chevron	Clears all inputs and returns to Screen 1 with no confirm box.
'Based on' line	Full width	16 px Ink; 30 px Sand pills	Shows the mood and the first tag from each group.
Coping card	328 px wide, 16 px padding, 20 px radius	White, 1.5 px border, soft shadow	Filled from content.json using the first card ID that match() returns.
Card type	18 px icon + label	Ink icon, 16 px semibold	Icon and label come from the card's type.
Evidence pill	30 px tall	White, 1.5 px Sage border, 16 px Sage	One of three fixed values; not tappable.
Steps	24 px number circles, 8 px apart	16 px Ink; Sage circles	2 to 4 steps from the card's step list.
Source line	Card width, line above	16 px; italic citation	Citation plus who it was tested with.
Two buttons	2 x (160 x 48 px), 8 px gap	Outline Sage / filled Sage	'Try a different one' moves to the next ID in the list (silent cards only in class). 'Done' clears everything and returns to Screen 1.
Support box	328 px wide, 16 px radius	Sand, heart icon, 16 px	Same text for everyone. If the detail sheet said 'very' or '2+ weeks', it changes to the stronger wording approved by the counsellor. The link opens Help.

Planning drawing 4: Help and Privacy screens

Planning drawing 4: Help and Privacy screens

Help is one tap away from every screen. Privacy lets the student see and delete everything the app keeps.



Screens 3 and 4 drawn at 82% [Brackets] filled in and checked by the counsellor before launch No red anywhere, even the emergency box Colours Ivory #F3EE6 - Sand #E7DBC8 - Sage #56694F - Ink #2E2B26 - Tan #CDB79A


Figure B11: Planning drawing 4, Help and Privacy screens (Canva).

Help: counsellor details	[Counsellor name], room, drop-in times and a booking email as a mailto: link. Filled in and approved by the counsellor before launch.
Help: danger box	Tell any teacher straight away, or call 9999 (emergency, Oman). 9999 is a tel: link. The counsellor confirms the number and wording.
Help: outside school hours	One helpline chosen and checked by the counsellor; nothing unverified is listed.
Support line wording	'If things feel like too much right now, you don't have to handle it alone. The school counsellor is here for you.' Checked against Orygen's #chatsafe guidelines (Orygen, n.d.).
Privacy: switch	Off by default. On: each check-in is saved to pause.entries in this browser only.
Privacy: delete	Opens a confirm box ('Delete all saved check-ins on this device? This can't be undone.') with Cancel and Delete. Delete clears pause.entries.

User flow

User flow

Every screen and every path, including the counsellor button, which reaches Help from all four screens.



Every screen keeps the counsellor button. No path needs a login, a payment or a network request after the first load. Free text is stored only if the history switch is on, and is never read by match().

Figure B12: User flow showing every screen and path (Canva).

Every screen has the counsellor button, so Help is always one tap away. The only required input is the mood. No path asks for a login, a payment or a network request after the first load. Two links leave the app on purpose: the counsellor's email (opens the phone's mail app) and 9999 (opens the dialler).

Matching logic

Matching logic

How the mood, feeling, situation and optional detail become one coping card: a fixed lookup table and a few safety rules, checked by hand, with no AI.

- 1 **Read the inputs:** mood (1 to 5, required), the first feeling and first situation tapped, and any detail (exact word, strength, duration). The note and typed 'something else' words are never read.
- 2 **Pick the column:** test or exam / presentation = Test; IA or deadline / homework = IA; in class = Class; everything else or no tag = Other.
- 3 **Pick the row:** each feeling belongs to one of five rows (e.g. stressed = overwhelmed, lonely = low). No feeling: Awful or Bad uses 'low', otherwise 'no feeling tag'.
- 4 **Look up the cell:** each cell lists 3 card IDs in order. The exact word can move a better-fitting card to the front (e.g. panicky = B1).
- 5 **Safety rules:** R1 'Talk to the counsellor' goes first if the mood is Awful, the strength is 'very', the duration is '2+ weeks', or the word is 'hopeless'.
- 6 **Class rule:** the 'in class' column only holds silent cards (no standing up, talking or phones). Checked when content.json is saved.
- 7 **Try a different one:** show the next card in the cell, then the rest of the library in order (silent cards only in class), then loop.

Mapping table: row = feeling, column = situation, cell = cards in order

Feeling	Test or exam	IA or deadline	In class (silent only)	Other or none
anxious	C3 Worry dump then C2, B1	C4 One next step then B1, C1	B1 Long out-breath then G2, C2	B2 Double-inhale sigh then G1, C1
overwhelmed	B1 Long out-breath then C3, G1	C4 One next step then M1, B1	G2 Feet on the floor then B1, M2	G1 5-4-3-2-1 then C4, B2
frustrated	B1 Long out-breath then C1, M2	M1 Two-minute reset then C4, B2	B1 Long out-breath then M2, G2	M1 Two-minute reset then B2, C1
low	R1 Talk to the counsellor then G1, C1	M1 Two-minute reset then R2, C4	G2 Feet on the floor then M2, R1	R2 Message someone you trust then M1, R1
tired	M1 Two-minute reset then B2, C2	M1 Two-minute reset then C4, M2	M2 Look away then B1, G2	M1 Two-minute reset then M2, B2
no feeling tag	B1 Long out-breath then C2, G1	C4 One next step then M1, B1	B1 Long out-breath then G2, M2	M1 Two-minute reset then G1, B1

The 5 test inputs from B.i (Form and Function: a matched coping suggestion)

Test	Mood	Feeling	Situation	First card shown	Why
Test 1	Bad	anxious	test or exam	C3 Worry dump	anxious row, Test column
Test 2	Okay	overwhelmed	IA or deadline	C4 One next step	overwhelmed row, IA column
Test 3	Bad	anxious	in class	B1 Long out-breath	In class column, so silent cards only
Test 4	Awful	low	home	R1 Talk to the counsellor	mood Awful puts R1 first (safety rule)
Test 5	Good	(none)	(none)	M1 Two-minute reset	no tags, so 'no feeling tag' row and 'Other' column

Card library (12 cards): B = breathing, G = grounding, C = CBT reframing, M = movement or break, R = reaching out

B1 Long out-breath (Some evidence) silent	C1 Check the thought (Some evidence) silent	M1 Two-minute reset (Some evidence)
B2 Double-inhale sigh (Some evidence) silent	C2 Nerves can help (Some evidence) silent	M2 Look away (Worth a try) silent
G1 5-4-3-2-1 (Worth a try) silent	C3 Worry dump (Some evidence) silent	R1 Talk to the counsellor (Worth a try) silent
G2 Feet on the floor (Worth a try) silent	C4 One next step (Worth a try) silent	R2 Message someone you trust (Worth a try)

Rule-based lookup only: no AI and no free-text reading. Every possible input has a fixed, checked output. Full card text and sources are in the B.iv card library table.

Figure B13: Matching logic, mapping table and the five test inputs (Canva).

The rules in Figure B13, written so they can be turned straight into code:

```
function match(mood, feeling, situation, detail):
    col = COLUMN[situation] or 'Other'          # e.g. presentation -> Test, homework -> IA
    row = GROUP[feeling] if feeling else ('low' if mood <= 2 else 'no feeling tag')
    cards = TABLE[row][col]                    # 3 card IDs in order
    if detail.word in WORD_CARD: cards = [WORD_CARD[detail.word]] + cards    # e.g. panicky -> B1
    if mood == 1 or detail.strength == 'very' or detail.duration == '2+ weeks' or detail.word == 'hopeless':
        cards = ['R1'] + cards; support = 'stronger'    # counsellor first
    cards = unique(cards)
    rest = [c for c in LIBRARY if c not in cards and (col != 'Class' or c.silent)]
    return cards + rest                            # 'Try a different one' walks this list
```

GROUP sends each of the twelve feelings to one of the five rows (stressed and overwhelmed use 'overwhelmed'; angry and frustrated use 'frustrated'; lonely and low use 'low'; embarrassed, restless and anxious use 'anxious'; unmotivated and tired use 'tired'; 'something else' counts as no feeling). COLUMN sends the ten situations to the four columns, as shown in Figure B1.

Full card library. Every possible input leads to one of these 12 cards. The label follows three rules: Strong evidence = backed by systematic reviews or clinical guidelines for this kind of use; Some evidence = backed by trials, but small, mixed, or not tested with teenagers; Worth a try = low risk and widely recommended, with little direct research. No card earned 'Strong evidence'. The strong reviews tested full courses or regular habits, not one technique used for a minute in a school day, so I did not give that label to any card.


Card	Type	Steps shown	Reason shown	Label, source and who it was tested with
B1: Long out-breath	Breathing Silent: yes	1. Breathe in through your nose for a count of 4. 2. Breathe out slowly through your mouth for a count of 6. 3. Repeat 5 times (about 1 minute).	A longer out-breath can help your body slow down.	Some evidence Fincham et al. (2023) Meta-analysis of trials with adults; small to medium effects, and the authors ask for better-quality trials.
B2: Double-inhale sigh	Breathing Silent: no	1. Breathe in through your nose. 2. At the top, take one more short sip of air. 3. Breathe out slowly and fully through your mouth. 4. Repeat for 1 to 5 minutes.	In one trial, breathing with a long out-breath lifted mood more than mindfulness did.	Some evidence Balban et al. (2023) One month-long online trial with adults.
G1: 5-4-3-2-1	Grounding Silent: yes	1. Name 5 things you can see. 2. Name 4 things you can feel and 3 you can hear. 3. Name 2 things you can smell and 1 you can taste.	Grounding is one of the WHO's self-help skills. This version uses your senses.	Worth a try World Health Organization (2020) Recommended in a WHO self-help guide; this exact version has not been tested on its own.
G2: Feet on the floor	Grounding Silent: yes	1. Slowly push your feet into the floor. 2. Press your palms together or onto the desk. 3. Notice the chair holding you up. 4. Look around and name where you are.	This is the grounding exercise from the WHO's stress guide.	Worth a try World Health Organization (2020) Recommended in a WHO self-help guide; not tested on its own with teenagers.
C1: Check the thought	CBT reframing Silent: yes	1. Write the worrying thought in one line. 2. Ask: what is the evidence for it, and against it? 3. Ask: what would I tell a friend who thought this? 4. Write a fairer version of the thought.	Questioning a thought is a core skill in CBT.	Some evidence Hofmann et al. (2012) CBT was tested as full courses, usually with a therapist, not as a single card.
C2: Nerves can help	CBT reframing Silent: yes	1. Notice the racing heart or butterflies. 2. Tell yourself: 'This is my body getting ready.' 3. Take one slow breath and start.	Students told that nerves can help them did better on a practice test.	Some evidence Jamieson et al. (2010) One study with US students preparing for the GRE.
C3: Worry dump	CBT reframing (writing) Silent: yes	1. Take a blank page or the back of your notes. 2. For 5 minutes, write what worries you about the test. 3. Close it. You don't need to read it again.	Writing worries down before a test can free up space to think.	Some evidence Ramirez & Beilock (2011) Tested with high school and university students in the US.
C4: One next step	Problem solving Silent: yes	1. Write the whole task in one line. 2. Split it into 3 small pieces. 3. Do only the first piece for 10 minutes.	Problem-solving skills help protect teenagers' mental health.	Worth a try World Health Organization (2024) The WHO lists problem-solving skills as protective; this exact method was not tested.

Card	Type	Steps shown	Reason shown	Label, source and who it was tested with
M1: Two-minute reset	Movement or break Silent: no	1. Stand up and stretch your arms and shoulders. 2. Walk to refill your water bottle. 3. Come back and start with the easiest part.	Short breaks raised energy and lowered tiredness across 22 studies.	Some evidence Albulescu et al. (2022) Mostly adults at work or in lab tasks; small effects.
M2: Look away	Movement or break Silent: yes	1. Look at something far away for 20 seconds. 2. Roll your shoulders back twice. 3. Unclench your jaw and hands.	Even a very short pause can lower tiredness.	Worth a try Albulescu et al. (2022) Based on the micro-break review; this exact version was not tested.
R1: Talk to the counsellor	Reaching out Silent: yes	1. Tap 'Talk to the counsellor' at the top. 2. See when you can drop in, or send a booking email. 3. You don't need a reason to go.	Support at school is one of the things that protects teenagers' mental health.	Worth a try World Health Organization (2024) General WHO guidance, not a trial of this app.
R2: Message someone you trust	Reaching out Silent: no	1. Pick one person: a friend, a parent or another adult you trust. 2. Send one line, like 'Rough day, can we talk later?' 3. You don't have to explain everything.	Good relationships with family and friends help protect teenagers' mental health.	Worth a try World Health Organization (2024) General WHO guidance, not a trial of this app.

How the parts connect

How the parts connect

What I build once, what runs on each student's device, and where the data stays.



How it works, step by step

- Student opens the GitHub Pages link (or a home-screen icon added from it). The browser downloads the app and `content.json` once.
- Screen 1 shows the counsellor button, 5 moods, 6 feelings and 6 situations (more behind 'More') and the note box. Nothing is asked first.
- The student picks a mood (required) and any tags, then taps the submit button: 3 taps at the least.
- `match()` reads the mood, the first tag in each group and any detail, finds the cell in the mapping table, applies the safety rules and returns card IDs.
- Screen 2 draws the first card from `content.json`: label, title, reason, steps and source, plus the support line.
- If the history switch is on, the entry is saved in `localStorage`. If not, nothing is kept after 'Done'.
- 'Try a different one' shows the next card. 'Done' goes back to a blank Screen 1.
- From any screen, the counsellor button opens Help, which links to the counsellor's email and to 9999.

Software: Google Stitch, Google AI Studio, GitHub, GitHub Pages (all free). Storage: on the device only (`localStorage`). Network: only the first load needs school Wi-Fi.

Figure B14: System diagram and step-by-step operation (Canva).

Component	Contains and does
TopBar	Wordmark + CounsellorButton. Used on all 4 screens.

Data stored on the device. Nothing is sent anywhere. With history off (the default), nothing is kept after 'Done'.

```
pause.settings = { "historyOn": false, "lang": "en" }
pause.entries = [ { "time": "2026-11-02T10:41", "mood": 2, "feelings": ["anxious"],
    "situations": ["test or exam"], "detail": {"word": "worried", "strength": "quite a
lot", "duration": "today"},
    "note": "", "cardShown": "C3" } ] // only if historyOn
```

content.json structure. All words live here, so new cards or an Arabic version need no new screens (Manufacturing: easy to extend later).

```
{ "en": { "moods": ["Awful", "Bad", "Okay", "Good", "Great"],
    "feelings": [ { "tag": "anxious", "group": "anxious", "words": ["nervous", "butterflies, shaky hands"],
...}], ... 12 in total ],
    "situations": ["test or exam", ... 10 in total],
    "support": "If things feel like too much right now, ...",
    "help": { "name": "[Counsellor name]", "room": "[room]", "email": "[school email]" },
    "cards": { "C3": { "name": "Worry dump", "label": "Some evidence", "steps": [...],
        "why": "...", "source": "Ramirez & Beilock (2011)", "silent": true } } },
    "ar": { ... same keys, Arabic text ... },
    "table": { "anxious": { "Test": ["C3", "C2", "B1"], "IA": [...], "Class": [...], "Other": [...] } } }
```

How I will build it, step by step

1. Plan screens (2 h)	In Google Stitch, recreate the 4 screens from Planning drawings 1 to 3 using the design tokens above. Export to AI Studio.
2. Generate the app (4 h)	In Google AI Studio (Build), create a React app with the 4 screens, the detail sheet and the TopBar shared between them. Check every size and colour against the drawings with the browser's inspect tool.
3. Add content (3 h)	Write content.json from the card library, the mood, feeling and situation tables (Figures B1 and B2) and the mapping table. Make every screen read its words from it.
4. Add match() (2 h)	Write match() from the pseudocode. Test it with the 5 test inputs in Figure B13; each must return the listed first card.
5. Add storage and Privacy (2 h)	Write storage.js, the history switch (off by default) and Delete with its confirm box.
6. Counsellor sign-off (1 h)	Show the counsellor the Help screen, support line and all 12 cards. Make their changes in content.json.
7. Publish (1 h)	Push the code to a GitHub repository and turn on GitHub Pages to get a free HTTPS link.
8. Test against B.i (5 h)	Run every B.i test: 3 school devices, 320/375/768/1366 px widths, contrast checks, font size check (0 KB), timing with 5 peers, privacy test with the word TESTPRIVACY.

Total: 20 hours, which matches Manufacturing: built in a browser in about 20 hours.

Requirements for creating the solution

Software	Google Stitch and Google AI Studio (free, in the browser); a code editor if needed (VS Code, free); Chrome, Safari and Edge for testing.
Hardware	A laptop for building; 3 school devices (a Windows laptop, a Chromebook or Mac, and one phone) for testing.
Internet and connectivity	Internet to build and publish. Students only need school Wi-Fi for the first load; after that, the check-in and matching run on the device.

Accounts and platforms	A Google account (Stitch and AI Studio) and a GitHub account (repository and Pages). Students need no account at all.
Tools	Browser inspect tool and Network tab; the WebAIM Contrast Checker; a stopwatch; the B.i test sheets.
Equipment	Printed paper prototypes and scenario cards for testing; nothing physical is part of the product.
Materials and resources	content.json written from my sources; free-to-use face icons drawn as simple SVG; an asset register recording the source and licence of everything.
Skills and knowledge	Basic React and JSON editing; reading and checking AI-generated code; using inspect tools; writing safe-messaging wording; APA referencing for the card sources.
Technical requirements	Runs in any modern browser on iOS, Android, Windows, macOS and ChromeOS; 320 to 1366 px wide; loads in 10 s or less on school Wi-Fi; no sounds, notifications or animation; WCAG AA contrast and 44 px targets.
Research and resources	My B.i specifications; the card sources in the reference list; Orygen's #chatsafe guidelines for the support wording; WCAG 2.2.
Special conditions	The counsellor must approve the Help details, the support line and all 12 cards before launch. The school must allow the link on school Wi-Fi and agree that students can open it in lessons. Pause is a signpost to people, not a replacement for the counsellor, and it never contains supplement or medication content.

Final check: could someone else build Pause from these plans?

Every screen drawn with sizes	Yes: Planning drawings 1 to 4 and their element tables.
Every colour, font and size	Yes: Design tokens table.
Every path between screens	Yes: User flow (Figure B12).
What every mood and tag means	Yes: Figures B1 and B2, and content.json.
How inputs become a suggestion	Yes: Matching logic, pseudocode and the full card library.
Where data is stored	Yes: storage keys and the content.json structure.
Tools, accounts and build order	Yes: build steps and requirements tables.
Who must approve what	Yes: Special conditions (counsellor sign-off, school permission).

Appendix B3: Feedback on the design ideas

Peer vote (n = 20)	Design 3: 8 (6 MYP, 2 DP). Design 4: 7 (2 MYP, 5 DP). Design 1: 4 (2 MYP, 2 DP). Design 2: 1 (0 MYP, 1 DP). Most common reasons: Design 3 'feels like texting a friend' (6); Design 4 'quick and nothing extra' (5); Design 1 'everything on one page' (3).
Paper-prototype test (n = 5)	Median time to reach a card: D1 9 s, D2 22 s, D3 17 s, D4 11 s. Median time to find how to contact the counsellor: D1 14 s, D2 9 s, D3 7 s, D4 2 s. 3 of 5 testers on shorter phones had to scroll to find Design 4's submit button.
Counsellor	Ratings for 'Is this safe to give to students?': D1 2, D2 4, D3 1, D4 5. 'The chat one worries me. If it looks like someone is listening, a student might type something serious and wait for a reply that never comes.' 'I like that the button says counsellor. Students don't always know what an icon means.'
Clarity check (n = 4)	Peers who had not seen the project explained each numbered part of each board. Correct for every part: Design 1, 3 of 4; Design 2, 4 of 4; Design 3, 1 of 4 (3 thought the message box meant a real person would reply); Design 4, 4 of 4.
Teacher	Ratings for 'Would you allow this in your lesson?': D1 3, D2 4, D3 2, D4 5. 'The one with everything on one card is the only one I could see a student finishing before I notice. No moving parts, please.'

References

- Albulescu, P., Macsinga, I., Rusu, A., Sulea, C., Bodnaru, A., & Tulbure, B. T. (2022). "Give me a break!" A systematic review and meta-analysis on the efficacy of micro-breaks for increasing well-being and performance. *PLOS ONE*, 17(8), Article e0272460. <https://doi.org/10.1371/journal.pone.0272460>
- Arnsten, A. F. T. (2009). Stress signalling pathways that impair prefrontal cortex structure and function. *Nature Reviews Neuroscience*, 10(6), 410–422. <https://doi.org/10.1038/nrn2648>
- Balban, M. Y., Neri, E., Kogon, M. M., Weed, L., Nouriani, B., Jo, B., Holl, G., Zeitzer, J. M., Spiegel, D., & Huberman, A. D. (2023). Brief structured respiration practices enhance mood and reduce physiological arousal. *Cell Reports Medicine*, 4(1), Article 100895. <https://doi.org/10.1016/j.xcrm.2022.100895>
- Daylio. (n.d.). Daylio – Journal, diary and mood tracker. Google Play. Retrieved September 21, 2026, from <https://play.google.com/store/apps/details?id=net.daylio>
- Fincham, G. W., Strauss, C., Montero-Marin, J., & Cavanagh, K. (2023). Effect of breathwork on stress and mental health: A meta-analysis of randomised-controlled trials. *Scientific Reports*, 13, Article 432. <https://doi.org/10.1038/s41598-022-27247-y>
- Hofmann, S. G., Asnaani, A., Vonk, I. J. J., Sawyer, A. T., & Fang, A. (2012). The efficacy of cognitive behavioral therapy: A review of meta-analyses. *Cognitive Therapy and Research*, 36(5), 427–440. <https://doi.org/10.1007/s10608-012-9476-1>
- Jamieson, J. P., Mendes, W. B., Blackstock, E., & Schmader, T. (2010). Turning the knots in your stomach into bows: Reappraising arousal improves performance on the GRE. *Journal of Experimental Social Psychology*, 46(1), 208–212. <https://doi.org/10.1016/j.jesp.2009.08.015>
- Orygen. (n.d.). #chatsafe: A young person's guide for communicating safely online about self-harm and suicide (2nd ed.). Retrieved October 3, 2026, from <https://orygen.org.au/Training/Resources/Self-harm-and-suicide-prevention/Guidelines/chatsafe-A-young-person-s-guide-for-communicatin>
- Ramirez, G., & Beilock, S. L. (2011). Writing about testing worries boosts exam performance in the classroom. *Science*, 331(6014), 211–213. <https://doi.org/10.1126/science.1199427>
- World Health Organization. (2020). Doing what matters in times of stress: An illustrated guide. <https://www.who.int/publications/i/item/9789240003927>
- World Health Organization. (2024). Mental health of adolescents. <https://www.who.int/news-room/fact-sheets/detail/adolescent-mental-health>

World Wide Web Consortium. (2024). Web content accessibility guidelines (WCAG) 2.2 (A. Campbell, C. Adams, R. Bradley Montgomery, M. Cooper, & A. Kirkpatrick, Eds.). <https://www.w3.org/TR/WCAG22/>

Wysa. (n.d.). Wysa: Mental wellbeing AI. Google Play. Retrieved September 21, 2026, from <https://play.google.com/store/apps/details?id=bot.touchkin>