5

	5-4		*192.168.1.40*
		PC1, 2	
		PC2, iNode , 2	
		PC3,	
		PC4	
		PC5 1	

5

5.1

1
2 NAT SSLVPN

5.2

1
2 NAT
3 SSLVPN web ip

5.3


□□□

5.4

H3C F1000 1 1 PC 5

4-5 PC

5.5



1

1.1

[F1000]display ip routing-table

Destinations : 19 Routes : 19

Destination/Mask	Proto	Pre	Cost	NextHop	Interface
0.0.0.0/32	Direct	0	0	127.0.0.1	InLoop0
10.4.3.0/24	Direct	0	0	10.4.3.1	GE1/0/2
10.4.3.1/32	Direct	0	0	127.0.0.1	InLoop0
10.4.3.255/32	Direct	0	0	10.4.3.1	GE1/0/2
10.4.4.0/24	Direct	0	0	10.4.4.1	GE1/0/3
10.4.4.1/32	Direct	0	0	127.0.0.1	InLoop0

10.4.4.255/32	Direct	0	0	10.4.4.1	GE1/0/3
10.4.5.0/24	Direct	0	0	10.4.5.1	GE1/0/5
10.4.5.1/32	Direct	0	0	127.0.0.1	InLoop0
10.4.5.255/32	Direct	0	0	10.4.5.1	GE1/0/5
127.0.0.0/8	Direct	0	0	127.0.0.1	InLoop0
127.0.0.1/32	Direct	0	0	127.0.0.1	InLoop0
127.255.255.255/32	Direct	0	0	127.0.0.1	InLoop0
202.4.1.0/24	Direct	0	0	202.4.1.1	GE1/0/1
202.4.1.1/32	Direct	0	0	127.0.0.1	InLoop0
202.4.1.255/32	Direct	0	0	202.4.1.1	GE1/0/1
224.0.0.0/4	Direct	0	0	0.0.0.0	NULL0
224.0.0.0/24	Direct	0	0	0.0.0.0	NULL0
255.255.255.255/32	Direct	0	0	127.0.0.1	InLoop0

1.2 PC

PC1 PC2 ping PC ping

3

3.1

PC1 ping PC2

PC2 ping PC1 PC5

PC3 ping PC1 PC2 PC5

PC4 ping PC1 PC2 PC5

PC5 ping PC

3.2 ping 202.4.1.11

PC3 PC4 ping PC1

3.3

10.4.3.0/24 10.4.4.0/24 Trust 10.4.5.0/24 DMZ 202.4.1.0/24 Untrust

DMZ Untrust “ ”


/ 3.1 3.2

202.4.1.11 Trust PC1

5

NAT


5.1 PC3pingPC2 NAT



PC2 PC3 NAT 202.4.1.103 NAT


5.2 PC2 PC5 PC2 http://202.4.1.99:888 PC5 web

PC5



PC5 PC2 HTTP GET 202.4.1.12 10.4.5.15 80
202.4.1.99:888 10.4.5.15:80 NAT/

PC2



PC2 202.4.1.12 202.4.1.99 888

NAT

5.3 NAT


NAT NAT NAT PC3 ping PC2 10.4.3.13 202.4.1.103 NAT PC2 202.4.1.99:888 10.4.5.15:80 NAT/ DMZ NAT

7

SSL VPN Web


7.1

PC4



PC4 10.4.4.1 10.4.4.14 80 2048 2049 2050 HTTP Web PC4 Trust PC1

PC1



PC1 202.4.1.11 202.4.1.1 2000 SSL/TLS SSL VPN

7.2 PC1 PC4 Web

Web PC1 PC4 HTTP 202.4.1.1:2000 SSL/TLS Trust 10.4.4.1 10.4.4.14:80 HTTP PC4 PC1 VPN Web PC1 Web

8 SSL VPN

8.1 PC2 PC3 cmd ping 10.4.3.13 ping ping

8.2

4.4.4.10

```
IPv4
===========================================================================
      :

          0.0.0.0          0.0.0.0        202.4.1.1      202.4.1.12     36
          4.4.4.0      255.255.255.0                      4.4.4.10     281
        *  4.4.4.10  255.255.255.255                      4.4.4.10     281
         4.4.4.255  255.255.255.255                      4.4.4.10     281
          10.4.3.0      255.255.255.0          4.4.4.1      4.4.4.10     281
          127.0.0.0        255.0.0.0                      127.0.0.1     331
          127.0.0.1  255.255.255.255                      127.0.0.1     331
    127.255.255.255  255.255.255.255                      127.0.0.1     331
        192.168.1.0      255.255.255.0                    192.168.1.42     281
       192.168.1.42  255.255.255.255                    192.168.1.42     281
      192.168.1.255  255.255.255.255                    192.168.1.42     281
          202.4.1.0      255.255.255.0                      202.4.1.12     291
         202.4.1.12  255.255.255.255                      202.4.1.12     291
        202.4.1.255  255.255.255.255                      202.4.1.12     291
          224.0.0.0        240.0.0.0                      127.0.0.1     331
          224.0.0.0        240.0.0.0                    192.168.1.42     281
          224.0.0.0        240.0.0.0                      202.4.1.12     291
    255.255.255.255  255.255.255.255                      127.0.0.1     331
    255.255.255.255  255.255.255.255                    192.168.1.42     281
    255.255.255.255  255.255.255.255                      202.4.1.12     291
===========================================================================
      :

          0.0.0.0          0.0.0.0        202.4.1.1      1
===========================================================================

IPv6
===========================================================================
      :

   1      331  ::1/128
  33      281  fe80::/64
```

33 281 fe80::515e:4839:157c:c7ed/128

1 331 ff00::/8

33 281 ff00::/8

==========

:

8.3 PC2 PC3


PC2 exp

ip.addr == 202.4.1.1 && tcp.port == 2000


No.	Time	Source	src port	Destination	dst port	Protocol	Length	Info
173	219.02…	202.4.1.12	49754	202.4.1.1	2000	TCP	66	49754 → 2000 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM=1
174	219.02…	202.4.1.1	2000	202.4.1.12	49754	TCP	66	2000 → 49754 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1460 SACK_PERM=1 WS=1
175	219.02…	202.4.1.12	49754	202.4.1.1	2000	TCP	54	49754 → 2000 [ACK] Seq=1 Ack=1 Win=131328 Len=0
176	219.02…	202.4.1.12	49754	202.4.1.1	2000	TLSv1.2	363	Client Hello
177	219.02…	202.4.1.1	2000	202.4.1.12	49754	TLSv1.2	902	Server Hello, Certificate, Server Hello Done
178	219.02…	202.4.1.12	49754	202.4.1.1	2000	TLSv1.2	396	Client Key Exchange, Change Cipher Spec, Encrypted Handshake Message
179	219.03…	202.4.1.1	2000	202.4.1.12	49754	TLSv1.2	304	New Session Ticket, Change Cipher Spec, Encrypted Handshake Message
180	219.03…	202.4.1.12	49754	202.4.1.1	2000	TLSv1.2	379	Application Data
181	219.03…	202.4.1.1	2000	202.4.1.12	49754	TLSv1.2	315	Application Data
182	219.03…	202.4.1.12	49754	202.4.1.1	2000	TCP	54	49754 → 2000 [FIN, ACK] Seq=977 Ack=1360 Win=129792 Len=0
183	219.03…	202.4.1.1	2000	202.4.1.12	49754	TLSv1.2	107	Encrypted Alert
184	219.03…	202.4.1.12	49754	202.4.1.1	2000	TCP	54	49754 → 2000 [RST, ACK] Seq=978 Ack=1413 Win=0 Len=0
185	219.03…	202.4.1.1	2000	202.4.1.12	49754	TCP	60	2000 → 49754 [FIN, ACK] Seq=1413 Ack=978 Win=64559 Len=0
186	219.03…	202.4.1.12	49754	202.4.1.1	2000	TCP	54	49754 → 2000 [RST] Seq=978 Win=0 Len=0
187	219.03…	202.4.1.12	49755	202.4.1.1	2000	TCP	66	49755 → 2000 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM=1
188	219.03…	202.4.1.1	2000	202.4.1.12	49755	TCP	66	2000 → 49755 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1460 SACK_PERM=1 WS=1
189	219.03…	202.4.1.12	49755	202.4.1.1	2000	TCP	54	49755 → 2000 [ACK] Seq=1 Ack=1 Win=1051136 Len=0
190	219.03…	202.4.1.12	49755	202.4.1.1	2000	TLSv1.2	363	Client Hello
191	219.03…	202.4.1.1	2000	202.4.1.12	49755	TLSv1.2	902	Server Hello, Certificate, Server Hello Done
192	219.03…	202.4.1.12	49755	202.4.1.1	2000	TLSv1.2	396	Client Key Exchange, Change Cipher Spec, Encrypted Handshake Message
193	219.04…	202.4.1.1	2000	202.4.1.12	49755	TLSv1.2	304	New Session Ticket, Change Cipher Spec, Encrypted Handshake Message
194	219.04…	202.4.1.12	49755	202.4.1.1	2000	TLSv1.2	219	Application Data
195	219.04…	202.4.1.1	2000	202.4.1.12	49755	TLSv1.2	267	Application Data
196	219.04…	202.4.1.1	2000	202.4.1.12	49755	TLSv1.2	539	Application Data
197	219.04…	202.4.1.12	49755	202.4.1.1	2000	TCP	54	49755 → 2000 [ACK] Seq=817 Ack=1797 Win=1051136 Len=0
198	219.04…	202.4.1.1	2000	202.4.1.12	49755	TLSv1.2	107	Application Data
199	219.04…	202.4.1.12	49755	202.4.1.1	2000	TCP	54	49755 → 2000 [FIN, ACK] Seq=817 Ack=1850 Win=1051136 Len=0
200	219.04…	202.4.1.1	2000	202.4.1.12	49755	TLSv1.2	107	Encrypted Alert
201	219.04…	202.4.1.12	49755	202.4.1.1	2000	TCP	54	49755 → 2000 [RST, ACK] Seq=818 Ack=1903 Win=0 Len=0
202	219.04…	202.4.1.1	2000	202.4.1.12	49755	TCP	60	2000 → 49755 [FIN, ACK] Seq=1903 Ack=818 Win=64719 Len=0
203	219.04…	202.4.1.12	49755	202.4.1.1	2000	TCP	54	49755 → 2000 [RST] Seq=818 Win=0 Len=0
207	222.30…	202.4.1.12	49756	202.4.1.1	2000	TCP	66	49756 → 2000 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM=1

> Frame 173: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{09E9E644-750B-4DDE-A2DD-852AF71C2863}, id 0
> Ethernet II, Src: Tp-LinkT_2c:b1:94 (00:19:e0:2c:b1:94), Dst: ac:ce:92:e6:25:f8 (ac:ce:92:e6:25:f8)
> Internet Protocol Version 4, Src: 202.4.1.12, Dst: 202.4.1.1
> Transmission Control Protocol, Src Port: 49754, Dst Port: 2000, Seq: 0, Len: 0

PC2



PC3



PC2 exp 202.4.1.12 202.4.1.1 2000 SSL/TLS 4.4.4.10 10.4.3.0/24 4.4.4.1

PC2 PC3 4.4.4.10 10.4.3.13 HTTP PC3 4.4.4.10 HTTP/ICMP PC2 202.4.1.12 SSL VPN

8.4 web PC VPN HTTP ICMP

Web SSL VPN SSL/TLS

HTTP

Web ping

SSL/TLS

Web ping


PC VPN

Web

5.6

9

1 , , SSLVPN



9.1

1

```
[R1] interface GigabitEthernet1/0/0
[R1-GigabitEthernet1/0/0] ip address 202.4.1.1 255.255.255.0
[R1-GigabitEthernet1/0/0] quit

[R1] interface GigabitEthernet1/0/1
[R1-GigabitEthernet1/0/1] ip address 202.4.2.2 255.255.255.0
[R1-GigabitEthernet1/0/1] quit
```

2 PC2 Ping PC4 CP5

```
ip route-static 10.4.5.0 255.255.255.0 202.4.2.1
ip route-static 10.4.4.0 255.255.255.0 202.4.2.1
```

3 Untrast

```
[F1000] interface GigabitEthernet1/0/1
[F1000-GigabitEthernet1/0/1] ip address 202.4.2.1 255.255.255.0
[F1000-GigabitEthernet1/0/1] quit
[F1000] security-zone name untrust
[F1000-security-zone-Untrust] import interface gigabitethernet 1/0/1
[F1000-security-zone-Untrust] quit
```

4 PC2

```
[F1000] ip route-static 202.4.1.0 255.255.255.0 202.4.2.2
```

5 SSLVPN

10.4.6.1/24

```
[F1000] interface SSLVPN-AC1
[F1000-SSLVPN-AC1] ip address 10.4.6.1 255.255.255.0
[F1000-SSLVPN-AC1] security-zone name Untrust
[F1000-security-zone-Untrust] import interface SSLVPN-AC1
[F1000-security-zone-Untrust] quit
```

6 ACL 3000 VPN

```
[F1000] acl advanced 3000
[F1000-acl-ipv4-adv-3000] rule 0 permit ip
[F1000-acl-ipv4-adv-3000] quit
[F1000] sslvpn ip address-pool ippool1 10.4.6.10 10.4.6.20
```

7 vpnC Web :

```
[F1000] sslvpn context vpnC
[F1000-sslvpn-context-vpnC] gateway sslvpnGW
[F1000-sslvpn-context-vpnC] ip-tunnel interface SSLVPN-AC1
```

```
[F1000-sslvpn-context-vpnC] ip-tunnel address-pool ippool1 mask 255.255.255.0
[F1000-sslvpn-context-vpnC-route-list-rtlist] url-item urllist
[F1000-sslvpn-context-vpnC-url-item-urllist] url http://10.4.4.14
[F1000-sslvpn-context-vpnC-url-item-urllist] url-list urllist
[F1000-sslvpn-context-vpnC-url-list-urllist] resources url-item urllist
[F1000-sslvpn-context-vpnC-url-list-urllist] policy-group rsourceG
[F1000-sslvpn-context-vpnC-policy-group-rsourceG] filter ip-tunnel acl 3000
[F1000-sslvpn-context-vpnC-policy-group-rsourceG] ip-tunnel access-route ip-route-list rtlist
[F1000-sslvpn-context-vpnC-policy-group-rsourceG] ip-tunnel address-pool ippool1 mask 255.255.255.0
[F1000-sslvpn-context-vpnC-policy-group-rsourceG] resources url-list urllist
[F1000-sslvpn-context-vpnC-policy-group-rsourceG] force-logout max-onlines enable
[F1000-sslvpn-context-vpnC] service enable
```

8 vpn

```
[F1000] local-user user1 class network
[F1000-luser-network-user1] password simple user1
[F1000-luser-network-user1] service-type sslvpn
[F1000-luser-network-user1] authorization-attribute user-role network-operator
[F1000-luser-network-user1] authorization-attribute sslvpn-policy-group rsourceG

[F1000-luser-network-user1] local-user user2 class network
[F1000-luser-network-user2] password simple user2
[F1000-luser-network-user2] service-type sslvpn
[F1000-luser-network-user2] authorization-attribute user-role network-operator
[F1000-luser-network-user2] authorization-attribute sslvpn-policy-group rsourceG
[F1000-luser-network-user2] quit
```

9

```
[F1000] security-policy ip
[F1000-security-policy-ip] rule name Pass_Untrust_to_Local
[F1000-security-policy-ip-3-Pass_Untrust_to_Local] action pass
[F1000-security-policy-ip-3-Pass_Untrust_to_Local] source-zone Untrust
[F1000-security-policy-ip-3-Pass_Untrust_to_Local] destination-zone Local
[F1000-security-policy-ip-3-Pass_Untrust_to_Local] quit

[F1000-security-policy-ip] rule name Pass_Local_to_Trust
[F1000-security-policy-ip-4-Pass_Local_to_Trust] action pass
[F1000-security-policy-ip-4-Pass_Local_to_Trust] source-zone Local
```

```
[F1000-security-policy-ip-4-Pass_Local_to_Trust] destination-zone Trust
[F1000-security-policy-ip-4-Pass_Local_to_Trust] quit

[F1000-security-policy-ip] rule name Pass_Untrust_to_Trust
[F1000-security-policy-ip-5-Pass_Untrust_to_Trust] action pass
[F1000-security-policy-ip-5-Pass_Untrust_to_Trust] source-ip-subnet 10.4.6.0 255.255.255.0
[F1000-security-policy-ip-5-Pass_Untrust_to_Trust] destination-zone Trust
[F1000-security-policy-ip-5-Pass_Untrust_to_Trust] quit
[F1000-security-policy-ip] quit
```

9.2

```
[R1]display ip routing-table

Destinations : 16          Routes : 16

Destination/Mask    Proto   Pre  Cost      NextHop         Interface
0.0.0.0/32          Direct  0    0         127.0.0.1       InLoop0
10.4.3.0/24         Static  60   0         202.4.2.1       GE0/1
10.4.4.0/24         Static  60   0         202.4.2.1       GE0/1
10.4.5.0/24         Static  60   0         202.4.2.1       GE0/1
127.0.0.0/8         Direct  0    0         127.0.0.1       InLoop0
127.0.0.1/32        Direct  0    0         127.0.0.1       InLoop0
127.255.255.255/32  Direct  0    0         127.0.0.1       InLoop0
202.4.1.0/24        Direct  0    0         202.4.1.1       GE0/0
202.4.1.1/32        Direct  0    0         127.0.0.1       InLoop0
202.4.1.255/32      Direct  0    0         202.4.1.1       GE0/0
202.4.2.0/24        Direct  0    0         202.4.2.2       GE0/1
202.4.2.2/32        Direct  0    0         127.0.0.1       InLoop0
202.4.2.255/32      Direct  0    0         202.4.2.2       GE0/1
224.0.0.0/4         Direct  0    0         0.0.0.0         NULL0
224.0.0.0/24        Direct  0    0         0.0.0.0         NULL0
255.255.255.255/32  Direct  0    0         127.0.0.1       InLoop0
```

9.3


```
[F1000]display ip routing-table
```

Destinations : 23 Routes : 23

Destination/Mask	Proto	Pre	Cost	NextHop	Interface
0.0.0.0/32	Direct	0	0	127.0.0.1	InLoop0
10.4.3.0/24	Direct	0	0	10.4.3.1	GE1/0/2
10.4.3.1/32	Direct	0	0	127.0.0.1	InLoop0
10.4.3.255/32	Direct	0	0	10.4.3.1	GE1/0/2
10.4.4.0/24	Direct	0	0	10.4.4.1	GE1/0/3
10.4.4.1/32	Direct	0	0	127.0.0.1	InLoop0
10.4.4.255/32	Direct	0	0	10.4.4.1	GE1/0/3
10.4.5.0/24	Direct	0	0	10.4.5.1	GE1/0/5
10.4.5.1/32	Direct	0	0	127.0.0.1	InLoop0
10.4.5.255/32	Direct	0	0	10.4.5.1	GE1/0/5
10.4.6.0/24	Direct	0	0	10.4.6.1	SSLVPN-AC1
10.4.6.1/32	Direct	0	0	127.0.0.1	InLoop0
10.4.6.255/32	Direct	0	0	10.4.6.1	SSLVPN-AC1
127.0.0.0/8	Direct	0	0	127.0.0.1	InLoop0
127.0.0.1/32	Direct	0	0	127.0.0.1	InLoop0
127.255.255.255/32	Direct	0	0	127.0.0.1	InLoop0
202.4.1.0/24	Static	60	0	202.4.2.2	GE1/0/1
202.4.2.0/24	Direct	0	0	202.4.2.1	GE1/0/1
202.4.2.1/32	Direct	0	0	127.0.0.1	InLoop0
202.4.2.255/32	Direct	0	0	202.4.2.1	GE1/0/1
224.0.0.0/4	Direct	0	0	0.0.0.0	NULL0
224.0.0.0/24	Direct	0	0	0.0.0.0	NULL0
255.255.255.255/32	Direct	0	0	127.0.0.1	InLoop0

9.4

PC2 ping SSLVPN-AC1



PC2 ping PC

```
C:\Users\Administrator>ping 10.4.5.15

正在 Ping 10.4.5.15 具有 32 字节的数据:
来自 10.4.5.15 的回复: 字节=32 时间=1ms TTL=62
来自 10.4.5.15 的回复: 字节=32 时间<1ms TTL=62
来自 10.4.5.15 的回复: 字节=32 时间<1ms TTL=62
来自 10.4.5.15 的回复: 字节=32 时间<1ms TTL=62

10.4.5.15 的 Ping 统计信息:
    数据包: 已发送 = 4, 已接收 = 4, 丢失 = 0 (0% 丢失),
往返行程的估计时间(以毫秒为单位):
    最短 = 0ms, 最长 = 1ms, 平均 = 0ms

C:\Users\Administrator>ping 10.4.3.13

正在 Ping 10.4.3.13 具有 32 字节的数据:
来自 10.4.3.13 的回复: 字节=32 时间=1ms TTL=63
来自 10.4.3.13 的回复: 字节=32 时间=1ms TTL=63
来自 10.4.3.13 的回复: 字节=32 时间=1ms TTL=63
来自 10.4.3.13 的回复: 字节=32 时间=1ms TTL=63

10.4.3.13 的 Ping 统计信息:
    数据包: 已发送 = 4, 已接收 = 4, 丢失 = 0 (0% 丢失),
往返行程的估计时间(以毫秒为单位):
    最短 = 1ms, 最长 = 1ms, 平均 = 1ms
```

PC2 PC3 VPN



10

2 VPN http://vpn.xjtu.edu.cn/

WebVPN SSLVPN □□□□/□□□

10.1

①

IPv4 VPN

IP ping

② / □□□□□□□

WLAN Intel (R) Wi-Fi 6E AX211

IPv4 192.168.1.111

255.255.255.0

192.168.1.1

③

IPv4

==========

:

0.0.0.0	0.0.0.0	192.168.1.1	192.168.1.111	35
127.0.0.0	255.0.0.0		127.0.0.1	331
127.0.0.1	255.255.255.255		127.0.0.1	331
127.255.255.255	255.255.255.255		127.0.0.1	331
192.168.1.0	255.255.255.0		192.168.1.111	291
192.168.1.111	255.255.255.255		192.168.1.111	291
192.168.1.255	255.255.255.255		192.168.1.111	291
192.168.56.0	255.255.255.0		192.168.56.1	281
192.168.56.1	255.255.255.255		192.168.56.1	281
192.168.56.255	255.255.255.255		192.168.56.1	281
224.0.0.0	240.0.0.0		127.0.0.1	331
224.0.0.0	240.0.0.0		192.168.56.1	281
224.0.0.0	240.0.0.0		192.168.1.111	291
255.255.255.255	255.255.255.255		127.0.0.1	331
255.255.255.255	255.255.255.255		192.168.56.1	281
255.255.255.255	255.255.255.255		192.168.1.111	291

==========

:

④

HTTP HTTPS TCP ICMP HTTPS

HTTP ICMP □

⑤/□□□□□

192.168.1.111

202.117.19.114

10.2 WebVPN

①

http://vpn.xjtu.edu.cn SSL VPN Web VPN SSL/TLS VPN Web

② WLAN Intel (R) Wi-Fi 6E AX211 160MHz

IPv4 192.168.1.111

255.255.255.0

192.168.1.1

③

```
IPv4
===========================================================================
      :

          0.0.0.0          0.0.0.0      10.34.52.221      10.34.52.241     35
         10.34.52.0    255.255.255.0                        10.34.52.241    291
        10.34.52.241  255.255.255.255                      10.34.52.241    291
        10.34.52.255  255.255.255.255                      10.34.52.241    291
          127.0.0.0      255.0.0.0                          127.0.0.1       331
          127.0.0.1  255.255.255.255                      127.0.0.1       331
    127.255.255.255  255.255.255.255                      127.0.0.1       331
        192.168.56.0    255.255.255.0                      192.168.56.1    281
        192.168.56.1  255.255.255.255                      192.168.56.1    281
      192.168.56.255  255.255.255.255                      192.168.56.1    281
          224.0.0.0      240.0.0.0                          127.0.0.1       331
          224.0.0.0      240.0.0.0                          192.168.56.1    281
          224.0.0.0      240.0.0.0                          10.34.52.241    291
    255.255.255.255  255.255.255.255                      127.0.0.1       331
    255.255.255.255  255.255.255.255                      192.168.56.1    281
    255.255.255.255  255.255.255.255                      10.34.52.241    291
===========================================================================
```

:

④

→VPN SSL/TLS

VPN → HTTP/HTTPS

ICMP

⑤ / □□□□

□□□□□

192.168.1.111

202.117.19.114

□□□□

VPN IP 10.34.52.221

IP 10.4.3.13

10.3 SSLVPN

①

SSL VPN VPN SSL/TLS SSL VPN IP VPN

ping

② / □□□□□□

WLAN Intel (R) Wi-Fi 6E AX211 160MHz

SSL VPN

IPv4 10.34.52.241

IPv4 4.4.4.10

255.255.255.0

VPN 202.4.1.1

③

SSL/TLS

TCP ICMP HTTP HTTPS

④

IPv4

==========

:

0.0.0.0	0.0.0.0	10.34.52.221	10.34.52.241	35
10.34.52.0	255.255.255.0		10.34.52.241	291
10.184.65.0	255.255.255.0		10.184.65.110	257
		10.184.65.114	10.184.65.110	257
192.168.56.0	255.255.255.0		192.168.56.1	281

⑤ □□□□ / □□□□

10.34.52.241

202.4.1.1 VPN

/

4.4.4.10

10.4.3.13 IP