



CSS Basic Rules - Part#1

Sesiunea 6 - 10/05/2021



/Exercise: CSS selectors\





/Recap\



CSS: where are we, where are we heading

- Types/WHERE
- Selectors/HOW
- Priority scheme
- Next: CSS rules/TOOLS



/CSS Basic Rules\



CSS: what did we use already

- border
- color/background-color
- width/height
- text-align
- line-height
- display





/A little bit in more detail than that\



CSS: borders, backgrounds and shorthand props

`border: 1px solid red;`

`border: border-width border-style border-color;`

Border-style:

- | | |
|----------|----------|
| • dotted | • ridge |
| • dashed | • inset |
| • solid | • outset |
| • double | • none |
| • groove | • hidden |

Note: can also be set separately.



/code₍₁₄₎\



CSS: borders, backgrounds and shorthand props

Background:

- background-color
- background-image
- background-size
- background-repeat
- background-origin
- background-clip
- background-attachment

background: url(texture.jpg) top center fixed padding-box content-box red;

Note: can also be set separately.



CSS: borders, backgrounds and shorthand props

background: #5da3a5;

background: linear-gradient(90deg, rgba(2,0,36,1) 0%, rgba(9,9,121,1) 35%, rgba(0,212,255,1) 100%);

background: repeat-x left bottom url(lime.png) #ffffff;



background: no-repeat center url(frogs.jpg) cover;



CSS: borders, backgrounds and shorthand props

background-size:

- auto: original size
- length: width/height
- percentage: width/height
- cover: fills the container
- contain: renders the image fully visible
- initial: sets to default
- inherit: from parent element

background-image: url(image.png)

- what we learned in Navigation applies also here!

/background: examples₍₁₀₎ \



CSS: text formatting

- font-family
- color
- font-size
- font-weight
- text-align (inline or inline-block elements)
- line-height
- **text-decoration** (useful for links customization)
- text-indent
- letter-spacing
- word-spacing
- direction
- text-shadow
- vertical-align

CSS: text formatting

font-weight:

- normal (400)
- bold (700)
- bolder
- lighter
- 100 - 900



CSS: text formatting

text-decoration:

- none
- line-through
- underline
- overline
- underline overline (combined)

text-decoration-*:

- text-decoration-line
- text-decoration-color
- text-decoration-style



/CSS: text-alignment \

(12)



/CSS: fonts\



CSS: fonts

- font-family: "Times New Roman", Times, serif
- Generic font families: serif, sans-serif, monospace, cursive, fantasy
- Web-safe fonts: in order to deliver as intended
- Web-safe fonts: provide a fallback plan in case the first option does not work, without major changes affecting the look&feel of the page
- **Add fonts to our webpage** (<link> tag)

CSS: fonts

Arial

A quick brown fox jumps over
the lazy dog
0123456789

Cambria

A quick brown fox jumps over
the lazy dog
0123456789

Courier

A quick brown fox jumps
over the lazy dog
0123456789

Brush Script MT

*A quick brown fox jumps over the
lazy dog
0123456789*

CSS: fantasy fonts

The Quick Brown
Fox Jumps Over
The Lazy Dog

The Quick Brown Fox
Jumps Over The Lazy
Dog

**The Quick Brown Fox
Jumps Over The Lazy Dog**

/Google Fonts₍₁₁₎\





/Q&A\



Resources

- MDN Web docs: <https://developer.mozilla.org/en-US/>
- W3Schools: <https://www.w3schools.com/>
- CSS fonts: <https://www.w3.org/Style/Examples/007/fonts.en.html>
- CSS Font Families: <https://css-tricks.com/snippets/css/css-font-families/>
- text-decoration doc: <https://developer.mozilla.org/en-US/docs/Web/CSS/text-decoration>
- Google Fonts: <https://fonts.google.com/>



Thank you

Next: CSS Basic Rules - Part#2

