

Module 12 - chapter 8

Output Values

A way to see attributes that we didn't create:

- Look at the terraform.tfstate file
- Using command line -> Terraform show <resource>

Another way is using 'Output values' -> like return values



output values:
are like function **return values**

Let's get the IDs of each resource:

```

3   }
4
5   resource "aws_vpc" "development-vpc" {
6     cidr_block = "10.0.0.0/16"
7     tags = {
8       Name: "development"
9     }
10  }
11
12  resource "aws_subnet" "dev-subnet-1" {
13    vpc_id = aws_vpc.development-vpc.id
14    cidr_block = "10.0.10.0/24"
15    availability_zone = "eu-west-2a"
16    tags = {
17      Name: "subnet-1-dev"
18    }
19  }
20
21  output "dev-vpc-id" {
22    value = aws_vpc.development-vpc.id
23  }
24
25  output "dev-subnet-id" {
26    value = aws_subnet.dev-subnet-1.id
27  }

```

Each output will return only one attribute in this case ID.

-> terraform apply -auto-approve

```
Plan: 2 to add, 0 to change, 0 to destroy.
```

```
Changes to Outputs:
```

```
+ dev-subnet-id = (known after apply)
```

```
+ dev-vpc-id    = (known after apply)
```

```
aws_vpc.development-vpc: Creating...
```

```
aws_vpc.development-vpc: Creation complete after 1s [id=vpc-0e4a6d38230cd6e01]
```

```
aws_subnet.dev-subnet-1: Creating...
```

```
aws_subnet.dev-subnet-1: Creation complete after 1s [id=subnet-05232f89d5ba0965e]
```

```
Apply complete! Resources: 2 added, 0 changed, 0 destroyed.
```

```
Outputs:
```

```
dev-subnet-id = "subnet-05232f89d5ba0965e"
```

```
dev-vpc-id = "vpc-0e4a6d38230cd6e01"
```

```
→ terraform git:(Module_12/Terraform_chapter-8) ×
```

And we get the output values.