

Module 15 - chapter 2

Install Ansible



Control Node

- ▶ The machine that runs Ansible
- ▶ Windows is not supported for the control node
- ▶ **And manages target servers**


Two locations where we can install Ansible

1. Local setup

Install ansible on our machine

Connect to target servers

Execute Ansible commands or Ansible playbooks to manage the target servers




2. Remote server

Install Ansible on a remote server

Connect to target servers

Execute Ansible commands or Ansible playbooks to manage the target servers from the remote server




Use case if all the target servers are in a private networks, so we only can communicate to them inside the private network.

In this boot camp we will install Ansible in our laptop.


Ansible is written in python so it is a requirement to have python installed before we install Ansible.

Ansible Machine Requirement:
Python needs to be installed



We already have python!

If we want to write some custom functionality in Ansible we will do it using python



Your Python knowledge makes it easier
for you to work with Ansible

So we can install Ansible using python package manager pip for example if a different OS to Mac

-> pip install ansible

In Mac we install ansible using brew

-> brew install ansible

```
~ ➤ brew install ansible
> brew install ansible
==> Auto-updating Homebrew...
Adjust how often this is run with `$(HOMEBREW_AUTO_UPDATE_SECS)`
`$(HOMEBREW_NO_AUTO_UPDATE=1`. Hide these hints with `$(HOMEBREW
==> Auto-updated Homebrew!
Updated 5 taps (hashicorp/tap, weaveworks/tap, mongodb/brew, h
==> New Formulae
==> Downloading https://formulae.brew.sh/api/formula.jws.json
actions-languageserver: Language server for GitHub Actions YAM
adrs: Architectural Decision Record tool in Rust
ai-cli: Generate images, video, audio, and text from the termi
asar: SNES assembler for applying patches to ROM images or bui
auth0: Build, manage and test your Auth0 integrations from the
```