Developer API / Orders & Trading / Orders / Place Order V3

Place Order V3 Sandbox Enabled

API to place an order to the exchange. The instrument_token required for the stock or contracts should be obtained from the BOD instruments.

Upon successfully placing the order with the exchange, a unique order_id is provided in the success response, which can be utilized for order modification or cancellation. If you intend to place an order outside of market hours, the 'is_amo' (After Market Order) should be set to 'true'. You can assign a tag(unique identifier) to your order, allowing you to retrieve orders associated with that tag using the Order History API.

Featuring an auto-slicing capability to break down large orders into smaller sizes bases on the freeze quantity of the instrument. You can enable or disable this feature by setting the `slice` flag in your order. For more details, please refer to the Auto Slicing

This API also includes latency information in the meta data object of the response, providing insight into the time Upstox took to process your request.

⚠ Algo Trading changes

- While order placement requests are made through a Registered app, the **X-Algo-Name** header is optional and only required if you have an exchange-approved algo strategy. When applicable, the value of this header should match one of the Algo names configured in the app settings.

Request

```
curl --location 'https://api-hft.upstox.com/v3/order/place' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--header 'Authorization: Bearer {your_access_token}' \
--data '{
  "quantity": 4000,
  "product": "D",
  "validity": "DAY",
  "price": 0,
  "tag": "string",
  "instrument_token": "NSE_FO|43919",
  "order_type": "MARKET",
  "transaction_type": "BUY",
  "disclosed_quantity": 0,
  "trigger_price": 0,
```

```
  "is_amo": false,
  "slice": true,
  "market_protection": 0
}'
```

Automatic AMO detection

The **is_amo** flag in the order request will be ignored, and the system will automatically infer its value based on the current market session. If an order is placed during active trading hours, it will be processed as a live order regardless of whether **is_amo: true** was sent.

For additional samples in various languages, please refer to the Sample code section on this page.

Request Body

quantity

REQUIRED

Required

TYPE

`integer (int32)`

DESCRIPTION

Quantity with which the order is to be placed.
For commodity - number of lots is accepted.
For other Futures & Options and equities - number of units is accepted in multiples of the tick size.

product

REQUIRED

Required

TYPE

`string`

DESCRIPTION

Signifies if the order was either Intraday or Delivery.
Possible values: `I`, `D`, `MTF`.

validity

REQUIRED

Required

TYPE

`string`

DESCRIPTION

It can be one of the following - DAY(default), IOC.
Possible values: `DAY`, `IOC`.

price

REQUIRED

Required

TYPE

`number (float)`

DESCRIPTION

Price at which the order will be placed

tag

REQUIRED

Optional

TYPE

`string`

DESCRIPTION

Tag for a particular order

instrument_token

REQUIRED

Required

TYPE

`string`

DESCRIPTION

Key of the instrument. For the regex pattern applicable to this field, see the Field Pattern Appendix.

order_type

REQUIRED

Required

TYPE

`string`

DESCRIPTION

Type of order. It can be one of the following MARKET refers to market order LIMIT refers to Limit Order SL refers to Stop Loss Limit SL-M refers to Stop Loss Market.
Possible values: `MARKET`, `LIMIT`, `SL`, `SL-M`.

transaction_type

REQUIRED

Required

TYPE

`string`

DESCRIPTION

Indicates whether its a buy or sell order.
Possible values: `BUY`, `SELL`.

disclosed_quantity

REQUIRED

Required

TYPE

`integer (int32)`

DESCRIPTION

The quantity that should be disclosed in the market depth

`trigger_price`

REQUIRED

Required

TYPE

`number (float)`

DESCRIPTION

If the order is a stop loss order then the trigger price to be set is mentioned here

`is_amo`

REQUIRED

Optional

TYPE

`boolean`

DESCRIPTION

Signifies if the order is an After Market Order

`slice`

REQUIRED

Optional

TYPE

`boolean`

DESCRIPTION

When `true`, the number of orders is calculated based on the freeze quantity assigned for the instrument by the exchange. This helps automatically split the order into smaller parts in accordance with exchange rules, preventing rejection due to exceeding the allowed quantity. The default value is `false`. For a detailed explanation, please check the Auto Slicing section.

When `slicing` is applied, we calculate the total number of resulting orders. The total number of orders generated by the slice, must not exceed the maximum order count specified here.

`market_protection`

REQUIRED

Optional

TYPE

`integer (int32)`

DESCRIPTION

Applicable for Market and Stoploss Market (SL-M) orders. This will be ignored if used with Limit or Stoploss Limit (SL) orders.

Default: `-1`.
`-1` = Automatic market protection as per guidelines. For more details, see Market Protection details.
`1` – `25` = Custom market protection percentage (e.g. 2 for 2%).
`0` = No market protection (Order will be rejected due to exchange restrictions on MARKET orders from API).

Responses

200 4XX

Response Body


```
{
    "status": "success",
    "data": {
        "order_ids": [
            "1644490272000",
            "1644490272001",
            "1644490272003"
        ]
    },
    "metadata": {
        "latency": 30
    }
}
```


status

TYPE
`string`

DESCRIPTION
A string indicating the outcome of the request. Typically `success` for successful operations.

data

TYPE
`object`

DESCRIPTION
Response data for place order request.

data.order_ids

TYPE
`array`

DESCRIPTION

List of reference order IDs associated with successful order placed.

metadata

TYPE

`object`

DESCRIPTION

Order metadata associated with successful order placed.

metadata.latency

TYPE

`integer`

DESCRIPTION

The overall time taken by API platform to process the order request, measured in milliseconds.

Auto Slicing

Exchanges enforce a limitation on the maximum quantity that can be placed for any scrip, known as the freeze quantity. If an order exceeds this freeze quantity, it will be rejected by the exchange. To simplify the process and prevent such rejections, we automatically slice the order into smaller parts based on the freeze quantity defined by the exchange when necessary.

How to Enable Slicing

To enable this feature, include the `slice` field in your request payload with the value set to `true`. Let's walk through a practical example:

Suppose you want to place an order for *SCRIP1* with a total quantity of 10,100, and the freeze quantity defined by the exchange is 1,000. If you send the `slice` field as `false`, the entire order is submitted to the exchange, which will reject it due to exceeding the allowed quantity. However, if you pass `true` as the value for the `slice` field, we automatically split the order into 11 smaller orders: 10 orders of 1,000 units each, and 1 order of 100 units. This ensures that all orders are accepted and processed by the exchange.

Sample Code

Place an order with slicing enabled

Curl | Python | Node.js | Java | PHP | Python SDK | Node.js SDK | Java SDK

```
curl --location 'https://api-hft.upstox.com/v3/order/place' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
```

```
--header 'Authorization: Bearer {your_access_token}' \
--data '{
  "quantity": 4000,
  "product": "D",
  "validity": "DAY",
  "price": 0,
  "tag": "string",
  "instrument_token": "NSE_FO|43919",
  "order_type": "MARKET",
  "transaction_type": "BUY",
  "disclosed_quantity": 0,
  "trigger_price": 0,
  "is_amo": false,
  "slice": true
}'
```

Place an order with slicing disabled

Curl | Python | Node.js | Java | PHP | Python SDK | Node.js SDK | Java SDK

```
curl --location 'https://api-hft.upstox.com/v3/order/place' \
--header 'Content-Type: application/json' \
--header 'Accept: application/json' \
--header 'Authorization: Bearer {your_access_token}' \
--data '{
  "quantity": 25,
  "product": "D",
  "validity": "DAY",
  "price": 0,
  "tag": "string",
  "instrument_token": "NSE_FO|43919",
  "order_type": "MARKET",
  "transaction_type": "BUY",
  "disclosed_quantity": 0,
  "trigger_price": 0,
  "is_amo": false,
  "slice": false
}'
```

POST /order/place

REQUEST **COLLAPSE ALL**

Base URL

```
https://api-sandbox.upstox.com/v3
```

Body **REQUIRED**

SEND API REQUEST

RESPONSE **CLEAR**

Click the `Send API Request` button above and see the response here!

Important

- Margin Trading Facility (MTF) is available for trading-eligible securities with additional leverage.
- When slicing is applicable, A maximum of **10 orders** can be placed in a single request. Any request exceeding this limit will be rejected.
- When slicing is applicable, Brokerage will be charged for each individual sliced order.
- Currently product type `OCO` is not allowed.
- In adherence to CDSL regulations, customers without a DDPI/POA are obligated to use a combination of the CDSL TPIN and OTP to provide the necessary authorization for the deduction of securities from their demat account when engaging in delivery sale transactions.

NOTE

- If you represent a business aiming to incorporate order flow management (including placing, canceling, and modifying orders), please visit the Uplink Business. The direct HTTP order placement API integration is intended for individual API users.
- The Place order api is down for maintenance from 12:00 AM to 5:30 AM IST daily and is not available for usage during these hours. Users are advised to plan their activities accordingly.