2026

API GUIDE

Hotel API Guide for Virtual Fiscal Management System (VFMS)

Production Environment

Version 1.6

ZANZIBAR REVENUE AUTHORITY

ZANZIBAR REVENUE AUTHORITY

Table of Content

1 Introduction 1

1.1 About VFMS APIs 1

1.2 Purpose of the document 1

1.3 Interface Operation Overview 1

1.4 Header parameter 2

2 API Endpoints 3

2.1 Accommodation Endpoints 3

2.2 Change Room Endpoints 6

2.3 Change Room-Price Endpoints 7

2.4 Currency Exchange Rate Endpoints 8

2.5 Accommodation Report Endpoint 9

2.6 Guest Accommodation Endpoints 10

2.7 Change Profile Endpoints 11

2.8 Guest Checkout Endpoints 13

2.9 Advance Payment Booking Endpoint 14

2.10 Advance Payment Accommodation Endpoint 17

2.11 Hotel Services Endpoints 19

2.12 Error Correction Endpoint 20

2.13 Error Correction Report Endpoint 22

3 VFMS Response/Result Codes 23

1 Introduction

1.1 About VFMS APIs

Businesses and developers can easily issue, validate, and maintain Fiscal Electronic Receipts (FERs) as needed by the Zanzibar Revenue Authority (ZRA) with the use of the Virtual Fiscal Management System (VFMS) API. This Application Programming Interface (API) permits automation for receipt generation, validation, retrieval, and reporting while guaranteeing adherence to fiscal standards. The VFMS API uses **token authentication** to provide secure access.

The VFMS integration with the third-party system (the taxpayer's system) will use an external interface to send (request payload) and receive corresponding (response payload) data from VFMS in **JSON/HTTP** format.

1.2 Purpose of the document

This API document's goal is to provide developers and technical users with a thorough understanding of how to interact with and make use of the VFMS hotel API. It facilitates the smooth integration and deployment of the API into other systems or applications by offering comprehensive details on the API's capabilities, usage guidelines, and anticipated behaviors.

Additionally, it is assumed that readers will already be familiar with the fundamentals of RESTful Web Services.

1.3 Interface Operation Overview

Integrating with the taxpayer's system, the taxpayer's **business unit** must be registered in the VFMS before submitting any request. The registered information will be used to prove the identity and authentication of the requested third party's system. The authentication information is usually included in the header parameters.

1.4 Header parameter

There are four **header parameters** for each hotel endpoint:

Header Parameter	Value
Content-type	application/json
vfms-request-type	**'Depend on end-point type.'**
vfms-intergration-id	After the registration process, the Integration ID will automatically be provided.
vfms-token-id	After the registration process, the Token ID will be provided.

2 API Endpoints

The integration of VFMS hotels is centered on eleven **11** API endpoints. The taxpayer will be given the Endpoints URL, and he/she will be liable to initiate connections with the VFMS system.

HTTP Method: POST (for all endpoints)

2.1 Accommodation Endpoints

Data on accommodations is usually managed or interacted with via this API Endpoint while guests are **directly** checking into the hotel. The request payload's guest information must be submitted to the endpoint to connect to ZRA servers. VFMS will determine the infrastructure tax and the total tax amount per guest per night until the guest checks out.

-HTTP Request

End Point URL: POST https://gateway.zanrevenue.org/api/accommodation/

-vfms-request-type

Parameter	Value	Required
vfms-request-type	**ACCOMMODATION_REQUEST**	Y

-Request Parameter data

PARAMETER	DATA TYPE	DESCRIPTION
accommodationDiscount	Double	Accommodation price discount
accommodationPrice	Double	A tax-inclusive amount
checkInDate	String	Guest check-in date (yyyy-mm-dd)
currency	String	Example: **USD, TZS, EURO**
Guest array starts		
country	String	The guest's country of origin
documentName	String	Guest's document Name
documentNo	String	Guest's ID number.
fullName	String	Guest's full name

Guest array ends		
paymentPackage	Sting	Payment Package
referenceNumber	String	A unique transaction no.
roomId	integer	Room ID number
roomName	String	Room name or number
accommodationSource	Enum	**DIRECT** – All charges will be paid by the guests themselves. **TOUR OPERATOR** – Some or all charges may be paid by the Tour Operator (TO).
TourRegNo	String	If the accommodation source is '**TOUR OPERATOR'**, their ZRA registration number is required.
CostOptions	String	The cost to be accommodated by '**TOUR OPERATOR.'** Use 5,6, & 7 in ascending order to represent the following; 5 = **Accommodation** 6 = **Infrastructure** 7 = **Other services**

-Request Payload data


```
{
  "paymentPackage": "string",
  "checkInDate": "2026-05-06T12:53:40.907Z",
  "guest": [
    {
      "documentName": "string",
      "documentNo": "string",
      "country": "string",
      "fullName": "string"
    }
  ],
  "roomId": 1,
  "roomName": "string",
  "accommodationSource": "string",
  "accommodationPrice": 1,
  "accommodationDiscount": 0,
  "referenceNumber": "string",
  "tourRegNo": "string",
  "costOptions": "string",
  "currency": "USD"
}
```

2.2 Change Room Endpoints

This endpoint is used when the guest changes hotel rooms. The endpoint will continue calculating the accommodation and infrastructure tax based on the new room rate.

-HTTP Request

End Point URL: POST https://gateway.zanrevenue.org/api/change/room/

-vfms-request-type

Parameter	Value	Required
vfms-request-type	**ACCOMMODATION_CHANGE_ROOM**	Y

-Request Parameter data

PARAMETER NAME	DATA TYPE	DESCRIPTION
accomodationDiscount	Double	Guest's accommodation discount
accomodationPrice	Double	New room accommodation price
currency	Enum	Currency: **USD, TZS, EURO**
documentNumber	String	Checked-in guest document no.
referenceNumber	String	A unique transaction no.
roomName	String	New room name/number
roomId	String	New room ID number

-Request Payload data

```
{
  "roomName": "string",
  "roomId": 1,
  "documentNumber": "string",
  "referenceNumber": "string",
  "currency": "USD",
  "accommodationPrice": 0,
  "accommodationDiscount": 0
}
```

2.3 Change Room-Price Endpoints

This endpoint is used when there is a need to change the room rate.

-HTTP Request

End Point URL: POST https://gateway.zanrevenue.org/api/changeRoomPrice/

-vfms-request-type

Parameter	Value	Required
vfms-request-type	**CHANGEROOM_PRICE**	Y

-Request Parameter data

PARAMETER NAME	DATA TYPE	DESCRIPTION
Rooms array []		
hotelRoomRoom	long	Room ID number
roomPrice	double	Room price
Rooms array []		

-Request Payload data

```
{
  "rooms": [
    {
      "roomPrice": 1,
      "hotelRoomRoom": 0
    }
  ]
}
```

2.4 Currency Exchange Rate Endpoints

This endpoint can be used for currency exchange and does not have request parameters.

-HTTP Request

End Point URL: POST
https://gateway.zanrevenue.org/api/currencyExchangeRate/

-vfms-request-type

Parameter	Value	Required
vfms-request-type	**CURRENCY_EXCHANGE**	Y

-Response Parameter data

PARAMETER NAME	DATA TYPE	DESCRIPTION
rate_id	String	Rate ID
rateUSD	double	USD to TZS rate
rateEURO	double	EURO to TZS rate
rateUSDEURO	double	USD to EURO rate

- Response Payload data


```
{
    "rate_id": null,
    "rateUSD": 3205.0,
    "rateEURO": 2721.23,
    "rateUSDEURO": 1.17
}
```

2.5 Accommodation Report Endpoint

This endpoint can be used to fetch guest information.

-HTTP Request

End Point URL: POST
https://gateway.zanrevenue.org/api/accommodationReport/

-vfms-request-type

Parameter	Value	Required
vfms-request-type	**ACCOMMODATION_REPORT**	Y

- Request Parameter data

PARAMETER NAME	DATA TYPE	DESCRIPTION
endDate	Date & time	Report end date
startDate	Date & time	Report start date

- Request Payload data

```
{
  "startDate": "string",
  "endDate": "string",
  "refno": "string"
}
```

2.6 Guest Accommodation Endpoints

This endpoint is used to register additional guests in an already occupied room at a later time. The check-in procedure follows the same process as outlined under the accommodation endpoints.

-HTTP Request

End Point URL: POST
https://gateway.zanrevenue.org/api/guest/accommodation/

-vfms-request-type

Parameter	Value	Required
vfms-request-type	**ACCOMMODATION_ADD_GUEST**	Y

- Request Parameter data

PARAMETER NAME	DATA TYPE	DESCRIPTION
arrivalDate	String	New guest arrival date in the country (yyyy-mm-dd)
country	String	New guest country's name
documentName	String	New guest document name
documentNo	String	New guest document ID number
firstGuestDocument	String	Existing Guest document no.
fullName	String	New guest's full name
referenceNumber	String	A unique transaction no.

- Request Payload data

```
{
  "firstGuestDocument": "string",
  "documentName": "string",
  "documentNo": "string",
  "arrivalDate": "string",
  "referenceNumber": "string",
  "country": "string",
  "fullName": "string"
}
```

2.7 Change Profile Endpoints

This endpoint is used to update and correct guest information in cases where the initial details were entered incorrectly.

-HTTP Request

End Point URL: POST https://gateway.zanrevenue.org/api/guest/changeProfile/

-vfms-request-type

Parameter	Value	Required
vfms-request-type	GUEST_PROFILE	Y

- Request Parameter data

PARAMETER NAME	DATA TYPE	DESCRIPTION
oldDocumentNo	**String**	Old guest document number
newDocumentNo	**string**	New guest document ID number
fullName	**string**	New guest's full name
documentName	**string**	New guest document name
country	**string**	New guest's country name
referenceNumber	**string**	A unique transaction no.

- Response Parameter data

PARAMETER NAME	DATA TYPE	DESCRIPTION
oldDocumentNo	**String**	Document ID number
newDocumentNo	**string**	New Document ID number
fullName	**string**	Guest's full name
documentName	**string**	Guest document name
country	**string**	Guest's country name
referenceNumber	**string**	A unique transaction no.
responseNumber	**String**	ZRA transaction response no.
checkInDate	**Date and time**	Check in date and time

- Request Payload data


```
{
  "oldDocumentNo": "string",
  "newDocumentNo": "string",
  "fullName": "string",
  "documentName": "ZANID",
  "country": "string",
  "referenceNumber": "string"
}
```

2.8 Guest Checkout Endpoints

When a guest is ready to check out, the system initiates the process by calling the check-out endpoint. The VFMS API then responds by generating a check-out report detailing the accommodation charges and any additional services consumed during the stay.

-HTTP Request

End Point URL: POST https://gateway.zanrevenue.org/api/guest/checkout/

-vfms-request-type

Parameter	Value	Required
vfms-request-type	ACCOMMODATION_CHECK_OUT	Y

- Request Parameter data

PARAMETER NAME	DATA TYPE	DESCRIPTION
currency	Enum	USD, TZS, EURO
documentNumberList array starts[]		
documentNumber	String	Guest document number.
documentNumberList array ends[]		

- Request Payload data

```
{
  "documentNumberList": [
    {
      "documentNumber": "string"
    }
  ],
  "currency": "USD"
}
```

2.9 Advance Payment Booking Endpoint

This endpoint is used to record and process advance payments made by a user before the actual service or transaction is completed. It captures payment details, generates a reference or control number, and stores the transaction for future reconciliation with the final service or invoice.

-HTTP Request

End Point URL: POST
https://gateway.zanrevenue.org/api/api/reservation/booking/

-vfms-request-type

Parameter	Value	Required
vfms-request-type	RESERVATION_BOOKING	Y

- Request Parameter data

PARAMETER NAME	DATA TYPE	DESCRIPTION
bookingCompany	string	Tour operator (TO) company name.
email	string	TO email address
phoneNumber	string	TO Mobile number
amountToBePaid	double	Total amount to be accommodated
noOfGuest	integer	Number of guests for booking
currency	Enum	USD, TZS, EURO
startDate	Date & time	Expected check-in date
endDate	Date & time	Expected check-out date
rooms array starts []		
roomId	String	Guest document number.
roomPrice	Double	Booked room rate
noOfGuestPerRoom	Integer	Number of guests per room
rooms array ends []		
regNumber	String	TO ZTN_location number/TIN.

customerType	integer	A constant number '2' which means a B2B customer.
salesCustomer	String	Customer name and it is required if not ZRA registered.
referenceNumber	string	Unique transaction number.
isIncludeInfrastructure	boolean	Infrastructure item
isIncludeAccommodation	boolean	Accommodation item
isIncludeOtherService	boolean	Hotel service item
isZraRegistered	boolean	Whether TO is a ZRA registered

- Request Payload data


```
{
  "bookingCompany": "ABC company",
  "email": "abc@gmail.com",
  "phoneNumber": "0716776655",
  "amountToBePaid": 5000,
  "noOfGuest": 1,
  "currency": "USD",
  "startDate": "2026-05-05T08:30:41.481Z",
  "endDate": "2026-05-09T08:30:41.481Z",
  "rooms": [
    {
      "roomId": 99,
      "roomPrice": 10,
      "noOfGuestPerRoom": 1
    }
  ],
  "customerType": 2,
  "salesCustomer": "ABC company",
  "regNumber": "TIN22998876",
  "referenceNumber": "ABD88900",
  "isIncludeInfrastructure": true,
  "isIncludeAccommodation": true,
  "isIncludeOtherService": true,
  "isZraRegistered": false
}
```

2.10 Advance Payment Accommodation Endpoint

This endpoint enables advanced check-in by linking advanced bookings with guest details, ensuring payment validation and a smooth check-in process upon arrival.

-HTTP Request

End Point URL: POST
https://gateway.zanrevenue.org/api/accommodation/booking/

-vfms-request-type

Parameter	Value	Required
vfms-request-type	ACCOMMODATION_BOOKING_REQUEST	Y

- Request Parameter data

PARAMETER NAME	DATA TYPE	DESCRIPTION
referenceNumber	String	Unique transaction number
roomId	String	Room ID number
roomName	string	Room name/number
accomodationPrice	double	Check-in room rate
accomodationDiscount	double	Accommodation discount
salesCurrency	Enum	USD, TZS, EURO
checkInDate	Date & time	Actual check-in date
checkOutDate	Date & time	Expected check-out date
bookingNumber	String	A unique reference number assigned to a reservation, used to identify and track the booking.
receiptno	String	Advance payment booking receipt no.
guest array starts[]		
documentNo	String	Guest document number.
documentName	String	Document name used
country	String	Country name

fullName	String	Guest's full name
guest array ends []		

- Request Payload data


```
{
  "referenceNumber": "abc887",
  "roomId": 99,
  "accomodationPrice": 10,
  "accomodationDiscount": 0,
  "salesCurrency": "USD",
  "checkInDate": "2026-05-05T09:23:55.068Z",
  "checkOutDate": "2026-05-09T09:23:55.068Z",
  "bookingNumber": "0000R",
  "guest": [
    {
      "documentName": "NIDA",
      "documentNo": "90060566554433",
      "country": "TANZANIA",
      "fullName": "SALIM ALI"
    }
  ]
}
```

HOTEL OTHER SERVICES ENDPOINTS

2.11 Hotel Services Endpoints

This Endpoint is for hotel other services/extra services.

-HTTP Request

End Point URL: POST https://gateway.zanrevenue.org/api/service/

-vfms-request-type

Parameter	Value	Required
vfms-request-type	**ACCOMMODATION_ADD_SERVICE**	Y

- Request Parameter data

PARAMETER NAME	DATA TYPE	DESCRIPTION
documentNumber	string	Guest document ID number
Services Array		
discount	double	Service/item price discount
itemName	string	Service/item name
price	double	Service/item price amount
quantity	integer	Number of items/services
Services Array		
type	Enum	Type: **CS** – Services for checked-in **WS** – Services for the general customer
currency	String	Example: **USD** - U.S. Dollar
referenceNumber	String	A unique transaction no.

- Request Payload data


```
{
  "documentNumber": "AB003",
  "service": [
    {
      "itemName": "WATER",
      "price": 10,
      "quantity": 2,
      "discount": 0
    }
  ],
  "referenceNumber": "RF006",
  "type": "CS",
  "currency": "USD"
}
```


2.12 Error Correction Endpoint

The Error Correction Endpoint is used to submit both the incorrect and corrected invoice details in order to replace the erroneous invoice and obtain approval for the updated corrected invoice, ensuring accuracy and compliance.

-HTTP Request

End Point URL: POST https://gateway.zanrevenue.org/error-management/new

-vfms-request-type

Parameter	Value	Required
vfms-request-type	ERROR_SAVE	Y

- Request Parameter data

PARAMETER	DATA TYPE	DESCRIPTION
b_unit_name	String	Business name
email	String	Taxpayer email address
new_receipt_number	String	correct receipt number
old_receipt_number	String	Wrongly issued receipt number
phone_no	String	Taxpayer mobile number
reasons	String	Reasons for cancellation

unitId	Long	Business unit ID
zrb_number	String	ZRA registration number

-Response Parameter data

PARAMETER	DATA TYPE	DESCRIPTION
status	String	Status code
statusMessage	String	Status message
message	String	message

- Request Payload data


```
{
"b_unit_name": "string",
  "email": "mshebanabil21@gmail.com",
  "new_receipt_number": "NXM0152",
  "old_receipt_number": "NXM0151",
  "phone_no": "string",
  "reasons": "TEST ERROR",
  "unitId": 38,
  "zrb_number": "Z025608121"
}
```

2.13 Error Correction Report Endpoint

This Endpoint is for the error correction report. To get a list of report you can specify the status in the status name parameter. The following are the status types:

Status	Parameter
All	0
Pending errors	Pending
Approved errors	Approved
Rejected errors	Rejected
Under verification	Verification

-HTTP Request

End Point URL: POST https://gateway.zanrevenue.org/error-management/errors

-vfms-request-type

Parameter	Value	Required
vfms-request-type	ERRORS_MANAGEMENTS	Y

- Request Sample data

```
{
  "startDate": "string",
  "endDate": "string",
  "status": "0"
[ {
unitId : "0"
} ]
 }
```

3 VFMS Response/Result Codes

Response Status code/ID	Response Status message	Description
200	Operation successful	Operation was done successful and the system provide the response
201	Created	The process was created but with no response from the system
400	Bad request	Incorrect data inserted
401	Unauthorized	The user is not receiving the token
403	Forbidden	The user or process was rejected
404	Not Found	The searching criteria is not found
500	Internal Service Error	The server has a problem with an error.

NOTE BRIEF:

The receipt/checkout report must include the **VFMS QR code,** which contains the **URL** that contains receipt information, which is **https://portalvfms.zanrevenue.org/checkout-report/guest/reportNo**

Whereby:

- **guest**: The accommodation source; Running this URL for the first time is mandatory to place the **TERM** '**guest'** value for printing purposes. While for reprinting options '**tour'** accommodation source can be used if a TOUR OPERATOR requires such a report.
- **reportN0**: The guest checkout no/receipt no.