☰                                                    Documentation Settings ▼

ℹ  This documentation is not published yet, this is only a preview. Changes to the publ…

# SchoolManagement-ADP

# Employee

## POST  Create New Employee

```
{{DOMAIN}}/api/v1/school-management/employee/save
```

Creates/Updates an employee to be stored in the database

**BODY** raw

```
{
    "staffID": "4",
    "email": "toDelete@gmail.com",
    "name": {
        "firstName": "John",
        "middleName": "FE",
        "lastName": "Peter"
    }
}
```

Example Request                                              Create New Employee

```
Unirest.setTimeouts(0, 0);
HttpResponse<String> response = Unirest.post("{{DOMAIN}}/api/v1/school-management/employee/save")
  .body("{\r\n    \"staffID\": \"4\",\r\n    \"email\": \"toDelete@gmail.com\",\r\n    \"name\": {\r\n
  .asString();
```

## GET  Get Single Employee

Documentation Settings     ▼

ℹ   This documentation is not published yet, this is only a preview. Changes to the publ...

Get a single employee from the database.

Example Request                                                   Get Single Employee

```
Unirest.setTimeouts(0, 0);
HttpResponse<String> response = Unirest.get("{{DOMAIN}}/api/v1/school-management/employee/read/4")
  .asString();
```

## GET  Find All Employees

```
{{DOMAIN}}}/api/v1/school-management/employee/all
```

Returns all the employees in the database

Example Request                                                   Find All Employees

```
Unirest.setTimeouts(0, 0);
HttpResponse<String> response = Unirest.get("{{DOMAIN}}}/api/v1/school-management/employee/all")
  .asString();
```

## GET  Find Employee By Email

```
{{DOMAIN}}/api/v1/school-management/employee/read?email=Jntny@gmail.com
```

Finds an employee in the database based on the employee email.

### PARAMS

**email**

≡                                                    Documentation Settings      ▼

ℹ   This documentation is not published yet, this is only a preview. Changes to the publ...

Example Request                                              Find Employee By Email

```
Unirest.setTimeouts(0, 0);
HttpResponse<String> response = Unirest.get("{{DOMAIN}}/api/v1/school-management/employee/read?email=J
  .asString();
```

◀ ▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬                              ▶

## DEL   Delete Employee By ID

```
{{DOMAIN}}/api/v1/school-management/employee/delete/5
```

Deletes an employee record in the database. The employee is deleted by ID.

Example Request                                                Delete Employee By ID

```
Unirest.setTimeouts(0, 0);
HttpResponse<String> response = Unirest.delete("{{DOMAIN}}/api/v1/school-management/employee/delete/5"
  .asString();
```

◀ ▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬                              ▶

## DEL   Delete By Employee

```
{{DOMAIN}}/api/v1/school-management/employee/delete
```

Delete a row in the table by the Employee domain

**BODY** raw

```
{
    "staffID": "4",
    "email": "toDelete@gmail.com",
    "name": {
```

☰                                                                    Documentation Settings      ▼

ℹ  This documentation is not published yet, this is only a preview. Changes to the publ...

Example Request                                                               Delete By Employee

```
Unirest.setTimeouts(0, 0);
HttpResponse<String> response = Unirest.delete("{{DOMAIN}}/api/v1/school-management/employee/delete")
  .body("{\r\n    \"staffID\": \"4\",\r\n    \"email\": \"toDelete@gmail.com\",\r\n    \"name\": {\r\n
  .asString();
```

◀                                                                                              ▶

## GET  Find Employees By City

No request URL found. It will show up here once added.

Example Request                                                               Find Employees By City

```
Unirest.setTimeouts(0, 0);
HttpResponse<String> response = Unirest.get("")
```