
AstrolmageJ Toolbar

- Provides access to Astronomy Tools (and underlying ImageJ tools)
- Data Processor (DP; data calibration)
- Multi-Aperture (MA; differential photometry)
- Multi-Plot and lightcurve fitting (MP; plotting facility)
- Coordinate Converter (CC; time format and coordinate conversion)



Data Processor (Image Calibration)

- Create master calibration files
- Bias subtract
- Dark Subtract
- Flat field
- Update FITS headers
- Plate Solve
- Save calibrated files
- Optional run photometry and plotting
- Run in realtime mode while observing to monitor live lightcurve






Image Stack Display

- Zoom and pan image with mouse
- Adjust contrast
- Scroll through stack
- Photometer at mouse pointer
- X, Y, East, North, indicators
- Access to all AIJ settings and tools
 - Icons for common settings and tools
 - Menus for all others




Multi-Aperture

- Select aperture shape
- Select aperture size and size mode
- Select new or saved aperture mode
- Select aperture tracking modes
- Set up auto comp star mode
- Select runtime display options
- Select "Place Apertures" to interactively add, remove, or move apertures in image stack




Measurements Table Display


- Contains all data from multi-aperture run
- Interactive with plotted data
- Searchable
- Sortable
- Editable



Multi-plot Main

- Controls related to overall plot
- Titling
- Axis labeling
- Axis Scaling
- Legend
- Plot size







Multi-plot Y-data

- Controls related to individual plotted datasets
- · Color, symbol shape
- Fitting mode

Multi-plot Y-data


Data averaging and binning






Plot Window


- Displays plotted dataset(s)
- Is interactive with mouse and data table
- Zoom and pan with mouse



Lightcurve Fitting Panel


- Set up initial fitting parameters
- View fitted values
- Manually select detrending
- Auto remove bad data points ("clean")
- Auto optimize comparison stars
- Auto optimize detrending






Reference Star Panel


- Interactively change comparison stars
- Add comp star magnitude data (optional)





Add Astronomical Data Panel

- Add calculated data to measurements table
- Examples are BJD_TDB, airmass, etc.
- Optionally runs automatically at end of each Multi-Aperture run



Coordinate Converter Panel

- Convert between time formats
- Convert between coordinate formats
- Calculates observability parameters
- Includes leap second calculations
- Manual control or automatic control from:
 - Data Processor
 - Add Data panel

