ASTROBIATECH
BLOCKCHAIN SECURITY

MADE IN INDIA
BLOCKCHAIN SECURITY

SECURITY ASSESSMENT REPORT

PREPARED FOR
LEVEL UP

@astrobiatech

JUNE 2023

astrobiatech.in

TABLE OF CONTENTS

SCOPE OF AUDIT

The scope of this audit was to analyze and document the LEVEL UP smart contract codebase for quality, security, and correctness.

CHECKED VULNERABILITIES

We have scanned the smart contract for commonly known and morespecific vulnerabilities. Here are some of the commonly known vulnerabilities that we considered:

- Re-entrancy
- Timestamp Dependence
- Gas Limit and Loops
- DoS with Block Gas Limit
- Transaction-Ordering Dependence
- Use of tx.origin
- Exception disorder
- Gasless send
- Balance equality
- Byte array
- Transfer forwards all gas
- ERC20 API violation
- Malicious libraries
- Compiler version not fixed
- Redundant fallback function
- Send instead of transfer
- Style guide violation
- Unchecked external call
- Unchecked math
- Unsafe type inference
- Implicit visibility level

TECHNIQUES & METHODS

Throughout the audit of smart contract, care was taken to ensure:

- The overall quality of code.
- Use of best practices.
- Code documentation and comments match logic and expected behaviour.
- Token distribution and calculations are as per the intended behaviour mentioned in the whitepaper.
- Implementation of ERC-20 token standards.
- Efficient use of gas.
- Code is safe from re-entrancy and other vulnerabilities.

The following techniques, methods and tools were used to review all thesmart contracts.

Static Analysis

Static Analysis of Smart Contracts was done to identify contract vulnerabilities. In this step a series of automated tools are used to testsecurity of smart contracts.

Code Review / Manual Analysis

Manual Analysis or review of code was done to identify new vulnerability or verify the vulnerabilities found during the static analysis.Contracts were completely manually analyzed, their logic was checkedand compared with the one described in the whitepaper. Besides, the results of automated analysis were manually verified.

ISSUE CATEGORIES

Every issue in this report has been assigned with a severity level. There are four levels of severity and each of them has been explained below.

➢ HIGH SEVERITY ISSUES

A high severity issue or vulnerability means that your smart contract can beexploited. Issues on this level are critical to the smart contract's performance or functionality and we recommend these issues to be fixed before movingto a live environment.

➢ MEDIUM SEVERITY ISSUES

The issues marked as medium severity usually arise because of errors and deficiencies in the smart contract code. Issues on this level could potentially bring problems and they should still be fixed.

➢ LOW SEVERITY ISSUES

Low level severity issues can cause minor impact and or are just warnings that can remain unfixed for now. It would be better to fix these issues atsome point in the future.

➢ INFORMATIONAL

These are severity four issues which indicate an improvement request, a general question, a cosmetic or documentation error, or a request for information. There is low-to-no impact.

ISSUES TABLE

TYPE	HIGH	MEDIUM	LOW	INFORMATIONAL
OPEN	-	-	4	-
ACKNOWLWDGENT	-	-	-	-
CLOSED	-	-	-	-

INTRODUCTION

On 28-06-2023 – Astrobiatech Blockchain Security Team performed asecurity audit for Level UP smart contracts.

CONTRACT NAME	Level UP
CONTRACT ADDRESS	0x1893b3AdE4BE3a47F9D2226eFB7a7737eE26d587
BLOCKCHAIN	Ethereum
TOTAL SUPPLY	100,000,000,000
SYMBOL	1 UP
DECIMALS	18

OVERVIEW

CONTRACT ADDRESS
0x1893b3ade4be3a47f9d2226efb7a7737ee26d587

TOKEN TRACKER
Level UP (1 UP)

CONTRACT CREATOR
0x7d075d5C43f8ecbd348C75A507D7FF159d3dAA8c

OWNER ADDRESS
0x7d075d5C43f8ecbd348C75A507D7FF159d3dAA8c

SOURCE CODE
Contract Source Code Verified at Bscscan

CONTRACT NAME
LEVELUP

OTHER SETTINGS
default evmVersion, MIT license

COMPILER VERSION
v0.8.18+commit.87f61d96

OPTIMIZATION ENABLED
Yes with 200 runs

Code is truncated to fit the constraints of this document.
https://etherscan.io/token/0x1893b3ade4be3a47f9d2226efb7a7737ee26d587#code

MANUAL ANALYSIS FINDINGS

LOW

1. Owner can exclude accounts from fees

Description:-

Excludes/Includes an address from the collection of fees

Recommendation:-

It is recommended to add additional access control measures, such as multi-factor authentication or time-based restrictions, to limitthe number of authorized users who can call these functions. The contract owner account is well secured and only accessible by authorized parties.

2. Owner can change fee percentages max 20%

Description:-

Functions that allows the owner of the contractto update the buy/sell fees of the contract. Thesefunctions assumes that the input parameters are valid and do not exceed the maximum limit of 20%.

Recommendation:-

It is recommended to add additional access control measures, such as multi-factor authentication or time-based restrictions, to limitthe number of authorized users who can call these functions. The contract owner account is well secured and only accessible by authorized parties.

3. Owner can change the swap tokens at amount within reasonable limit

Description:-

setSwapTokensAtAmount function allows the owner to set the minimum number of tokens required to trigger an automatic swap.

Recommendation:-

It' s important to ensure that the new swapTokensAtAmount value is reasonable and will not adversely affect the functioning of the token or any associated systems.

4. Owner can withdraw any token(except native token) from the contract

Description:-

claimStuckTokens function allows the contract owner to recover any ERC20 tokens or BNB that were mistakenly sent to the contract' s address. There are require statement to prevent the owner from accidentally claiming the native token.

Recommendation:-

It is generally considered safe for a contract owner to claim stuck tokens, but it' s importantto ensure that the owner is not abusing this function to steal tokens. In this implementation,there is a require statement that ensures that the owner cannot claim the native token of theblockchain on which the contract is deployed.

AUTOMATED ANALYSIS

```
INFO:Detectors:
LevelUP.sendETH(address,uint256) (token.sol#523-528) sends eth to arbitrary user
        Dangerous calls:
        - (success) = recipient.call{value: amount}() (token.sol#526)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#functions-that-send-ether-to-arbitrary-destinations
INFO:Detectors:
Reentrancy in LevelUP._transfer(address,address,uint256) (token.sol#600-687):
        External calls:
        - uniswapV2Router.swapExactTokensForETHSupportingFeeOnTransferTokens(contractTokenBalance,0,path,address(this),block.timestamp) (token.sol#641-646)
        - sendETH(address(teamWallet),teamETH) (token.sol#652)
                - (success) = recipient.call{value: amount}() (token.sol#526)
        - sendETH(address(charityWallet),charityETH) (token.sol#658)
                - (success) = recipient.call{value: amount}() (token.sol#526)
        External calls sending eth:
        - sendETH(address(teamWallet),teamETH) (token.sol#652)
                - (success) = recipient.call{value: amount}() (token.sol#526)
        - sendETH(address(charityWallet),charityETH) (token.sol#658)
                - (success) = recipient.call{value: amount}() (token.sol#526)
        State variables written after the call(s):
        - super._transfer(from,address(this),fees) (token.sol#683)
                - _balances[sender] = senderBalance - amount (token.sol#363)
                - _balances[recipient] += amount (token.sol#365)
        ERC20._balances (token.sol#273) can be used in cross function reentrancies:
        - ERC20._mint(address,uint256) (token.sol#369-375)
        - ERC20._transfer(address,address,uint256) (token.sol#352-367)
        - ERC20.balanceOf(address) (token.sol#301-303)
        - super._transfer(from,to,amount) (token.sol#686)
                - _balances[sender] = senderBalance - amount (token.sol#363)
                - _balances[recipient] += amount (token.sol#365)
        ERC20._balances (token.sol#273) can be used in cross function reentrancies:
        - ERC20._mint(address,uint256) (token.sol#369-375)
        - ERC20._transfer(address,address,uint256) (token.sol#352-367)
```

```
        - ERC20.balanceOf(address) (token.sol#301-303)
        - swapping = false (token.sol#663)
        LevelUP.swapping (token.sol#427) can be used in cross function reentrancies:
        - LevelUP._transfer(address,address,uint256) (token.sol#600-687)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#reentrancy-vulnerabilities
INFO:Detectors:
LevelUP._totalSupply (token.sol#426) shadows:
        - ERC20._totalSupply (token.sol#276)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#state-variable-shadowing
INFO:Detectors:
LevelUP.claimStuckTokens(address) (token.sol#508-517) ignores return value by ERC20token.transfer(msg.sender,balance) (token.sol#516)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#unchecked-transfer
INFO:Detectors:
LevelUP.sendETH(address,uint256) (token.sol#523-528) ignores return value by (success) = recipient.call{value: amount}() (token.sol#526)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#unchecked-low-level-calls
```

FUNCTIONAL TEST

Contract	Type	Bases		
└	**Function Name**	**Visibility**	**Mutability**	**Modifiers**
Context	Implementation			
└	_msgSender	Internal 🔒		
└	_msgData	Internal 🔒		
Ownable	Implementation	Context		
└	<Constructor>	Public ❗	🔴	NO❗
└	owner	Public ❗		NO❗
└	renounceOwnership	Public ❗	🔴	onlyOwner
└	transferOwnership	Public ❗	🔴	onlyOwner
└	_setOwner	Internal 🔒	🔴	
IUniswapV2Factory	Interface			
└	feeTo	External ❗		NO❗
└	feeToSetter	External ❗		NO❗
└	getPair	External ❗		NO❗
└	allPairs	External ❗		NO❗
└	allPairsLength	External ❗		NO❗
└	createPair	External ❗	🔴	NO❗
└	setFeeTo	External ❗	🔴	NO❗
└	setFeeToSetter	External ❗	🔴	NO❗
IUniswapV2Pair	Interface			
└	name	External ❗		NO❗
└	symbol	External ❗		NO❗
└	decimals	External ❗		NO❗
└	totalSupply	External ❗		NO❗
└	balanceOf	External ❗		NO❗
└	allowance	External ❗		NO❗
└	approve	External ❗	🔴	NO❗
└	transfer	External ❗	🔴	NO❗
└	transferFrom	External ❗	🔴	NO❗
└	DOMAIN_SEPARATOR	External ❗		NO❗
└	PERMIT_TYPEHASH	External ❗		NO❗
└	nonces	External ❗		NO❗
└	permit	External ❗	🔴	NO❗
└	MINIMUM_LIQUIDITY	External ❗		NO❗



.....
IERC20 | Interface | |||
└ | totalSupply | External ❗ | | |NO❗ |
└ | balanceOf | External ❗ | | |NO❗ |
└ | allowance | External ❗ | | |NO❗ |
└ | transfer | External ❗ | 🛑 | |NO❗ |
└ | approve | External ❗ | 🛑 | |NO❗ |
└ | transferFrom | External ❗ | 🛑 | |NO❗ |
|||||
IERC20Metadata | Interface | IERC20 |||
└ | name | External ❗ | | |NO❗ |
└ | symbol | External ❗ | | |NO❗ |
└ | decimals | External ❗ | | |NO❗ |
|||||
ERC20 | Implementation | Context, IERC20, IERC20Metadata |||
└ | <Constructor> | Public ❗ | 🛑 | |NO❗ |
└ | name | Public ❗ | | |NO❗ |
└ | symbol | Public ❗ | | |NO❗ |
└ | decimals | Public ❗ | | |NO❗ |
└ | totalSupply | Public ❗ | | |NO❗ |
└ | balanceOf | Public ❗ | | |NO❗ |
└ | transfer | Public ❗ | 🛑 | |NO❗ |
└ | allowance | Public ❗ | | |NO❗ |
└ | approve | Public ❗ | 🛑 | |NO❗ |
└ | transferFrom | Public ❗ | 🛑 | |NO❗ |
└ | increaseAllowance | Public ❗ | 🛑 | |NO❗ |
└ | decreaseAllowance | Public ❗ | 🛑 | |NO❗ |
└ | _transfer | Internal 🔒 | 🛑 | | |
└ | _mint | Internal 🔒 | 🛑 | | |
└ | _burn | Internal 🔒 | 🛑 | | |
└ | _approve | Internal 🔒 | 🛑 | | |
└ | _beforeTokenTransfer | Internal 🔒 | 🛑 | | |
|||||
LevelUP | Implementation | ERC20, Ownable |||
└ | <Constructor> | Public ❗ | 🟩 | ERC20 |
└ | <Receive Ether> | External ❗ | 🟩 |NO❗ |
└ | claimStuckTokens | External ❗ | 🛑 | onlyOwner |
└ | isContract | Internal 🔒 | | | |
└ | sendETH | Internal 🔒 | 🛑 | | |
└ | _setAutomatedMarketMakerPair | Private 🔐 | 🛑 | | |
└ | excludeFromFees | External ❗ | 🛑 | onlyOwner |
└ | isExcludedFromFees | Public ❗ | | |NO❗ |

└	excludeFromMaxWalletLimit	External ❗	🔴	onlyOwner
└	isExcludedFromMaxWalletLimit	Public ❗		NO❗
└	excludeFromMaxTxLimit	External ❗	🔴	onlyOwner
└	isExcludedFromMaxTxLimit	Public ❗		NO❗
└	setTeamFees	External ❗	🔴	onlyOwner
└	setCharityFees	External ❗	🔴	onlyOwner
└	changeteamWallet	External ❗	🔴	onlyOwner
└	changeCharityWallet	External ❗	🔴	onlyOwner
└	_transfer	Internal 🔒	🔴	
└	setSwapTokensAtAmount	External ❗	🔴	onlyOwner
└	updateMaxWalletAmt	External ❗	🔴	onlyOwner
└	updateMaxTxAmt	External ❗	🔴	onlyOwner

Legend

Symbol	Meaning
🔴	Function can modify state
🟩	Function is payable

FEES

BUY FEES	8%
Charity	2%
Team	6%

SELL FEES	8%
Charity	2%
Team	6%

HOLDERS

Rank	Address	Quantity	Percentage	Analytics
1	0x7d075d...9d3dAA8c	100,000,000,000	100.0000%	

The top 100 holders collectively own 100.00% (100,000,000,000.00 Tokens) of Level UP

Token Total Supply: 100,000,000,000.00 Token | Total Token Holders: 1

Level UP Top 100 Token Holders

Source: Etherscan.io



(A total of 100,000,000,000.00 tokens held by the top 100 accounts from the total supply of 100,000,000,000.00 token)

Rank	Address	Quantity (Token)	Percentage
1	0x7d075d...9d3dAA8c	100,000,000,000	100.0000%

SUMMARY

In this report, we have considered the security of the LEVEL UP platform. We performed our audit according to the procedure described above. 0 high , 0 medium, 4 low, and 0 informational severity were discovered during the audit.



DISCLAIMER

By reading this report or any part of it, you agree to the terms of this disclaimer. If you do not agree to the terms, then please immediately cease reading this report, and delete and destroy any and all copies of this report downloaded and/or printed by you. This report is provided for information purposes only and on a non-reliance basis, and does not constituteinvestment advice. No one shall have any right to rely on the report or its contents, and Astrobiatech Blockchain Security and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers and other representatives) (Astrobiatech BlockchainSecurity) owe no duty of care towards you or any other person, nor does Astrobiatech Blockchain Security make any warranty or representation to any person on the accuracy or completeness of the report. The report is provided "as is", without any conditions, warranties or other terms of any kind except as set out in this disclaimer, and Astrobiatech Blockchain Security hereby excludes all representations, warranties, conditions and other terms (including, without limitation, the warranties implied by law of satisfactory quality, fitness for purpose and the use of reasonable care and skill) which, but for this clause, might have effectin relation to the report. Except and only to the extent that it is prohibited by law, Astrobiatech Blockchain Security hereby excludes all liability and responsibility, and neither you nor any other person shall have any claim against Astrobiatech Blockchain Security, for any amount or kind of loss or damage that may result to you or any other person (including without limitation, any direct, indirect, special, punitive, consequential or pure economic lossor damages, or any loss of income, profits, goodwill, data, contracts, use of money, or business interruption, and whether in delict, tort (including without limitation negligence), contract, breach of statutory duty, misrepresentation (whether innocent or negligent) or otherwise under any claim of any nature whatsoever in any jurisdiction) in any way arising from or connected with this report and the use, inability to use or the results of use of this report, and any reliance on this report. The analysis of the security is purely based on the smart contracts alone. No applications or operations were reviewed for security. No product code has been reviewed.

LEVEL UP

Proofed by Astrobiatech

ASTROBIATECH
BLOCKCHAIN SECURITY

https://astrobiatech.in

@astrobiatech