




FINAL PROJECT

Completed Documentation

Jessica Astudillo

Contents

Original Planning Document	2
Server Configuration	2
Client Configuration.....	2
Organizational Units.....	1
Shared Resources	1
Network Diagram	2
ADDS Diagram	3
ADDS SERVER.....	4
Organizational Units (OUs)	5
DHCP Server	8
Client Machine	11
File Server.....	12
File Server.....	15
Shared Folders.....	17

Original Planning Document

Project Theme: That Time I Got Reincarnated as a Slime

Domain Name: Jura.Tempest

Operating System: Windows Server 2022 Datacenter

Administrator Password: [REDACTED]

Server Configuration

Server #1

Server Name:
Tempest26SJA

Roles:

Active Directory Domain
Services (AD DS)

Domain Name System
(DNS)

IP Address: 10.50.26.10

Subnet Mask:
255.255.255.0

DNS Server:
10.50.26.10

Server #2

Server Name:
Dwargon26SJA

Roles:

Active Directory Domain
Services (AD DS)

Dynamic Host
Configuration Protocol
(DHCP)

IP Address: 10.50.26.20

Subnet Mask:
255.255.255.0

DNS Server:
10.50.26.10

Server #3

Server Name:
Eurazania26SJA

Roles:

File Server Resource
Manager (FSRM)

IP Address: 10.50.26.30

Subnet Mask:
255.255.255.0

DNS Server:
10.50.26.10

Client Configuration

Client Name: 26SJARanga

Operating System: Windows 10

IP Configuration: DHCP Configuration

Scope Name: 26SJAShinsha

IP Address Range: 10.50.26.100 -
10.50.26.150

Subnet Mask: 255.255.255.0

DNS Server: 10.50.26.10

Organizational Units

OU #1 - 26STrueDragons

Security Group: G_26STrueDragons

Full name	Username
Storm Dragon Veldora	Sveldora26S
Scorch Dragon Velgrynd	Svelgrynd26S
Star King Dragon Veldanava	Sveldanava26S

OU #2 - 26SOctagram

Security Group: G_26SOctagram

Full name	Username
Rimuru Tempest	Rtempest26S
Milim Nava	Mnava26S
Luminous Valentine	Lvalentine26S

OU #3 - 26SBeastketeers

Security Group: G_26SBeastketeers

Full name	Username
Storm Dragon Veldora	Anakiri26S
Scorch Dragon Velgrynd	Sbeastketeer26S
Star King Dragon Veldanava	Pgrucius26S

Shared Resources

Root Share Folder: C:\Shares

Home Folder: C:\Shares\Homes

Public Share: C:\Shares\Public

Department Shares:

C:\Shares\26STrueDragons

C:\Shares\26SOctagram

C:\Shares\26SBeastketeers

Network Diagram




Figure 1: Network Diagram

ADDs Diagram




Figure 2: ADDs Diagram

ADDS SERVER




Figure 3: ADDS Server promoted to Domain Controller

Organizational Units (OUs)




Figure 4: True Dragons Users and OUs




Figure 5: Octagram Users and OUs




Figure 6: Beastketeers Users and OUs

DHCP Server




Figure 7: Active DHCP Scope Configuration





Figure 8: Server to Server Connectivity



The screenshot shows a Windows Command Prompt window titled "Administrator: Command Prompt". The window displays the results of four ping commands executed from the command line. The first two commands are pinging IP addresses 10.50.26.10 and 10.50.26.30. The next two commands are pinging hostnames "Tempest26SJA" and "Eurazania26SJA". Each command is preceded by a path "C:\Users\Administrator.JURA\". The output for each ping command shows four replies from the target, each with 32 bytes of data, a time of 1ms, and a TTL of 128. The ping statistics for each command show that all packets were sent and received, with 0% loss. The approximate round trip times in milliseconds are also displayed. The system clock in the bottom right corner shows 6:47 AM on 7/14/2026.

```
Administrator: Command Prompt
Microsoft Windows [Version 10.0.20348.587]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Administrator.JURA>ping 10.50.26.10

Pinging 10.50.26.10 with 32 bytes of data:
Reply from 10.50.26.10: bytes=32 time<1ms TTL=128
Reply from 10.50.26.10: bytes=32 time=1ms TTL=128
Reply from 10.50.26.10: bytes=32 time=1ms TTL=128
Reply from 10.50.26.10: bytes=32 time=1ms TTL=128

Ping statistics for 10.50.26.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\Users\Administrator.JURA>ping 10.50.26.30

Pinging 10.50.26.30 with 32 bytes of data:
Reply from 10.50.26.30: bytes=32 time=1ms TTL=128
Reply from 10.50.26.30: bytes=32 time=2ms TTL=128
Reply from 10.50.26.30: bytes=32 time=1ms TTL=128
Reply from 10.50.26.30: bytes=32 time=1ms TTL=128

Ping statistics for 10.50.26.30:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 2ms, Average = 1ms

C:\Users\Administrator.JURA>ping Tempest26SJA

Pinging tempest26sja.jura.tempest [10.50.26.10] with 32 bytes of data:
Reply from 10.50.26.10: bytes=32 time<1ms TTL=128
Reply from 10.50.26.10: bytes=32 time=1ms TTL=128
Reply from 10.50.26.10: bytes=32 time=1ms TTL=128
Reply from 10.50.26.10: bytes=32 time<1ms TTL=128


Ping statistics for 10.50.26.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\Users\Administrator.JURA>ping Eurazania26SJA

Pinging Eurazania26SJA.jura.tempest [10.50.26.30] with 32 bytes of data:
Reply from 10.50.26.30: bytes=32 time<1ms TTL=128
Reply from 10.50.26.30: bytes=32 time<1ms TTL=128
Reply from 10.50.26.30: bytes=32 time<1ms TTL=128
Reply from 10.50.26.30: bytes=32 time<1ms TTL=128
```

Figure 9: SRV2 Dwargon26SJA PING Tempest26SJA + Eurazania26SJA

Client Machine



```
C:\Users\Sveldora26s>ipconfig /all

Windows IP Configuration

Host Name . . . . . : 26SJARanga
Primary Dns Suffix . . . . . : Jura.Tempest
Node Type . . . . . : Hybrid
IP Routing Enabled. . . . . : No
WINS Proxy Enabled. . . . . : No
DNS Suffix Search List. . . . . : Jura.Tempest

Ethernet adapter Ethernet0:

Connection-specific DNS Suffix . : Jura.Tempest
Description . . . . . : Intel(R) 82574L Gigabit Network Connection
Physical Address. . . . . : 00-0C-29-78-18-C1
DHCP Enabled. . . . . : Yes
Autoconfiguration Enabled . . . . : Yes
Link-local IPv6 Address . . . . . : fe80::c41b:5084:5041:c724%4(Preferred)
IPv4 Address. . . . . : 10.50.26.101(PREFERRED)
Subnet Mask . . . . . : 255.255.255.0
Lease Obtained. . . . . : Thursday, July 9, 2026 10:13:11 AM
Lease Expires . . . . . : Friday, July 17, 2026 10:13:10 AM
Default Gateway . . . . . :
DHCP Server . . . . . : 10.50.26.20
DHCPv6 IAID . . . . . : 50334761
DHCPv6 Client DUID. . . . . : 00-01-00-01-31-DE-49-4D-00-0C-29-78-18-C1
DNS Servers . . . . . : 10.50.26.10
NetBIOS over Tcpip. . . . . : Enabled

Tunnel adapter isatap.Jura.Tempest:

Media State . . . . . : Media disconnected
Connection-specific DNS Suffix . : Jura.Tempest
Description . . . . . : Microsoft ISATAP Adapter
Physical Address. . . . . : 00-00-00-00-00-00-E0
DHCP Enabled. . . . . : No
Autoconfiguration Enabled . . . . : Yes

C:\Users\Sveldora26s>ping Dwargon26SJA

Pinging Dwargon26SJA.Jura.Tempest [10.50.26.20] with 32 bytes of data:
Reply from 10.50.26.20: bytes=32 time<1ms TTL=128
Reply from 10.50.26.20: bytes=32 time<1ms TTL=128
Reply from 10.50.26.20: bytes=32 time<1ms TTL=128
Reply from 10.50.26.20: bytes=32 time=9ms TTL=128

Ping statistics for 10.50.26.20:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 9ms, Average = 2ms
```

Figure 10: 26SJARanga Client Network Configuration




Figure 11: DHCP Lease Assigned to 26SJARanga





Figure 12: Client Joined to Jura.Tempest Domain



```
Computer X Tempest26SJA X Dwargon26SJA X 26SJARanga X Eurazania26SJA X
C:\> Command Prompt
Z:\> ping 10.50.26.10
Pinging 10.50.26.10 with 32 bytes of data:
Reply from 10.50.26.10: bytes=32 time=6ms TTL=128
Reply from 10.50.26.10: bytes=32 time<1ms TTL=128
Reply from 10.50.26.10: bytes=32 time<1ms TTL=128
Reply from 10.50.26.10: bytes=32 time<1ms TTL=128

Ping statistics for 10.50.26.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 6ms, Average = 1ms

Z:\> ping 10.50.26.20
Pinging 10.50.26.20 with 32 bytes of data:
Reply from 10.50.26.20: bytes=32 time=2ms TTL=128
Reply from 10.50.26.20: bytes=32 time=1ms TTL=128
Reply from 10.50.26.20: bytes=32 time=1ms TTL=128
Reply from 10.50.26.20: bytes=32 time=1ms TTL=128

Ping statistics for 10.50.26.20:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 2ms, Average = 1ms

Z:\> ping 10.50.26.30
Pinging 10.50.26.30 with 32 bytes of data:
Reply from 10.50.26.30: bytes=32 time=1ms TTL=128
Reply from 10.50.26.30: bytes=32 time=1ms TTL=128
Reply from 10.50.26.30: bytes=32 time=1ms TTL=128
Reply from 10.50.26.30: bytes=32 time<1ms TTL=128

Ping statistics for 10.50.26.30:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

Z:\> ping Tempest26SJA
Pinging tempest26sja.jura.tempest [10.50.26.10] with 32 bytes of data:
Reply from 10.50.26.10: bytes=32 time<1ms TTL=128
Reply from 10.50.26.10: bytes=32 time=1ms TTL=128
Reply from 10.50.26.10: bytes=32 time<1ms TTL=128
Reply from 10.50.26.10: bytes=32 time=3ms TTL=128

Ping statistics for 10.50.26.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 3ms, Average = 1ms
```

Figure 13: Client Connectivity Verification Using Ping

File Server




Figure 14: File Server Resource Manager (FSRM) Installed on Eurazania26SJA




Figure 15: Shared Folder Structure on Eurazania26SJA

Shared Folders




Figure 16: File Server showing the roles (FSRM installed)




Figure 17: Test file showing on client's machine with path 26STrueDragons




Figure 18: Document created on client's machine opened from Server




Figure 19: Profile settings showing the drive letter and redirected home folder path




Figure 20: Home folder redirection verified in the C:\Shares\Homes directory on the File Server