

Using Plugins

QGIS Tutorials and Tips



Author

Ujaval Gandhi

<http://google.com/+UjavalGandhi>

Translations by

SongHyun Choi

□□□□ QGIS □□□ □□□ □□□□. QGIS□□□□ □□ □□ □□□□ □□□□□ □□□□ □□□□ □□ □□□□ □□□□. □□□ □□□□ □□ □□□□ □□□ QGIS□□ □□□□□□□□.

○○○○ ○○○ "○○ ○○○"○ ○○○○ ○○ "○○ ○○○"○ ○○○○○○ ○○○○○○ ○○○○○○. ○○ ○○○○○ ○○○○○ QGIS○○○ ○○○ ○○○○○ ○○○○○○ ○○○○○.

□□ □□□□□ □□ □□ QGIS □ □□□□ □ □□□□ □□□. □□□□□ □□□□ □□□□ □□□□□□□ □□ □□□.

-
- The screenshot shows the QGIS 2.0.1-Dufour application window. The 'Plugins' menu is open, displaying 'Manage and Install Plugins...' and 'Python Console'. The 'Layers' panel on the left is empty. The main map area is also empty. The status bar at the bottom shows 'Coordinate: 0.515,-1.878', 'Scale: 1:4098808', and 'EPSG:4326'.

2. QGIS를 설치한 후 :guilabel:`Installed` 버튼을 클릭하여 QGIS가 설치되었는지 확인합니다.



3. `self.plugin_name = 'Spatial Query Plugin'`
`self.plugin_desc = 'A plugin that allows you to query the data in a layer based on a spatial query. It can be used to find all the features that are within a certain area, or to find all the features that are within a certain distance of a point. It can also be used to find all the features that are within a certain range of a value.'`
`self.plugin_icon = 'spatial_query_plugin.png'`
`self.plugin_category = 'Vector'`
`self.plugin_dependencies = []`
`self.plugin_author = 'QGIS Development Team'`
`self.plugin_license = 'GPL'`
`self.plugin_version = '1.0.0'`
`self.plugin_status = 'Enabled'`
`self.plugin_update_url = 'https://plugins.qgis.org/plugins/spatial_query_plugin/updates/'`
`self.plugin_download_url = 'https://plugins.qgis.org/plugins/spatial_query_plugin/download/'`
`self.plugin_uninstall_url = 'https://plugins.qgis.org/plugins/spatial_query_plugin/uninstall/'`
`self.plugin_reinstall_url = 'https://plugins.qgis.org/plugins/spatial_query_plugin/reinstall/'`
`self.plugin_close_url = 'https://plugins.qgis.org/plugins/spatial_query_plugin/close/'`



4. `:guilabel: `Spatial Query Plugin`` □ □□□□□□□. □□□□□ □□ □□ □□□ □□
`:menuselection: `Vector --> Spatial Query`` □□ □ □ □□□.



□□ □□□□ `QGIS Plugins Repository <<http://plugins.qgis.org/>>`_□□ □□□□ □□□. □□□
 □□□ □□ □□□□□ □□□□□ □□ □□□□ □□□□□. □□□□□ □□ □□□□ □□□□□ □□
 :guilabel: `Plugin Manager` □ □□□.

1. QGIS□ □□□□□. □□:menuselection:**Plugins --> Manage and Install Plugins...**■ ■■■■
 :guilabel: **Plugin Manager** □□□□□ □□□ □□□□□.



3. 在 'QuickQKT' 窗口中，搜索 *qui* 以找到 QuickWKT。然后，单击 :guilabel:`Install plugin` 按钮以安装 QuickWKT。



4. □□ □□□□ □□□□□ □□□□ □□ □□□□□ □ □□ □□□□.



5. □□□ □□□□ □□□□□ □□ □□ □□□ □□□ □□□ □□□□□ □□□□ □□ □□□□□. □□□□ □□ □□□□□ QGIS□ Plugins □□ □□□ □□□□□. Plugins > QuickWKT`□ □□□□□□. □□□ □□□ □□□ □□□ □□ □□□□. □□□□□ □□ □□□□ □□ □□ :guilabel:`Plugins □□□ □□□□□. □ □□□ □□□ □□□ □□□□□ □□□□□ □□□□□.



QGIS External Plugin* 0000 00 000000 00 000000. 00 00 000 00000000. 000
 000 000 000000 000 000 :guilabel: `Get more` 000 00 0 00 00 0000. 000
 000000 *Experimental* 0000 00 000000. 000 *Experimental 000000 000 000000
 00000000.

1. 0000 Plugins > Manage and Install Plugins...` 0 0000 :guilabel: `Plugin Manager` 0
 0000. :guilabel: `Settings` 00 000000.:guilabel: `Show also experimental plugins
 000 0000. 00 00 000000 0000 000 000.



3. :guilabel: `TimeManager` □□ □□□□ □□□ □□□. □□□□ □□□ □□□□
 :guilabel: `Install` □ □□□□□.



4. □□ QGIS □□□□ □□ □□□□ □□ *Panel* □ □□□□□. □ □□□ TimeManager □□□□□□ □□□□ □□□□. □□ □□ □□□□□□ □□ □□ □□□□ □□□□ □□□□.



5. You can enable/disable this panel from View › Panels › Time Manager.

