

Using Plugins

QGIS Tutorials and Tips



Author

Ujaval Gandhi

<http://google.com/+UjavalGandhi>

Translations by

SongHyun Choi

□□□□ QGIS □□□ □□□ □□□□□. QGIS□□□□□ □□ □□ □□□□□ □□□□□ □□□□ □□□□ □□□□□ □□□□□. □□□ □□□□□ □□ □□□□□ □□□ QGIS□□ □□□□□□□□□□.

○○○○ ○○○ "○○ ○○○"○ ○○○○ ○○ "○○ ○○○"○ ○○○○○○ ○○○○○○ ○○○○○○. ○○ ○○○○○ ○○○○○ QGIS○○○ ○○○ ○○○○○ ○○○○○○ ○○○○○.

□□ □□□□□ □□ □□ QGIS □ □□□□ □ □□□□ □□□. □□□□□ □□□□ □□□□ □□□□□□□ □□ □□□.

The screenshot shows the QGIS 2.0.1-Dufour desktop application. The 'Plugins' menu is open, displaying 'Manage and Install Plugins...' and 'Python Console'. The main map canvas is empty. The status bar at the bottom indicates the current coordinate is 0.515,-1.878 and the scale is 1:4098808. The interface includes a top menu bar, a toolbar, a left sidebar with layer icons, and a bottom status bar.

2. QGIS를 설치한 후 :guilabel:`Installed` 버튼을 클릭하여 QGIS가 설치되었는지 확인합니다.



3. `def __init__(self, parent=None):`
`super().__init__(parent=parent)`
`self.setWindowTitle('Spatial Query Plugin')`
`self.setGeometry(100, 100, 400, 300)`
`self.setMinimumSize(100, 100)`
`self.setMaximumSize(400, 300)`
`self.setStyleSheet('background-color: #f0f0f0; border: 1px solid #ccc;')`
`self.setLayout(QVBoxLayout())`
`self.addWidget(QLabel('Category: Vector'))`
`self.addWidget(QLabel('Close'))`



□□ □□□□ `QGIS Plugins Repository <<http://plugins.qgis.org/>>`_□□ □□□□ □□□. □□□
 □□□ □□ □□□□□ □□□□□ □□ □□□□ □□□□□. □□□□□ □□ □□□□ □□□□□ □□
 :guilabel: `Plugin Manager` □ □□□.

1. QGIS□ □□□□□. □□:menuselection:**Plugins --> Manage and Install Plugins...**■ ■■■■
 :guilabel: **Plugin Manager** □□□□□ □□□ □□□□□.



3. 在 'QuickQKT' 窗口中，单击 'Get more' 按钮。在搜索框中输入 *qui* 以查找 QuickWKT。单击 :guilabel:`Install plugin` 按钮以安装 QuickWKT。



4. □□ □□□□ □□□□□ □□□□ □□ □□□□□ □ □□ □□□□.



5. □□□ □□□□ □□□□□ □□ □□ □□□ □□□ □□□ □□□□□ □□□□ □□ □□□□□. □□□□ □□ □□□□□ QGIS□ Plugins □□ □□□ □□□□□. Plugins ▸ QuickWKT`□ □□□□□□. □□□ □□□ □□□ □□□ □□ □□□□. □□□□□ □□ □□□□ □□ □□ :guilabel:`Plugins □□□ □□□□□. □ □□□ □□□ □□□ □□□□□ □□□□□ □□□□□.



1. `Plugins > Manage and Install Plugins...` `:guilabel:`Plugin Manager``
`:guilabel:`Settings`` `:guilabel:`Show also experimental plugins``
The `Plugins` menu item is located in the `File` menu.



2. :guilabel: `New` □□ □□ □□□□. □□ □□□□ □□□□ □□□□ □□ □□ □ □□□.

Note

:guilabel: `New` □□ □□□□ □□□□ □□ □□ □□□□ □□□□. □□□□ :guilabel: `Plugin Manager` □ □□ □□□□ □□□□□ :guilabel: `Get more` □□□ □□ □□□□□ □□ □□□□□.



3. :guilabel: TimeManager`□□ □□□□ □□□ □□□. □□□□ □□□ □□□□
:guilabel: Install`□ □□□□□.



4. □□ QGIS □□□□ □□ □□□□ □□ *Panel* □ □□□□□. □ □□□ TimeManager □□□□□□ □□□□ □□□□. □□ □□ □□□□□□ □□ □□ □□□□ □□□□ □□□□.



5. You can enable/disable this panel from View › Panels › Time Manager.

