

Points in Polygon Analysis

QGIS Tutorials and Tips



Author

Ujaval Gandhi

<http://google.com/+UjavalGandhi>

Translations by

SongHyun Choi

□□□□□□ □ □□

GIS□ □□ □□ □□□ □□□ □□ □□□□ □□□□. □□ □□□□ □□ □□□ □□ □□□□ □□ □□ □□□ □□□□ □□ □□□ □ □□□ □□□□. □□□ □□□ □□□ ****Points-in-Polygon****□□□□. □□□ □□□□ □□□ □□□□ □□□ □□□ □□□ □□ □□ □□ □□ □□ □□ □□ □□□□ □□□□ □□□□ □□□ □□ □□□□□ □□□ □ □□□□.

□□ □□

□□□□ □□□ □□ □□ □□□□□□ □□□□ □□□□, □□ □□□ □□ □□ □□□ □□□ □□□□□ □□□□□.

□□□□ □□

□□ □□□ □□□ □□□□ □□□□□ NOAA's National Geophysical Data Center□ `Significant Earthquake Database <<http://www.ngdc.noaa.gov/nndc/struts/form?t=101650&s=1&d=1>>`_□ □□□□□. `tab-delimited earthquake data <[http://www.ngdc.noaa.gov/nndc/struts/results?type_0=Exact&query_0=\\$ID&t=101650&s=13&d=189&dfn=signif.txt](http://www.ngdc.noaa.gov/nndc/struts/results?type_0=Exact&query_0=$ID&t=101650&s=13&d=189&dfn=signif.txt)>`_□ □□□□ □□□.

Natural Earth□ Admin 0 – Countries □□□□□ □□□ □□□□. `countries <http://www.naturalearthdata.com/http://www.naturalearthdata.com/download/10m/cultural/ne_10m_admin_0_countries.zip>`_□ □□□□ □□□.

For convenience, you may directly download a copy of the dataset from the link below:

[signif.txt](#)

[ne_10m_admin_0_countries.zip](#)

□□□ □□: [NGDC] [NATURALEARTH]

□□


1. □□ □□□ --> □□□□ □□□ □□□ □□□ □□ :menuselection: `Layer --> Add Delimited Text Layer` □ □□ □□□□□ `signif.txt` `□□□□ □□□□.



4. The earthquake point layer would now be loaded and displayed in QGIS. Let's also open the Countries layer. Go to Layer > Add Vector Layer. Browse to the downloaded *ne_10m_admin_0_countries.zip* file and click Open. Select the *ne_10m_admin_0_countries.shp* as the layer in the Select layers to add... dialog.



5. `Vector --> Analysis Tools --> Points in Polygon` :menuselection: `Vector --> Analysis Tools --> Points in Polygon`.




6. `earthquake_per_coutry.shp` :guilabel: `OK`.

Note

OK. QGIS 10.

7. `TOC` :guilabel: `Yes`.



8. `TOC` :guilabel: `Open Attribute Table`.



9. 〇〇 〇〇〇〇〇 〃 〃 PNTCNT 〃 〃 〇〇 〇〇〇 〇〇〇〇 〇〇〇〇 〇〇〇. 〇〇〇 〇 〇〇〇〇〇 〇〇〇
 〇〇〇〇〇〇〇 〇〇 〇〇〇 〇〇〇 〇〇〇〇.

Attribute table - earthquakes_per_country :: Features total: 255, filtered: 255, selected: 0

	REGION_WB	NAME_LEN	LONG_LEN	ABBREV_LEN	TINY	HOMEPART	PNTCNT
0	Latin America ...	5.00	5.00	5.00	4.00	-99.00	0.000000000000...
1	South Asia	11.00	11.00	4.00	-99.00	1.00	57.000000000000...
2	Sub-Saharan Af...	6.00	6.00	4.00	-99.00	1.00	0.000000000000...
3	Latin America ...	8.00	8.00	4.00	-99.00	-99.00	0.000000000000...
4	Europe & Centr...	7.00	7.00	4.00	-99.00	1.00	44.000000000000...
5	Europe & Centr...	5.00	13.00	5.00	5.00	-99.00	0.000000000000...
6	Europe & Centr...	7.00	7.00	4.00	5.00	1.00	0.000000000000...
7	Middle East & ...	20.00	20.00	6.00	-99.00	1.00	0.000000000000...
8	Latin America ...	9.00	9.00	4.00	-99.00	1.00	20.000000000000...
9	Europe & Centr...	7.00	7.00	4.00	-99.00	1.00	14.000000000000...
10	East Asia & Pac...	14.00	14.00	9.00	3.00	-99.00	0.000000000000...
11	Antarctica	10.00	10.00	4.00	-99.00	1.00	0.000000000000...
12	East Asia & Pac...	23.00	27.00	7.00	-99.00	-99.00	0.000000000000...
13	Sub-Saharan Af...	22.00	35.00	10.00	2.00	-99.00	0.000000000000...
14	Latin America ...	17.00	19.00	6.00	4.00	1.00	0.000000000000...
15	East Asia & Pac...	9.00	9.00	4.00	-99.00	1.00	9.000000000000...
16	Europe & Centr...	7.00	7.00	5.00	-99.00	1.00	4.000000000000...
17	Europe & Centr...	10.00	10.00	4.00	-99.00	1.00	15.000000000000...
18	Sub-Saharan Af...	7.00	7.00	4.00	-99.00	1.00	1.000000000000...
19	Europe & Centr...	7.00	7.00	5.00	-99.00	1.00	2.000000000000...
20	Sub-Saharan Af...	5.00	5.00	5.00	-99.00	1.00	1.000000000000...
21	Sub-Saharan Af...	12.00	12.00	4.00	-99.00	1.00	0.000000000000...

Show All Features

10. 00 00 00 ``PNTCNT`` 000 0000 00 00 00 000 00 0000. 0000000 0000 00
 ``PNTCNT`` 00 20 000000. 000 0000 000 000 00 00000 00 0000 00000.



2000 年 12 月 26 日 14 时 08 分 12 秒 2000 年 12 月 26 日 14 时 08 分 12 秒. 2000 年 12 月 26 日 14 时 08 分 12 秒 2000 年 12 月 26 日 14 时 08 分 12 秒 2000 年 12 月 26 日 14 时 08 分 12 秒.