

# Creating Heatmaps

## QGIS Tutorials and Tips



Author

Ujaval Gandhi

<http://google.com/+UjavalGandhi>

Translations by

Ilya Trofimov Fayçal Fatihi



2. Open the file *Police-uk-crime-data-surrey.txt* in a text editor. The file is a CSV (Comma Separated Values) file. The first line contains the following headers: *Easting*, *Northing*, *Location*, *Crime type*, *Conte*. The second line contains the following values: *480097*, *2010-12*, *Surrey Police*, *Surrey Police*, *532773.00*, *156680.00*, *On or near Addison Road*, *Burglary*, . Use the *File* menu to save the file as *Police-uk-crime-data-surrey.csv*. OK.

**Create a Layer from a Delimited Text File**

File Name:  

Layer name:  Encoding:

File format: ☒ CSV (comma separated values) ☐ Custom delimiters ☐ Regular expression delimiter

Record options: Number of header lines to discard:  ☒ First record has field names

Field options: ☐ Trim fields ☐ Discard empty fields ☐ Decimal separator is comma


Geometry definition: ☒ Point coordinates ☐ Well known text (WKT) ☐ No geometry (attribute only table)

X field:  Y field:  ☐ DMS coordinates


Layer settings: ☒ Use spatial index ☐ Use subset index ☐ Watch file

	ID	Month	Reported by	Falls within	Easting	Northing	Location	Crime type	Conte
1	480097	2010-12	Surrey Police	Surrey Police	532773.00	156680.00	On or near Addison Road	Burglary	
2	480098	2010-12	Surrey Police	Surrey Police	498361.00	149806.00	On or near The Oval	Burglary	
3	480099	2010-12	Surrey Police	Surrey Police	498205.00	165251.00	On or near Albury Close	Burglary	
4	480100	2010-12	Surrey Police	Surrey Police	507437.00	174069.00	On or near Sanctuary Road	Burglary	
5	480101	2010-12	Surrey Police	Surrey Police	498205.00	165251.00	On or near Albury Close	Burglary	

3. Click the *OK* button. The layer is added to the map. Close.



4. **Grid. OSGB 1936 / British** **CRS. OK.**



5. ■■■■■■■■ ■■ ■■■■■■■■ ■■■■■■■■ ■■■■■■■■ ■■■■■■■■■■■■■■■■ ■■ QGIS.













10. `heatmap` `heatmap`, `heatmap`, `heatmap` : `guiabel:`.




11. `Style`, `Singleband pseudocolor` `Render`. `Load min/`, `Actual` (`Accuracy`) `Load`. `heatmap` `Generate` `YIOrrd` (`Yellow-orange`) `Classify`. `OK`.






13. **Heatmap** is a visualization of the density of points in a vector layer. It is created by the **Heatmap** processing tool. The output is a **Raster** layer. The color scale represents the density of points, with red indicating high density and yellow indicating low density. The **Heatmap** tool is located in the **Processing** menu.




- [illegible]






16. Click on the **Field** checkbox and enter **DN** in the **Load** field, then click **OK**.



17. Click on the **filter** dropdown menu and select **0**, then click **1** in the **filter** dropdown menu.


....., ..... Open .....




18. .... Select .....







- [illegible]



21. ■■■■■■■■■■ output ■■■■ ■■■■ *crime\_clusters*. ■■■■■■■■■■ ■■■■■■■■■■ ■■■■■■■■■■  
 Add ■■■■■■■■■■ ■■■■, ■■■■■■ ■■■■■■■■■■ ■■ ■■■■■■ ■■■■■■■■■■ OK.



