

Calculating Line Lengths and Statistics

QGIS Tutorials and Tips



Author

Ujaval Gandhi

<http://google.com/+UjavalGandhi>

Translations by

SongHyun Choi

□□ □□□□□ □□

QGIS□ □, □□, □□ □ □□□ □□□□□ □□□ □□□ □□□ □ □□ □□ □□□ □□□□. □
□□□□□ □ □□□ □□□ □□□□ □□ □□ □□□ □□□□ **Field Calculator** □ □□□ □□□□□ □□□
□□□□.

□□ □□

□□□□ □□□□□□ □□ □□□□ □□□□□ □□□ □□□ □□□□□ □□ □□ □□□□□ □□□ □ □□□□.

■ ■ ■ ■ ■ ■ ■ ■

- □□□ □□□□ □□□ □□
- □□□□□□ □□□ □□□(Projected Coordinate Reference System, CRS)□ □□□ □ □□.
- □□□□□ □□□□ □□ □□

□□□□ □□

`Natural Earth
<<http://www.naturalearthdata.com/downloads/10m-cultural-vectors/railroads/>>`_□□
□□ □□□ □□ □□□□□ □□□□. □□□□ `North America supplement <http://www.naturalearthdata.com/http://www.naturalearthdata.com/download/10m/cultural/ne_10m_railroads_north_america.zip>`_□□□□□□ □□□□ □□□□.
□□□ □□ [NATURALEARTH]

□□


1. □□□□ :menuselection: `Layer --> Add Vector Layer` □ □□□□.



2. ``ne_10m_railroads_north_america.zip`` □□□ □□□ :guilabel: `OK` □ □□□□□.



3. In the Select layers to add... dialog, choose *ne_10m_railroads_north_america.shp* layer.



4. 00 0000 0000 000000 00 00 0000 0000 00 00 0000 0000. 0 000000 000 00
000 000 0000, 000000 00 0000 000 000. 000000 000 000 000 0000
:guilabel: `Open Attribute Table` 0 000000.

Attribute table - ne_10m_railroads_north_america :: Features total: 1127, filtered: 1127, selected: 0

	scalerank	featurecla	sov_a3	uident	add	natrscale	continent
0	8	Railroad	USA	1506	0	0	North America
1	9	Railroad	USA	1606	1	5	North America
2	8	Railroad	USA	1706	0	0	North America
3	8	Railroad	USA	1806	0	0	North America
4	8	Railroad	USA	1906	0	0	North America
5	8	Railroad	USA	2006	0	0	North America
6	8	Railroad	USA	2106	0	0	North America
7	9	Railroad	USA	2206	1	5	North America
8	8	Railroad	USA	2306	0	0	North America
9	8	Railroad	USA	2406	0	0	North America
10	8	Railroad	USA	2506	0	0	North America
11	8	Railroad	USA	2606	0	0	North America
12	8	Railroad	USA	2706	0	0	North America
13	8	Railroad	USA	2806	0	0	North America
14	9	Railroad	USA	2906	1	5	North America
15	9	Railroad	USA	3006	1	5	North America
16	8	Railroad	USA	3106	0	0	North America
17	8	Railroad	USA	3206	0	0	North America
18	8	Railroad	USA	3306	0	0	North America
19	8	Railroad	USA	3506	0	0	North America
20	8	Railroad	USA	3606	0	0	North America
21	8	Railroad	USA	3706	0	0	North America
22	8	Railroad	USA	3806	0	0	North America
23	9	Railroad	USA	3906	1	5	North America

Show All Features

6. ☐ ☐ ☐ Attribute Table` ☐ ☐ ☐ ☐ ☐ :guilabel:`Select features using an expression ☐ ☐ ☐ ☐.



8. Back in the main QGIS window, you will see that all lines that fall in USA are selected and appear in yellow.



9. `ne_10m_railroads_north_america`, `Save Selection As...`



10. `:guilabel: 'Browse'` `usa_railroads.shp` `:guilabel: 'CRS'` `:guilabel: 'Browse'`

Note

CRS `EPSG:4326` `**degrees**` `**degrees**`, `square degrees**` `**meters` `**feet**`



11. `filter = 'Filter'` `crs = 'north america equ'` `crs = 'North_America_Equidistant_Conic'` `crs = 'EPSG:102010'` `crs = 'OK'`



12. □ □□□ □ □□ □□□ Save vector layer as... □□□□□ □□ □□ □□ □□
 :guilabel: `Add saved file to map` □ □□□ :guilabel: `OK` □ □□□□.




13. □□ □□□□ □□□ □□□ □□□□ □□□
 usa_railroads` `□□□□ QGIS □□□□. □□□□ ` `ne_10m_railroads_north_america
 □□□□ □□□□ □□□□ □□□ □□□ □□□ □□□ □□□ □□□.



14. ``usa_railroads`` □□□□ □□ □□ □□□□ □□ □□ □□ :guilabel: ``Open Attribute Table`` □ □□□□□.



17. 属性表 Attribute Table 中，新建一个名为 length_km 的字段，数据类型为双精度浮点型，精度为 2，小数位数为 10。在表达式计算器中，输入 \$length / 1000，将结果保存到 length_km 字段中。

[illegible]

Basics statistics

Input Vector Layer
usa_railroads

☐ Use only selected features

Target field
length_km

Statistics output

Parameter	Value
Mean	127.751569149
StdDev	125.80562595
Sum	96069.18
Min	0.01
Max	936.6
N	752.0
CV	0.984767755...
Number of unique values	743

Press Ctrl+C to copy results to the clipboard

0% OK Close