

Calculating Line Lengths and Statistics

QGIS Tutorials and Tips



Author

Ujaval Gandhi

<http://google.com/+UjavalGandhi>

Translations by

SongHyun Choi

□□ □□□□□ □□

QGIS□ □, □□, □□ □ □□□ □□□□ □□ □□ □□ □□ □ □□ □□ □□□□. □
□□□□ □ □□ □□ □□□□ □□ □□ □□ □□□□ ****Field Calculator**** □ □□□ □□□□ □□□□
□□□□.

□□ □□

□□□□ □□□□□ □□ □□□□ □□□□ □□ □□ □□□□□ □□ □□ □□□□ □□ □ □□□□.

■ ■ ■ ■ ■ ■ ■ ■

- □□□ □□□□ □□□ □□
- □□□□□□ □□□ □□□(Projected Coordinate Reference System, CRS)□ □□□ □ □□.
- □□□□□ □□□□ □□ □□

□□□□ □□

`Natural Earth
<<http://www.naturalearthdata.com/downloads/10m-cultural-vectors/railroads/>>`_□□
□□ □□□ □□ □□□□□ □□□□. □□□□ `North America supplement <http://www.naturalearthdata.com/http://www.naturalearthdata.com/download/10m/cultural/ne_10m_railroads_north_america.zip>`_□□□□□□ □□□□ □□□□.
□□□ □□ [NATURALEARTH]

□□


1. □□□□ :menuselection: `Layer --> Add Vector Layer` □ □□□□.



2. ``ne_10m_railroads_north_america.zip`` □□□ □□□ :guilabel: `OK` □ □□□□□.



3. In the Select layers to add... dialog, choose *ne_10m_railroads_north_america.shp* layer.



4. 00 0000 0000 000000 00 00 0000 0000 00 00 0000 0000. 0 00000 000 00
000 000 0000, 00000 00 000 000 000. 00000 000 000 000 0000
:guilabel: `Open Attribute Table` 0 000000.



5. `:guilabel: `sov_a3`` □□ □□ □□□ □□□. □□ □□ 3□□ □□ □□ □□ □□
 □□ □□□□ □□□ □□ □□□□. □ □□□ □□□ □□□□ □□ □□ □ □□□.

Attribute table - ne_10m_railroads_north_america :: Features total: 1127, filtered: 1127, selected: 0

| | scalerank | featurecla | sov_a3 | uident | add | natrscale | continent |
|----|-----------|------------|--------|--------|-----|-----------|---------------|
| 0 | 8 | Railroad | USA | 1506 | 0 | 0 | North America |
| 1 | 9 | Railroad | USA | 1606 | 1 | 5 | North America |
| 2 | 8 | Railroad | USA | 1706 | 0 | 0 | North America |
| 3 | 8 | Railroad | USA | 1806 | 0 | 0 | North America |
| 4 | 8 | Railroad | USA | 1906 | 0 | 0 | North America |
| 5 | 8 | Railroad | USA | 2006 | 0 | 0 | North America |
| 6 | 8 | Railroad | USA | 2106 | 0 | 0 | North America |
| 7 | 9 | Railroad | USA | 2206 | 1 | 5 | North America |
| 8 | 8 | Railroad | USA | 2306 | 0 | 0 | North America |
| 9 | 8 | Railroad | USA | 2406 | 0 | 0 | North America |
| 10 | 8 | Railroad | USA | 2506 | 0 | 0 | North America |
| 11 | 8 | Railroad | USA | 2606 | 0 | 0 | North America |
| 12 | 8 | Railroad | USA | 2706 | 0 | 0 | North America |
| 13 | 8 | Railroad | USA | 2806 | 0 | 0 | North America |
| 14 | 9 | Railroad | USA | 2906 | 1 | 5 | North America |
| 15 | 9 | Railroad | USA | 3006 | 1 | 5 | North America |
| 16 | 8 | Railroad | USA | 3106 | 0 | 0 | North America |
| 17 | 8 | Railroad | USA | 3206 | 0 | 0 | North America |
| 18 | 8 | Railroad | USA | 3306 | 0 | 0 | North America |
| 19 | 8 | Railroad | USA | 3506 | 0 | 0 | North America |
| 20 | 8 | Railroad | USA | 3606 | 0 | 0 | North America |
| 21 | 8 | Railroad | USA | 3706 | 0 | 0 | North America |
| 22 | 8 | Railroad | USA | 3806 | 0 | 0 | North America |
| 23 | 9 | Railroad | USA | 3906 | 1 | 5 | North America |

Show All Features

6. ☐ ☐ ☐ Attribute Table` ☐ ☐ ☐ ☐ ☐ :guilabel:`Select features using an expression ☐ ☐ ☐ ☐.



8. Back in the main QGIS window, you will see that all lines that fall in USA are selected and appear in yellow.



9. `ne_10m_railroads_north_america`, `Save Selection As...`



10. `:guilabel: 'Browse'` `usa_railroads.shp` `:guilabel: 'CRS'` `:guilabel: 'Browse'`

Note

CRS `EPSG:4326` `**degrees**` `**degrees**` `**degrees**` `**meters` `**feet**`



11. `filter = Filter` north america equ` CRS` :guilabel: `North_America_Equidistant_Conic EPSG:102010` :guilabel: `OK```



12. □ □□□ □ □□ □□□ Save vector layer as... □□□□□ □□ □□ □□ □□
 :guilabel: 'Add saved file to map' □ □□□ :guilabel: 'OK' □ □□□□.



13. □□ □□□□ □□□ □□□ □□□□ □□□
 usa_railroads`~■■■■■ QGIS ■■■■■. ■■■■ ``ne_10m_railroads_north_america
 □□□□ □□□□ □□□□ □□□ □□□ □□□ □□□□ □□□ □□□□ □□□.



14. ``usa_railroads`` □□□□ □□ □□ □□□□ □□ □□ □□ :guilabel: ``Open Attribute Table`` □ □□□□□.



17. 属性表 Attribute Table 中，单击“长度”列，在弹出的对话框中，将“输出字段名”设置为 length_km，将“输出字段类型”设置为“十进制数（实数）”，将“输出字段宽度”设置为 10，将“精度”设置为 2，单击“确定”按钮。

Basics statistics

Input Vector Layer
usa_railroads

☐ Use only selected features

Target field
length_km

Statistics output

| Parameter | Value |
|-------------------------|----------------|
| Mean | 127.751569149 |
| StdDev | 125.80562595 |
| Sum | 96069.18 |
| Min | 0.01 |
| Max | 936.6 |
| N | 752.0 |
| CV | 0.984767755... |
| Number of unique values | 743 |

Press Ctrl+C to copy results to the clipboard

0% OK Close