

Importing Spreadsheets or CSV files

QGIS Tutorials and Tips



Author

Ujaval Gandhi

<http://google.com/+UjavalGandhi>

Translations by

SongHyun Choi

如何制作 CSV 文件

在 GIS 中，点数据通常以 CSV 文件存储。CSV 文件/表格是 GIS 软件可以识别的简单格式。

如何制作

通常，点数据可以导出为 QGIS 中的 CSV 文件。

如何制作

NOAA 提供了一个包含 2150 个地震点的 CSV 文件。 [Learn more.](#)

Download [Significant Earthquake Database](#) text file.

点数据 [NGDC]

如何

1. 在 QGIS 中打开 CSV 文件。在 QGIS 中，选择“图层”>“添加新图层”>“添加 CSV 图层”。在弹出的对话框中，选择 CSV 文件的路径。在“分隔符”下拉菜单中选择“逗号”。在“文本分隔符”下拉菜单中选择“双引号”。在“保存为”对话框中，选择“**Tab Delimited File**”或“**Comma Separated Values (CSV)**”。

signif.txt - Notepad

STATE	LOCATION_NAME	LATITUDE	LONGITUDE	REGION_CODE	DEATHS	DEATHS_DESCRIPTION
10	ISRAEL	ISRAEL: ARIHA (JERICHO)	31.500	35.300	140	
		9713	Tsu	-480	9	29
		1				2
103.900	30					
GANSU PROVINCE:	LONGXI	34.900	104.700	30	3	
3		41	23			
		UKRAINE	UKRAINE: BLACK SEA	44.700	51	57
		1	3	1001	4	33.300
					67	155
					79	340
350	10					
438	2					
119		477	9	25		
		139	Tsu	551	7	9
				147	558	12
549	9	12			5.5	25
715						
175	745	6	5			7.9
2	3	187	778			
	199	811				
844	9	18				
	219	853				
857	4					

Ln 1, Col 1

2. QGIS :menuselection: `Layers --> Add Delimited Text Layer` .



3. Create a Layer from a Delimited Text File

Note

X Y 000 0000 0000. 00 Latitude 00 0-0000 0000 **Y**000 000. 000000
00 Longitude 00 0-0000 0000 **X**000 000.

Create a Layer from a Delimited Text File

File Name:

Layer name: Encoding:

File format: ☐ CSV (comma separated values) ☒ Custom delimiters ☐ Regular expression delimiter

☐ Comma
 ☒ Tab
 ☐ Space
 ☐ Colon
 ☐ Semicolon
 Other delimiters: Quote: Escape:

Record options: Number of header lines to discard: ☒ First record has field names

Field options: ☐ Trim fields ☐ Discard empty fields ☐ Decimal separator is comma

Geometry definition: ☒ Point coordinates ☐ Well known text (WKT) ☐ No geometry (attribute only table)

X field: Y field: ☐ DMS coordinates

Layer settings: ☒ Use spatial index ☐ Use subset index ☐ Watch file

	I_D	FLAG_TSUNAMI	YEAR	MONTH	DAY	HOUR	MINUTE	SECOND	FOCAL_DEPTH	EQ_MAG_MW	EQ_MAG
1	1		-2150								
2	3		-2000						18		7.1
3	2	Tsu	-2000								
4	8		-1566								
5	11		-1450								

4. □□ □□□□□□ □□□□□□ □□□ □□□. □ □□□ □□ X, Y□□□ □□□ □□ □□□□□□. □ □□□□□ □□□ □□□□ □□ □ □□□□□. □□□□ □□□ □□□□□ □□□□□□.

Delimited text file errors

Errors in file C:/Users/ujaval/Downloads/signif.txt
 49 records discarded due to missing geometry definitions
 6 records discarded due to invalid geometry definitions
 The following lines were not loaded into QGIS due to errors:
 Invalid X or Y fields at line 306
 Invalid X or Y fields at line 2253
 Invalid X or Y fields at line 3239
 Invalid X or Y fields at line 3324
 Invalid X or Y fields at line 3365
 Invalid X or Y fields at line 3420

5. `guiabel: 'Coordinate Reference System Selector'` `CRS` `WGS 84` `guiabel: 'OK'`.



6. `QGIS`.

