## Working with Attributes

## QGIS Tutorials and Tips




Author Ujaval Gandhi

http://google.com/+Ujaval Gandhi


Translations by SongHyun Choi

GIS 0000 0000 0000. 000 00. 000 0 000 000
0 00000 00000 000 00000 00 000 0000 0000
□□□ □□□□ Natural Earth□ Populated Places dataset □□□.
`Natural Earth Populated Places shapefile.


1. \_\_\_\_ QGIS \_\_\_\_ QGIS \_\_\_\_ == \_\_\_ :menuselection:'\_\_ == \_-> \_\_\_ == \_\_\_ == \_\_\_




2. Click on Browse and navigate to the folder where you downloaded the data.




3. Locate the downloaded zip file **ne\_10m\_populated\_places\_simple.zip**. You do not need to unzip the file. QGIS has the ability to read zip files directly. Select the file and click Open.




4. □□□ □□□□ □□□□ □□□ □□□ □□□ `ne\_10m\_populated\_places\_simple.shp'□ □□□□ :guilabel:'OK`□ □□□□□.



5. 000 0000 **QGIS**0 0000 00000 00000 0000 00 000 00





. 000 000 00 000 00000.


	scalerank $ abla$	natscale	labelrank	featurecla	name	namepar	namealt
	10	1	8	Admin-1 capital	Colonia del Sac	NULL	NULL
	10	1	8	Admin-1 capital	Trinidad	NULL	NULL
	10	1	8	Admin-1 capital	Fray Bentos	NULL	NULL
	10	1	8	Admin-1 capital	Canelones	NULL	NULL
	10	1	8	Admin-1 capital	Florida	NULL	NULL
	10	1	8	Admin-1 capital	Bassar	NULL	NULL
	10	1	8	Admin-1 capital	Sotouboua	NULL	NULL
	10	1	7	Admin-1 capital	Medenine	NULL	NULL
	10	1	7	Admin-1 capital	Kebili	NULL	NULL
	10	1	7	Admin-1 capital	Tataouine	NULL	NULL
	10	1	7	Admin-1 capital	L'Ariana	NULL	NULL
	10	1	7	Admin-1 capital	Jendouba	NULL	NULL
	10	1	7	Admin-1 capital	Kasserine	NULL	NULL
	10	1	7	Admin-1 capital	Sdid Bouzid	NULL	NULL
	10	1	7	Admin-1 capital	Siliana	NULL	NULL
	10	1	7	Admin-1 capital	Mahdia	NULL	NULL
	10	1	7	Admin-1 capital	Monastir	NULL	NULL
	10	1		Admin-1 capital	Zaghouan	NULL	NULL
	10	1	5	Admin-1 capital	Tay Ninh	NULL	NULL
	10	1	5	Admin-1 capital	Luan Chau	NULL	NULL
	10	1	5	Admin-1 capital	Bac Kan	NULL	NULL
	10	1	5	Admin-1 capital	Lang Son	NULL	NULL


8. 0 000 000 000 000, `pop\_max` 0 00 0000. 00 000 00000 000000


/							
	longitude	changed	namediff	diffnote	pop_max 🗸	pop_min	pop_other
7312	139.75140742900	0.00000000000	0	NULL	356760065	8336599	12945252
7297	-73.98001692880	0.00000000000	0	NULL	19040000	8008278	9292603
7303	-99.13098820170	0.00000000000	0	NULL	19028000	10811002	10018444
7313	72.85698929740	0.00000000000	0	NULL	18978000	12691836	12426085
7318	-46.62501998040	0.00000000000	0	NULL	18845000	10021295	11522944
7221	77.23000402720	4.00000000000	0	Changed featur	15926000	7633213	6747384
7311	121.43650467800	0.00000000000	0	NULL	14987000	14608512	16803572
7316	88.32467565810	4.00000000000	1	Name changed	14787000	4631392	7783716
7248	90.40857946670	5.00000000000	0	Changed scale	12797394	7000940	14995538
7290	-58.39753137370	0.00000000000	0	NULL	12795000	10929146	10271457
7295	-118.17998051100	0.00000000000	0	NULL	12500000	3694820	142265
7168	66.99000891000	5.00000000000	0	Changed scale	12130000	11624219	11570278
7310	31.24996821970	0.00000000000	0	NULL	11893000	7734614	13720557
7317	-43.22502079420	0.00000000000	0	NULL	11748000	2010175	1821489
7280	135.46014481500	4.00000000000	0	Changed featur	11294000	2592413	9630783
7306	116.38828568400	0.00000000000	0	NULL	11106000	7480601	9033231
7274	120.98221716200	0.00000000000	0	NULL	11100000	3077575	2381280
7302	37.61552282590	0.00000000000	0	NULL	10452000	10452000	10585385
7299	29.01000158560	0.00000000000	0	NULL	10061000	9945610	9651488
7314	2.33333532574	0.00000000000	0	NULL	9904000	11177	7142744
7273	126.99973099700	0.00000000000	0	NULL	9796000	9796000	12018058
7304 1	3.39153107121	4.00000000000	0	Location adiust	9466000	1536	6567892 【 <b>◀</b> 【▶

9. 00 000 000 :guilabel: Select features using an expression 00 000 000 0000.

	longitude	Select features us	ing an expression	diffnote	pop_max $ abla$	pop_min	pop_other 🛕	
7312	139.75140742900	0.00000000000	0	NULL	35676000	8336599	12945252	
7297	-73.98001692880	0.00000000000	0	NULL	19040000	8008278	9292603	
7303	-99.13098820170	0.00000000000	0	NULL	19028000	10811002	10018444	
7313	72.85698929740	0.00000000000	0	NULL	18978000	12691836	12426085	
7318	-46.62501998040	0.00000000000	0	NULL	18845000	10021295	11522944	
7221	77.23000402720	4.00000000000	0	Changed featur	15926000	7633213	6747384	
7311	121.43650467800	0.00000000000	0	NULL	14987000	14608512	16803572	
7316	88.32467565810	4.00000000000	1	Name changed	14787000	4631392	7783716	
7248	90.40857946670	5.00000000000	0	Changed scale	12797394	7000940	14995538	
7290	-58.39753137370	0.00000000000	0	NULL	12795000	10929146	10271457	
7295	-118.17998051100	0.00000000000	0	NULL	12500000	3694820	142265	
7168	66.99000891000	5.00000000000	0	Changed scale	12130000	11624219	11570278	
7310	31.24996821970	0.00000000000	0	NULL	11893000	7734614	13720557	
7317	-43.22502079420	0.00000000000	0	NULL	11748000	2010175	1821489	
7280	135.46014481500	4.00000000000	0	Changed featur	11294000	2592413	9630783	
7306	116.38828568400	0.00000000000	0	NULL	11106000	7480601	9033231	
7274	120.98221716200	0.00000000000	0	NULL	11100000	3077575	2381280	
7302	37.61552282590	0.00000000000	0	NULL	10452000	10452000	10585385	
7299	29.01000158560	0.00000000000	0	NULL	10061000	9945610	9651488	
7314	2.33333532574	0.00000000000	0	NULL	9904000	11177	7142744	
7273	126.99973099700	0.00000000000	0	NULL	9796000	9796000	12018058	
73∩4 <b>1</b>	3.39153107121	4.00000000000	0	Location adiust	9466000	1536	6567892 <b>∢</b> ▶	










	scalerank $ abla$	natscale	labelrank	featurecla	name	namepar	namealt
7295	0	600	1	Populated place	Los Angeles	NULL	Los Angeles-Lo
7296	0	600		Admin-0 capital	Washington, D.C.	NULL	Washington D.C.
297	0	600		Populated place	New York	NULL	New York-New
7298	0	600	5	Admin-0 capital	London	NULL	NULL
7299	0	600	5	Admin-1 capital	Istanbul	NULL	NULL
7300	0	600	5	Admin-0 capital	Riyadh	NULL	Ar-Riyadh
7301	0	600		Admin-0 capital	Cape Town	NULL	NULL
7302	0	600		Admin-0 capital	Moscow	Moskva	NULL
7303	0	600		Admin-0 capital	Mexico City	NULL	Ciudad de Méxi
7304	0	600		Admin-0 capita	Lagos	NULL	NULL
7305	0	600		Admin-0 capital	Rome	NULL	NULL
7306	0	600		Admin-0 capital	Beijing	NULL	NULL
7307	0	600	5	Admin-0 capital	Nairobi	NULL	NULL
7308	0	600		Admin-0 capital	Jakarta	NULL	NULL
7309	0	600	5	Admin-0 capital	Bogota	NULL	Bogotá
7310	0	600		Admin-0 capital	Cairo	NULL	Al-Qahirah
7311	0	600		Admin-1 capital	Shanghai	NULL	NULL
7312	0	600		Admin-0 capital	Tokyo	NULL	NULL
7313	0	600		Admin-1 capital	Mumbai	Bombay	NULL
7314	0	600		Admin-0 capital	Paris	NULL	NULL
7315		600		Admin-0 capital	Santiago	NULL	NULL
7316	9	600	1	Admin-1 capital	Kolkata	Calcutta	NULL
							(1)E









Ø	Sare vector layer as	? ×					
Format	ESRI Shapefile	•					
Save as	l/Downloads/large_capital_cities.shp	Browse					
Encoding	System	▼					
	Layer CRS ▼						
CRS	WGS 84	Browse					
Symbology expo	rt No symbology	▼					
Scale	1:50000	<u>A</u>					
OGR creation o	options						
Data source							
Layer							
Skip attribute creation  Ald saved file to map							
	OK Cancel	Help					

