

Calculating Line Lengths and Statistics

QGIS Tutorials and Tips



Author

Ujaval Gandhi

<http://google.com/+UjavalGandhi>

Translations by

Hang Nguyen Thuy

Tính toán và thống kê chiều dài đường

QGIS has built-in functions to calculate various properties based on the geometry of the feature – such as length, area, perimeter etc. This tutorial will show how to use Field Calculator to add a column with a value representing length of each feature.

Tổng quan về nhiệm vụ

We will use a polyline shapefile of railroads in North America and try to determine the total length of railroads in the United States.

Các kỹ năng bạn sẽ học được

- Using expressions to select features.
- Re-projecting a layer from Geographic to Projected Coordinate Reference System(CRS).
- Viewing statistics for values of an attribute in a layer.

Nguồn dữ liệu

[Natural Earth](#) has a public domain railroads dataset. Download the [North America supplement](#) zip file from the portal.

For convenience, you may directly download a copy of the dataset from the link below:

[ne_10m_railroads_north_america..zip](#)

Nguồn dữ liệu [NATURALEARTH]

Các bước thực hiện

1. Vào Layer ▸ Add Vector Layer.



2. Browse to the *ne_10m_railroads_north_america.zip* file and click OK.



3. In the 'Select layers to add...' dialog, choose *ne_10m_railroads_north_america.shp* layer.



4. Once the layer is loaded, you will notice that the layer has lines representing railroads for all of North America. Since we want to calculate line lengths only for United States railroads, we need to select the lines that fall in the United States. Right-click on the layer and select Open Attribute Table.



5. The layer has an attribute called sov_a3. This is the 3 letter code for the country that a particular feature falls in. We can use the value of this attribute to select features that are in USA.

Attribute table - ne_10m_railroads_north_america :: Features total: 1127, filtered: 1127, selected: 0

| | scalerank | featureca | sov_a3 | uident | add | natrlscale | continent |
|----|-----------|-----------|--------|--------|-----|------------|---------------|
| 0 | 8 | Railroad | USA | 1506 | 0 | 0 | North America |
| 1 | 9 | Railroad | USA | 1606 | 1 | 5 | North America |
| 2 | 8 | Railroad | USA | 1706 | 0 | 0 | North America |
| 3 | 8 | Railroad | USA | 1806 | 0 | 0 | North America |
| 4 | 8 | Railroad | USA | 1906 | 0 | 0 | North America |
| 5 | 8 | Railroad | USA | 2006 | 0 | 0 | North America |
| 6 | 8 | Railroad | USA | 2106 | 0 | 0 | North America |
| 7 | 9 | Railroad | USA | 2206 | 1 | 5 | North America |
| 8 | 8 | Railroad | USA | 2306 | 0 | 0 | North America |
| 9 | 8 | Railroad | USA | 2406 | 0 | 0 | North America |
| 10 | 8 | Railroad | USA | 2506 | 0 | 0 | North America |
| 11 | 8 | Railroad | USA | 2606 | 0 | 0 | North America |
| 12 | 8 | Railroad | USA | 2706 | 0 | 0 | North America |
| 13 | 8 | Railroad | USA | 2806 | 0 | 0 | North America |
| 14 | 9 | Railroad | USA | 2906 | 1 | 5 | North America |
| 15 | 9 | Railroad | USA | 3006 | 1 | 5 | North America |
| 16 | 8 | Railroad | USA | 3106 | 0 | 0 | North America |
| 17 | 8 | Railroad | USA | 3206 | 0 | 0 | North America |
| 18 | 8 | Railroad | USA | 3306 | 0 | 0 | North America |
| 19 | 8 | Railroad | USA | 3506 | 0 | 0 | North America |
| 20 | 8 | Railroad | USA | 3606 | 0 | 0 | North America |
| 21 | 8 | Railroad | USA | 3706 | 0 | 0 | North America |
| 22 | 8 | Railroad | USA | 3806 | 0 | 0 | North America |
| 23 | 9 | Railroad | USA | 3906 | 1 | 5 | North America |

Show All Features

6. In the Attribute Table window, click the Select features using an expression button.

Attribute table - ne_10m_railroads_north_america :: Features total: 1127, filtered: 1127, selected: 0

Select features using an expression

| | scalerank | | uident | add | natrscale | continent |
|----|-----------|----------|--------|------|-----------|-----------------|
| 0 | 8 | Railroad | USA | 1506 | 0 | 0 North America |
| 1 | 9 | Railroad | USA | 1606 | 1 | 5 North America |
| 2 | 8 | Railroad | USA | 1706 | 0 | 0 North America |
| 3 | 8 | Railroad | USA | 1806 | 0 | 0 North America |
| 4 | 8 | Railroad | USA | 1906 | 0 | 0 North America |
| 5 | 8 | Railroad | USA | 2006 | 0 | 0 North America |
| 6 | 8 | Railroad | USA | 2106 | 0 | 0 North America |
| 7 | 9 | Railroad | USA | 2206 | 1 | 5 North America |
| 8 | 8 | Railroad | USA | 2306 | 0 | 0 North America |
| 9 | 8 | Railroad | USA | 2406 | 0 | 0 North America |
| 10 | 8 | Railroad | USA | 2506 | 0 | 0 North America |
| 11 | 8 | Railroad | USA | 2606 | 0 | 0 North America |
| 12 | 8 | Railroad | USA | 2706 | 0 | 0 North America |
| 13 | 8 | Railroad | USA | 2806 | 0 | 0 North America |
| 14 | 9 | Railroad | USA | 2906 | 1 | 5 North America |
| 15 | 9 | Railroad | USA | 3006 | 1 | 5 North America |
| 16 | 8 | Railroad | USA | 3106 | 0 | 0 North America |
| 17 | 8 | Railroad | USA | 3206 | 0 | 0 North America |
| 18 | 8 | Railroad | USA | 3306 | 0 | 0 North America |
| 19 | 8 | Railroad | USA | 3506 | 0 | 0 North America |
| 20 | 8 | Railroad | USA | 3606 | 0 | 0 North America |
| 21 | 8 | Railroad | USA | 3706 | 0 | 0 North America |
| 22 | 8 | Railroad | USA | 3806 | 0 | 0 North America |
| 23 | 9 | Railroad | USA | 3906 | 1 | 5 North America |

Show All Features

7. A new dialog Select By Expression will open. Find the attribute sov_a3 under Fields and Values in the Functions list section. Double-click on it to add it to the Expression text area. Complete the expression by typing in `"sov_a3" = 'USA'`. Click Select followed by Close.

Select By Expression

Function list

Search

- String
- Color
- Geometry
- Record
- Fields and Values
 - scalerank
 - featurecla
 - sov_a3
 - uident
 - add
 - natrscale
 - continent
- Recent (Selection)

Selected function help

Field

Double click to add field name to expression string.

Right-Click on field name to open context menu sample value loading options.

Field values

Load values all unique 10 samples

Operators

= + - / * ^ || ()

Expression

"sov_a3" = 'USA'

Output preview: 1

Select Close

8. Back in the main QGIS window, you will see that all lines that fall in USA are selected and appear in yellow.



9. Now let's save our selection to a new shapefile. Right-click on the *ne_10m_railroads_north_america* layer and select Save Selection As....



10. Click Browse and name the output file as *usa_railroads.shp*. We also want to change the CRS of the layer. Click on Browse next to CRS.

Note

The built-in functions that use a feature's geometry for calculation use the units of the layer's CRS. Geographic Coordinate Reference System(CRS) such as EPSG:4326 have degrees as units – so the length of the feature would be in degrees and area in square degrees – which is meaningless. You need to use a Projected Coordinate Reference System with units of meters or feet to perform such calculations.



11. Since we are interested in calculating length, let's select an equidistance projection. Type north america equ in the Filter search box. In the results pane below, select North_America_Equidistant_Conic EPSG:102010 as the CRS. Click OK.



12. In the Save vector layer as... dialog, check the Add saved file to map and click OK.



13. Once the export process finishes, you will see a new layer *usa_railroads* loaded in QGIS. You can uncheck the box next to *ne_10m_railroads_north_america* layer to turn it off as we don't need it anymore.



14. Right-click on the *usa_railroads* layer and select Open Attribute Table.



15. Now it is time to add a column with length of each feature. Put the layer in editing mode by clicking on the Toggle editing button. Once in editing mode, click the Open field calculator button.

Attribute table - usa_railroads :: Features total: 752, filtered: 752, selected: 0



| | scalerank | featuredata | sov_a3 | uident | | continent |
|----|-----------|-------------|--------|--------|---|---------------|
| 0 | 8 | Railroad | USA | 1506 | 0 | North America |
| 1 | 9 | Railroad | USA | 1606 | 1 | North America |
| 2 | 8 | Railroad | USA | 1706 | 0 | North America |
| 3 | 8 | Railroad | USA | 1806 | 0 | North America |
| 4 | 8 | Railroad | USA | 1906 | 0 | North America |
| 5 | 8 | Railroad | USA | 2006 | 0 | North America |
| 6 | 8 | Railroad | USA | 2106 | 0 | North America |
| 7 | 9 | Railroad | USA | 2206 | 1 | North America |
| 8 | 8 | Railroad | USA | 2306 | 0 | North America |
| 9 | 8 | Railroad | USA | 2406 | 0 | North America |
| 10 | 8 | Railroad | USA | 2506 | 0 | North America |
| 11 | 8 | Railroad | USA | 2606 | 0 | North America |
| 12 | 8 | Railroad | USA | 2706 | 0 | North America |
| 13 | 8 | Railroad | USA | 2806 | 0 | North America |
| 14 | 9 | Railroad | USA | 2906 | 1 | North America |
| 15 | 9 | Railroad | USA | 3006 | 1 | North America |
| 16 | 8 | Railroad | USA | 3106 | 0 | North America |
| 17 | 8 | Railroad | USA | 3206 | 0 | North America |
| 18 | 8 | Railroad | USA | 3306 | 0 | North America |
| 19 | 8 | Railroad | USA | 3506 | 0 | North America |
| 20 | 8 | Railroad | USA | 3606 | 0 | North America |
| 21 | 8 | Railroad | USA | 3706 | 0 | North America |
| 22 | 8 | Railroad | USA | 3806 | 0 | North America |
| 23 | 9 | Railroad | USA | 3906 | 1 | North America |

Show All Features

16. In the Field Calculator, check Create a new field. Enter length_km as the Output field name. Choose Decimal number (real) as the Output field type. Change the output Precision to 2. In the Function list panel, find the \$length under Geometry. Double-click it to add it to the Expression. Complete the expression as $\$length / 1000$ because our layer CRS is in meters unit and we want the output in km. Click OK.



17. Back in Attribute Table, you will see a new column length_km appear. Click the Toggle editing button to save the changes to the attribute table.

Attribute table - usa_railroads :: Features total: 752, filtered: 752, selected: 0



| | scalerank | featuredata | sov_a3 | uident | add | natrscale | continent | length_km |
|----|-----------|-------------|--------|--------|-----|-----------|---------------|-----------|
| 0 | 8 | Railroad | USA | 1506 | 0 | 0 | North America | 637.07 |
| 1 | 9 | Railroad | USA | 1606 | 1 | 5 | North America | 16.27 |
| 2 | 8 | Railroad | USA | 1706 | 0 | 0 | North America | 96.22 |
| 3 | 8 | Railroad | USA | 1806 | 0 | 0 | North America | 20.15 |
| 4 | 8 | Railroad | USA | 1906 | 0 | 0 | North America | 0.01 |
| 5 | 8 | Railroad | USA | 2006 | 0 | 0 | North America | 79.95 |
| 6 | 8 | Railroad | USA | 2106 | 0 | 0 | North America | 67.00 |
| 7 | 9 | Railroad | USA | 2206 | 1 | 5 | North America | 196.45 |
| 8 | 8 | Railroad | USA | 2306 | 0 | 0 | North America | 60.61 |
| 9 | 8 | Railroad | USA | 2406 | 0 | 0 | North America | 20.03 |
| 10 | 8 | Railroad | USA | 2506 | 0 | 0 | North America | 147.21 |
| 11 | 8 | Railroad | USA | 2606 | 0 | 0 | North America | 68.33 |
| 12 | 8 | Railroad | USA | 2706 | 0 | 0 | North America | 1.62 |
| 13 | 8 | Railroad | USA | 2806 | 0 | 0 | North America | 4.34 |
| 14 | 9 | Railroad | USA | 2906 | 1 | 5 | North America | 60.92 |
| 15 | 9 | Railroad | USA | 3006 | 1 | 5 | North America | 157.26 |
| 16 | 8 | Railroad | USA | 3106 | 0 | 0 | North America | 131.39 |
| 17 | 8 | Railroad | USA | 3206 | 0 | 0 | North America | 58.84 |
| 18 | 8 | Railroad | USA | 3306 | 0 | 0 | North America | 432.74 |
| 19 | 8 | Railroad | USA | 3506 | 0 | 0 | North America | 29.55 |
| 20 | 8 | Railroad | USA | 3606 | 0 | 0 | North America | 94.90 |
| 21 | 8 | Railroad | USA | 3706 | 0 | 0 | North America | 577.78 |
| 22 | 8 | Railroad | USA | 3806 | 0 | 0 | North America | 223.04 |
| 23 | 9 | Railroad | USA | 3906 | 1 | 5 | North America | 143.94 |

Show All Features

18. Now that we have length of each individual line in our layer, we can easily add it all up and find the Total length. Go to Vector › Analysis Tools › Basic Statistics.



19. Select the Input Vector layer as *usa_railroads*. Choose the Target field as *length_km* and click OK. You will see various statistics appear. The Sum value is the total length of the railroads that we are looking to find.

Note

This answer will vary slightly if a different projection is chosen. In practice, line lengths for roads and other linear features are measured on the ground and provided as attributes to the dataset. This method works in absence of such attribute and as an approximation of actual line lengths.

Basics statistics

Input Vector Layer
usa_railroads

☐ Use only selected features

Target field
length_km

Statistics output

| Parameter | Value |
|-------------------------|----------------|
| Mean | 127.751569149 |
| StdDev | 125.80562595 |
| Sum | 96069.18 |
| Min | 0.01 |
| Max | 936.6 |
| N | 752.0 |
| CV | 0.984767755... |
| Number of unique values | 743 |

Press Ctrl+C to copy results to the clipboard

0% OK Close